


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Clyde Baldwin
(Applicant)

AFFIDAVIT of PUBLICATION

RECEIVED

JUN 21 1977

State of Idaho, }
 Connty of Blaine } SS.

Department of Water Resources
 Southern District Office

Donald W Rosebrook, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 2 day of June, 1977, and the date of the last publication was on the 9 day of June, 1977.

Donald W. Rosebrook

Subscribed and sworn to before me this 18th

day of June, 1977.
 (SEAL)

Roberta Foxkercher
 NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Number of Lines in Notice 33
 Number of Insertions 2
 Lines tabular at 315c
33 Lines straight at 21c 6.93
33 Subsequent lines at 15c 4.95
 TOTAL COST 11.88

COPY OF NOTICE

(Paste Here)

Water Permit #37-7609

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
1041 Blue Lakes Blvd N
Twin Falls, Idaho 83301

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Clyde Baldwin, Bellevue, Idaho 83313, has on 5/18/77 submitted Application No. 37-7609 for a permit to appropriate 3.2 cubic feet per second of water from groundwater by means of well, pump, motor, to ditches & gravity flow within the NE 1/4 SE 1/4, Sec. 25, Twp. 1N. Rge. 18E., B.M., Blaine County to be used from Apr. 1 to Nov. 1 for irrigation purposes of 160 acres within the SE 1/4, Sec. 25, Twp. 1N., Rge. 18E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before June 20, 1977.


C. Stephen Allred
 Director

(Idaho) Publish: Wood River Journal, Blaine County, June 2 and 9, 1977.

Insertions 15c

No 1636

MICROFILMED



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE 1/4 SE 1/4; Sec 25 T 1 N R 18 E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1N	18E	25													30	40	40	30	140

Recommended Amendments:

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

Examiner's Signature

Gay Funderburg

Checked by

JF Stanton

Approved by

John

Date 11/29/1982

Date 11-30-82

Date 1-4-83

140

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: GARY FUNDABURG
Owner: MICHAEL HARRIS

Date 11/29/1982
Permit No. 37-7609

Description of well &/or measuring site (give distance to restrictions upstream and downstream): WELL, MOTOR, PUMPS, PIVOT
gravity flow ditch

Measured inside diameter of pipe in inches (A) 8"

Size of Annubar used in test 2.98

State ID# of Annubar Meter used 091411

Size Eagle Eye Meter used 10-80

State ID# of Meter used 091475

Date of Last Calibration of Meter 4-1-82


Observed inches of H2O read on Meter 18"

Adjusted inches of H2O from Last Calibration (B) 18"

CALCULATION: $\frac{(3.85) \times (A)^2 \times \sqrt{B}}{448.8} =$ 2.32 cfs measured

Where A and B are measured in inches and 3.85 is a constant for the model 75 Annubar.

SKETCH:



MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 37-7609 Priority May 18, 1977 Amount 2.32 cfs

THIS IS TO CERTIFY, that Michael A. Harris
of Bellevue, Idaho, has complied with the terms and conditions of Permit
No. 37-7609 issued pursuant to Application for Permit dated May 18, 1977,
and has submitted proof to the Department of Water Resources on February 10, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.32 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from April 1 to November 1	at 2.32 cfs	and 420.0 acre feet
	from _____ to _____	at _____ cfs	and _____
	from _____ to _____	at _____ cfs	and _____

(both dates inclusive)

Subject, however, to the condition that no more than 2.32 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
420.0 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Section 25, Twp.
1N, Rge. 18E in the County of Blaine

Description and location of place of use:

Twp.	Range	Sec.	NEW				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
1N	18E	25																	140

Total number of acres irrigated 140

This right when combined with all other rights shall provide no more than 0.02
cfs per acre nor more than 3.0 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31 day of
January, 19 83.

Director

DRG

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. **37-7609**

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

RECEIVED

State of Idaho
Department of Water Resources
ASSIGNMENT OF PERMIT

FEB 10 1982

Department of Water Resources

I, _____, hereby assign to Michael A. Harris
of P.O. Box 295 Bellevue, Idaho 83313
Address

CHECK ONE

- ☒ All my right, title, and interest in and to Permit No. 37-7609
to appropriate the public waters of the State of Idaho.
- ☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.
(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 1 day of February, 19 82.

Clyde Baldwin
Permit Holder

Donette Baldwin
Spouse of Permit Holder

State of Idaho)
County of Blaine) ss.

On this 1 day of February, 19 82, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

James A. Dilly
Notary Public residing at
Hailey, Idaho

My commission expires:
9-1-84

MICROFILMED

Identification No. _____

Application No. 37-7609

Assigned to:
Michael A Harris
P.O. Box 295
Bellevue, Id.
83313

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Clyde Baldwin Phone: 788-2780
post office address Box 740 Bellevue, ID 83313
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 25 Township 1N
Range 18E., B.M. Blaine County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 3.2cfs for irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 3.2 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, pump, motor, to ditches
and gravity flow

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; proposed depth of well is 200 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 6,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

APPROVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1N	18E	25													40	40	40	40	160

Total number of acres to be irrigated. 160

c. Describe any other water rights used for the same purposes as described above. 650 inches Big Wood River decreed 1887, 23 inches 1883 Big Wood

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Supplemental water when River water is not available.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Rge 18E

Twp 1N.

SEC. 25

@

P.D.

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Caleb Baldwin
(Applicant)

Proposed Priority 5/18/77

Received by IGB Date 5/18/77 Time 11:45
Preliminary check by ADM Fee \$ 55.00
Receipted by IGB Date 5/18/77 # 3530
Publication prepared by Sm Date May 19, 77
Published in Wood River Journal
Publication dates 6/2 & 6/9/1977
Publication approved IG Date 6/22/77
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for (approval) denial by mls p

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-7609, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 82.
- c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 15 day of September 19 77.


Deputy Director

AFFIDAVIT of PUBLICATION

State of Idaho,
County of Blaine

SS.

Department of Water Resources
Statistical Division

JUN 22 1977

Donald W. Rosebrook, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 2 day of June

19 77, and the date of the last publication was on the 9

day of June, 19 77.

Donald W. Rosebrook

Subscribed and sworn to before me this 18th

day of June, 19 77.
(SEAL)

Roberta J. Kercher

NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Number of Lines in Notice 33

Number of Insertions 2

Lines tabular at 315c

33 Lines straight at 21c 6.93

33 Subsequent lines at 15c 4.95

TOTAL COST 11.88

COPY OF NOTICE

(Paste Here)

Water Permit #37-7609

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Resources
1041 Blue Lakes Blvd N
Twin Falls, Idaho 83301

6/22/77

Notice is hereby given that Clyde Baldwin, Bellevue, Idaho 83313, has on 5/18/77 submitted Application No. 37-7609 for a permit to appropriate 32 cubic feet per second of water from groundwater by means of well pump, motor, to ditches & gravity flow within the NE 1/4, Sec. 25, Twp. 19 N., R. 18E, S. 12E, Blaine County to be used from April 1 to May 1 for irrigation purposes on 150 acres within the SE 1/4, Sec. 25, Twp. 19 N., R. 18E, S. 12E.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd, North Twin Falls, Idaho, 83301 on or before June 20, 1977.

C. Stephen Alred

Director

(Id
Publ
87 p
87 p
87 p
Insertions

Nº 1636

WATER RIGHT NUMBER 37-7609

OWNER LAST NAME - BALDWIN
OWNER LAST NAME - HARRIS
ADDRESS LINE 1 - P.O. BOX 295
ADDRESS LINE 3 -

FIRST NAME - CLYDE
FIRST NAME - MICHAEL A.
ADDRESS LINE 2 -
CITY - BELLEVUE
STATE - ID ZIP CODE - 83313
TRIBUTARY OF -

SOURCE - GROUNDWATER

STAGE - LICENSE

STATUS -

PRIORITY - 05-18-1977 COUNTY - BLAINE

TOTAL DIV. RATE - 2.3200 -CFS

TOTAL DIV. VOLUME - 420.00 AFA TRFR/AMEND - WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -

DIVERSION POINT - NESE 25 01N 18E LOT REDIV - 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 04-01 TO - 11-01 USE - IRRIGATION

USE DIV. RATE - 2.3200 CFS USE DIV. VOLUME - 420.00 AFA

USE - IRRIGATION

PLACE OF USE - TWN 01N RNG 18E SEC 25 TRACT NESE LOT AC 30 TRACT NWSE LOT AC 40

TRACT SWSE LOT AC 40 TRACT SESE LOT AC 30

DECREE NAME -

DATE - TOTAL ACRES 140

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE - BIG WOOD RIVER

PROOF DUE - 09-01-1982 PERMIT/DENIED -

PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - FLD EXAM - COND. OF APPROVAL - R29

DIVERSION MEANS -

February 15, 1983

RE: Permit No. 37-7609

Michael A. Harris
P.O. Box 295
Bellevue, ID 83313

Dear Mr. Harris:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

A handwritten signature in cursive script, appearing to read "Jim Johnson", with a long horizontal flourish extending to the right.

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 11, 1983

RE: Permit No. 37-7609

Michael A. Harris
P.O. Box 295
Bellevue, ID 83313

Dear Mr. Harris:

A representative of this Department has made an examination of the works covered by your Permit No. 37-76099, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 2.32 cfs Source: groundwater

The maximum quantity diverted shall not exceed 420.0 acre feet
per year.

Point(s) of diversion: NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 25, Twp. 1N, Rge. 18E, Blaine County

Beneficial use: Irrigation of 140 acres within the SE $\frac{1}{4}$, Sec. 25, Twp. 1N,
Rge. 18E

Priority date established: May 18, 1977

Conditions (if any): This right when combined with all other rights shall
provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre for
the lands above.

If you do not concur with these findings please contact us within 10 days, otherwise
a water license will be issued as set forth above.


Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

Remarks This water is Supplemental water to be used
when the Decreed Amount of Flow has been
reduced.
Overlap Review
License 37-2307 Big Wood R. - No Overlap, different Source
Recommend Cond R16

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE 1/4 SE 1/4; Sec 25 T 1 N R 18 E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1N	18E	25													30	40	40	30	140

140

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

☒ None
☐ Other

Examiner's Signature

Harry J. Junderburg
J.F. Stanton

Checked by

Approved by

Date 11/29/1982

Date 11-30-82

Date 1-4-83

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: GARY FUNDABURG
Owner: MICHAEL HARRIS

Date 11/29/1982
Permit No. 37-7609

Description of well &/or measuring site (give distance to restrictions upstream and downstream): WELL, MOTOR, PUMPS, PIVOT
gravity flow ditch

Measured inside diameter of pipe in inches (A) 8"

Size of Annubar used in test 2.98

State ID# of Annubar Meter used 091411

Size Eagle Eye Meter used 10-80

State ID# of Meter used 091425

Date of Last Calibration of Meter 4-1-82


Observed inches of H₂O read on Meter 18"

Adjusted inches of H₂O from Last Calibration (B) 18"

CALCULATION: $\frac{(3.85) \times (A)^2 \times \sqrt{B}}{448.8} = \textcircled{2.32}$ cfs measured

Where A and B are measured in inches and 3.85 is a constant for the model 75 Annubar.

SKETCH:



March 18, 1982

Michael A. Harris
P. O. Box 295
Bellevue, ID 83313

Dear Mr. Harris:

Re: Permit No. 37-7609

This office acknowledges receipt of the assignment conveying this permit to you. The assignment has been entered into the department's records. A copy of the permit is enclosed for your records.

Also this office acknowledges receipt of the statement of beneficial use submitted for this permit. Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our Southern Regional office at 734-3578.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosure

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit (37-7609)

Name(s) of Permit Holder: Michael A. Harris

Post Office Address: P.O. Box 295

Bellevue, Id. 83313 Tel. No. 788-2277

Source of Water: Under ground

Extent: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation (acres)
☐ Other

Measurement Service: Required? ☐ Yes ☐ No Installed? ☐ Yes ☒ No
Access: Required? ☐ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

1/24/82 Date
Michael A. Harris Signature of Permit Holder

MICROFILMED

PLACE
TEN CENT
STAMP
HERE

MICROFILMED



Department of Water Resources

FEB 10 1982

RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

February 24, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

MICROFILMED

IDENT. NO. 37-7609

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

September 19, 1977

Re: Permit No. 37-7609

Clyde Baldwin
Box 740
Bellevue, ID 83313

Dear Mr. Baldwin:

Enclosed is a copy of your approved Application for Permit No. 37-7609. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 37-7609-Clyde Baldwin

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) ADM 5-19-77

In form to receipt

(2) " "

Send Copies to:

Idaho State Health Department
Idaho Fish and Game Department
Bureau of Land Management

(3) " "

Request Special Use Permit from U.S.F.S.
Request Easement from B.L.M.
Request Information from Applicant

(4) T.G.B 5-19-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) mls 7-7-77

Critical groundwater area: yes _____ no ☒

(8) mls 7-7-77

Groundwater levels:

☒ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____ _____ RMS

Other rights on the same place of use none

(10) _____

Comments: _____

(11) af 6/22/77

Affidavit of Publication received(date) 6/21/77

(12) sm 7-7-77

Final date for protests 6/20/77
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) mls 7-7-77

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District Southern By Michael Steele Date 7-7-77

cc. sent to Boise 5/19/77 sm

Supplemental

COOPERATIVE EXTENSION SERVICE



University of Idaho

College of Agriculture
In Cooperation with the
U.S. Department of Agriculture
and Blaine County

RECEIVED
JUN 10 1977
BLAINE, IDAHO

P.O. Box 216
Hailey, Idaho 83333
788-3451

June 7, 1977

Department of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301

Dear Sir:

Mr. Clyde Baldwin of Bellevue, Idaho, in Blaine County has requested our assistance on his alfalfa and grain farm with his current water problem. Mr. Baldwin's situation is complicated by the drought, but he is normally short of water anyway. He has told me that he lost his hay crop this year. Mr. Baldwin currently has 24" of 1883 decreed water and 626" of 1886 decreed water.

The predominant soil type on Mr. Baldwin's farm is Little Wood Gravelly Loam. Soil depths in this type range from 20 to 40 inches (effective rooting depth). The water holding capacity is approximately 1½" per foot. The soil gravel percentage may be as high as 40-45 percent.

Mr. Baldwin needs a well capacity of at least 2" to help satisfy his current water needs. As stated earlier, Mr. Baldwin does not meet his water needs in a normal year.

I hope you will consider these facts when reviewing his request for a well drilling permit.

Sincerely,

Don C. Edgerton
Extension Agricultural Agent

ya

cc: Clyde Baldwin
Bill Kawamura

RECEIVED
JUN 10 1977
BLAINE, IDAHO

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Clyde Baldwin

Bellevue, ID 83313

has on 5/18/77 submitted Application No. 37-7609

for a permit to appropriate 3.2 cubic feet per second ~~per second~~

of water from groundwater

by means of well, pump, motor, to ditches & gravity flow

within the NE¹SE¹, Sec. 25, Twp. 1N, Rge. 18E., B.M., Blaine County

to be used from Apr. 1 to Nov. 1

for irrigation purposes of 160 acres

within the SE¹, Sec. 25, Twp. 1N, Rge. 18E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before June 10, 1977.

C. STEPHEN ALLRED

Director

Published in the Wood River Journal

May 26 June 2 and June 9, 1977

RECEIVED
JUN 10 1977
IDAHO DEPARTMENT OF
WATER RESOURCES
TWIN FALLS, IDAHO

May 19, 1977

Wood River Journal
P. O. Box 988
Hailey, ID 83333

RE: Application For Permit #37-7609-Clyde Baldwin

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:sm

Enclosure

Bill submitted: _____