

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.

Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Otwin Falls, this 26 day of Jan, 19 81.

(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by JAB Fee = \$20.00

Received by GP Date 1-26-81 # 16780

Publication prepared by MAH Date 6/4/81

Published in Wood River Journal

Publication dates 6/11 & 6/18/81

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, Glen Saxton, of the Department of Water Resources hereby approve the above Application for Amendment of Permit 37-7584.

Witness my hand this

6th day of


August, 19 81

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

A. W. Mohrman
(Applicant)

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

Gordon O. Glasmann, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 11 day of June, 1981, and the date of the last publication was on the 18 day of June, 1981.

Subscribed and sworn to before me this 18th

day of June, 1981.
(SEAL)

Roberta McKee
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Numer of Picas per Line 13
Number of Lines in Notice 37
Number of Insertions 2
Lines tabular at _____ 4¢ / Pica
37 Lines straight at 14.43 3¢ / Pica
37 Subsequent lines at 9.62 2¢ / Pica
TOTAL COST 24.05

COPY OF NOTICE

(Paste Here)

Permit 37-7584
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water Resources
1041 Blue Lakes Blvd N
Twin Falls, Idaho 83301

NOTICE OF AMENDMENT TO A WATER PERMIT No. 37-7584

NOTICE IS HEREBY GIVEN, That A.W. &/or Maxine Molyneux are the holders of approved Permit No. 37-7584 authorizing the diversion of 3.92 cubic feet per second of water from groundwater source in the NE¼NE¼, Sec. 24, T1S, R19E, B.M., Blaine County, to be used for irrigation purposes from April 1 to Nov. 1 (on 196 acres) within N½SE¼, SE¼SE¼, Sec. 13; NE¼NE¼, Sec. 24; T1S, R19E; N½NW¼, Sec. 19, T1S, R20E.

The permit holder has applied to the Department of Water Resources for an Amendment to the permit, to change the points of diversion as follows:

Point(s) of Diversion: NW¼SE¼, Sec. 13, T1S, R19E; SE¼NW¼, Sec. 19, T1S, R20E

Place of Use: Same

Any protest against approval of the amending of Permit No. 37-7584 as set forth above must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301, on or before June 29, 1981.

C. Stephen Allred
Director

Publish: Wood River Journal-June 11, 1981.

RECEIVED
No 586

JUN 22 1981

Department of Water Resources
Southern District Office





AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Blaine } SS.

MAY 23 1977

Department of Water Resources
Southern District Office

Gordon O. Glasmonn, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 5 day of May

19 77, and the date of the last publication was on the 12

day of May, 1977.

Subscribed and sworn to before me this 20th

day of May, 1977.
(SEAL)

NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Lines in Notice 33

Number of Insertions 2

Lines tabular at 315c

33 Lines straight at 21c 6.93

33 Subsequent lines at 15c 4.95

TOTAL COST 11.88

COPY OF NOTICE

(Paste Here)

Application for water
Permit No. 37-7584

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water Resources
1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that A.W. and/or Maxine Molyneux, Bellevue, Idaho 83313 has on 4/15/77 submitted Application No. 37-7584 for a permit to appropriate 3.92 cubic feet per second of water from groundwater by means of well, pump, motor, ditches within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24, Twp. 1S, Rge. 19E., B.M., Blaine County to be used from April 1 to Nov. 1 for irrigation purposes of 196 acres within the N $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 13, NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24, Twp. 1S, Rge. 19E., B.M., N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 19, Twp. 1S, Rge. 20E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before 5/23/77.

STEPHEN ALLRED


Director

Publish: Wood River Journal, Blaine County, May 5 and 12, 1977.

Nº 1590

ok/
sm
5/23/77

MICROFILMED



RECEIVED

FIGURE A

STATE OF IDAHO MAY 01 1987
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: A. W. Molyneux Permit No. 37-7584
Current Address: Box 400, Bellevue, ID 83313 Phone No. 788-2552
2. Accompanied by: Mr. Molyneux EXAM. DATE: 9-23-86
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: Land in Sec. 19 south of highway is also served by another well under Lic. 37-2629 + Claim 37-4278; decreed surface rights Copies Attached _____
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MAR 10 1988

37-7584



MICROFILMED

MAR 10 1988

37-7584

T12

15E

m
24.8

n
26.7

past

13 18

o
9.1

19

PD

(3)

p
16.3

s
23.3

q
22.1

r
13.5

13.5

x
22.5

10.6

q
9.7

14.4

16.0

19.1

cc
16.5

dd
27.6

38
8.8

RECEIVED

MAR 10 1988

A1A
30.0

B1A
25.0

C1A
20.0

D1A
15.0

E1A
10.0

F1A
5.0

G1A
0.0

H1A
0.0

I1A
0.0

J1A
0.0

u
2.5

y
4.1

v
2.5

w
2.5

t
5.6

s
23.3

r
13.5

q
22.1

p
16.3

o
9.1

n
26.7

m
24.8

l
2.5

k
2.5

j
2.5

i
2.5

h
2.5

g
2.5

f
2.5

e
2.5

d
2.5

c
2.5

b
2.5

a
2.5

z
2.5

y
4.1

x
22.5

w
2.5

v
2.5

u
2.5

t
5.6

s
23.3

r
13.5

q
22.1

p
16.3

o
9.1

n
26.7

m
24.8

l
2.5

k
2.5

j
2.5

i
2.5

h
2.5

g
2.5

f
2.5

e
2.5

d
2.5

c
2.5

b
2.5

a
2.5

z
2.5

y
4.1

x
22.5

w
2.5

v
2.5

u
2.5

t
5.6

s
23.3

r
13.5

q
22.1

p
16.3

o
9.1

n
26.7

m
24.8

l
2.5

k
2.5

j
2.5

i
2.5

h
2.5

g
2.5

f
2.5

e
2.5

d
2.5

c
2.5

b
2.5

a
2.5

z
2.5

y
4.1

x
22.5

w
2.5

v
2.5

u
2.5

t
5.6

s
23.3

r
13.5

q
22.1

p
16.3

o
9.1

n
26.7

m
24.8

l
2.5

k
2.5

j
2.5

i
2.5

h
2.5

g
2.5

f
2.5

e
2.5

d
2.5

c
2.5

b
2.5

a
2.5

z
2.5

y
4.1

x
22.5

w
2.5

v
2.5

u
2.5

t
5.6

s
23.3

r
13.5

q
22.1

p
16.3

o
9.1

n
26.7

m
24.8

l
2.5

k
2.5

j
2.5

i
2.5

h
2.5

g
2.5

f
2.5

e
2.5

d
2.5

c
2.5

b
2.5

a
2.5

z
2.5

y
4.1

x
22.5

w
2.5

v
2.5

u
2.5

t
5.6

s
23.3

r
13.5

q
22.1

p
16.3

o
9.1

n
26.7

m
24.8

l
2.5

k
2.5

j
2.5

i
2.5

h
2.5

g
2.5

f
2.5

e
2.5

d
2.5

c
2.5

b
2.5

a
2.5

z
2.5

y
4.1

x
22.5

w
2.5

v
2.5

u
2.5

t
5.6

s
23.3

r
13.5

q
22.1

p
16.3

o
9.1

n
26.7

m
24.8

l
2.5

k
2.5

j
2.5

i
2.5

h
2.5

g
2.5

f
2.5

e
2.5

d
2.5

c
2.5

b
2.5

a
2.5

z
2.5

y
4.1

x
22.5

w
2.5

v
2.5

u
2.5

t
5.6

s
23.3

r
13.5

q
22.1

p
16.3

o
9.1

n
26.7

m
24.8

l
2.5

k
2.5

j
2.5

i
2.5

h
2.5

g
2.5

f
2.5

e
2.5

d
2.5

c
2.5

b
2.5

a
2.5

z
2.5

y
4.1

x
22.5

w
2.5

v
2.5

u
2.5

t
5.6

s
23.3

r
13.5

q
22.1

p
16.3

o
9.1

n
26.7

m
24.8

l
2.5

k
2.5

j
2.5

i
2.5

h
2.5

g
2.5

f
2.5

e
2.5

d
2.5

c
2.5

b
2.5

a
2.5

z
2.5

y
4.1

x
22.5

w
2.5

v
2.5

u
2.5

t
5.6

s
23.3

r
13.5

q
22.1

p
16.3

o
9.1

n
26.7

m
24.8

l
2.5

k
2.5

j
2.5

i
2.5

h
2.5

g
2.5

f
2.5

e
2.5

d
2.5

c
2.5

b
2.5

a
2.5

z
2.5

y
4.1

x
22.5

w
2.5

v
2.5

u
2.5

t
5.6

s
23.3

r
13.5

q
22.1

p
16.3

o
9.1

n
26.7

m
24.8

l
2.5

k
2.5

j
2.5

i
2.5

h
2.5

g
2.5

f
2.5

e
2.5

d
2.5

c
2.5

b
2.5

a
2.5

z
2.5

y
4.1

x
22.5

w
2.5

v
2.5

u
2.5

t
5.6

s
23.3

r
13.5

q
22.1

p
16.3

o
9.1

n
26.7

m
24.8

l
2.5

k
2.5

Well
looking east



Well
looking north



MICROFILMED

MAR 10 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-7584

Priority: June 28, 1977 Amount: .86 CFS 351.0 AFA

This is to certify, that A. W. MOLYNEUX
MAXINE MOLYNEUX

P.O. BOX 400

BELLEVUE, ID 83313

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated April 15, 1977, and has submitted proof to the Department of Water Resources on July 3, 1985, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .86 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	04/01 to 11/01	.86 cfs	351.0 afa

LOCATION OF POINT OF DIVERSION(S): NENE , Sec. 24, Township 1S, Range 19E
Blaine County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
1S	19E	13	SESE 16				16
		24	NENE 13				13
1S	20E	19	LOT 1(NWNW)24	LOT 2(SWNW) 1	NESW 30	LOT 3(NWSW)33	88
Total number of acres irrigated:							117

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 18th day of November, 19 87.

NOT RECORDED

Director

MAR 10 1988

RECEIVED

OCT 23 1987

State of Idaho
Department of Water Resources

RECEIVED

OCT 21 1987

APPLICATION FOR AMENDMENT
(For Licensing Purposes)

Department of Water Resources

WATER RIGHT NO. 37-7584

Department of Water Resources
Southern Region Office

Date of Priority: June 28, 1977

Comes now A. W. MOLYNEUX
MAXINE MOLYNEUX
P.O. BOX 400
BELLEVUE, ID 83313

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 37-7584, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	04/01 to 11/01	.86 cfs	351.0 afa

LOCATION OF POINT OF DIVERSION(S): NENE, Sec. 24, Township 1S, Range 19E
Blaine County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
1S	19E	13	SESE 16				16
		24	NENE 13				13
1S	20E	19	LOT 1(NWNW)24	LOT 2(SWNW) 1	NESW 30	LOT 3(NWSW)33	88

Total number of acres irrigated: 117

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Twin Falls, this 21 day of Oct, 191987

MICROFILMED

MAR 10 1988

A.W. Molyneux
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-7584

FOR DEPARTMENT USE ONLY

Preliminary check by KW Fee = \$20.00 ✓ Received by JA Date 10-21-87 #4428


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 37-7584 with the following;

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

Witness my hand this 18th day of November, 19 87.


(Director)

MAILED

MAR 10 1988

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT)
)
NO. 37-7584 IN THE NAME)
)
OF A. W. &/OR MAXINE MOLYNEUX)
_____)

ORDER ADVANCING
DATE OF PRIORITY

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 37-7584 for the issuance of a license, the Department makes the following Findings of Fact, Conclusions of Law, and Order pursuant to the provisions of Idaho Code.

FINDINGS OF FACT

1. On June 17, 1977 the Department approved Application for Permit No. 37-7584 to appropriate the public waters of the State of Idaho with a priority of April 15, 1977.

2. On April 30, 1986 the Department sent the permit holder a notice that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit.

3. The fee was due on June 29, 1986, 60 days from the date of the notice; however, the fee was not received until September 11, 1986, 74 days late.

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the fee was late, pursuant to the provisions of Section 42-217, Idaho Code.


RECEIVED
MAR 10 1988

2. The date of priority of Permit No. 37-7584 should be advanced 74 days.

ORDER

IT IS HEREBY ORDERED that the date of priority of Permit No. 37-7584 is advanced to June 28, 1977.

Dated this 2nd day of OCTOBER, 1987.


Chief, Operations Bureau

MICROFILMED

MAR 10 1988

RECEIVED

Form 204
2/81

APR 12 1982

Department of Water Resources
Southern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit
proof of beneficial use on a water right permit

For Office Use Only
Fee Received <u>15.00</u>
Date <u>4-22-82</u>
Receipt # <u>22749</u>

APR 15 1982

Department of Water Resources

A. W. Molyneux of Bellevue, ID (P. O. Box 400)
(Name) (Address)

State of Idaho, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of the State of Idaho No. 37-7584.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before June 1, 19 82.

That he has heretofore performed the following work described under said permit: _____
(This must be filled out! If no work has been completed put none.)

One hole has been drilled, but only 15" of water can be pumped.

Costing \$ 5,000.

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:

Well driller has promised to return & drill deeper to locate additional water,
but has not done so.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to June 1, 19 87.
(1 yr. minimum, 5 yrs. maximum)

NOTE
AS OF JULY 1, 1980,
THERE IS A \$15.00
CHARGE FOR REQUESTS
FOR EXTENSION OF
TIME.

A. W. Molyneux
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit the statement of beneficial use is extended to June 1, 1987.

Signed this 21st day of April, 19 82.

J. Glen Saylor
Chief, Operations Bureau

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 37-7584

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR AMENDMENT OF A PERMIT
APPROVED
To change the point of diversion and/or the place of use.

Comes now A. W. &/or Maxine Molyneux
of (address) Box 400, Bellevue, Id 83313, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho
No. 37-7584, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NW ¼ SE ¼, Section 13, Township 1S, Range 19E, B.M.,
County of Blaine. Other points of diversion: _____
SE ¼ NW ¼ Sec. 19 T. 1S R. 20E

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.) No Change
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated: No Change

TWP	RGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	


Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? Applicant
b. Who owns the land to be irrigated or the place of use? "
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: _____

NOT RECORDED

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Owens Falls, this 26 day of Jan., 19 81.

E. W. Molyneux
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by JAB Fee = \$20.00

Received by JP Date 1-26-81 # 10980

Publication prepared by MAH Date 6/4/81

Published in Wood River Journal

Publication dates 6/11 & 6/18/81

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, Glen Saxton, of the Department of Water Resources hereby
approve the above Application for Amendment of Permit 37-7584.

Witness my hand this 6 day of August, 19 81.

Glen Saxton
GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

Identification No. _____

Application No. 37-7584

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant A.W. and/or Maxine Molyneux Phone: 788-2552
post office address Box 400 Bellevue, Idaho 83313

2. Source of water supply Groundwater which is a tributary of _____

3. a. Location of point of diversion is NE $\frac{1}{4}$ $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 24 Township 1S
Range 19E B.M. Blaine County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into Silver Creek at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 3.92 ^{CFS} for irrigation purpose from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 3.92 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, motor, ditches

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 16 inches; proposed depth of well is 150 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 15,000.00.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

RECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1S	19E	13													40	18		30	88
1S	19E	24	28																28
1S	20E	19					40	40											80


Total number of acres to be irrigated 196

c. Describe any other water rights used for the same purposes as described above. 80" of 37-0442
& 20 inches of 37-1082

9. a. Who owns the property at the point of diversion Applicant
 b. Who owns the land to be irrigated or place of use Applicant
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks The water decreed to this land is of various priority dates.
Therefore additional water is needed to irrigate the land.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

A. W. Molyneux
(Applicant)

15-10000
APR 21 1977
Department of Water Resources
Southern District Office

Proposed Priority 4/15/77
Received by AB Date 4/15/77 Time 3:00 p.m.
Preliminary check by JS Fee \$ 58.00 # 3443
Receipted by AB Date 4/20/77
Publication prepared by AB Date 4/22/77
Published in Wood River Journal
Publication dates 5/5 & 5/12/77
Publication approved _____ Date _____
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by mls jp

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-7584, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 82.
- c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.
The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 17 day of June, 19 77.


Deputy Director

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

Gordon O. Glasman, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 11 day of June, 1981, and the date of the last publication was on the 18 day of June, 1981.

Gordon O. Glasman

Subscribed and sworn to before me this 18th

day of June, 1981.
(SEAL)

Robert J. Karcher

NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 13
Number of Lines in Notice 37
Number of Insertions 2
Lines tabular at _____ 4¢ / Pica
37 Lines straight at 14.43 3¢ / Pica
37 Subsequent lines at 9.62 2¢ / Pica
TOTAL COST 24.05

COPY OF NOTICE

(Paste Here)

Permit 37-7184


TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water Resources
1041 Blue Lakes Blvd N
Twin Falls, Idaho 83301



RECEIVED
No 586

JUN 22 1981

Department of Water Resources
Southern District Office

MICROFILMED

State of Idaho, }
County of Blaine } SS.

Gordon O. Glasman, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 5 day of May

19 77, and the date of the last publication was on the 12

day of May, 1977.

Subscribed and sworn to before me this 20th

day of May, 1977.
(SEAL)

Ralph McGee
NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Number of Lines in Notice 33

Number of Insertions 2

..... Lines tabular at 315c

33 Lines straight at 21c 693

33 Subsequent lines at 15c 495

TOTAL COST 11.88

Apply ^{g Here} for water
Permit No. 37-7584

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water Resources
1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that A.W. and/or Maxine Molyneux, Bellevue, Idaho 83313 has on 4/15/77 submitted Application No. 37-7584 for a permit to appropriate 3.92 cubic feet per second of water from groundwater by means of well, pump, motor, ditches within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24, Twp. 1S, Rge. 19E., B.M., Blaine County to be used from April 1 to Nov. 1 for irrigation purposes of 196 acres within the N $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 13, NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24, Twp. 1S, Rge. 19E., B.M., N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 19, Twp. 1S, Rge. 20E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before 5/23/77.

STEPHEN ALLRED

Director

Publish: Wood River Journal,
Blaine County, May 5 and 12,
1977.

No 1590

ok/
sm
5/23/77

Lawyers Title Insurance Corporation

A STOCK COMPANY
Home Office—Richmond, Virginia

COMMITMENT FOR TITLE INSURANCE

SCHEDULE A

1. Effective date

March 3, 1976

Case No. 4568

2. Policy or policies to be issued:

(a) ALTA Owner's Policy—Form B-1970 (Rev. 10-17-70)
Proposed insured:

Amount \$ _____

(b) ALTA Loan Policy, 1970 (Rev. 10-17-70)
Proposed insured:

Amount \$ loan amt

THE FEDERAL LAND BANK OF SPOKANE

(c) Standard Coverage Policy Form 74
Proposed insured:

Amount \$ 95,000.00

A. W. MOLYNEUX and MAXINE MOLYNEUX, husband and wife

3. Title to the fee simple estate or interest in the land
described or referred to in this Commitment is at the effective date hereof vested in:

LURA LEE FARMER, EDWARD W. SHARP, IRENE O. WYATT, and MARY ELLEN HARRIS

4. The land referred to in this Commitment is described as follows:

Township 1 South, Range 20 E., B.M., Blaine County, Idaho
Section 19: Lot 1 and that part of the NE $\frac{1}{4}$ NW $\frac{1}{4}$ lying West of
State Highway

Township 1 South, Range 19 E., B.M., Blaine County, Idaho
Section 13: all of the SE $\frac{1}{4}$ lying east of the following described
tract: Commencing at a point on the south section
line of Section 13, where it intersects the easterly
line of the right of way of the Union Pacific Railroad
Company right of way; running thence East along said
Section line 858 feet to a point; thence northwesterly
to a point on the North line of the SE $\frac{1}{4}$ of Section
13 aforesaid, 775.5 feet East from the center line
of said Section 13, 775.5 feet to the centerline of
said Section 13; thence South along the line between

(Con't)

Countersigned at Ketchum, Idaho
SAWTOOTH TITLE CO., INC.

By: Vanda Bragg

Authorized Officer or Agent

Schedule A—Page 1—No.

BA 464246

(over)

MICROFILMED

the SW $\frac{1}{4}$ and the SE $\frac{1}{4}$ of Section 13 to a point where it intersects the easterly line of the right of way of the Union Pacific Railroad Company; thence Southeasterly along the East line of said right of way to the point of beginning;

Section 24: All that part of the N $\frac{1}{2}$ NE $\frac{1}{4}$ lying North and East of the Union Pacific Railroad right of way.

Excepting from the above, the following described property:

A parcel of land being on both sides of the centerline of State Highway No. 68, Project No. S-2809(13) Highway Survey as shown on the plans thereof now on file in the office of the Department of Highways of the State of Idaho, and being a portion of the N $\frac{1}{2}$ NE $\frac{1}{4}$ of Section 24, Township 1 South, Range 19 E., B.M., and the NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 19, Township 1 South, Range 20 E., B.M., described as follows, to-wit:

BEGINNING at the Southwest corner of the NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 19, Township 1 South, Range 20 E., B.M., that bears N. 52°15'59" E., 17.21 feet from Station 397+75.44 of said State Highway No. 68, Project No. S-2809(13) Highway Survey; Thence N. 89°54'59" E., along the South line of said NW $\frac{1}{4}$ NW $\frac{1}{4}$ a distance of 54.05 feet to a point in a line parallel with and 60.00 feet Northeasterly from the centerline and opposite Station 398+08.46 of said Highway Survey; Thence along said parallel line as follows: N. 37°44'01" W., 940.59 feet to a point opposite Station 388+67.87 of said Highway Survey, Northwesterly along a 1,697.02 foot radius curve left 963.59 feet to a point in the North line of the N $\frac{1}{2}$ NE $\frac{1}{4}$ of Section 24, Tp. 1 S., R. 19 E., B.M., and opposite Station 379+38.35 of said Highway Survey; Thence S. 89°48'59" W., along said North line 465.56 feet to a point in the Northeasterly Right of Way line of the Ketchum Branch of the Union Pacific Railroad and bears S. 3°51'04" W., 37.54 feet from Station 374+84.58 of said Highway Survey; Thence S. 39°37'01" E., along said Northeasterly Railroad Right of Way line 31.16 feet to a point in a line parallel with and 60.00 feet Southerly from the centerline and opposite Station 375+06.82 of said Highway Survey; Thence along said last parallel line as follows: Southeasterly along a 1,577.02 foot radius curve Right 1,311.15 feet to a point opposite Station 388+67.87 of said Highway Survey; S. 37°44'01" E., 847.99 feet to a point in the South line of said N $\frac{1}{2}$ NE $\frac{1}{4}$ and opposite Station 397+15.86 of said Highway Survey; Thence N. 89°54'59" E., along said last South line 97.51 feet to the Place of Beginning.

MICROFILMED

Lawyers Title Insurance Corporation

A STOCK COMPANY

Home Office—Richmond, Virginia

SCHEDULE B—Section 1

Requirements

The following are the requirements to be complied with:

Item (a) Payment to or for the account of the grantors or mortgagors of the full consideration for the estate or interest to be insured.

Item (b) Proper instrument(s) creating the estate or interest to be insured must be executed and duly filed for record, to-wit:

(1) Warranty Deed from Lura Lee Farmer, and spouse, if any, Edward W. Sharp and Sylvia Sharp, husband and wife, Irene O. Wyatt, and spouse, if any, and Mary Helen Harris, and spouse, if any, conveying fee simple title to Alfred Gaiser and Eleanor Gaiser, husband and wife.

(2) Warranty Deed from Alfred Gaiser and Eleanor Gaiser, husband and wife, conveying fee simple title to A. W. Molyneux and Maxine Molyneux, husband and wife.

(3) Mortgage from A. W. Molyneux and Maxine Molyneux, husband and wife, securing your loan.

FOR INFORMATIONAL PURPOSES ONLY

THE TAXES FOR 1975 WERE \$220.27

TREASURER'S RECEIPT NO'S 7289 7324 7358

MICROFILMED





MICROFILMED

1284

100... John Creek

3000... 1976 = BLM

Al Haines - owner

138 km N... 416

~~138 km N~~

4 1/2 km. = 6210 mm

196 Wren - Total 156

1900... 5000... BLM... 1900... 5000...

15 = 50515 = 6800 mm

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Blaine } SS.

MAY 23 1977

Department of Water Resources
Southern District Office

Gordon O. Glasmon, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 5 day of May

19 77, and the date of the last publication was on the 12

day of May, 1977.

Subscribed and sworn to before me this 20th

day of May, 1977.
(SEAL)

Robert M. Greicher

NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Number of Lines in Notice 33

Number of Insertions 2

Lines tabular at 315c

33 Lines straight at 21c 6.93

Subsequent lines at 15c 4.95

TOTAL COST 11.88

COPY OF NOTICE

(Paste Here)

Application for water
Permit No. 37-7584

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water Resources
1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301

Notice is hereby given that the undersigned, Attorney at Law, and/or Bellevue, Idaho, on 4/15/77 submitted Application No. 37-7584 for a permit to appropriate 3.92 cubic feet per second of water from groundwater 57' north of well pump motor, located within the NE1/4, Sec. 24, Twp. 15, Rge. 19E, B.M. Blaine County to be used from April 1 to Nov. 1 for irrigation purposes of 15 acres within the NE1/4, SE1/4, Sec. 13, NE1/4, Sec. 24, Twp. 15, Rge. 19E, B.M. N1/4NW1/4, Sec. 18, Twp. 15, Rge. 20E, B.M. It is noted: this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd, North, Twin Falls, Idaho, 83301 on or before 5/23/77.

ENALLED

Director

Public Water Journal
Blaine, Idaho 83301
1977

Nº 1590

ok/
sm
5/23/77

MICROFILMED

Ident. No. 37-94-S-0193-001
Water Right No. 37-07584

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR DRILLING PERMIT

1. Name: A.W. MOLYNEUX O 208-788-2552
Address: 1174 GANNET PICABO RD
BELVUE ID 83313

2. Proposed Well Location: Township 01S, Range 19E, Sec. 24, NENE
BLAINE County

Street Address of Well Site: SAME

ID

3. Proposed Use of Well: Non-Domestic Irrigation

4. Well Construction Information:

- A. Deepen
 - B. Proposed Surface Diameter 10 In. Proposed Maximum Depth 300 Ft.
 - C. Anticipated Bottom Hole Temperature: 85 F or less (Cold water well)
- (NOTE: Construction diagrams and/or other information may be requested for monitor, low temperature geothermal, municipal and artesian wells.)

5. Construction Start Date: 12/ 4/1994

6. Anticipated Well Driller: WOOD RIVER DRILLING & PUMP INC (No. 0265)

NOTE: The actual well driller must be identified prior to drilling.

7. Applicant's Signature X A.W. Molyneux Date 11-28-94

Title _____
(Owner, Firm Representative, Other)

Fee \$ 200.00 Received by AJ No. 5017567 Date 11-28-1994

(Continued)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This permit is APPROVED

Date: 11/28/1994

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

CONDITIONS OF APPROVAL:

1. This drilling permit is valid for two (2) months from the approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required prior to construction of this well. The local Health Department should be contacted for septic tank/drainfield locations. Domestic wells must not be drilled closer than 100' from any drainfield and 50' from any septic tank.
3. The well shall be constructed by a driller currently licensed in the state of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If the bottom hole temperature of 85 Degrees F (29.44 oC) or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
8. Idaho Code, S 55-2201 - 55-2210 requires the applicant and/or his contractors to contact "Digline" (Dig Line is locator service for area 12D, Southern Idaho: 1-800-342-1585, 12A Palouse Empire 1-800-822-1974 12B Nez Perce & Lewis Co.: 1-800-424-5555, 12C Panhandle 1-800-428-4950) not less than 3 working days prior to the start of any excavation for this project.

for Allen Meritt
by Gary Ingubry

 Signature of Authorized Dept. Representative

Southern Region
manager

 Title

EXTENSION OF DRILLING PERMIT

Extension Approved by: _____

Approval Date: _____
Expires On: _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 37-7584

Name(s) of Permit Holder(s): G.W. Moloney

Post Office Address: Box 400

Fullerton Idaho 83313

No. 288-2532

- ☐ I hereby certify that construction of diversion works for the above referenced permit began on August 29, 1983 I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

July 13, 1983
Date

G.W. Moloney
Signature of Permit Holder

PLACE
STAMP
HERE

MICROFILMED

JUL 26 1988



RECEIVED

JUL 13 1982

Department of Water Resources
Boise District Office

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

JUL 15 1982

Department of Water Resources



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

R. KEITH HIGGINSON

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

November 22, 1987

A. W. & MAXINE MOLYNEUX
P.O. BOX 400
BELLEVUE, ID 83313

RE: Permit No. 37-7584

Dear Permit Holder(s):

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MAR 10 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{3.0} = \underline{351.0 \text{ AFA}} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{365.0 \text{ AFA}} \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}} \end{aligned}$$

- c) Volume Calculations for Other Uses:

2. Overlap Review

- a) Other water rights with same place of use: 37-0443, 37-0442, 37-0426C,
37-0095C, 37-0237C, 37-0632A, 37-0706C, 37-0943A,
37-2629, 37-4278
- b) Other water rights with same point of diversion: None

- c) Analysis:

Recommend R29 for P/U overlaps -

RECEIVED

MAR 10 1988

submitted \$100.
exam fee late

RECOMMENDED AMOUNTS

30 day
P/D & P/U

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	37-7584	6-28-1977	0.86cfs	4-15-1977	7-3-1985	0.86cfs

4. Permit Holder: A. W. &/or Maxine Molyneux
Address: P.O. Box 400, Bellevue, ID 83313

5. Source: gw tributary to ✓

6. Beneficial Use: Irrig. Period of Use From 4-1 To 11-1 Rate of Diversion Q (cfs) 0.86cfs Annual Volume V (afa) 351.0 AFA

Allowable Maximums: 0.86cfs 351.0 AFA

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			NE	NE	24	15	19E	Blaine

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
15	19E	13																16	16
		24	13																13
15	20E	19					61	62			63								88
							24	1			30	33							
Total Acres																			117

9. Recommended Conditions/Remarks:

R29

Needs Order advancing priority date due to late exam fee submittal.

10. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature _____ Date _____

Checked in Regional Office by _____ Date _____

Approved in State Office by R. Walker Date 7/29/87

MAILED

MAR 10 1988

October 16, 1987

A. W. & MAXINE MOLYNEUX
P.O. BOX 400
BELLEVUE, ID 83313

RE: Permit No. 37-7584

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

Also enclosed is an order advancing the date of priority of this right due to late submittal of the examination fee.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

MAR 10 1988



RECEIVED

FIGURE A

Form 219
6/86STATE OF IDAHO MAY 01 1987
DEPARTMENT OF WATER RESOURCES**BENEFICIAL USE FIELD REPORT**

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: A. W. Molyneux Permit No. 37-7584
Current Address: Box 400, Bellevue, ID 83313 Phone No. 788-2552
2. Accompanied by: Mr. Molyneux EXAM. DATE: 9-23-86
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: Land in Sec. 19 south of highway is also served by another well under Lic. 37-2629 + Claim 37-4278; decreed surface rights Copies Attached _____
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MAR 10 1988

3. Narrative: Description. (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well #1 is submersible pump, well drilled & cased 200', water level estimated 45', open discharge into ditches & buried pipelines. Water is collected in ponds after first use, then re-pumped to high ground for re-use. All gravity irrigation.

Well supplements decreed surface rights, & is used mainly when sufficient surface water is not available.

Mr. Malynaux claimed well produced 1 cfs before measurement, so measurement was close to his estimate.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1	St-Rite	15	-	-	-
~~2~~	~~W.S. Motors~~	~~30~~	~~27565H~~	~~Wintcoath~~	~~9923~~
~~booster~~	~~G.E.~~	~~30~~	~~Mod. 51284TLE58A~~	~~Berkley~~	~~9972244~~

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
1		NE	NE	NE	24	15	19E	Bline	Aerial photo
~~2~~		~~NE~~	~~SE~~	~~NW~~	~~17~~	~~15~~	~~20E~~	~~"~~	~~"~~

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
15	19E	13																16	16
		24	13																13
15	20E	19						36	5	30	335								88
								24											
								41	42		43								

REPRODUCTION

MAR 10 1988

Do not use this space

D. FLOW MEASUREMENTS

☒ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{15 \text{ hp} \times 8.8 \times 29\% \text{ efficiency}}{45' \text{ head} + 0 \text{ pressure}} = 0.86 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 117 \times 3.0 = 351.0 \text{ AFA}$$

$$V_{OR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.86 \times 214 \times 1.9835 = 365.0 \text{ AFA}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{OR} = 351.0 \text{ AFA}$$

2. Volume Calculations for Other Uses:

RECEIVED

MAR 10 1988

H. REMARKS AND C^URLAP REVIEW ANALYSIS

Remainder of land is N $\frac{1}{2}$ NW $\frac{1}{4}$ Sec. 19 is now sprinkled from another well in the SE/NW Sec. 19 under App./Permit 37-8068.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	11-1	0.86	351.0
Totals:				

2. Recommended Amendments

☒ Change P.D. as reflected above☐ Add P.D. as reflected above☐ None☒ Change P.U. as reflected above☐ Add P.U. as reflected above☐ Other

J. AUTHENTICATION

Field Examiner's Name J. E. StantonSignature J. E. Stanton

Certification Date _____

Field Report Preparation Date _____

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

FILED

MAR 10 1988

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: J. E. Stanton Date 9-23-86
Owner: Bill Molyneux Permit No. 37-7584

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

Well #1

Measured inside diameter of pipe in inches

(A) 4.026" (1.18' OD - 0.237" wall)

Size of Annubar used in test 4.026

State ID No. _____

Model No. of Annubar Meter Used 73
(Model No. = 75 for 6" and larger)
(Model No. = 73 for 4")

Size Eagle Eye Meter Used manometer used

State ID No. _____

Date of Last Calibration of Meter -

Observed inches of H₂O read on Meter

(B) 45.2 - 12.3 = 32.9"

Flow Correction Factor (From Calibration Graph)
(Use 1 if Error is $\pm 2\%$ at observed pressure)

(K) -

Select C based on Annubar Model No.

If Model No. = 75, then C = 3.85

If Model No. = 73, then C = 4.14


CALCULATION: $K \frac{(A^2)}{448.8} (\sqrt{B}) C =$

(C) 4.14
= 385 gpm = 0.86 cfs measured

SKETCH (If not shown on Field Report):

NOT FILMED
MAR 10 1988

37-7584



MED

MAR 10 1988

Silver


Sullivan Lake

Kilpatrick Bridge


Falls

Well 4853

Well
looking east



Well
looking north



MICROFILMED

MAR 10 1988

CALCULATION OF NEW PRIORITY DATES
LATE EXAM FEES

FOR PERMIT NO. 37-7584

BY: *LH*

	<u>DATE</u>	<u>NUMBER OF DAYS</u> <u>(From Table of Days</u> <u>Between Two Dates)</u>
A. EXAMINATION FEE NOTICE SENT	<u>4/30/86</u> ✓	<u>120</u> ✓
B. DATE FEE DUE (60 days)	<u>6/29/86</u> ✓	<u>180</u> ✓
C. DATE FEE RECEIVED	<u>9/11/86</u> ✓	<u>254</u> ✓
D. NUMBER OF DAYS LATE (C - B)		<u>74</u> ✓
E. ORIGINAL PRIORITY DATE (Check Reinstatement, etc.)	<u>4/15/77</u> ✓	<u>105</u> ✓
F. NEW PRIORITY DATE (D + E)	<u>6/28/77</u> ✓	<u>179</u>

REMARKS:

kw
7/29/87

RECEIVED
MAR 10 1988

TABLE OF DAYS BETWEEN TWO DATES

Day No.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1	32	31	60	91	121	152	182	213	244	274	305	335
2	33	32	61	92	122	153	183	214	245	275	306	336
3	34	33	62	93	123	154	184	215	246	276	307	337
4	35	34	63	94	124	155	185	216	247	277	308	338
5	36	35	64	95	125	156	186	217	248	278	309	339
6	37	36	65	96	126	157	187	218	249	279	310	340
7	38	37	66	97	127	158	188	219	250	280	311	341
8	39	38	67	98	128	159	189	220	251	281	312	342
9	40	39	68	99	129	160	190	221	252	282	313	343
10	41	40	69	100	130	161	191	222	253	283	314	344
11	42	41	70	101	131	162	192	223	254	284	315	345
12	43	42	71	102	132	163	193	224	255	285	316	346
13	44	43	72	103	133	164	194	225	256	286	317	347
14	45	44	73	104	134	165	195	226	257	287	318	348
15	46	45	74	105	135	166	196	227	258	288	319	349
16	47	46	75	106	136	167	197	228	259	289	320	350
17	48	47	76	107	137	168	198	229	260	290	321	351
18	49	48	77	108	138	169	199	230	261	291	322	352
19	50	49	78	109	139	170	200	231	262	292	323	353
20	51	50	79	110	140	171	201	232	263	293	324	354
21	52	51	80	111	141	172	202	233	264	294	325	355
22	53	52	81	112	142	173	203	234	265	295	326	356
23	54	53	82	113	143	174	204	235	266	296	327	357
24	55	54	83	114	144	175	205	236	267	297	328	358
25	56	55	84	115	145	176	206	237	268	298	329	359
26	57	56	85	116	146	177	207	238	269	299	330	360
27	58	57	86	117	147	178	208	239	270	300	331	361
28	59	58	87	118	148	179	209	240	271	301	332	362
29	--	--	88	119	149	180	210	241	272	302	333	363
30	--	--	89	120	150	181	211	242	273	303	334	364
31	31	30	90	--	151	--	212	243	--	304	--	365

FOR LEAP YEAR, ONE DAY MUST BE ADDED TO NUMBER OF DAYS AFTER FEBRUARY 28

*****LEAP YEARS*****

1952
1956
1960
1964
1968
1972
1976
1980
1984
1988

6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

37-7584
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED

MAY 01 1987

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval
☐ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad

Department of Water Resources

- ☐ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index JD 9-24-86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index JD 9-24-86 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☒ copy of water right(s) attached?

Type of Overlap? ☒ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

- ☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use
☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

MAR 10 1988

Exam Completed 9-23-86 JD (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent JD 10/19/86 (Initial and date)

Exam Reviewed by Manager of Regional Office JD 4/18/86 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

4/86

See 4/29/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received \$100,
Date 9-11-86
Receipt # 38705
Receipt by AS
Sent to S.O. 9-11-86

RECEIVED

SEP 15 1986

1. Permit No. 37-7584

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE: Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: A. W. Molyneux

3. Post Office Address: Box 400, Bellevue, ID 83313

Telephone No. 788-2552

4. Source of Water: Groundwater

5. Extent of Use:
Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)
Irrigation 196 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 1.0 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1978

8. Person to contact to accompany the department representative during the field examination:


Permit Holder (Name)

(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner. I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Aug 5, 1986
Date

A. W. Molyneux
Signature of Permit Holder (and title, if appropriate)



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720

37-7584
MOLYNEUX, A. W.
MOLYNEUX, MAXINE
P.O. BOX 400
BELLEVUE, ID 83313

138697

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

MAR 10 1988

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECEIVED

MAR 10 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd. N.
Twin Falls, Idaho 83301
(208) 734-3578

NOVEMBER 19, 1985

A.W. &/OR MAXINE MOLYNEUX
BOX 400
BELLEVUE ID 83313

RE: Permit No. 37-7584

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 734-3578 or in person at our office at 1041 Blue Lakes Blvd. N. Twin Falls, Idaho.

Sincerely,
s/Mary A. Newby
Secretary

NOT FILMED

MAR 10 1988

November 4, 1985

A. W. Molyneux
P. O. Box 400
Bellevue, ID 83313

Dear Mr. and Mrs. Molyneux:

Re: Permit No. 37-7584

Enclosed is the duplicate Proof of Beneficial Use form submitted on September 17, 1985. The original form was received on July 3, 1985.

Before a license can be issued, a field inspection of the water distribution system must be made. I cannot tell you just when this examination will be made, but a representative from our regional office will try to contact and schedule a time at your convenience.

If you have any questions concerning this field inspection, please contact our Southern Regional office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

bcc: region

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED

FORM A

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED
JUL 3 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 37-7584
Name(s) of Permit Holder: A.W. and Marie Molyneux

Post Office Address: Box 400 BELLEVUE, IDAHO ✓
83313 Telephone No. 788-2552

Source of Water: ground ✓

Extent of Use: Domestic _____ (number of households)
Stockwater _____ (number and type of stock)
Irrigation 196 (acres) ✓
Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: 5-18-80 ✓

Measuring Device: Required? Yes No ✓
Installed? Yes No

Flow Measurement Port: Required? Yes No ✓
Required? Yes No

Person to contact to accompany the Department representative during field examination: A.W. Molyneux

Box 400 BELLEVUE 83313 (Name)
788-2552
(Address) (Telephone number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

5-28-85
Date

A.W. Molyneux
Signature of Permit
(and Title, if appropriate)

MICROFILMED

April 23, 1982

A.W. Molyneux
P.O. Box 400
Bellevue, ID 83313

Dear Sir

Re: Permit No. 37-7584

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use is extended to June 1, 1987.

Also enclosed is receipt No. 22749 in the amount of \$15.00.

Sincerely

Rita Fleck
Sr. Secretary

RF/ps

Enclosures



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138551

MOLYNEUX, A. W. & MAXINE
P.O. BOX 400
BELLEVUE, ID 83313

MARCH 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 37-7584 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 4, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

RECEIVED

August 21, 1981

RE: Permit No. 37-7584

A. W. &/or Maxine Molyneux
Box 400
Bellevue, ID 83313

Dear Mr. and Mrs. Molyneux:

Enclosed is a copy of the approved application for amendment submitted in connection with the above referenced permit.

If you have any questions concerning this matter, please contact us.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

RECEIVED

State of Idaho
Department of Water Resources
AMENDMENT ANALYSIS SHEET

INITIAL REVIEW BY: T. G. Blau

Right Number 37-7584 Applicant MOLYNEUX, A. W., &/or Maxine

Purpose of Amendment: ☐ Change point of diversion. ☒ Add diversion point(s).

☐ Increase amount. ☐ Change place of use. ☐ Other _____

CHECK:

- ☒ Description of amended point(s) of diversion.
- ☒ Amount, nature and period of use. If increased, delay date of priority.
- ☒ Description of amended places of use. If expanded, delay date of priority.
- ☐ Ownership of point of diversion and place of use.
- ☒ Map.
- ☒ Signature (must be permit holder).
- ☒ Fee.
- ☐ Existing water rights from the same source, amended place of use.
- ☐ Right number(s) _____
- ☒ Yes ☐ No Should amendment be advertised?
- ☒ Yes ☒ No Should date of priority be delayed? If yes, to what date? _____

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received.
 - ☒ Amendment published correctly.
 - ☒ Protests processed. -None
 - ☒ Approve.
 - ☐ Deny.
 - Conditions one
- By ADM Date 7/1/81

STATE OFFICE PROCESSING:

- ☒ Amendment correct and complete. By Jen Date 8/4/81
- ☐ Approved copy sent to applicant and to Region. By _____ Date _____

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN DISTRICT

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

June 4, 1981

Wood River Journal
P.O. Box 988
Hailey, Idaho 83333

Re: Notice of Amendment to a Water Right No. 37-7584

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Mary A. Hill
Sr. Secretary

for

Loren O. Holmes
Southern Region Supervisor

MICROFILMED

NO. 37-7584

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN DISTRICT

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

March 2, 1981

Wood River Journal
P. O. Box 988
Hailey, Idaho 83333

Re: Notice of Proposed Change of Water Right No. 37-1082A, - 37-0276C, - and
37-0276C -- 37-0442

Notice of Amendment to a Water Right No. 37-7584

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Mary A. Hill
Sr. Secretary

for

Loren O. Holmes
Southern Region Supervisor

Encl:

MICROFILMED

NO. 37-7584

MICROFILMED

June 20, 1977

Re: Permit NO. 37-7584

A. W. &/or Maxine Molyneux
Box 400
Bellevue, ID 83313

Dear Mr. and Mrs. Molyneux:


Enclosed is a copy of your approved Application for Permit No. 37-7584. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit



DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

37-7584

Item Initial Date

Application No. A.W. & or Maxine Molyneux

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) DS 4-19-77

In form to receipt

(2) _____

Send Copies to:

Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) _____

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

(4) GA 11-22-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) mb 5-23-77

Critical groundwater area: yes _____ no ☒

(8) mb 5-23-77

Groundwater levels:

☒ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

cat Other rights on the same place of use none

(10) _____

Comments: _____

(11) _____

Affidavit of Publication received(date) _____

(12) mb 5-23-77

Final date for protests 5/23/77
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) mb 5-23-77

Action recommended:

☒ Approve _____ Deny

Proposed Priority

Reason for Reduction

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District Southern By Michael Stuck Date 5-23-77

CC sent 4/21/77

MICROFILMED

April 21, 1977

Wood River Journal
P.O. Box 988
Hailey, Idaho 83333

RE: Application for Water Permit #37-7584-A.W. &/or Maxine Molyneux

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:sb

Enclosure

Bill submitted: _____

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that A.W. and/or Maxine Molyneux

Bellevue, Idaho 83313

has on 4/15/77 submitted Application No. 37-7584

for a permit to appropriate 3.92 cubic feet per second ~~acre feet per annum~~

of water from groundwater

by means of well, pump, motor, ditches

within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24, Twp. 1S, Rge. 19E., B.M., Blaine County

to be used from April 1 to Nov. 1 for irrigation purposes of 196 acres

~~XXX~~

within the N $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 13, NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24, Twp. 1S, Rge. 19E., B.M.,

N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 19, Twp. 1S, Rge. 20E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before 5/23/77.

STEPHEN ALLRED

~~XXXXXXXXXXXXXXXXXXXX~~

Director

Published in the Wood River Journal

on 5/5 and 5/12/77

RECEIVED

IDENT. NO. 37-7584

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]