


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bill Orkosh
(Applicant)

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Gooding } SS.

Kim R. Compton, being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 24 day of March

19 77, and the date of the last publication was on the 31

day of March, 19 77.

Kim R. Compton

Subscribed and sworn to before me this 31

day of March, 19 77.
(SEAL)

Garrison H. Hain
NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice 40 40

Number of Insertions 2 2

Lines tabular at 315c

40 Lines straight at 40 21c 8.40

40 Subsequent lines at 40 15c 6.00

TOTAL COST 14.40

COP. OF NOTICE

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Bill &/or Karen Arkosh Rte. #2, Gooding, Idaho 83330 has on 3/9/77 submitted Application No. 37-7570 for a permit to appropriate 6.0 cubic feet per second of water from groundwater by means of well pump & motor delivering to a gravity flow ditch within the NE 1/4 NW 1/4, Sec. 36, Twp. 5S, Rge. 15E., B.M., Gooding County to be used from April 1 to November 1 for irrigation purposes of 311.5 acres within the S 1/2 SW 1/4, S 1/2 SE 1/4, Sec. 25; N 1/2 NE 1/4, N 1/2 NW 1/4, Sec. 36; Twp. 5S, Rge. 15E., B.M. Lt. 4, SE 1/4 SW 1/4, Sec. 30, Twp. 5S, Rge. 16E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before 4/11/77.

/s/ R. Keith Higginson
Director

Pub: 3-24, 31

RECEIVED

APR 4 1977

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1971)

7 pt. per line, straight	21c
7 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c


19114

N^o 1167

MICROFILMED

15E

16E



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-07570

Priority: March 9, 1977

Maximum Diversion Rate: 4.29 CFS
Maximum Diversion Volume: 1108.0 AF

This is to certify, that KAREN ARKOOSH
BILL ARKOOSH

2368 E. 1775 S.
GOODING ID 83330

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 9, 1977; and has submitted Proof of Beneficial Use on March 8, 1982. An examination indicates that the works have a diversion capacity of 4.290 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	4.29 CFS	1108.0 AF

LOCATION OF POINT(S) OF DIVERSION:

Rediversion	NENW , Sec. 36, Township 05S, Range 15E
Rediversion	SESW , Sec. 30, Township 05S, Range 16E
	NWNW , Sec. 32, Township 05S, Range 18E
	GOODING County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05S	15E	25	SWSW 13	SESW 32	SWSE 32	95
		36	SESE 18	NWNE 13	SWNE 30	
			NENE 2.4	NWNW 12	NESE 4	108.4
			NENW 17			26
			NWSE 30			
16E	30	Lot 4(SWSW)	26			
	31	SWNE 12		NWNW 1	SENE 6	
		NESW 7		NWSW 10	NWSE 11.6	47.6
Total number of acres irrigated:						277

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

MICROFILMED

DEC 09 1992


State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 37-07570

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. Use of water under this water right will be regulated by the watermaster of State Water District No. 37M.
7. A measuring device approved by the Department and the watermaster of State Water District No. 37-M shall be permanently installed at the discharge point into the Little Wood River and at the point of rediversion from the river.
8. The well is required to pump at all times when water is being diverted from the Little Wood River.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27TH day of NOVEMBER, 1992.

Acting for  R. Keith Higginson, Director

MICROFILMED

DEC 09 1992

State of Idaho
Department of Water Resources

RECEIVED
JAN 18 1990

APPROVED

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-07570

Department of Water Resources

Date of Priority: March 9, 1977

Maximum Diversion Rate: 4.29 CFS
Maximum Diversion Volume:¹ 1108.0 AF

Comes now

BILL ARKOOSH
KAREN ARKOOSH

RT. 2
GOODING, ID 83330

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 37-07570, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	4.29 CFS	1108.0 AF

LOCATION OF POINT(S) OF DIVERSION: NENW, Sec. 36, Township 05S, Range 15E
GOODING County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05S	15E	25	SWSW 13	SESW 32	SWSE 32	95
		36	SESE 18	NWNE 13	SWNE 30	
			NENE 2.4	NWNW 12	NESE 4	
			NENW 17			108.4
			NWSE 30			26
16E	30	LOT 4(SWSW)	26			
	31	SWNE	12	NWNW 1	SENE 6	
		NESW	7	NWSW 10	NWSE 11.6	47.6

Total number of acres irrigated: 277

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Gooding County, this 16 day of Jan, 1990.

DEC 09 1992

Bill Arkosh
(Signature)

State of Idaho
Department of Water ResourcesAPPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-07570

FOR DEPARTMENT USE ONLY

Preliminary check by KW Fee = \$20.00✓Receipted by C. W. W. W. Date 1/18/90

#C014086

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 37-07570 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
- ✓ 5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. A measuring device approved by the Department and the watermaster of State Water District No. 37-M shall be permanently installed at the discharge point into the river and at the point of redirection from the river.

Witness my hand this 22TH day of NOVEMBER, 1992.
Acting for R. Keith Higginson, Director

RECEIVED

DEC 09 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 37-7570)

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.



Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

RECEIVED
MAY 15 1971
Department of Water Resources
Southern District Office

RECEIVED

Identification No. _____
Application No. 37-7570

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Bill &/or Karen Arkoosh Phone: 934-5387
post office address Route #2, Gooding, 83330

2. Source of water supply Groundwater which is a tributary of _____

3. a. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 36 Township 5S
Range 15E B.M. Gooding County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 6.0 for Irrigation purpose from April 1 to November 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 6.0 cubic feet per second and/or
b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & motor delivering to a gravity flow ditch.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 20 inches; proposed depth of well is 200 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.

b. Estimated construction cost is \$ 20,000.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5S	15E	25											40	40			40	40	160
		36	10	12			15	35											72
5S	16E	30											Lt.4 39.5	40					79.5

Total number of acres to be irrigated 311.5

c. Describe any other water rights used for the same purposes as described above.

~~Decreed rights from the Little Wood River (See Remarks)~~

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Decreed Rights Amt. Priority


100" 1810

100" 1906

62" American Falls

60" American Falls Supplemental

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bill Orkosh
(Applicant)

DEPT OF WATER RESOURCES

Proposed Priority 3/ 9/77

Received by ADM Date 3-9-77 Time 4:45

Preliminary check by DS Fee \$ 75.00 # 2371

Receipted by ADM Date 3-9-77

Publication prepared by SB Date 3/17/77

Published in Gooding County Leader

Publication dates 3/24 & 3/31/77

Publication approved SB Date 3/22/77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by mls jc

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-7570, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 82.
- Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 26 day of April 19 77.


Director

COP. OF NOTICE

State of Idaho, }
County of Gooding } SS.

being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 24 day of March
19 77, and the date of the last publication was on the 31
day of March 19 77.

Subscribed and sworn to before me this 31
day of March, 1977.
(SEAL)

NOTARY PUBLIC

GOODING COUNTY LEADER
Gooding, Idaho
COST OF PUBLICATION

Number of Lines in Notice	<u>40</u>	<u>40</u>
Number of Insertions	<u>2</u>	<u>2</u>
Lines tabular at	315c	
<u>40</u> Lines straight at <u>40</u>	21c	<u>8.40</u>
<u>40</u> Subsequent lines at <u>40</u>	15c	<u>6.00</u>
TOTAL COST		<u>14.40</u>

MICROFILMED

[illegible]

RESISTIVE

APR 4 1977

Department of Water Resources
PUBLICATION RATES
Bonneville Basin Water Control Office
(Idaho Code, Rev. Statutes 1971)

7 pt. per line, straight	21c
7 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c

Nº 1167

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Gooding } SS.

Kim R. Compton

, being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 24 day of March

19 77, and the date of the last publication was on the 31

day of March, 19 77.

Kim R. Compton

Subscribed and sworn to before me this 31

day of March, 19 77.

(SEAL)

Garrison H. H. H.
NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice 40 40

Number of Insertions 2 2

Lines tabular at 315c

40 Lines straight at 40 21c 8.40

40 Subsequent lines at 40 15c 6.00

TOTAL COST 14.40

(Paste Here)

W.P. 37-7570

TITLE OF NOTICE

Art Koosh

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water
BILL TO

8/4/77
SB/
4/4/77

RECEIVED

APR 4 1977

Department of Water Resources	
PUBLICATION RATES	
(Idaho Code, Rev. Statutes 1971)	
7 pt. per line, straight	21c
7 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c

19114

Nº 1167

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 2, 1992

KAREN ARKOOSH
BILL ARKOOSH
2368 E. 1775 S.
GOODING ID 83330

RE: WATER RIGHT NO. 37-07570

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

DEC 09 1992

BILL ARKOOSH
2368 EAST 1775 SOUTH
GOODING, IDAHO 83330

←
Note additional addresses

RECEIVED

DEC 09 1992



State of Idaho
Department of Water Resources
1301 North Orchard Street
Boise ID. 83706-2237

January 8, 1990

BILL ARKOOSH
KAREN ARKOOSH
RT. 2
GOODING, ID 83330

RE: PERMIT NO. 37-07570

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

DEC 09 1992

MEMORANDUM

TO:FILE #37-7570

FROM:ROXANNE MCCARTHY

RE: CHANGES TO FIELD EXAM RECOMMENDATIONS

DATE: 30-DEC-1988

After reviewing this file for licensing, I do not feel a split in this right is necessary. There is only one point of diversion and although it irrigates one plot after traveling in a natural channel, the two plots are indeed one system. The license should be conditioned to allow control of the water where it enters and leaves the river.

The rate of diversion under this right should reflect the total found per annubar measurment: 4.29 cfs.

The annual volume is calculated in two ways:

Using the field requirement: $277.0 \times 4.0 = 1108.0$

Using the irrigation season: $4.29 \text{ cfs}(1.98)(214 \text{ days}) = 1820.9$

Allowing the lower figure, the maximum volume should be 1108.0 afa.

RECEIVED

DEC 09 1992


Phone No. 934-4423

- | Twp. | Rge. | Sec. | NE 1/4 | | | | SW 1/4 | | | | SE 1/4 | | | | Totals | |
|-------------|------|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| | | | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | | |
| 53 | 16 E | 30 ✓ | | | | | | | | | | | | | | 2.6 |
| 53 | 15 E | 25 ✓ | | | | | | | | | | | | | | 9.5 ✓ |
| 53 | 15 E | 36 ✓ | 2.4 | | | | 12.5 | | | | | 13 | 32 | | 32 | 14.4 |
| 53 | 15 E | 36 ✓ | | 13 | | | | | | | | | | | | 13.0 |
| 53 | 15 E | 36 ✓ | | | 30 | | 17 | | | | | | | 4.0 | 30 | 81.0 |
| 53 | 16 E | 31 ✓ | | | 12.0 | | 1.0 | | 6.0 | 7.0 | 10.0 | | | 11.6 | | 47.6 |
| | | | | | | | | | | | | | | | | 277.0 |
| | | | | | | | | | | | | | | | | 311.0 |
| Total Acres | | | | | | | | | | | | | | | | 877.0 |

10. Other water rights on these lands See permit

11. Other water right diverted from same p.d. "

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached

14. Remarks Met w/ Reid Newby he would like to
see the measuring devices install that his personal
can meas. width, offset, flux &c.

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature Larry J. Funderburg

Date 11-7-1989

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date

CONSULTANT SEAL

Rexanne McFarther 12/30/98

DEC 09 1992

RECOMMENDED AMOUNTS

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity.
	37-7570A	3/9/1977	0.76 cfs			4.29 cfs

4. Permit Holder: Bill &/or Karen Arkkoosh
 Address: Rte 2 Gooding IDA

5. Source: Groundwater tributary to ✓

6. Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
IRR	4-1 11-1	0.76 cfs	152

Allowable Maximums: 0.76 cfs 152

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			NE	NW	36	5S	15E	Gooding

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5S	15E	25												13	10				23
5S	15E	36					3	12											15
Total Acres 38																			

9. Recommended Conditions/Remarks: This lic. when combined w/ other rights, shall not exceed 0.02 cfs/Ac. A measuring device approved by the state water for administering this water for district shall be installed.
This well is also used for exchanging water w/ Littlewood River.

10. Recommended Amendments

- ☐ Change P.D. as reflected above ☒ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature Gary J. Anderson
 Checked in Regional Office by J.P. Stanton
 Approved in State Office by _____

Date 11-13-1984
 Date 11-14-84
 Date _____
 DEC 09 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
OCT 15 1985

37-7570 A
Permit No.

1. Measurement Calculations

Department of Water Resources

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

See ANNU-BAR & Manometer Notes -
Headgate & User meas. are included from
the watermaster of this Area.

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 38 \times 4 = 152 \text{ A.F.} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.76 \times 215 \times 1.9835 = 32.4 \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 152 \text{ A.F.} \end{aligned}$$

- c) Volume Calculations for Other Uses:

2. Overlap Review

- a) Other water rights with same place of use: see remarks
110"-1884, 110"-1886, 84.1"-1899 Am. Falls 33.8 + Sup AM Fall 34.7"
- b) Other water rights with same point of diversion: 37-7570 B
- c) Analysis:

RECEIVED

DEC 09 1992

RECOMMENDED AMOUNTS

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	37-75708		4.29 cfs			4.29 cfs

4. Permit Holder: _____

Address: _____

5. Source: _____ tributary to _____

6. Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
IRR	4-1	11-1	4.29 cfs	1108 afa

Allowable Maximums: 4.29 cfs 1108 afa

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
1			NE	NW	36	55	15E	Gooding
(2) pp			SE	SW	30	55	16E	"
			NW	NW	32	55	16E	"

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5S	15E	25 ✓											13	32			32	18	95.0 -
5S	15E	36	2.4	13	30		17	12							4.0	30			108.4 -
5S	16E	31			12.0			1.0		6.0	7.0	10				11.6			47.6
5S	16E	30 ✓											26						26.0 -
Total Acres <u>272.0</u>																			

9. Recommended Conditions/Remarks: This is when combine with other rights shall not exceed 0.02 cfs/acre. A Meas. device Approved by the Dept. of Water Master of this Area shall be permanently installed at the discharge point into the river and at the diversion from the River for Exchange purposes.

10. Recommended Amendments

☐ Change P.D. as reflected above ☒ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature Larry Junderburg

Checked in Regional Office by J. P. Linton

Approved in State Office by _____

Date 11-13-84

Date 11-20-84

Date

DEC 09 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

OCT 15 1985

27-75708
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

See Anna Bar & Mano Meter Notes

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{(277 \text{ Ac.}) (4.0 \text{ Ac. Ft.})}{1108} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{4.29 \times 215 \times 1.9835}{1108} = 1812.42 \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1108 \end{aligned}$$

- c) Volume Calculations for Other Uses:

2. Overlap Review

- a) Other water rights with same place of use: 110"-1884, 110"-1886, 84.1"-1899,
33.8" American Falls Res. + Sup American Falls Res. 34.7"


- b) Other water rights with same point of diversion: _____

- c) Analysis:

MICROFILMED
DEC 09 1992

15 E

16 E



3069 (NW GOODING)

4757
T. 5 S.

4758

5730"

4759

4760

4761

MICROFILMED

DEC 09 1992

HUNTER 78-79						
DATE	APRIL	MAY	JUNE	JULY	AUGUST	SEPT
1			4.0	3.0	3.0	5.0
2			4.0	3.0	3.0	5.0
3			4.0	3.0	3.0	5.0
4			4.0	3.0	3.0	5.0
5			-0-	7.0	3.0	5.0
6			-0-	7.0	3.0	3.0
7		-0-	7.0	7.0	3.0	3.0
8		9.0	7.0	7.0	3.0	-0-
9		9.0	9.0	7.0	3.0	-0-
10		9.0	9.0	7.0	3.0	-0-
11		10.0	8.0	6.8	3.0	-0-
12		10.0	6.0	6.8	3.0	-0-
13		10.0	8.0	6.8	3.0	2.0
14		10.0	4.0	6.0	5.8	2.0
15		10.0	4.0	6.0	5.8	5.0
16		10.0	-0-	6.0	5.0	5.0
17		10.0	-0-	5.0	5.0	3.0
18		10.4	-0-	5.0	5.0	3.0
19		10.4	-0-	6.0	5.0	3.0
20		10.4	-0-	6.0	5.0	3.0
21		4.0	-0-	5.5	5.0	-0-
22		4.0	-0-	5.5	5.0	
23		6.0	-0-	5.5	5.0	
24		6.0	-0-	5.5	5.0	
25		6.0	-0-	5.5	5.0	
26		6.8	-0-	5.0	5.0	
27		6.8	-0-	5.0	5.0	
28		6.8	-0-	5.0	5.0	
29		6.8	-0-	5.0	5.0	
30		6.8	3.4	5.0	5.0	
31		4.0		5.0	5.0	
T		192.2	78.0	171.9	130.6	55.0

78-79 74.2 - 34.0 - 74.4 - 37.6 - 14.0

79-

1984 Record for Bill Anderson
 Dimension from Little Wood River
 Hunter 78 and Hunter 79 Dimension
 Combined

Am't delivered out of Sept 78

RECORDED

DEC 09 1992

1984 records for

Bill Arbach

Headgate Devaney 86

Armed north side Little Wood River

Armed Devaney 86A Armed South side

of HW

11

1984

DEVANEY 86-86A							DAY
APRIL	MAY	JUNE	JULY	AUGUST	SEPT		
		5.0	5.0	5.0	4.5	1	
		5.0	5.0	5.0	4.5	2	
		5.0	5.0	5.0	4.5	3	
		5.0	5.0	5.0	4.5	4	
		5.0	5.0	5.0	4.5	5	
		5.0	5.0	5.0	4.5	6	
		5.0	5.0	5.0	4.5	7	
	-0-	5.0	5.0	5.0	4.5	8	
	2.5	5.0	5.0	5.0	4.5	9	
	5.0	5.0	5.0	5.0	4.5	10	
	5.0	5.0	5.0	5.0	4.5	11	
	5.0	5.0	5.0	5.0	4.5	12	
	5.0	5.0	5.0	5.0	4.5	13	
	5.0	5.0	5.0	5.0	4.5	14	
	5.0	5.0	5.0	5.0	4.5	15	
	5.0	5.0	5.0	5.0	4.5	16	
	5.0	5.0	5.0	5.0	4.5	17	
	5.0	5.0	5.0	5.0	4.5	18	
	5.0	5.0	5.0	5.0	4.5	19	
	5.0	5.0	5.0	5.0	4.5	20	
	3.0	5.0	5.0	5.0	4.5	21	
	3.0	5.0	5.0	5.0	4.5	22	
	3.0	5.0	5.0	5.0	4.5	23	
	3.0	5.0	5.0	5.0	4.5	24	
	3.0	5.0	5.0	5.0	4.5	25	
	3.0	5.0	5.0	5.0	4.5	26	
	3.0	5.0	5.0	5.0	4.5	27	
	5.0	5.0	5.0	5.0	4.5	28	
	5.0	5.0	5.0	5.0	4.5	29	
	5.0	5.0	5.0	5.0	4.5	30	
	5.0	5.0	5.0	5.0	4.5	31	
	103.5	150.0	155.0	124.0	135.0	T	

RECEIVED
OCT 15 1985

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT
Department of Water Resources

Measured by: Cary Funderburg Date ~~4-12-1984~~ 6-3-1983
Owner: Bill Arkoosh Permit No. 37-7570

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

Measured inside diameter of pipe in inches

(A) 10"

Size of Annubar used in test 10.0"

State ID No. 091421

Model No. of Annubar Meter Used 75
(Model No. = 75 for 6" and larger)
(Model No. = 73 for 4")

Size Eagle Eye Meter Used Manometer

State ID No. -

Date of Last Calibration of Meter _____

Observed inches of H₂O read on Meter

(B) 25"

Flow Correction Factor (From Calibration Graph)
(Use 1 if Error is $\pm 2\%$ at observed pressure)

(K) -

Select C based on Annubar Model No.

If Model No. = 75, then C = 3.85

If Model No. = 73, then C = 4.14

CALCULATION: $K \frac{(A^2)}{448.8} (\sqrt{B}) C =$

(C) 3.85
4.29 cfs measured

SKETCH (If not shown on Field Report):

MICROFILMED
DEC 09 1992



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

March 26, 1982

Bill Arkoosh
Route 2 Box 58
Gooding, Idaho 83330

Re: Permit No. 37-7570

Dear Mr. Arkoosh:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Senior Water Resource Agent

LUN:LF:marya



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 23, 1982

RE: Permit No. 37-7570

Bill & Karen Arkoosh
Route #2
Gooding, ID 83330

Dear Mr. and Mrs. Arkoosh:

Thank you for returning your request for extension of time in which to submit proof to beneficial use under Permit No. 37-7570. I notice that you have completed all of the work except for installation of the measuring device. I also noticed that an Order to allow you to install an access port has been sent to you. This is a very simple device to install and does not normally require much time. I have enclosed installation instructions for your convenience.

In consideration of the above, it appears that you should submit a proof to beneficial use card rather than an extension of time; therefore, I am again returning your extension request form with your Check No. 157, 92-77/1241 and a proof to beneficial use card which you should fill out and return to us on or before April 1, 1982. You must install the access port prior to a field examination by the Department's personnel which will be scheduled later.

If you have any questions, please let me know.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

Enclosures: Extension form
Check
Proof card
Access port instructions

RECEIVED
FEB 25 1982
WATER RESOURCES

February 10, 1982

RE: Permit No. 37-7570

Bill & Karen Arkoosh
Route #2
Gooding, ID 83330

Dear Mr. and Mrs. Arkoosh:

Thank you for responding to our letter of January 31, 1982 by submitting a request for an extension of time in which to submit proof to beneficial use of water under Permit No. 37-7570.

However, Idaho Code, allows the Director to approve requests for extension of time if the permit holder can show that he has made reasonable diligence toward permit development; you indicated on your request form that no work had been done. Therefore, based upon this information rather than officially acting on your request we are returning your Check No. 157, 92-77/1241 with the suggestion if you still plan to develop the water as intended you refile for new permit.

If you have additional information concerning the permit or wish us to act officially on your extension request, please return the form with the check on or before March 1, 1982.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosures: Extension Form
Check

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138160

ARKOOSH, BILL & KAREN
RT. 2
GOODING, ID 83330

JANUARY 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 37-7570 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED

December 16, 1981

Bill and Karen Arkoosh
Route 2
Gooding, ID 83330

Dear Mr. and Mrs. Arkoosh:

Re: Permit No. 37-7570

Enclosed is the statement of beneficial use postcard which you submitted in September. Please be advised that your permit requires a measuring device or an access port (see attached order and specifications).be installed.

Also, I noticed that the permit is for 311.5 acres of irrigation and you have indicated that 200 acres are now under irrigation. If this is the total amount of irrigation you will be developing under this permit, then submit the statement of beneficial use as soon as you have complied with the measuring device condition of the permit. If, however, you intend to develop more land up to the 311.5 acres, the statement of beneficial use should not be submitted until you have developed all you are going to up to the 311.5 acres. After the statement of beneficial use is submitted a field examination will be conducted by our regional office.

If you have any questions concerning this matter, please feel free to contact me or our Southern Regional office.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosures

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

IDENT. NO. 37-7870

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

RECEIVED

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

JAN 21 1978

1. WELL OWNER

Name Bill & Karen Parker

Address Rt 2, Harding, Mo. 63302

Owner's Permit No. 37-7570 WR

2. NATURE OF WORK

☒ New well

☐ Deepened

☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic

☒ Irrigation

☐ Test

☐ Municipal

☐ Industrial

☐ Stock

4. METHOD DRILLED

☒ Cable

☐ Rotary

☐ Dug

☐ Other

5. WELL CONSTRUCTION

Diameter of hole 20 inches

Total depth 205 feet

Casing schedule: ☐ Steel ☐ Concrete

Thickness 200 inches

Diameter 20 inches

From 0 feet

To 20 feet

inches

inches

feet

feet

inches

inches

feet

feet

inches

inches

feet

feet

inches

inches

feet

feet

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☐ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number _____

From _____

To _____

_____ perforations

_____ feet

_____ feet

_____ perforations

_____ feet

_____ feet

_____ perforations

_____ feet

_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No

Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No

To what depth 20 feet

Material used in seal ☐ Cement grout ☒ Pudding clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

N

W

E

S

County _____

NE 1/4 NW 1/4 Sec. 36

T. 55 N. R. 15 E. W

7. WATER LEVEL

Department of Water Resources
Southern District Office

Static water level 115 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature _____ ° F. Quality _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump

☐ Bailer

☐ Other

Discharge G.P.M.

Draw Down

Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.

Depth

Material

Water

From

To

Yes

No

20

0

20

Rock

20

50

Rock

50

80

Rock

80

100

Rock

100

120

Red Clay

120

165

Gravel water

165

190

Gravel water

190

205

Gravel water

10.

Work started May 7, 1977 finished May 19, 1977

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Bar H Bar Drilling 268

Driller's or Firm's Name

Number

Fairfield

Address

Signed By

Date

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT



RECEIVED

MAR 8 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

I, Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 37-7570

Name(s) of Permit Holder: Bill Arkoot

Post Office Address: Rt 2 Box 58
Gooding, Ida. 83330 Tel. No. 934-5387

Source of Water: _____

Extent of Use:

☐ Domestic _____

(number of households)

☐ Stockwater _____

(number and type of stock)

☒ Irrigation _____

(acres)

☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No

Installed? ☐ Yes ☒ No

Access Port: Required? ☐ Yes ☐ No

Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Mar 4-82
Date

Signature of Permit Holder

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30
days after the completion or abandonment of the well.RECEIVED
Department of Water Resources
Southern District Office
MAY 9 1977

1. WELL OWNER

Name Bill & Karen Arkosh
Address Rt 2, Glading, Ida 83350
Owner's Permit No. 37-7570

7. WATER LEVEL

Static water level 115 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M. Draw Down Hours Pumped

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 20 inches Total depth 205 feet
Casing schedule: ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet


Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feetGravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feetSurface seal? ☒ Yes ☐ No To what depth _____ feet
Material used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

County _____
NE 1/4 NW 1/4 Sec. 36, T. 55 N, R. 15 E

10.

Work started May 7, 1977 finished May 19, 1977

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.Driller's or Firm's Name Bar H Bar Drilling 268 Number _____Address Fairfield IdahoSigned By [Signature] Date 2 June 77

April 29, 1977

Re: Permit No. 37-7570

Bill &.or Karen Arkoosh
Route #2
Gooding, ID 83330

Dear Mr. and Mrs. Arkoosh:

Enclosed is a copy of your approved Application for Permit No. 37-7570. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

37-7570

Application No. Bill &/or Karen Arkoosh

- ☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) AS 2-15-77

In form to receipt

(2) AS 3-15-77

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) AS 3-15-77

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

(4) ADM 3-17-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) mls 4-12-77

Critical groundwater area: yes _____ no ☒

(8) mls 4-12-77

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Cal Other rights on the same place of use nonplatted

(10) _____

Comments: _____

(11) LB 4/4/77

Affidavit of Publication received(date) _____

(12) _____

Final date for protests 4/11/77
Protests received: yes _____ no _____

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) mls 4-12-77

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District Southern By Michael Stebbins Date 4-12-77

Copy sent to Boise: 3/17/77 AS

MICROFILMED

Supplemental Water Condition

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Bill &/or Karen Arkoosh

Rte. #2, Gooding, Idaho 83330

has on 3/8/77 submitted Application No. 37-7570

for a permit to appropriate 6.0 cubic feet per second ~~XXXXXX per annum~~

of water from groundwater

by means of well, pump & motor delivering to a gravity flow ditch

within the NE $\frac{1}{4}$, Sec. 36, Twp. 5S, Rge. 15E., B.M., Gooding County

to be used from April 1 to November 1

for irrigation purposes of 311.5 acres

within the S $\frac{1}{2}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 25; N $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 36; Twp. 5S, Rge. 15E., B.M.

Lt. 4, SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 30, Twp. 5S, Rge. 16E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before 4/11/87.

R. KEITH HIGGINSON

Director

Published in the Gooding County Leader

on 3/24 and 3/31/77

MICROFILMED

LEGAL — le 02/08
3/22/77
**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Bill &/or Karen Arkoosh Rte. #2, Gooding, Idaho 83330 has on 3/9/77 submitted Application No. 37-7570 for a permit to appropriate 6.0 cubic feet per second of water from groundwater by means of well, pump & motor delivering to a gravity flow ditch within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 36, Twp. 5S, Rge. 15E., B.M., Gooding County to be used from April 1 to November 1 for irrigation purposes of 311.5 acres within the S $\frac{1}{2}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 25; N $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 36; Twp. 5S, Rge. 15E., B.M., Lt. 4, SE $\frac{1}{4}$ -SW $\frac{1}{4}$, Sec. 30, Twp. 5S, Rge. 16E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before 4/11/77.

/s/ R. KEITH /s/ R.

/s/ R. Keith Higginson
Director

Pub: 3-24, 31

March 17, 1977

Gooding County Leader
Box 56
Gooding, Idaho 83330

RE: Application For Water Permit #37-7570-Bill &/or Karen Arkoosh

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:sb

Enclosure

Bill submitted: 4/5/77

MICROFILMED