


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Rge 22E



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

W. Cloyd Meacham
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 02 1994

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: W. Cloyd Mecham Permit No. 37-7562
Current Address: Carey, ID 83320 Phone No. 823-4426
2. Accompanied by: Milo Mecham EXAM. DATE: 6-24-87 + 10-16-91
Address: P.O. Box 201, Carey, ID 83320 Phone No. 823-4448
Relationship to Permit Holder: Son
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: Little Wood Reservoir stored water

☐ Copies Attached
2. Other water rights with same point of diversion: _____

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____


2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).


37-1562

	T	R	S
P/D	15	21E	8
P/U	15	21E	8
			7

3720' NE
(LITTLE WOOD
RIVER RES.)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY





37-07562

[illegible]

37-7562



Upper diversion From West Canal




Pump in Upper Ditch to Sprinklers

MILWAUKEE
AUG 08 1995



Diversion From ~~West Ditch to Lower Ditch~~
Well Thru Lower Ditch Back
Into West Ditch

RECEIVED
AUG 08 1995



Diversion Works
Discharge into Lower Ditch

UNRECORDED
AUG 08 1995

37-7562



Re-lift Pump #2

RECEIVED
AUG 08 1975

AFFIDAVIT of PUBLICATION

RECEIVED

COPY OF NOTICE

State of Idaho, }
 Connty of Blaine } SS.

MAR 8 1977

Water Permit #37-2562
 TITLE OF NOTICE

Department of Water Resources
 Southern District Office

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Donald W. Rosebrock, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 24 day of February, 1977, and the date of the last publication was on the 3

day of March, 1977.

Donald W. Rosebrock

Subscribed and sworn to before me this 4th

day of March, 1977.
 (SEAL)

Roberta McGeehan

NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Number of Lines in Notice 32
 Number of Insertions 2
 _____ Lines tabular at 315c
32 Lines straight at 21c 6.72
32 Subsequent lines at 15c 4.80
 TOTAL COST 11.52

MICROFILMED

Dept of Water Resources
 1041 Blue Lakes Blvd. N
 Twin Falls, Idaho 83301

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that W. Cloyd Mecham, Carey, Idaho 83320 has on 2/9/77 submitted Application No. 37-7562 for a permit to appropriate 4.4 cubic feet per second of water from groundwater by means of well, pump and sprinkler system within the NE 1/4 SW 1/4, Sec. 8, Twp. 1S, Rge. 21E., B.M., Blaine County to be used from April 1 to Nov. 1 for irrigation purposes of 220 acres within the S 1/2 NE 1/4, Sec. 7; S 1/2 NW 1/4, E 1/2 SW 1/4, Sec. 8, Twp. 1S, Rge. 21E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before March 14, 1977.

R. KEITH HIGGINSON

Director

Publish: Wood River Journal, Blaine County, February 24 and March 3, 1977.

(Ida) 8 1/2 pt.
 8 1/2 pt.
 8 1/2 pt. per line, successive insertions 15c

No 1491

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-07562

Priority: January 7, 1978

Maximum Diversion Rate:

3.07 CFS

This is to certify, that W CLOYD MECHAM

CAREY ID 83320

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 9, 1977; and has submitted Proof of Beneficial Use on February 4, 1982. An examination indicates that the works have a diversion capacity of 7.700 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	3.07 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 8, Township 01S, Range 21E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	21E	7	NENE 3.8	NWNE 3.8	SWNE 24.2	
			SENE 34.4	NENW 0.6		64
	8		SWNW 23.9	SENW 20.2	NESW 33	
			NWSW 3.3	SWSW 1.2	SESW 8.1	89.7

Total number of acres irrigated: 153.7

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-422, Idaho Code, or the applicable Idaho law.
4. Use of water under this water right will be regulated by the watermaster of State Water District No. 37N.
5. A portion of the water diverted under this right is exchanged by injecting groundwater into the West Canal and diverting an equal amount from the West Canal.
6. The right holder shall use the full allotment of appurtenant surface water rights, to the extent they are available, in conjunction with groundwater diverted pursuant to this right.
7. This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.
8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 537.9 af for the lands above.

AUG 08 1995


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-07562

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 19TH
day of July, 1995.


KARL J. DREHER, Director
Acting for





AUG 08 1995

State of Idaho
Department of Water Resources

RECEIVED

JUL 10 1995

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-07562

Date of Priority: January 7, 1978 Maximum Diversion Rate: 3.07 CFS
Comes now W CLOYD MECHAM
CAREY ID 83320 and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 37-07562, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	3.07 CFS	

LOCATION OF POINT(S) OF DIVERSION: NESW , Sec. 8, Township 01S, Range 21E
BLAINE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	21E	7	NENE 1	NWNE 3.8	SWNE 24.2	
			SENE 34.4	NENW 0.6		64
		8	SWNW 23.9	SENW 20.2	NESW 33	
			NWSW 3.3	SWSW 1.2	SESW 8.1	89.7

Total number of acres irrigated: 153.7

RECEIVED

AUG 08 1995

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at W. Cloyd Mecham this 1st day of July, 1995
Signature
Signed at Carey Idaho
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-07562

RECEIVED
JUL 10 1995
Department of Water Resources

FOR DEPARTMENT USE ONLY

Preliminary check by Ju Fee = 50.00 Received by Ju # C033163 Date 7-11-95

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 37-07562 with the following;

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Use of water under this water right will be regulated by the watermaster of State Water District No. 37N.
5. A portion of the water diverted under this right is exchanged by injecting groundwater into the West Canal and diverting an equal amount from the West Canal.
6. The right holder shall use the full allotment of appurtenant surface water rights, to the extent they are available, in conjunction with groundwater diverted pursuant to this right.
7. This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.
8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 537.9 af for the lands above.

Witness my hand this 19th day of July, 1995.

Acting for Karl J. Dreher
KARL J. DREHER, Director

AUG 08 1995

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF THE ORDER OF)
REINSTATEMENT OF PERMIT NO.)
37-07562 IN THE NAME OF) **ORDER**
W. CLOYD MECHAM)
_____)

WHEREAS, the Department of Water Resources (department) on May 4, 1995, issued an Order of Reinstatement (order) in connection with Permit No. 37-07562; and

WHEREAS, the department did not designate the order as recommended, preliminary, or final at its release; and

WHEREAS, the department now wishes to designate the order as a preliminary order;

IT IS THEREFORE, HEREBY ORDERED that the May 4, 1995, Order of Reinstatement issued in connection with Permit No. 37-07562 is designated a **Preliminary Order** as described in Idaho Code §67-5243 and further defined in IDAPA 37.01.01730 (Procedure Rule 730) of the Administrative Rules of the Idaho Department of Water Resources.

Dated this 25th day of May, 1995.

L. Glen Saxton
L. GLEN SAXTON, Chief
Water Allocation Bureau

RECEIVED

AUG 08 1995

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT	)	
	)	
NO. 37-07562 IN THE NAME	)	ORDER OF REINSTATEMENT
	)	
OF W. CLOYD MECHAM	)	

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 37-07562 for the issuance of a license, the Department finds, concludes and orders as follows:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 37-07562 to appropriate the public waters of the State of Idaho with a proposed priority of FEBRUARY 9, 1977.

2. On APRIL 30, 1986 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit.

3. The fee was due on JUNE 29, 1986, 60 days from the date of the notice; however, the fee was not received until MAY 27, 1987, 332 days late.

MINORIFIED
AUG 08 1995

CONCLUSIONS OF LAW


1. The Director may reinstate a lapsed permit upon payment of the examination fee.
2. The Director may advance the priority date of the permit one day for each day the fee was late, pursuant to the provisions of Section 42-217, Idaho Code.
3. Permit No. 37-07562 should be reinstated with the date of priority advanced 332 days.


ORDER

IT IS HEREBY ORDERED that Permit to Appropriate Water No. 37-07562 is reinstated.

IT IS FURTHER ORDERED that the date of priority of Permit No. 37-07562 is advanced to JANUARY 7, 1978.

Dated this 4th day of May, 1995.


L. GLEN SAXTON
Chief, Water Allocation Bureau


AUG 08 1995

4/86

RECEIVED

MAY 27 1987

JUN 08 1987

For Office Use Only
 Fee Received 200
 Date 6/1/87
 Receipt # 45012, 45013
 Receipt by LG
 Sent to S.O. 6/2/87

Department of Water Resources

STATE OF IDAHO Department of Water Resources

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

1. Permit No. 37-7562

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: W. Cloyd Micham

3. Post Office Address: Cary, Idaho 83320
 Telephone No. (208) 823-4426

4. Source of Water: gr. well

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation irrigation (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted 4.4 cfs 12 acre-feet 24 hrs

7. Show the date water was first diverted and beneficially used under this permit:

1977

8. Person to contact to accompany the department representative during the field examination:

Mike Micham
(Name)

AUG 08 1987

Cary, Idaho 83320 (208) 823-4448
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date May 20, 1987Signature of Permit Holder (and title, if appropriate) W. Cloyd Micham owner

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 37-7562

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

Identification No. _____

Application No. 37-7562

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant W. Cloyd Mecham Phone: 823-4418
post office address Carey, Idaho 83320

2. Source of water supply Groundwater which is a tributary of _____

3. a. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 8 Township 1S
Range 21 E., B.M. Blaine County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 4.4cfs for irrigation purpose from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 4.4 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump and sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 10 inches; proposed depth of well is 100 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ _____.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 220

c. Describe any other water rights used for the same purposes as described above. 4 shares Little Wood Canal Water @ 32" share, 400 A.F. Little Wood Res. Water


9. a. Who owns the property at the point of diversion Applicant
b. Who owns the land to be irrigated or place of use Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Rge 22E



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

W. Cloyd Mechem
(Applicant)

Proposed Priority 2/ 9/77

Received by TGB Date 2-9-77 Time 5:00
Preliminary check by AB Fee \$ 65.00 RD# 2344

Receipted by TGB Date 2-9-77

Publication prepared by AB Date 2/14/77

Published in Wood River Journal

Publication dates 2/24 & 3/3/77

Publication approved AB Date 3/8/77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by mls

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-7562, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 82.
- c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 29th day of March 19 77.


Director



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 20, 1995

W CLOYD MECHAM
CAREY ID 83320

RE: WATER RIGHT NO. 37-07562

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

AUG 08 1995

FROM S.W. Keen

DATE 6/13/1995

TO File 37-07562

SUBJECT

Phone call from Cloyd Mecham

Mr. Mecham called to request more time to respond to our amendment request. He has not yet decided whether to respond to our reinstatement order, which advanced the priority date of his right. I said I would hold the file for two more weeks.


SIGNATURE

AUG 08 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 12, 1995

W CLOYD MECHAM
CAREY ID 83320

RE: WATER RIGHT NO. 37-07562

Dear Water Right Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, I have not received this amendment. If I do not receive the amendment within fourteen (14) days, I will issue a Water Right License for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed.

If you have any questions, please contact me. My telephone number is (208) 327-7947.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

AUG 08 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 24, 1995

W. Cloyd Mecham
Carey, ID 83320

RE: Water Right No. 37-07562

Dear Mr. Mecham:

I was recently contacted by Milo Mecham, who inquired about the procedure for appealing some provisions of the Order of Reinstatement for Water Right No. 37-07562 which was dated May 4, 1995, and was sent to you on May 10, 1995. The enclosed order designates that order a "preliminary order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the department unless a party petitions for reconsideration within fourteen (14) days after designation as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the hearing officer within fourteen (14) days of the service date of the order. The hearing officer will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the agency.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Director. The Director retains the right to review the preliminary order on his own motion.

RECORDED

AUG 08 1995

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

RECEIVED
AUG 08 1995

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,



SHELLEY WALTER KEEN
Water Rights Supervisor

SWK

Enclosure

RECEIVED
JUL 10 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 10, 1995

W CLOYD MECHAM
CAREY ID 83320

RE: WATER RIGHT NO. 37-07562

Dear Water Right Holder(s):

Enclosed is an Order of Reinstatement regarding the above referenced water right which reinstates your Permit to Appropriate water. Because of late payment, however, the priority date has been advanced to January 7, 1978.

The above referenced water right is also in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITION/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley Walter Keen
Water Rights Supervisor

AUG 08 1995

SWK:rl

Enclosures

LICENS REVIEW CHECKLIST

PERMIT NO. 37-07562 DATE 5-3-95



NAME Change OK ☒ Or Address Change? ☐

PRIORITY DATE ☒ Advance? YES Advanced to: JAN 7, 1978
 Order to reinstate needed? YES - HAVE TO DO
 Incorrect fee for rate recommended? NO

SOURCE ☒ Changes or just clarification of originally intended source?
 Notice of Intent to Void necessary? NO

POINT OF DIV ☒ Amendment needed? Add Point of Prediversion into
☒ Overlaps? the West CANAL Delete

PLACE OF USE ☒ Amendment needed?
☒ Overlaps? Surface Water Rights

DIV RATE ☒ Permit/fee limits: 4.4 CFS
THEORETICAL / OPEN DISCHARGE Meas Q = 4.56 Theo Q = 7.7 Recommend: 3.07

$$\frac{8.8 \times .7 \times 75 \text{ HP}}{60 + (2.31 \times 0)} = 7.7 \text{ CFS}$$

$$\frac{153.7 \times .02}{108.1 \times .02} = 3.07$$
WEIR
 Combined rates exceed capacity FOR EXCHANGE RATE

ANNUAL VOLUME ☒ Volume Limit: Season: B/3.5 (4-15 to 10-15)
 Calculations: 153.7 x 3.5 = 537.9

USES ☒ Change in Nature of Use or additional uses?
 Amendment necessary? NEW

ADDITIONAL INFO PARTIAL EXCHANGE Supplemental Groundwater YES PPU Scenario
 Irr/Dom Combination Shared G/W System

NEW REMARKS NO Multiple p/d(s) in 1/4 1/4
YES Other W45 (EDIT) WB3 WB3 WB7
WEST CANAL

NEW CONDITIONS RO4 Watermaster control - District 37N
☒ Measuring/Locking Devices
☒ Irrigation Overlap
☒ Other
☒ Water Quality Heat/Cool/Fish verified

COMMENTS: Acres covered under exchange = 108.1
(all in SECTION 7 AND NW OF 8)
77 MEND P/L

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	YES
<u>Irrigation</u>	<u>3.07</u>	<u>537.9</u>	Adjustment Memo Needed	<u>YES</u>
		<u>110</u>	LICENSE	
		<u>(REMARKS)</u>	<u>SPECIAL 7+</u>	
			1ST AMEND LETTER	<u>P41 + P38 + S05</u>
			2ND AMEND LETTER	<u>P42 + S05</u>

CALCULATION OF NEW PRIORITY DATE
LATE EXAM FEES

PERMIT NO. 37-0 7562
BY: Frederic Chapman
DATE: 5-3-95

	DATE	DAY NUMBER FROM TABLE
A. Examination Fee Notice Sent	<u>APR 30, 1986</u>	<u>120</u>
B. Date Fee Due (60 days)	<u>JUN 29, 1986</u>	<u>180</u>
C. Date Fee Received	<u>MAY 27, 1987</u>	<u>512</u>
D. Number of Days Late (C-B)	<u> </u>	<u>332</u>
E. Original Priority Date	<u>FEB 9, 1977</u>	<u>40</u>
F. New Priority Date (D+E)	<u>JAN 7, 1978</u>	<u>7</u>

MICROFILMED

AUG 08 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 02 1994

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: W. Cloyd Mecham Permit No. 37-7562
Current Address: Corey, ID 83320 Phone No. 823-4426
2. Accompanied by: Milo Mecham EXAM. DATE: 6-24-87 & 10-16-91
Address: P.O. Box 201, Corey, ID 83320 Phone No. 823-4448
Relationship to Permit Holder: Son
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: Little Wood Reservoir stored water
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED
AUG 08 1995

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well & pump, open discharge into gravity ditch system for use on land south & west of well. On 10-17-91, saw Relift Pump #2, aluminum mainline to 2 wheel lines here. Land above county road (north & west of well) is irrigated by exchange of water with Little Wood River Reservoir West Canal. Gravity irrigation on upper part of this ground, & sprinkler irrigation on lower ground via relift pump in ditch. (Relift pump #1)

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Main pump	GE	75	ENT511378X	Aurora	37772706
Relift pump #1	Marathon	60	1348157	Berkeley	7829866 Model B33PL
" #2	"	60	And. TVJ256TTD	Cornell	559386
			R5016AP E		

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	SW	8	1S	21E	Blaine	

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1S	21E	7	31.0	3.8	24.2	24.4	.6												64
		8							23.9	20.2	33	2.3	1.2	8.1					89.7
																			153.7

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Measured 1.09' head on 1' Parshall Flume = 4.56 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

153.7 ac. x 0.02 cfs/ac. = 3.07 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 153.7 \times 3 = 461.1$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$

2. Volume Calculations for Other Uses:

* See attached adjustment explanation memo. BC

AUG 08 1995

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Mr. Mechem said that pump supplements stored water in Little Wood Reservoir as needed. Stored water is used below county road, but well is turned on if needed. Sprinkler system was put in this year on land south of the county road, no additional land is irrigated, but water is used more efficiently.

Exam was originally done on 6-24-87, including water measurement, but there wasn't sufficient data for me to write up the exam. So I visited the site last fall to obtain the needed data.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* Irrigation	4-1	11-1	3.07	461.1
Totals:			3.07	461.1

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name J. E. Stanton
Signature J. E. Stanton
Certification Date _____
Field Report Preparation Date 1-16-92

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

* See attached adjustment memo. RC

RECEIVED
AUG 08 1995

MEMORANDUM

TO: File 37-07562 / W. Cloyd Mecham
FROM: Brenda Chapman
DATE: May 4, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

F. FLOW CALCULATIONS

The system capacity is being recommended as the well's theoretical capacity rather than the weir measurement for only one portion of the system. The attached copies of the only well logs for that section are examples of the static water level for that $\frac{1}{4}$. I used an average of the two.

$$\frac{8.8 \times .7 \times 75 \text{ hp}}{60' + (2.31 \times 0 \text{ psi})} = 7.7 \text{ cfs}$$

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4-15 to 10-15	3.07	Not listed

The irrigation season dates and annual diversion volume have been adjusted to coincide with the currently used Field Headgate Requirement and Season of Use chart standards.

The volume recommendation is addressed in the remarks based on current supplemental groundwater processing procedures.

MICROFILMED

AUG 08 1995

**WELL LOG AND REPORT TO THE
STATE RECLAMATION ENGINEER OF IDAHO**

Log No. 10 JUL 27 1955
 Rec. Department of Reclamation
 Well No. _____
 Permit No. 5-25887

(DO NOT FILL IN)

Owner SPENCER & S. M. TUNE ^{Toone} Address CARBY I.D.A.
 Driller ARLE D. FINCH Address PICACHO Lic. No. 101
 Location of Well: NW 1/4 SW 1/4 Sec. 8 T. 1 N/S, R. 21 W PLAIN County,
 and _____ feet N/S, and _____ feet E/W from _____ Corner of _____ 1/4 Sec. _____
 Size of Drilled Hole 20" Total depth of Well 176 1/2'
 Give depth of standing water from surface 35' Water Temp. _____ ° Fahrenheit
 On pumping test delivery was 1350 g.p.m. at 150" c.f.s. Drawdown was _____ feet.
 Size of pump and motor used to make the test 12" - 30 HP
 Length of time pumped during check was 2 hr. _____ minutes.
 If flowing well, give flow in c.f.s. _____ or g.p.m. _____ and shut in pressure _____
 If flowing well, describe control works _____ (TYPE AND SIZE OF VALVE, ETC.)
 Water will be used for IRRIGATION Weight of casing per linear foot _____
 Thickness of casing 5/8 Casing material STEEL
E.G., PIPE, CONCRETE, WOOD.
 Diameter, length and location of casing 20" 96'
(CASING 12" IN DIAMETER AND UNDER GIVE INSIDE DIAMETER;
CASING OVER 12" IN DIAMETER GIVE OUTSIDE DIAMETER.)
 Number and size of perforations 2800 - 5 x 4 located 96 feet to 40 feet
 from surface of ground.
 Other perforations _____
 Date of commencement of well JUNE 15 Date of completion of well JULY 1
 Type of well rig SUKEFSTONE

CASINO RECORD

DIAM. CASINO	FROM FEET	TO FEET	LENGTH	REMARKS - SEALS, GROUTING, ETC.
<u>20"</u>	<u>1</u>	<u>96</u>	<u>96</u>	
<u>25887</u>				

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

NW 1/4 S. 8 15 21 E

AUG 08 1955

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.USE TYPEWRITER OR
BALLPOINT PEN

RECEIVED

JUN 24 1991


1. WELL OWNER Name <u>Ran Hill Farms</u> Address <u>12041 Teske St #510 Denver Col</u> Drilling Permit No. <u>37-91-5-020</u> <u>OK</u> Water Right Permit No. <u>37-08405</u>		7. WATER LEVEL Department of Water Resources Eastern District Office Static water level <u>65</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>67</u> OF. Quality <u>Excellent</u> Describe artesian or temperature zones below																																																																																																																																																																	
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Baller ☐ Air ☐ Other <u>none</u> <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																													
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																	
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>16"</td><td>0'</td><td>2'</td><td>Dark Brown Top Soil</td><td></td><td>X</td></tr><tr><td></td><td>2'</td><td>7'</td><td>Cobble Rock and Gravel</td><td></td><td></td></tr><tr><td></td><td>7'</td><td>15'</td><td>Gravel and Gray Sand</td><td></td><td></td></tr><tr><td></td><td>15'</td><td>20'</td><td>Gravel and Brown Clay</td><td></td><td></td></tr><tr><td></td><td>20'</td><td>34'</td><td>Brown Sand and large Gravel</td><td></td><td></td></tr><tr><td></td><td>34'</td><td>44'</td><td>Brown + Black Sand 1" to 2" Gravel</td><td></td><td></td></tr><tr><td></td><td>44'</td><td>58'</td><td>Pea Gravel and Brown Clay</td><td></td><td></td></tr><tr><td></td><td>58'</td><td>64'</td><td>Brown Clay and Brown Sand</td><td></td><td></td></tr><tr><td></td><td>64'</td><td>66'</td><td>Clean Pea Gravel</td><td></td><td></td></tr><tr><td></td><td>66'</td><td>73'</td><td>Brown Sand and Clay</td><td></td><td></td></tr><tr><td></td><td>73'</td><td>76'</td><td>2" Gravel</td><td></td><td></td></tr><tr><td></td><td>76'</td><td>80'</td><td>Brown Sand and Clay</td><td></td><td></td></tr><tr><td></td><td>80'</td><td>91'</td><td>Pea Gravel and Brown Clay</td><td></td><td></td></tr><tr><td></td><td>91'</td><td>94'</td><td>Grayish Brown Sand</td><td></td><td></td></tr><tr><td></td><td>94'</td><td>98'</td><td>Pea Gravel and Brown Clay</td><td></td><td></td></tr><tr><td></td><td>98'</td><td>102'</td><td>Brown Sand</td><td></td><td></td></tr><tr><td></td><td>102'</td><td>103'</td><td>Brown Clay and Gravel</td><td></td><td></td></tr><tr><td></td><td>103'</td><td>115'</td><td>Brown Sand and Gravel</td><td></td><td>X</td></tr><tr><td></td><td>115'</td><td>119'</td><td>Brown Sand and Gravel</td><td></td><td>X</td></tr><tr><td></td><td>119'</td><td>120'</td><td>Brown Clay</td><td></td><td>X</td></tr><tr><td></td><td>120'</td><td>136'</td><td>Coarse large Gravel</td><td></td><td>X</td></tr><tr><td></td><td>136'</td><td>140'</td><td>Brown Sand</td><td></td><td>X</td></tr><tr><td></td><td>140'</td><td>144'</td><td>Pea Gravel</td><td></td><td>X</td></tr><tr><td></td><td>144'</td><td>148'</td><td>Brown Clay</td><td></td><td>X</td></tr><tr><td></td><td>148'</td><td> </td><td>Black Basalt - hard</td><td></td><td></td></tr></tbody></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	16"	0'	2'	Dark Brown Top Soil		X		2'	7'	Cobble Rock and Gravel				7'	15'	Gravel and Gray Sand				15'	20'	Gravel and Brown Clay				20'	34'	Brown Sand and large Gravel				34'	44'	Brown + Black Sand 1" to 2" Gravel				44'	58'	Pea Gravel and Brown Clay				58'	64'	Brown Clay and Brown Sand				64'	66'	Clean Pea Gravel				66'	73'	Brown Sand and Clay				73'	76'	2" Gravel				76'	80'	Brown Sand and Clay				80'	91'	Pea Gravel and Brown Clay				91'	94'	Grayish Brown Sand				94'	98'	Pea Gravel and Brown Clay				98'	102'	Brown Sand				102'	103'	Brown Clay and Gravel				103'	115'	Brown Sand and Gravel		X		115'	119'	Brown Sand and Gravel		X		119'	120'	Brown Clay		X		120'	136'	Coarse large Gravel		X		136'	140'	Brown Sand		X		140'	144'	Pea Gravel		X		144'	148'	Brown Clay		X		148'		Black Basalt - hard		
Bore Diam.	Depth		Material		Water																																																																																																																																																														
	From	To		Yes	No																																																																																																																																																														
16"	0'	2'	Dark Brown Top Soil		X																																																																																																																																																														
	2'	7'	Cobble Rock and Gravel																																																																																																																																																																
	7'	15'	Gravel and Gray Sand																																																																																																																																																																
	15'	20'	Gravel and Brown Clay																																																																																																																																																																
	20'	34'	Brown Sand and large Gravel																																																																																																																																																																
	34'	44'	Brown + Black Sand 1" to 2" Gravel																																																																																																																																																																
	44'	58'	Pea Gravel and Brown Clay																																																																																																																																																																
	58'	64'	Brown Clay and Brown Sand																																																																																																																																																																
	64'	66'	Clean Pea Gravel																																																																																																																																																																
	66'	73'	Brown Sand and Clay																																																																																																																																																																
	73'	76'	2" Gravel																																																																																																																																																																
	76'	80'	Brown Sand and Clay																																																																																																																																																																
	80'	91'	Pea Gravel and Brown Clay																																																																																																																																																																
	91'	94'	Grayish Brown Sand																																																																																																																																																																
	94'	98'	Pea Gravel and Brown Clay																																																																																																																																																																
	98'	102'	Brown Sand																																																																																																																																																																
	102'	103'	Brown Clay and Gravel																																																																																																																																																																
	103'	115'	Brown Sand and Gravel		X																																																																																																																																																														
	115'	119'	Brown Sand and Gravel		X																																																																																																																																																														
	119'	120'	Brown Clay		X																																																																																																																																																														
	120'	136'	Coarse large Gravel		X																																																																																																																																																														
	136'	140'	Brown Sand		X																																																																																																																																																														
	140'	144'	Pea Gravel		X																																																																																																																																																														
	144'	148'	Brown Clay		X																																																																																																																																																														
	148'		Black Basalt - hard																																																																																																																																																																
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____																																																																																																																																																																			
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>250 inches</td><td>16 inches</td><td>1 1/2 feet</td><td>148 feet</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☒ Knife ☐ Torch ☐ Gun Size of perforation <u>1/2</u> inches by <u>3</u> inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>880 perforations</td><td>35 feet</td><td>145 feet</td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20'</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☒ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>pump base</u>		Thickness	Diameter	From	To	250 inches	16 inches	1 1/2 feet	148 feet													Number	From	To	880 perforations	35 feet	145 feet																																																																																																																																								
Thickness	Diameter	From	To																																																																																																																																																																
250 inches	16 inches	1 1/2 feet	148 feet																																																																																																																																																																
Number	From	To																																																																																																																																																																	
880 perforations	35 feet	145 feet																																																																																																																																																																	
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td></td><td>E</td></tr><tr><td>W</td><td></td><td></td></tr><tr><td>S</td><td></td><td></td></tr></table> Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Blaine</u> SE 1/4 SE 1/4 Sec. <u>8</u> T. <u>01</u> S. R. <u>21</u> W. <u>1</u>		N		E	W			S			10. Work started <u>5-13-91</u> finished <u>5-30-91</u>																																																																																																																																																								
N		E																																																																																																																																																																	
W																																																																																																																																																																			
S																																																																																																																																																																			
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Martin's Well Services</u> Firm No. <u>478</u> Address <u>PO Box 923 Rexburg Id</u> Date <u>5-30-91</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>[Signature]</u>																																																																																																																																																																			


37-7562

P/D	T	R	S
15	21E	8	
P/U	15	21E	8
			7

3120' NE
(LITTLE WOOD
RIVER RES.)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY





37-07562

37-7562




Upper diversion from West Canal




Pump in Upper Ditch to Sprinklers

AUG 08 1995



Diversion From ~~West Ditch to Lower Ditch~~
Well Thru Lower Ditch ~~Back~~
Into West Ditch

AUG 08 1995



Diversion Works
Discharge into Lower Ditch

AMERICAN
AUG 08 1995

37-7562



Re-lift Pump #2

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
DATE 08-19-05 BY 60322



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

37-7562
MECHAM, W. CLOYD
CAREY, ID 83320

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 30, 1987

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on June 30, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 30, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before August 28, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely,

L. GLEN SAXTON, Chief
Operations Bureau

Enclosure

AUG 08 1985



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

37-7562
MECHAM, W. CLOYD
CAREY, ID 83320

Mailing address:
Statehouse
Boise, Idaho 83720

138694

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

AUG 08 1995

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures


AUG 08 1995



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

C. Stephen Allred
Director

March 17, 1972

W. Cloyd Mecham
Carey,
Idaho 83320

Re: Permit No. 37-7562

Dear Mr. Mecham:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Senior Water Resource Agent

LON:GLF:marya

MICROFILMED

(LACE
TEN CENT
STAMP
HERE

MICROFILMED



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

FEB 4 1982

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 37-7562.

Name(s) of Permit Holder: W. Cloyd Mecham

Post Office Address: Carey, Idaho 83320

Tel. No. 823-4416

Source of Water: Groundwater

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 220 (acres)
☐ Other _____ 3

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Alarm Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed. *Not yet but it will be*

2/3/82
Date

W. Cloyd Mecham
Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138 997

MECHAM, W. CLOYD
CAREY, ID 83320

DECEMBER 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 37-7562 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 12, 1981

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

MICROFILMED

April 1, 1977

Re: Permit No. 37-7562

W. Cloyd Mecham
Carey, ID 83320

Dear Mr. Mecham:

Enclosed is a copy of your approved Application for Permit No. 37-7562 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

RECEIVED
APR 11 1977
WATER RIGHTS
DIVISION
BOB FLEENOR

RECEIVED

re Here)

SS.

MAR 2 1977

Water Permit
TITLE OF NOTICE

Department of Water Resources
Southern District Office

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water Resources
1041 Blue ^{BILL} Lakes Blvd. N
Twin Falls, Idaho 83301

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 24 day of February, 1977, and the date of the last publication was on the 3 day of March, 1977.

Donald W. Roselrock

Subscribed and sworn to before me this _____

day of March, 1971
(SEAL)

Robert M. Fischer

NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Number of Lines in Notice 32

Number of Insertions 2

Lines tabular at 315c

32 Lines straight at 21c 6.72

32 Subsequent lines at 15c 4.80

TOTAL COST 11.52

MEGAFLEX

1972

(Ide) **W. H. HIGGINSON** Director

8 1/2 pt. **Public** **Journal**

8 1/2 pt. **World** **Journal**

8 1/2 pt. **per line, successive**

Insertions **15c**

Nº 1491

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that W. Cloyd Mecham

Carey, Idaho 83320

has on 2/9/77 submitted Application No. 37-7562

for a permit to appropriate 4.4 cubic feet per second ~~XXXXXXXXXXXXXXXXXXXX~~

of water from groundwater

by means of well, pump and sprinkler system

within the NELSE, Sec. 3, Twp. 1S, Rge. 21E., B.M., Blaine County

to be used from April 1 to Nov. 1

for irrigation purposes of 220 acres

within the S4NE1/4, Sec. 7, S4NE1/4, E4S1/4, Sec. 8, Twp. 1S, Rge. 21E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before March 14, 1977.

R. KEITH HIGGINSON

Director

Published in the Wood River Journal

on 2/24 and 3/3/77

MICROFILMED

February 14, 1977

Wood River Journal
P.O. Box 988
Hailey, Idaho 83333

RE: Application For Permit #37-7562 - Mecham, W. Cloyd

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:sb

enclosure

Bill submitted: _____

RECEIVED