

Hand-drawn map on a grid showing a drainage area. The map includes a north arrow pointing upwards and a scale bar indicating 0 to 1 mile. The map is labeled with 'T.15.', 'T.25.', 'R.20E.', and 'R.20E.'.

The drainage area is outlined in blue and contains the following numerical values:

- Top section (near T.15.): 10, 15, 5, 40, 25, 17, 18.
- Bottom section (near T.25.): 25, 15, 30, 35, 40, 40, 40.

A red arrow points to a 'Point of Diversion' on a road. The road is labeled with '7' and '8'. The drainage area is also labeled with '18', '17', '16', and '15'.

L. L. Breckenridge Co.
by J. L. Breckenridge, President
(Applicant)

AFFIDAVIT of PPLICATION

RECEIVED

MAR 2 1977

State of Idaho, }
 Connty of Blaine } SS.

Donald W. Rosebrock, being first duly sworn,
 deposes and says that he is the printer (publisher) of the Wood River
 Journal, a newspaper published every week in Hailey, County
 of Blaine, State of Idaho; that said newspaper has been continuous-
 ly and uninterruptedly published for a period of seventy-eight consecu-
 tive weeks prior to the first publication of the annexed notice, and is
 a newspaper qualified to publish legal notices as provided by act of
 the 1919 session of the legislature of the State of Idaho, known as
 House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper
 proper and not in a supplement; that the date of the first publication

of said advertisement was on the 17 day of February.

19 77, and the date of the last publication was on the 24

day of February, 1977.

Donald W. Rosebrock

Subscribed and sworn to before me this 28th
 day of February, 1977.

(SEAL)

Raberta S. [Signature]

NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Number of Lines in Notice 37

Number of Insertions 2

Lines tabular at 315c

37 Lines straight at 21c 7.77

37 Subsequent lines at 15c 5.55

TOTAL COST 13.32

COPY OF NOTICE

(Paste Here)

Notice of Application for
 Water Permit - #37-7558

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water Resources
1041 Blue Lakes Blvd N
Twin Falls, Idaho 83301

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that L.L. Breckenridge Co., Rte. No. 4, Twin Falls, Idaho 83301 has on 2/7/77 submitted Application No. 37-7558 for a permit to appropriate 7.1 cubic feet per second acre feet per annum of water from groundwater by means of well, motor, pump sprinkler system within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 9 Twp. 2S, Rge. 20 E., B.M., Blaine County to be used from April 1 to Nov. 1 for irrigation purposes of 355 acres and from Jan. 1 to Dec. 31 for stock purposes within the E $\frac{1}{2}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 9: NE $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 4, Twp. 2S, Rge. 20E., B.M. If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before March 7, 1977.

R. KEITH HIGGINSON

Director

Publish: Wood River Journal,
 Blaine County, February 17 and
 24, 1977.

Nº 1483

MICROFILMED

RECEIVED

SEP 26 1986

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-7558

Phone No. 733-7830

1. Owner: LL Breckenridge Co
Current Address: Rt 6 Twin Falls, ID 83301

EXAM. DATE: 6-30-86

Phone No. 788-4316

2. Accompanied by: Mike Kelsey
Address: P.O. Box 685 Pica, ID 83348

Relationship to Permit Holder: Forman

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: none

☐ Copies Attached


2. Other water rights with same point of diversion: none

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).


☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater)

PIPE CIRCUMFERENCE (C) 3.2'

WALL THICKNESS (T) 0.01'

INSIDE RADIUS $(.1592C - T) = R$ 0.5'

1. Determine inside radius of pipe.
2. Compute stations by multiplying inside radius X station factors.
3. Center orifices in the pipe.
4. Set inside radius between stuffing box and tube clamp.
5. Measure velocity at each station.



STATION FACTORS F STATIONS $(IR)(F)$ VELOCITY

	F	$(IR)(F)$	R	L
A	.051			
B	.163			
* C	.293	0.147	8.15	7.65
D	.453			
E	.684			
F	1.316			
G	1.547			
* H	1.707	0.854	8.10	8.05
I	1.837			
J	1.949			

$$\bar{V} = 7.9875 \text{ ft/s}$$

$$Q = 3.1416 (IR)^2 \bar{V} = 6.27 \text{ cfs}$$

MICROFILMED


APR 13 1987

* To be used only with the two-point method of determining the average velocity.

37-7558

T 2S

R 20E



Geological Survey

aerial
3

ordinate

zone 11

Jan 1983

AS


and field lines



UTM GRID AND 1979 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

MICROFILMED

APR 13 1981



CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT 20-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRG.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST


37-7558

A-2
19B

T 2 S
R 20 E


33 34
3

32 33
5 4



A-2
19B

4 3
9 10



8 9
17 16

16 15

⇒ lands irrigated not covered by permit (see remarks)

PU STOCK

25. 20E 489-

RETA




0.44
0.06

N. 89° 51' E.

EAST
40.40

80.62
40.22

1	4	3	2	1	4	3	2	1
343.28	43.24	43.13	43.01	42.90	42.86	42.91	42.95	43.00



MICROFILMED
APR 13 1981

37-1558



Point of diversion is located on right side.
Boosters located in bottom left corner and left of middle.



Close-up of boosters

RECORDED & FILMED

APR 13 1987



Place of use:

Irrigation place of use is located in
background, going back to edge of hills.
Stock place of use is the water trough.

MICROFILMED

APR 13 1987

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

**INSTRUCTIONS FOR
ACCESS PORT INSTALLATION**

Purpose


The Department of Water Resources' examiners now have portable measuring devices to measure the flow of water in a pipe flowing full. However, for them to be able to use these devices you must install an access port in your pipeline. You, of course, may wish to install a permanent measuring device or have the flow of your system measured and certified by a professional engineer.

General Requirements

The access port shall be made by welding a 1½ inch welding coupling onto the supply pipe as shown on the attached figures. These welding couplings may be obtained at most plumbing supply dealers.

The access port must be installed at least 24 pipe diameters downstream from the pump, at least 9 pipe diameters downstream and at least 4 pipe diameters upstream from any flow restrictions such as reducers, elbows or control valves. Control valves should be located downstream from the access port. The above required distances may be reduced if straightening vanes are installed in the pipe.

The coupling must be installed perpendicular to the pipe axis and also so that the centerline of the port passes through the center of the pipe. The access should be installed on the side of the pipe, as shown in the following sketch, to eliminate the problem of air in the pipe interfering with the measuring device reading.



Specific Requirements

The type of access port necessary, between Figure 1 and Figure 2 on the back of this page, depends on whether you are willing to turn off your diversion system during the installation of the measuring device.

An access port constructed as shown on Figure 1, access port cold tap, is acceptable if you are willing to turn off your system during the installation of the measuring device. This installation should take no longer than thirty minutes.

An access port constructed as shown in Figure 2, access port hot tap, is necessary if you are not willing to turn your system off during the installation of the measuring device. The valve must be a 1½ inch gate valve with a clear opening of at least one inch. This hot tap can only be made on systems that have pressures less than 70 pounds per square inch. If your system pressure is greater than 70 pounds per square inch, then it must be turned off during the measuring device installation.

If you have questions about the access port, please contact the department's nearest regional office.




Figure 1

ACCESS PORT COLD TAP





Figure 2

ACCESS PORT HOT TAP



WATER RIGHT LICENSE

870402

State of Idaho
Department of Water Resources

PAGE 2

WATER RIGHT LICENSE

WATER RIGHT NO. 37-7558

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 2nd day
of April, 1987.

Acting for the Director

MICROFILMED

APR 15 1987

State of Idaho
Department of Water Resources

RECEIVED

MAR 02 1987

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-7558

Department of Water Resources

APPROVED

Date of Priority: February 7, 1977

Comes now L. L. BRECKENRIDGE CO.

RT. 6 Box 9254

TWIN FALLS, ID 83301

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 37-7558, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	04/01 to 11/01	6.27 cfs	1065.0 af
Stockwater	01/01 to 12/31	.20 cfs	10.2 af
Totals		6.27 CFS	1075.2 AF

LOCATION OF POINT OF DIVERSION(S): SWNE, Sec. 9, Township 2S, Range 20E
Blaine County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
2S	20E	4	LOT 1(NENE)15	LOT 2(NWNE)11	SWNE 40	SENE 27	
			SENE 2	NESE 18	NWSE 17		130
		9	NENE 25	SWNE 15	SENE 36	NESE 34	
			NWSE 37	SWSE 40	SESE 38		225

Total number of acres irrigated: 355

PLACE OF USE: Stockwater

TWN RGE SEC

2S 20E 16 NWNE

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Twin Falls, Idaho, this 26 day of February, 1987.

L.L. Breckenridge Co.
by J.L. Breckenridge President
(Signature)

MICROFILMED

APR 13 1987

State of Idaho
Department of Water Resources

RECEIVED

MAR 02 1987

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-7558

Department of Water Resources

FOR DEPARTMENT USE ONLY

Preliminary check by kw Fee = \$20.00 ✓ Received by lf Date 3-3-87 #41501

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. Kenneth Dunn, of the Department of Water Resources hereby approve the above
Application for Amendment for Permit No. 37-7558 with the following;

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

Witness my hand this 2ND day of April, 19 87.

Norman C Young
Acting for the (Director)

MICROFILMED

APR 13 1987

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. **37-7558**)

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

Identification No. _____

Application No. 37-7558

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant L.L. Breckenridge Co. Phone: 733-7830
post office address Rte. #4, Twin Falls, Idaho 83301

2. Source of water supply groundwater which is a tributary of _____

3. a. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 9 Township 2S
Range 20 E., B.M. Blaine County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 7.1 cfs for irrigation purpose from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.26 for stock purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 7.1 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____
well, motor, pump sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 20 inches; proposed depth of well is 560 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 25,000.00.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 9 Township 2S
Range 20 E., B.M.

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered 3000 head of sheep & 600 head of range
cattle

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
2 S	20 E	9	25		15	30									40	35	40	40	225
2 S	20 E	4	15	10	40	25				5					18	17			130

Total number of acres to be irrigated 355


c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Range Cattle 0.14 cfs

Sheep 0.12 cfs

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

L.L. Breckenridge Co.
by J.L. Breckenridge, President
(Applicant)

RECEIVED

FEB 7 1977

Department of Water Resources
Southern District Office

Proposed Priority 2/ 7/77

Received by ADM Date 2-7-77 Time 10:00

Preliminary check by TAB Fee \$ 95⁰⁰ Rec. 2330

Receipted by AB Date 2/7/77

Publication prepared by AB Date 2/10/77

Published in Wood River Journal

Publication dates 2/17 & 2/24/77


Publication approved AB Date _____

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADM 

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-7558, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 82.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 17 day of March, 19 77.


Director

AFFIDAVIT of PUBLICATION

RECEIVED
MAR 2 1977

State of Idaho, }
County of Blaine } SS.

Donald W. Rosebroek, being first duly sworn,
deposes and says that he is the printer (publisher) of the Wood River
Journal, a newspaper published every week in Hailey, County
of Blaine, State of Idaho; that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once
each week for 2 consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication
of said advertisement was on the 17 day of February,
19 77, and the date of the last publication was on the 24
day of February, 1977.

Donald W. Rosebroek
Subscribed and sworn to before me this 28th
day of February, 1977.
(SEAL)

Raberta D. Ketchum
NOTARY PUBLIC

WOOD RIVER JOURNAL Hailey, Idaho COST OF PUBLICATION

Number of Lines in Notice 37
Number of Insertions 2
Lines tabular at 315c
37 Lines straight at 21c 7.77
37 Subsequent lines at 15c 5.55
TOTAL COST 13.32

MICROFILMED

COPY OF NOTICE

(Paste Here)
Notice of Application for
Water Permit - #37-7558
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water Resources
1041 131st Lakes Blvd N
Twin Falls, Idaho 83301

Oh
SB
3/3/77

(IC)
87p 1977
87p
87p
24 1977

Nº 1483

April 3, 1987

L. L. BRECKENRIDGE CO.
RT. 6 BOX 9254
TWIN FALLS, ID 83301

RE: Permit No. 37-7558

Dear Permit Holder(s):

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
APR 13 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. **Measurement Calculations**

a) **Field Measurement Calculations** (Include theoretical capacities and system capacity)

$$S = 2000 \text{ sheep} = (2 \text{ gpd}) (\cancel{182 \text{ days}}) (2000) =$$
$$\frac{4000 \text{ gpd}}{2 \text{ hrs.} \times 60 \text{ min./hr.} \times 448.8 \text{ gpm}} = 0.07 \text{ cfs}$$
$$\text{Range cattle} = \frac{0.13 \text{ cfs}}{0.20 \text{ cfs for stock}}$$

b) **Volume Calculations for Irrigation:**

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 355 \times 3.0 = 1065.0 \text{ AF}$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 6.27 \times 1.9835 \times 214 = 2661.4$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1065.0$$

c) **Volume Calculations for Other Uses:**

$$\text{cattle} = 8.0 \text{ AF} (600 \times .0134)$$
$$\text{sheep} = 2.2 \text{ AF} \left(\frac{2 \text{ gpd} \times 2000 \text{ hd} \times 182 \text{ days}}{325850} \right)$$
$$10.2 \text{ AFA}$$

2. **Overlap Review**

a) Other water rights with same place of use: none

b) Other water rights with same point of diversion: none

c) **Analysis:**

MICROFILMED

APR 13 1987

pd. \$275.00
exam fee

RECOMMENDED AMOUNTS

30 day

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	37-7558	2-7-1977	6.27cfs	2-7-1977	1-25-1982	6.27cfs

4. Permit Holder: L. L. Breckenridge Co.

Address: Rt. 6, Twin Falls, ID 83301
^{Box 4254}

5. Source: ground water tributary to —

6. Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>Irrig.</u>	<u>4-1 11-1</u>	<u>6.27cfs</u>	<u>1065.0 AF</u>
<u>Stock</u>	<u>1-1 12-31</u>	<u>0.20cfs</u>	<u>10.2 AF</u>

Allowable Maximums: 6.27cfs 1075.2 AF

7. Point(s) of Diversion: ☒

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			SW	NE	9	25	20E	Blaine

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
			GL	GL															
25	20E	4	15	11	40	27				2					18	17		130	
		9	25		15	36									34	37	40	225	
		16		X															
Total Acres																		355	

9. Recommended Conditions/Remarks: P/U taken from acreage
redistribution recommendation on
proof report -
① X = Stock use.

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None

☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other for stock use

11. Examiner's Signature _____

Checked in Regional Office by _____

Approved in State Office by K. Walker

RECORDED

APR 13 1987


Date _____

Date _____

Date 2-9-87

L. L. Breckenridge Co.
Rt. #6, Box 9254
Twin Falls, ID 83301

*note
address
correction*



MICROFILMED
APR 13 1981

*State of Idaho
Dept. of Water Resources
State Office
State House
Boise, Idaho 83720*



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 20, 1987

L. L. BRECKENRIDGE CO.
RT. 6
TWIN FALLS, ID 83301

RE: Permit No. 37-7558


Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 13 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 26 1986

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: L L Breckenridge Co Permit No. 37-7558
 Current Address: Rt 6 Twin Falls, ID 83301 Phone No. 733-7830
 2. Accompanied by: Mike Kelsey EXAM. DATE: 6-30-86
 Address: P.O. Box 685 Picabo, ID 83348 Phone No. 788-4316
 Relationship to Permit Holder: Forman
 3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: none ☐ Copies Attached
 2. Other water rights with same point of diversion: none ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
 Showing location(s) of point(s) of diversion and
 place(s) of use (required). ☒ Aerial Photo Attached
 (required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached
 (required for all but single household domestic groundwater, and stockwater)

☐ See Remarks on page 4 for continuatio

4

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

6. Place(s) of Use:

Indicate Method of Determination *Same as above*

$S = \text{Stockwater}$

Allow	355
Total	~~355~~ 381
(see remarks)	

MICROFILMED

APR 13 1987

Do not use this shoe

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Flow measurement was by Collins Tube (see collins tube measurement sheet). For alternate check, the water level was about 260' and the pressure was about 60 psi. For another check, the sprinkler data was used (see ~~first~~ second page under narrative).

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$Q = 6.27 \text{ cfs}$ (see Collins Tube measurement sheet)

2. Alternate Method for Checking Purposes:

$$Q = \frac{250 \times 8.8 \times 0.8}{260 + (60 \times 2.3)} = 4.42 \text{ cfs} \checkmark$$

$$Q = \frac{[(15 \times 33) + (2 \times 12)] \times 5.5}{448.8} = 6.36 \text{ cfs} \checkmark$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi $\times 2.31 =$ _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div 8.8 =$ _____ (5)

Meter Input KW: $3.6 \times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)

Meter Input HP: (6) $\times 1.34 =$ _____ (7)

Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times .001732 =$ _____ (6)

Panel Input HP: (6) $\times 1.34 =$ _____ (7) Efficiency: (5)/(7) $\times 100 =$ _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 355 \times 3.0 = 1065 \text{ afa}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 6.27 \times 215 \times 1.9835 = 2673.9 \text{ afa}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 1065 \text{ afa}$$

MICROFILMED

2. Volume Calculations for Other Uses:

$$V_{stock} = V_{sheep} + V_{cattle}$$

$$V_{sheep} = (2000 \times 2 \times 180) / 325850 = 2.4 \text{ afa}$$

$$V_{cattle} = 600 \times 0.0134 = 8.9 \text{ afa} \checkmark$$

APR 13 1981

$$Q_{sheep} = \frac{2000 \times 2}{1440 \times 448.8} = 0.01 \text{ cfs}$$

$$Q_{cattle} = 600 \times 0.00022 = 0.13 \text{ cfs}$$

H. REMARKS AND OVERVIEW REVIEW ANALYSIS

The cattle use the water year around; but the sheep are only there for the fall and winter (approximately half the year).

* There was actually more acres irrigated than can be allowed from the permit. It is recommended that the owner file on the acres not covered by this permit. See aerial photo and place of use description to see where these lands are located. In section 9, there is 6 more acres in SE $\frac{1}{4}$ NE $\frac{1}{4}$ and 5 more acres in NW $\frac{1}{4}$ SE $\frac{1}{4}$ than reported on proof sheet, plus the acres on the aerial photo. The place of use description shows total acres irrigated, including the acres not covered by this permit.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	Apr 1	Nov 1	6.27	1065.0
Stock (cattle)	Jan 1	Dec 31	0.13	8.0
Stock (sheep)	Oct 15	Apr 15	0.01	2.4

Totals: 6.41 cfs 1075.4 afa
6.27 (pump capacity) LLH

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☒ Change P.U. as reflected above ☒ Add P.U. as reflected above
stock water

None LLH
☐ Other

J. AUTHENTICATION

Field Examiner's Name

Michael McCurdy

Signature

Michael McCurdy

Certification Date

Field Report Preparation Date

6-30-86

(PRINT NAME)

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED


APR 13 1987

PIPE CIRCUMFERENCE (C) 3.2'

WALL THICKNESS (T) 0.01'

INSIDE RADIUS (.1592C-T)=R 0.5'

1. Determine inside radius of pipe.
2. Compute stations by multiplying inside radius X station factors.
3. Center orifices in the pipe.
4. Set inside radius between stuffing box and tube clamp.
5. Measure velocity at each station.



STATION FACTORS STATIONS VELOCITY
F (IR(F))

A	.051		R	L
B	.163			
* C	.293	0.147	8.15	7.65
D	.453			
E	.684			
F	1.316			
G	1.547			
* H	1.707	0.854	8.10	8.05
I	1.837			
J	1.949			


$$\bar{V} = 7.9875 \text{ ft/s}$$

$$Q = 3.1416 (IR)^2 \bar{V} = 6.27 \text{ cfs}$$

MICROFILMED

* To be used only with the two-point method of determining the average velocity.

APR 13 1987



37-7558
T 25
R 20E

Geological Survey


aerial
3

ordinate

zone 11

Jan 1983


and field lines



MICROFILMED

APR 15 1981

UTM GRID AND 1979 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET



CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT 20-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRG
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

13
4

A-2

(198)

R

A
119.9

PU

A-2

(198)

B
225.4

PD

PU



⇒ land covered with
cover by permafrost
(see remarks)

NOT TO SCALE

25 20E 49

RETA




EAST
40.40

80.62
40.22

N. 89° 51' E.

344
1206

1	4	3	2	1	4	3	2	1
343.28	43.24	43.13	43.01	42.90	42.86	42.91	42.95	43.00





Point of diversion is located on right side.
Boosters located in bottom left corner and left of middle.



Close-up of boosters

RECORDED & INDEXED

APR 13 1987



Place of use:

Irrigation place of use is located in
background, going back to edge of hills.
Stock place of use is the water trough.

MICROFILMED

APR 13 1987

01 Water Right Number - 37-7558

02 Old (D) Number -

LAST NAME
03001 - L.L. BRECKENRIDGE CO.FIRST NAME
04001 -ORIG. OWNER
05001 - C

06 Add Line 1 - RT. 6

07 Add Line 2 -

08 Add Line 3 -

09 City - TWIN FALLS

10 State - ID

11 ZIP - 83301

12 Stage - P PERMIT

13 Status -

SOURCE
14001 - GROUNDWATERTRIBUTARY OF
15001 -

16 Diversion Means - WELL, PUMP & SPRINKLER.

17 County - 13 BLAINE

18 Diversion Capacity - .000

19 Total Diversion Rate - ~~7.100~~ 6.27

20 Total Diversion Volume - .00

21 Water District -

Tract	Sec	Tw	Rng	Lot	Rfls	STREAM	INDEX	FIELDS
22001 - SWNE	23001 - 09	24001 - 02S	25001 - 20E	26001 -	27001 -			
			28001 - 0	0.0	0.0	0.0	0.0	0.0

29 Non-Irrigation Use - 5/600 RANGE, 2000 SHEEP.

Use Code / Use	Tw	Rng	Sec	Tract	Acres	Lot
30001 - 01 IRRIGATION	31001 - 02S	32001 - 20E	33001 - 09	34001 - NENE	35001 - 25	36001 -
30002 - 01 IRRIGATION	31002 - 02S	32002 - 20E	33002 - 09	34002 - SWNE	35002 - 15	36002 -
30003 - 01 IRRIGATION	31003 - 02S	32003 - 20E	33003 - 09	34003 - SENE	35003 36 20	36003 -
30004 - 01 IRRIGATION	31004 - 02S	32004 - 20E	33004 - 09	34004 - NESE	35004 34 40	36004 -
30005 - 01 IRRIGATION	31005 - 02S	32005 - 20E	33005 - 09	34005 - NWSE	35005 37 25	36005 -
30006 - 01 IRRIGATION	31006 - 02S	32006 - 20E	33006 - 09	34006 - SWSE	35006 - 40	36006 -
30007 - 01 IRRIGATION	31007 - 02S	32007 - 20E	33007 - 09	34007 - SESE	35007 38 40	36007 -
30008 - 01 IRRIGATION	31008 - 02S	32008 - 20E	33008 - 04	34008 - NENE	35008 - 15	36008 - Lot 01
30009 - 01 IRRIGATION	31009 - 02S	32009 - 20E	33009 - 04	34009 - NWNE	35009 41 40	36009 - Lot 02
30010 - 01 IRRIGATION	31010 - 02S	32010 - 20E	33010 - 04	34010 - SWNE	35010 40 40	36010 -
30011 - 01 IRRIGATION	31011 - 02S	32011 - 20E	33011 - 04	34011 - SENE	35011 27 25	36011 -
30012 - 01 IRRIGATION	31012 - 02S	32012 - 20E	33012 - 04	34012 - SENW	35012 2 05	36012 -
30013 - 01 IRRIGATION	31013 - 02S	32013 - 20E	33013 - 04	34013 - NESE	35013 - 18	36013 -
30014 - 01 IRRIGATION	31014 - 02S	32014 - 20E	33014 - 04	34014 - NWSE	35014 - 17	36014 -
Stock water	02S	20E	16	NWNE		Total Acres: 355

Period From	Period To	Use Code / Use	Diversion Rate	Diversion Volume
37001 - 0401	38001 - 1101	39001 - 01 IRRIGATION	6.27	
37002 - 0101	38002 - 1231	39002 - 04 STOCKWATER	~~7.100~~ 0.260	41001 - 0.00
			0.14	41002 - 0.00

42 Decree Plaintiff Name -

43 Decree Defendant Name -

Keep in file - Do Not Film...

REMARKS

44001 -

Approval Conditions: 45001 01B

46 Other Rights for Same Use -

----- D A T E S -----		----- D A T E S -----		----- F L A G S -----	
47	Priority - 7-Feb-1977	55	License -	63	Transfer/Amended -
48	Proof Due - 1-Mar-1982	56	Appl Received -	64	DLE/Carer Act -
49	Proof Made - 1-Jan-1980	57	Field Exam Made - 6-30-86	65	Flag_1 - R
50	Approve/Denied- 1-Mar-1982	58	Decree -	66	Flag_2 -
51	Protested -	59	Start Work -	67	Flag_3 -
52	Hearings -	60	Order Show Cause -		
53	Verified -	61	Date_1 -		
54	Last Update - 27-May-1986	62	Date_2 -		

37-7558 Acreage Redistribution

Sec	Tract	Permit	Found	LIC	NEW AM
4	NENE	15	15	15	
	NWNE	10	11	11	
	SWNE	40	40	40	
	SENE	25	38	27	11
	NENW	-	2	-	2
	SENW	5	2	2	
	NENE	18	18	18	
	NWSE	17	17	17	
9	NENE	25	25	25	
	SWNE	15	15	15	
	SENE	30	36	36	
	NESW	-	5	-	5
	SESW	-	8	-	8
	NENE	40	34	34	
	NWSE	35	37	37	
	SWSE	40	40	40	
	SESE	40	38	38	
	Totals	355	381	355	26

INTER-DEPARTMENT MEMO — 1

FROM Loten Holmes

DATE 9/24/86

TO File 37-7558 - L.L. Breckentidge

SUBJECT

L.L. Breckentidge filed the application recommended
in my 9/17/86 letter. It is numbered 37-8277.

MICROFILMED

APR 13 1987

SIGNATURE

September 17, 1986

L.L. Breckenridge Co.
Rt. #6
Twin Falls, ID 83301

Gentlemen:

On June 30, 1986, this office made a licensing examination on your Permit No. 37-7558. We are currently in the process of preparing a license.

In our review of the field report, it was determined that besides the 355 acres described in the permit, an additional 26 acres is being irrigated.

Although the permit could be amended to include the extra 26 acres, this would result in the priority date being advanced to the date of the amendment.

A better approach is to file an application for permit to cover the additional acreage.

We have taken the liberty of preparing an application for permit (enclosed) which covers the additional 26 acres. The .43 cfs of water in the application is equal to 26/381 of the 6.27 cfs capacity of the pump.

Please review the application and if it is satisfactory, sign it and return it to this office with a filing fee of \$45.00 for the .43 cfs of water.

If you have any questions or if we can be of any assistance, please let us know.

Yours very truly,

Loren O. Holmes, P.E.
Southern Region Supervisor

LH:MB

Enclosure

MICROFILMED

APR 13 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

37-7558
Permit No.

RECEIVED
SEP 26 1986

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Department of Water Resources

Check of P/D index MM (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index MM (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? _____ (Initial and date)

- ☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

RECEIVED
APR 13 1987

C. Review and Processing:

Exam Completed Michael McCurdy 6-30-86 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent TB 8/12/86 (Initial and date)
Exam Reviewed by Manager of Regional Office _____ (Initial and date)
Exam Date Entered in Computer _____ (Initial and date)
Exam sent to State Office _____ (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refilled in White File _____ (Initial and date)

4/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received \$275.
Date 5-9-86
Receipt # 40118
Receipt by [initials]
Sent to S.O. 5/9/86

RECEIVED

MAY 12 1986

1. Permit No. 37-7558

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE. Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: L. L. Breckenridge Co.

3. Post Office Address: Rt. 6, Twin Falls, ID 83301

Telephone No. 733-7830

4. Source of Water: Groundwater

5. Extent of Use:

Domestic _____ (No. of households) Stockwater 2000 sheep
600 (No. and type of stock)
Irrigation 355 (acres) Other/Remark range

6. Total rate &/or volume for which proof is submitted 7.1 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1977

8. Person to contact to accompany the department representative during the field examination:

Mike Kelsey
(Name)

P. O. Box 685, Picabo, ID 83348
(Address)

788-4316
(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

5/9/86
Date **MICROFILMED**

L. L. Breckenridge, Pres.
Signature of Permit Holder (and title, if appropriate)

APR 13 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

37-7558
L.L. BRECKENRIDGE CO.
RT. 6
TWIN FALLS, ID 83301

Mailing address:
Statehouse
Boise, Idaho 83720

138692

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

MICROFILMED

APR 13 1987

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

APR 13 1987



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

March 17, 1972

L. L. Breckenridge Co.
Route 6
Twin Falls, Idaho 83301

Re: Permit No. 37-7558

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Fundebourg
Senior Water Resource Agent

LOH:GLF:marya

RECEIVED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of permit No. 37-7558.

Name(s) of Permit Holder: L.L. Breckenridge Co.
 Post Office Address: Rt #6 Twin Falls, ID. 83301
 Tel. No. 733-7830

Source of Water: Groundwater
 Extent of Use: ☐ Domestic (number of households)
☒ Stockwater 3000 sheep, 600 cattle (number and type of stock)
☒ Irrigation 355 (acres)
☐ Other

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No
 Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

1/25/82
 Date

L.L. Breckenridge Co.
by J.H. Breckenridge Pres.
 Signature of Permit Holder

RECEIVED

JAN 29 1982

Department of Water Resources



MICROFILMED

PLACE
TEN CENT
STAMP
HERE

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138996

L.L. BRECKENRIDGE CO.
RT. 4
TWIN FALLS, ID 83301

DECEMBER 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 37-7558 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 12, 1981

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

**INSTRUCTIONS FOR
ACCESS PORT INSTALLATION**

Purpose


The Department of Water Resources' examiners now have portable measuring devices to measure the flow of water in a pipe flowing full. However, for them to be able to use these devices you must install an access port in your pipeline. You, of course, may wish to install a permanent measuring device or have the flow of your system measured and certified by a professional engineer.

General Requirements

The access port shall be made by welding a 1¼ inch welding coupling onto the supply pipe as shown on the attached figures. These welding couplings may be obtained at most plumbing supply dealers.

The access port must be installed at least 24 pipe diameters downstream from the pump, at least 9 pipe diameters downstream and at least 4 pipe diameters upstream from any flow restrictions such as reducers, elbows or control valves. Control valves should be located downstream from the access port. The above required distances may be reduced if straightening vanes are installed in the pipe.

The coupling must be installed perpendicular to the pipe axis and also so that the centerline of the port passes through the center of the pipe. The access should be installed on the side of the pipe, as shown in the following sketch, to eliminate the problem of air in the pipe interfering with the measuring device reading.



Specific Requirements

The type of access port necessary, between Figure 1 and Figure 2 on the back of this page, depends on whether you are willing to turn off your diversion system during the installation of the measuring device.

An access port constructed as shown on Figure 1, access port cold tap, is acceptable if you are willing to turn off your system during the installation of the measuring device. This installation should take no longer than thirty minutes.

An access port constructed as shown in Figure 2, access port hot tap, is necessary if you are not willing to turn your system off during the installation of the measuring device. The valve must be a 1¼ inch gate valve with a clear opening of at least one inch. This hot tap can only be made on systems that have pressures less than 70 pounds per square inch. If your system pressure is greater than 70 pounds per square inch, then it must be turned off during the measuring device installation.

If you have questions about the access port, please contact the department's nearest regional office.




Figure 1

ACCESS PORT COLD TAP





Figure 2

ACCESS PORT HOT TAP



BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 37-7558

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Spokane
Idaho 83720

RECEIVED

JUN 29 1981

Department of Water Resources

UNDELIVERABLE AS ADDRESSED



L. L. Breckenridge Co.
Route 4
Twin Falls, ID 83301

37-7558

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 12, 1981

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

MICROFILMED

March 21, 1977

Re: Permit No. 37-7558

L. L. Breckenridge Co.
Route #4
Twin Falls, ID 83301

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 37-7558. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 37-7558 - Breckenridge, L.L. Co.

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) B 2-7-77

In form to receipt

(2) ✓ ✓

Send Copies to:

Idaho State Health Department
Idaho Fish and Game Department
Bureau of Land Management

(3) ✓ ✓

Request Special Use Permit from U.S.F.S.
Request Easement from B.L.M.
Request Information from Applicant

(4) ADM 2-10-77

In form for advertising

(5) ✓ ✓

Platted on Map No.

(6) ✓ ✓

Located within Water District No.

(7) ADM 3-8-77

Critical groundwater area: yes no ✓

(8) ADM 3-8-77

Groundwater levels:

 Declining, ✓ Stable, Increasing

(comment)

(9) g 3-11-77

Other rights on the same place of use NONE PLATTED

(10) ✓ ✓

Comments:

(11) SB 3/3/77

Affidavit of Publication received(date)

(12) ✓ ✓

Final date for protests 3/7/77

Protests received: yes no ✓

(13) ✓ ✓

All requested information received from agencies or applicant: yes no

(14) ADM 3-8-77

Action recommended:

✓ Approve Deny

 Proposed Priority 2-7-77

 Reason for Reduction

✓ Measuring device required

 See attached sheet for other conditions of approval

 No special conditions for approval

(15) District Southern By Mike Steele by Alb. Moritt Date 3-8-77

Copy sent to Boise 2/8/77 SB

MICROFILMED

February 10, 1977

Good River Journal
P.O. Box 225
Baileys, Idaho 83303

RE: Application For Permit 37-7568 - L.L. Breckenridge Co.

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:sb

enclosure

Bill submitted: _____

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that L.L. Brackenridge Co.

Rte. #4, Twin Falls, Idaho 83301

has on 2/7/77 submitted Application No. 37-7556

for a permit to appropriate 7.1 cubic feet per second acre feet per annum

of water from groundwater

by means of well, sator, and sprinkler system

within the SE 1/4 Sec. 3 Twp. 2S, Rge. 20 E, B. Blaine County

to be used from April 1 to Nov. 1 for irrigation purposes of 355 acres and

~~for~~ from Jan. 1 to Dec. 31 for stock purposes

within the SE 1/4 Sec. 3 Twp. 2S, Rge. 20 E, B. Blaine County

Sec. 20E, B. Blaine County

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before March 7, 1977.

R. KEITH HIGGINSON

Director

Published in the Wood River Journal

on 2/17 and 2/24/77

MICROFILMED

IDENT. NO. 37-1558

ID A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]