


R 14E



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Eugene Marris
(Applicant)

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Gooding } SS.

ROBERT CROMPTON

being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 4 day of September 19 75, and the date of the last publication was on the 11 day of September, 19 75.

Robert Crompton

Subscribed and sworn to before me this 12 day of December, 19 75.
(SEAL)

Garnon 2110
NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice	<u>36</u>	<u>36</u>
Number of Insertions	<u>2</u>	<u>2</u>
Lines tabular at	315c	
<u>36</u> Lines straight at	<u>36</u> 21c	<u>7.56</u>
<u>36</u> Subsequent lines at	<u>36</u> 15c	<u>5.40</u>
TOTAL COST		<u>12.96</u>

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that EUGENE &/or PEGGY MORRIS Star Route, Bliss, Idaho has on 8-27-75 submitted Application No. 37-7453 for a permit to appropriate 2.99 cubic feet per second of water from Groundwater by means of well, pumps, pipeline & sprinklers within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 20, Twp. 6S, Rge. 14E, B.M. Gooding County to be used from January 1 - December 31 (Stockwater purposes); March 15 - November 15 for Irrigation purposes of 148 acres within the E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 19; W $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 20, Twp. 6S, Rge. 14E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before September 22, 1975.

/S/ R. KEITH HIGGINSON
Director

Pub: 9-4, 11

RECEIVED

DEC 15 1975

Department of Water Resources
Southern District Office

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1971)

7 pt. per line, straight	21c
7 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c

10553

No 643

T.G.S., R.14E, B.M.

19 20 21

40 40
33 33

well

28 29 30

(Include distance from pump to measuring device, if applicable.)

(See Attached Supplemental Sheet)

Point(s) of diversion: NW 1/4 SW 1/4 Sec. 20, T.6S., R.14E., B.M.

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature

Checked by

Approved by _____

Date 8/24/81

Date 12-7-81

Date 3/17/83

T.6S., R.14E., B.M.

35

Δ

31.8

K
11.0

P
12.6

8
36.9

E
13.1

B197
(904b)

L
21.3

M
23.5

Point
11.3
92.2

Well

Handover

Handlines

S
28.4

dry

19
29

10 Tower Pivot

dry

I
62.0

D
131.6

A 88
(600)

REPRODUCTION

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: ADM

Date: 8/20/81

Owner: Eugene Morris

Permit #: 37-7453

Description of well &/or measuring site (give distance to restrictions upstream and downstream): 100 H.P. U.S. Motors ID# C521204 84-03934-371
Peerless Pump Serial F20246

Measured inside diameter of pipe in inches

7.8"

Size of Annubar used in test

7.981

State ID# of Meter used

Size Eagle Eye Meter used

10-80

State ID# of Meter used

091474

Date of Last Calibration of Meter

Spring 1981

Observed inches of H2O read on Meter

21.0

Adjusted inches of H2O from Last Calibration

16.75

CALCULATION:

$$\frac{(3.85) \times (A)^2 \times \sqrt{B}}{448.8}$$


$$= 2.14 \text{ cfs}$$

cfs measured

Where A and B are measured in inches
and 3.85 is a constant for the model
75 Annubar

SKETCH:

Water from spigot supplies
water for stock.
200 head range.



State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

[illegible]

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 37-7453 Priority August 27, 1975 Amount 2.14 cfs

THIS IS TO CERTIFY, that Eugene &/or Peggy Morris
of Bliss, Idaho, has complied with the terms and conditions of Permit
No. 37-7453 issued pursuant to Application for Permit dated August 27, 1975,
and has submitted proof to the Department of Water Resources on October 15, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.14 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u> at <u>2.14</u> cfs and	<u>584.0</u> acre feet	
Stockwater	from <u>January 1</u> to <u>December 31</u> at <u>0.3</u> cfs and	<u>2.7</u> acre feet	
	from _____ to _____ at _____ cfs and		

(both dates inclusive)

Subject, however, to the condition that no more than 2.14 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
586.7 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 20, Twp.
6S, Rge. 14E in the County of Gooding

Description and location of place of use:

Twp.	Range	Section	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SE $\frac{1}{4}$	SW $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SE $\frac{1}{4}$	SW $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SE $\frac{1}{4}$	SW $\frac{1}{4}$	
6S	14E	20									40	33			73
		19									40		33		73

Total number of acres irrigated 146

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 25th day of
April, 19 83.

Acting for the Director

Norman C. Young

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 37-7453

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MIC.

Identification No. _____

Application No. 37-7453

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPROVED

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant EUGENE and/or PEGGY MORRIS Phone: 837-4430
post office address Star Route, Bliss, Idaho

2. Source of water supply Groundwater which is a tributary of _____

3. a. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 20 Township 6S
Range 14E B.M. Gooding County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 2.96cfs for Irrigation purpose from March 15 to November 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.03cfs for Stockwater purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.99 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pumps, circular sprinkler and
handline sprinkler systems, 100' pipeline to stockwater trough

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 20 inches; proposed depth of well is 200 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 45,000.00.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 20 Township 6S
Range 14E B.M.

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered 200 cattle

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated_____148

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R 14E

T 6S



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Eugene Morris
(Applicant)

Proposed Priority 8-27-1975
Received by T.E.B. Date Aug 27, 75 Time 11:30 AM # 1689
Preliminary check by JE Fee \$ 45.00
Receipted by CC Date 8-22-75
Publication prepared by cc Date 8-28-75
Published in Gooding County Leader
Publication dates 9-4 & 9-11-75
Publication approved C.C. Date 12-15-75
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by dr

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-7453, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 80.
- c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 23 day of December 19 75.


Director

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Gooding } SS.

ROBERT CROMPTON

, being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 4 day of September

19 75, and the date of the last publication was on the 11

day of September, 19 75.

Robert Crompton

Subscribed and sworn to before me this 12

day of December, 19 75.

(SEAL)

Garnett Olson
NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice 36 36

Number of Insertions 2 2

Lines tabular at 315c

36 Lines straight at 36 21c 7.56

36 Subsequent lines at 36 15c 5.40

TOTAL COST 12.96

Notice is hereby given that EUGENE A. or PEGGY MORRIS Star Route, Bliss, Idaho has on 8-27-75 submitted Application No. 37-7453 for a permit to appropriate 2.00 cubic feet per second of water from Ground-water by means of well, pumps, piping & sprinklers within the NW 1/4, Sec. 20, Twp. 6S, Rge. 1E, E. of Gooding County to be used from January 1 - December 31 for stockwater purposes from March 15 - November 15 for the purposes of 198 acre of land in E 1/4 Sec. 1E, Twp. 6S, Rge. 1E, E. of Gooding County.

It is noted that this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1931 Blue Lakes Blvd., North Twin Falls, Idaho, 83401 on or before September 22, 1975.

S/ R. KEITH HIGGINSON
Director

Pub: 74. 11

RECEIVED

DEC 15 1975

Department of Water Resources
Southern District Office

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1971)

7 pt. per line, straight 21c

7 pt. per line, tabular 315c

7 pt. per line, successive
insertions 15c

10553

No 643

May 2, 1983

RE: Permit No. 37-7453

Eugene &/or Peggy Morris
Star Route
Bliss, ID 83314

Dear Mr. and Mrs. Morris:

Enclosed herewith is a copy of the Water Right License issued on the above
referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 4, 1983

RE: Permit No. 37-7453

Eugene &/or Peggy Morris
Star Route
Bliss, ID 83314

Dear Mr. and Mrs. Morris:

A representative of this Department has made an examination of the works covered by your Permit No. 37-7453, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 2.14 cfs Source: groundwater

The maximum quantity diverted shall not exceed 586.7 acre feet
per year.

Point(s) of diversion: NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 20, Twp. 6S, Rge. 14E, Gooding County

Beneficial use: Stockwater and irrigation of 146 acres within the W $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 20; E $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 19; Twp. 6S, Rge. 14E

Priority date established: August 27, 1975

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

37-7453

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)		ADM	Mr. Morn's phoned 2nd requested at 2h

EXAMINATION

Date 8/17/81
8/20/81 Accompanied by Eugene Morris Total Q measured 2.14 cfs ok
If source is surface water, estimate total flow of source _____
Methods of measurement Augu 625 Meets Permit requirements? Yes

Measurement calculations:

meas. 2.14 cfs capacity

$$\text{Vol.} = 146 \text{ zones} \times 4.0 \text{ A.F./Ann./zone} = \underline{584.0} \quad \checkmark \text{ ok}$$
$$2.14 \times 1.9835 \times 245 = 1039.9$$
[illegible]

System Description Well near center of pivot delivers to ten tower pivot and to buried mainline which supplies water to handlines which irrigate the northern corners not covered by pivot.

**Code with map on reverse side. Disregard code if only one.*

RECOMMENDED AMOUNTS

	USE	Q (cfs)	V (afa)	FROM	TO
Irrigation		2.14 cfs ✓	584.0 ✓	3/15	11/15
Stock		0.03 cfs ✓	2.7 ✓	1/1	12/31
Total		2.14 cfs ^{sl}	586.7 ^w		

Remarks Handlines in corners not operating when well measured. *


Stock watered from well. Allow 0.03 cfs filed on. Vol = 2.7 A.F./Ann.
for 100 head of range cattle.

* Not buried mainline to corners was damaged and not in use at time of ex-

NO OVERLAPPING RTS.

4-4-83

T.G.S., R.14E, B.M.



(Include distance from pump to measuring device, if applicable.)

(See Attached Supplemental Sheet)

Point(s) of diversion:

NW 1/4 SW 1/4 Sec. 20, T.6S., R.14E., B.M.

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above

~~☐ None~~

☐ Other

Examiner's Signature

Checked by

Approved by:

Date _____

Date _____

Date _____

8/24/81

12-7-81

3/17/83

T.6S., R.14E., B.M.

31.5

K
11.0

P
12.6

8
36.9

E
13.7

B197
(404b)

L
121.3

M
23.5

P2.2
11.0

dry

28.4

19.3

24

10 Towel Pivot

dry

I
62.0

G
131.6

A38
(604)

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: ADM

Date: 8/20/81

Owner: Eugene Morris

Permit #: 37-7453

Description of well &/or measuring site (give distance to restrictions upstream and downstream): 100 H.P. U.S. Motors ID# C521204 84-03934-371
Peerless Pump Serial F20246

Measured inside diameter of pipe in inches

7.8"

Size of Annubar used in test 7.981

State ID# of Meter used _____

Size Eagle Eye Meter used 10-80

State ID# of Meter used 091474

Date of Last Calibration of Meter Spring 1981

Observed inches of H2O read on Meter

21.0

Adjusted inches of H2O from Last Calibration

16.75

CALCULATION:

$$\frac{(3.85) \times (A)^2 \times \sqrt{B}}{448.8}$$


= 2.14 cfs

cfs measured

Where A and B are measured in inches
and 3.85 is a constant for the model
75 Annubar

SKETCH:

Water from spigot supplies
water for stock.
200 head range.





STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

October 27, 1980

Eugene and/or Peggy Morris
Star Route
Bliss, Idaho 83314

Re: Permit No. 37-7453

Dear Mr. & Mrs. Morris:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Senior Water Resource Agent

MICROFILMED

DEPARTMENT OF WATER RESOURCES

1 Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 37-7453

Name(s) of Permit Holder: Eugene and Peggy Morris

Post Office Address: Star Route
Bliss, Idaho Tel. No. 837-4220

Source of Water:

Extent of Use:

☐ Domestic

☒ Stockwater

☒ Irrigation

☐ Other

(number of households)

(number and type of stock)

(acres)

Measuring Device: Required?

☒ Yes

☐ No

Installed?

☒ Yes

☐ No

Access Port:

Required?

☒ Yes

☐ No

Installed?

☒ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

15 Oct 80

Date

Eugene Morris

Signature of Permit Holder

Eugene Marris
Star Route
Bliss, Idaho

PLACE
TEN CENT
STAMP
HERE

RECEIVED



OCT 15 1980

IDAHO DEPARTMENT OF WATER RESOURCES
Department of Water Resources STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

MORRIS, EUGENE & PEGGY
STAR RT.
BLISS, ID 83314

108725

SEPTEMBER 30, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 37-7453 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

ENCLOSURE



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

May 19, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

MICROFILMED

December 24, 1975

Re: Permit No. 37-7453

Eugene &/or Peggy Morris
Star Route
Bliss, ID 83314

Dear Mr. & Mrs Morris:

Enclosed is a copy of your approved Application for Permit No 37-7453 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

August 28, 1975

RE: Application For Permit No. 37-7453 - Eugene &/or Peggy Morris

Gooding County Leader
Box 56
Gooding, Idaho 83330

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

MIKE STEELE
Southern District Supervisor

MS:cc

Bill submitted: 12-15-75 CC

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that EUGENE &/or PEGGY MORRIS Star Route, Bliss, Idaho has on 8-27-75 submitted Application No. 37-7453 for a permit to appropriate 2.99 cubic feet per second of water from Groundwater by means of well, pumps, pipe line & sprinklers within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 20, Twp. 6S, Rge. 14E, B.M. Gooding County to be used from January 1 - December 31 (Stockwater purposes); March 15 - November 15 for Irrigation purposes of 148 acres within the E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 19; W $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 20, Twp. 6S, Rge. 14E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before September 22, 1975.

/S/ R. KEITH HIGGINSON
Director

Pub: 9-4, 11

O. K. CC
9/5/75

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that EUGENE &/or PEGGY MORRIS

Star Route, Bliss, Idaho

has on 8-27-75 submitted Application No. 37-7453

for a permit to appropriate 2.99 cubic feet per second acre feet per annum
XXXXXXXXXXXXXXXXXXXX

of water from Groundwater

by means of well, pumps, pipeline & sprinklers

within the NW 1/4, Sec. 20, Twp. 6S, Rge. 14E, B.M. Gooding County

to be used from January 1 - December 31 (Stockwater purposes); March 15 - November 15

for Irrigation purposes of 148 acres

within the E 1/2 Sec. 19; W 1/2 Sec. 20, Twp. 6S, Rge. 14E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before September 22, 1975.

R. KEITH HIGGINSON

Director

Published in the Gooding County Leader

on 9-4 and 9-11-75

RECEIVED
SEP 11 1975
COUNTY CLERK
GOODING COUNTY

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Eugene Morris

Address Little, Idaho

Owner's Permit No. 37-7453

2. NATURE OF WORK

☒ New well

☐ Deepened

☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic

☒ Irrigation

☐ Past

☐ Municipal

☐ Industrial

☐ Stock

4. METHOD DRILLED

☒ Cable

☐ Rotary

☐ Dug

☐ Other

5. WELL CONSTRUCTION

Diameter of hole 30 inches

Total depth 190 feet

Casing schedule: ☒ Steel

☐ Concrete

Thickness	Diameter	From	To
<u>0.75</u> inches	_____ inches	<u>0</u> feet	<u>18</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No

Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No

To what depth 18 feet

Material used in seal ☒ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

N

W

E

S

County Franklin

_____ 1/4 _____ Sec. _____, T. _____ N/S, R. _____ E/W

7. WATER LEVEL

Static water level 16 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature _____ ° F. Quality _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump

☒ Bailer

☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
<u>30</u>	<u>0</u>	<u>1</u>	<u>Top Soil</u>		
<u>30</u>	<u>1</u>	<u>30</u>	<u>Reddy mud</u>		
<u>30</u>	<u>30</u>	<u>40</u>	<u>Brown clay</u>		
<u>30</u>	<u>40</u>	<u>50</u>	<u>Reddy mud</u>	☒	
<u>30</u>	<u>50</u>	<u>60</u>	<u>Reddy mud</u>	☒	
<u>30</u>	<u>60</u>	<u>70</u>	<u>Reddy mud</u>	☒	
<u>30</u>	<u>70</u>	<u>80</u>	<u>Reddy mud</u>	☒	
<u>30</u>	<u>80</u>	<u>90</u>	<u>Reddy mud</u>	☒	
<u>30</u>	<u>90</u>	<u>100</u>	<u>Reddy mud</u>	☒	
<u>30</u>	<u>100</u>	<u>110</u>	<u>Reddy mud</u>	☒	
<u>30</u>	<u>110</u>	<u>120</u>	<u>Reddy mud</u>	☒	
<u>30</u>	<u>120</u>	<u>130</u>	<u>Reddy mud</u>	☒	
<u>30</u>	<u>130</u>	<u>140</u>	<u>Reddy mud</u>	☒	
<u>30</u>	<u>140</u>	<u>150</u>	<u>Reddy mud</u>	☒	
<u>30</u>	<u>150</u>	<u>160</u>	<u>Reddy mud</u>	☒	
<u>30</u>	<u>160</u>	<u>170</u>	<u>Reddy mud</u>	☒	
<u>30</u>	<u>170</u>	<u>180</u>	<u>Reddy mud</u>	☒	
<u>30</u>	<u>180</u>	<u>190</u>	<u>Reddy mud</u>	☒	

10.

Work started 8-8-75 finished 11-11-75

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Driller's or Firm's Name _____

Number _____

Address _____

Signed By _____

Date _____

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 37.745-3 Eugene/for Peggy Main

- ☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) GLF 8-28-75

In form to receipt

(2) GLF 8-28-75

Send Copies to:

Idaho State Health Department
Idaho Fish and Game Department
Bureau of Land Management

(3) GLF 8-28-75

Request Special Use Permit from U.S.F.S.
Request Easement from B.L.M.
Request Information from Applicant

(4) GLF 8-28-75

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) mls 12-16-75

Critical groundwater area: yes _____ no ☒

(8) mls 12-16-75

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) CC 12/15/75

Affidavit of Publication received (date) 12-15-75

(12) _____

Final date for protests 9-22-75

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) mls 12-16-75

Action recommended:

☒ Approve

Deny

_____ Proposed Priority

_____ Reason for Reduction DEC 10

☒ Measuring device required

Department of Water Resources

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15)

District Southern

By Michael Stule

Date 12-16-75

RECEIVED