


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert R. Frederickson
(Applicant)

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Robert R. Fredericksen Box 200, Route #1, Gooding, Idaho has on 12-18-74 submitted Application No. 37-7412 for a permit to appropriate 2.94 cubic feet per second of water from groundwater by means of well, pump, sprinkler system within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 1, T 5S, R 15E, B.M., Gooding County to be used April 1-November 1 for irrigation of 247 acres within Lot 3 and 4 NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 1; SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 2, T 5S, R 15E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before January 13, 1975.


R. KEITH HIGGINSON
Director

Pub: 12-26; 1-2.

A hand-drawn map on a grid background. The map shows two adjacent lots, Lot 4 and Lot 3, separated by a vertical line. Lot 4 is on the left and Lot 3 is on the right. The map includes several measurements and labels:

- Lot 4:**
 - Top-left corner: 43
 - Top-right corner: 40
 - Bottom-left corner: 30
 - Bottom-right corner: 19
 - Bottom boundary: 12
 - Left boundary: 12.55
 - Internal measurement: 6
 - Internal measurement: 20
 - Internal measurement: 0
- Lot 3:**
 - Top-left corner: 41
 - Top-right corner: 40
 - Bottom-left corner: 19
 - Bottom-right corner: 1
- Other Labels:**
 - Top boundary: R. 15E
 - Bottom boundary: 12
 - Left boundary: 12.55
 - Internal measurement: 6
 - Internal measurement: 20
 - Internal measurement: 0

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NW 1/4 SW 1/4 Sec. 1 T. 55 R. 15E

Place(s) of Use

[illegible]

O = not identified on Permit

Recommended Amendments:

- ☒ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☒ Add P.U. as reflected above

- ☐ None
- ☐ Other

Examiner's Signature _____

Checked by

Approved by

Date 8-12-81

Date 8-19-81

Date 3-8-83

470 717477 111290
MICROFILMED

DN:CC

Southern District Engineer
Bob Halverson

Sincerely,

the Department along with the Department staff.
In order to receive payment, an affidavit of Department must be submitted to

notice on the proposed rates. Please contact us immediately.
We will notify you before the first Department. If you cannot verify the
we have received, regarding the notice to collect. If we have not collected
water resulting in a better budget, proceed with the Department on the rates

for review before Department.
the Department rates of
week for two consecutive
Enclosed, you will find a

Gentlemen:

Gooding, Idaho 83301
Box 22
Gooding County, Idaho

MICROFILMED

RE: Application for

December 10, 1974

Galley Proof

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
Robert R. Frederickson Box
200, Route #1, Gooding, Idaho
has on 12-18-74 submitted Appli-
cation No. 37-7412 for a permit
to appropriate 2.94 cubic feet
per second of water from
groundwater by means of well,
pump, sprinkler system within
the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 1, T 5S, R
15E, B.M., Gooding County to be
used from April 1-November 1
for irrigation of 247 acres within
Lot 3 and 4 NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$,
SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 1, SE $\frac{1}{4}$ SE $\frac{1}{4}$,
Sec. 2, T 5S, R 15E, B.M.
If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 1041 Blue Lakes
Blvd., North, Twin Falls, Idaho,
83301 on or before January 13,
1975.

R. KEITH HIGGINSON
Director
Pub: 12-26; 1-2.

O.K. cc
12-26-74

Robert R. Frederickson

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

RESONANCE

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 37-7412 Priority December 18, 1974 Amount 2.25 cfs

THIS IS TO CERTIFY, that Robert R. Fredericksen
of Gooding, Idaho, has complied with the terms and conditions of Permit
No. 37-7412 issued pursuant to Application for Permit dated December 18, 1974,
and has submitted proof to the Department of Water Resources on December 26, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.25 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	<u>from April 1 to November 1</u>	<u>at 2.25 cfs</u>	<u>and 741.0 acre feet</u>
_____	_____	_____	_____
_____	_____	_____	_____

Subject, however, to the condition that no more than 2.25 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
741.0 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 1, Twp.
5S, Rge. 15E in the County of Gooding

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
5S	15E	1					GL3 41	GL4 43	40	40	19	30	6						219
		2															8		8
		12						20											20

Total number of acres irrigated 247

This right when combined with Right No. 37-7816 shall not exceed 2.25 cfs.
This right when combined with all other rights shall provide no more than 0.02
cfs per acre nor more than 3.0 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 2nd day of
May, 19 83.

Acting for the Director

[Signature]

STATE OF IDAHO
Licensing
APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

Comes now Robert R. Fredericksen Phone _____
of (address) Route #1, Box 200, Gooding, ID 83330, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho
No. 37-7412, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NW ¼ SW ¼, Section 1, Township 5S, Range 15E, B.M.,
County of Gooding. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 2.25 for irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5S	15E	1					GL3 41	GL4 43	40	40	19	30	6						219
		2															8		8
		12						20											20


Total number of acres to be irrigated = 247

4. a. Who owns the property at the point of diversion? Robert R. Fredericksen
b. Who owns the land to be irrigated or the place of use? Robert R. Fredericksen
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: _____

MICROFILMED

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Twin Falls, Idaho, this 31 day of March, 1983.

Robert R. Fredenburgh
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by RC ADM Fee = \$20.00

Received by GP Date 3-31-83 #26149

Publication prepared by N/A Date _____

Published in _____

Publication dates _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. KENNETH DUNN, of the Department of Water Resources hereby
APPROVE the above Application for Amendment of Permit No. 37-7412.

Witness my hand this 2nd day of May, 19 83.

Acting for the Director

Norman C. Young

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. **37-7412**

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No. _____

Application No. 37-7412

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant Robert R. Frederickson
post office address Box 200, Route 1, Gooding, Idaho
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 1 Township 5S
Range 15E B.M. Gooding County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2.94 cfs for Irrigation purpose from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.94 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, sprinkler system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 20 inches; proposed depth of well is 350 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 29,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5S	15E	1					40 1/2	40 1/2			25	40	6						239
		2					44	44	40	40							8		8


Total number of acres to be irrigated 247

c. Describe any other water rights used for the same purposes as described above.
100 inches of canal water.

9. a. Who owns the property at the point of diversion Applicant
 b. Who owns the land to be irrigated or place of use Applicant
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks This is to supplement my canal water

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert R. Frederickson
(Applicant)

Proposed Priority 12-18-1974

Received by KDF Date 12-18-74 Time 2:00 PM

Preliminary check by CCF Fee \$ 45.00

Receipted by KDF Date 12-18-74 # 14688

Publication prepared by CC Date 12-19-74

Published in Gooding County Leader

Publication dates 12-26 & 1-2-75

Publication approved CC Date 1-14-75

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by BDE

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-7412, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 80.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 24 day of January 19 75.


Director

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Gooding } SS.

GORDON O. FLEISHMANN

being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 26 day of December

19 74, and the date of the last publication was on the 2

day of January, 19 75

Subscribed and sworn to before me this 10

day of January, 19 75
(SEAL)

NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice 32 32

Number of Insertions 2 2

Lines tabular at 315c

32 Lines straight at 32 21c 6.72

32 Subsequent lines at 32 15c 4.80

TOTAL COST 11.52

COPY OF NOTICE

(Paste Here)

Water Permit

TITLE OF NOTICE

37-7412

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

FILED TO

O.K.C.C.
1.14.75.

RECEIVED

JAN 14 1975

Department of Justice
Southern District Office

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1971)

7 pt. per line, straight 21c
7 pt. per line, tabular 315c
7 pt. per line, successive
insertions 15c

Whiz # 4462

No. 288

MICROFILMED

[illegible]

May 4, 1983

RE: Permit Nos. 37-7412 and 37-7816

Robert R. Fredericksen
Route #1, Box 200
Gooding, ID 83330

Dear Mr. Fredericksen:

Enclosed herewith are copies of your Water Right Licenses issued on the above referenced permits along with copies of your approved applications for amendment.

Should you have any questions concerning these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosures

MICROFILMED
JUN 11 1983



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 14, 1983

RE: Permit No. 37-7412

Robert R. Fredericksen
Route #1, Box 200
Gooding, ID 83330

Dear Mr. Fredericksen:

A representative of this Department made an examination of the works covered by your Permit No. 37-7412 and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 2.25 cfs Source: groundwater

The maximum quantity diverted shall not exceed 741.0 acre feet
per year.

Point of diversion: NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 1, Twp. 5S, Rge. 8E, Gooding County

Beneficial use: Irrigation of 247 acres within the Gov. Lot 3(NW $\frac{1}{4}$ NW $\frac{1}{4}$),
Gov. Lot 4(NW $\frac{1}{4}$ NW $\frac{1}{4}$), S $\frac{1}{2}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 1; SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 2; NW $\frac{1}{4}$ NW $\frac{1}{4}$,
Sec. 20; Twp. 5S, Rge. 15E

Priority date established: December 18, 1974

In order for the Department to issue the above license, it will be necessary for you to amend the permit to correspond with the findings of the field examiner. We are enclosing a partially completed amendment form for your use in this matter.

Please sign the amendment application and return it to this office along with a \$20.00 filing fee within 30 days in order that we might issue your license as set forth above. If you do not concur with these findings or have any questions, please contact us within the 30-day period.

Sincerely,

cc: Security Title Co.
P.O. Box 28
Gooding, ID 83330

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

DECLASSIFIED

A hand-drawn map on a grid showing a proposed road (R. 15E) and a proposed road (R. 15E) with various lot numbers and dimensions.


The map features a grid with solid lines and dashed lines. A horizontal line is labeled "R. 15E" in the center. Below this line, there are two vertical lines labeled "Lot 4" and "Lot 3".

Lot 4 contains the numbers 43, 40, and 30. Lot 3 contains the numbers 41, 40, and 19. A dashed line connects the bottom of Lot 4 to the bottom of Lot 3, with the number 19 written next to it.

Below the dashed line, there is a small rectangular area labeled "R.D. 61". To the left of this area, there is a larger rectangular area labeled "T. 55". Inside the "T. 55" area, there are the numbers 6, 20, and 0.

At the bottom of the grid, there is a horizontal line labeled "12".

(Include distance from pump to measuring device, if applicable.)



Place(s) of Use

[illegible]

Recommended Amendments:

☐ Add P.D. as reflected above☐ None

☒ Add P.U. as reflected above

☐ Other

Examiner's Signature _____

Checked by

Approved by

Date 8-12-81

Date 8-19-81

Date 3-8-83

Overlap Review for 37-7412

Permit 37-7816
Field Exam complete

gw

P/O NWSW Sec 1 T55 R15E
(same) ok

P/O different land within
same tracts ✓

P 37-7816	2.25 cfs
This night 37-7412	<u>2.25</u>
	4.50 cfs

Greater than capacity

Recommend R17 ok

Permit identifies canal water
Recommend R16 ok

TR 3/8/83

Jim
3-15-83

MICROFILMED

SECURITY TITLE COMPANY

ESTABLISHED IN 1913

TITLE INSURANCE

GOODING AND LINCOLN COUNTIES
RALF M. LUCKE AND HELEN H. LUCKE
TELEPHONE 934-4427

P.O. BOX 28

GOODING, IDAHO 83330

February 25, 1980

File No. G* 2353

RECEIVED

FEB 29 1980

State of Idaho
Department of Water Resources
1031 Blue Lakes Blvd N.
Twin Falls, Idaho 83301

Department of Water Resources
Southern District Office

Re: Robert R. Fredericksen

Gentlemen:

This is to advise you that Robert R. Fredericksen, holder of Permit No. 37-7412, has mortgaged the rights herunder to the United States of America and agreed he will not assign or emend the license without the consent of the Farmers Home Administration.

Yours very truly,

SECURITY TITLE COMPANY, INC.

Ralf M. Lucke

Ralf M. Lucke or Helen H. Lucke

RML/fr

cc: Farmers Home Administration
438 Idaho Street
Gooding, Idaho 83330

MICROFILMED



Policy Issuing Agent
Safeco Title Insurance

IDENT. NO. 37-7412

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

Robert Frederickson
Route #1 Box 200
Gooding, Idaho
83330

January 23, 1980

RE: Water Permit 37-7412

Dear Sir;

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Senior Water Resource Agent

RECORDED
INDEXED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 377412.

Name(s) of Permit Holder: Robert T. Fredericksen

Post Office Address: RT 1 Box 200

Gooding, IDA. Tel. No. 9345041

Source of Water: Well

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 247 (acres)
☐ Other

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

26 Dec 79
Date

Robert Fredericksen
Signature of Permit Holder

RECEIVED

DEC 28 1979

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED
Department of Water Resources
Southern Division

PLACE
TEN CENT
STAMP
HERE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 384-2215

FREDERICKSEN, ROBERT R.
RT. 1 BOX 200
GOODING, ID 83330

1G1460

OCTOBER 31, 1979

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 37-7412 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

RECEIVED
OCT 31 1979



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

June 20, 1979

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

Northern Region Office
Rt. #5, Box 203 Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Street
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Blvd. North
Twin Falls, Idaho 83301

Western Region Office
92 S. Cole Road
Boise, Idaho 83705

January 24, 1975

Re: Permit No. 37-7412

Mr. Robert Frederickson
Box 200, Route 1
Gooding, Idaho 83330

Dear Mr. Frederickson:

Enclosed is a copy of your approved Application for Permit No. 37-7412. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

MICROFILMED

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>CLF</u>	<u>12-18-74</u>	Application No. <u>37-7412 Robert R. Fredericksen</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>CLF</u>	<u>12-18-74</u>	In form to receipt
	<u>CLF</u>	<u>12-18-74</u>	Send Copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management ☐ Health & Welfare
(4)	<u>CLF</u>	<u>12-14-74</u>	☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☐ Request Information from Applicant
(5)	<u>CLF</u>	<u>12-18-74</u>	In form for advertising
(6)			Located within Water District No. _____
(7)			Critical groundwater area: yes _____ no ☒
(8)			Groundwater levels: ____ Decline (comment) _____ ☒ Stable (comment) _____ ____ Increasing (comment) _____
(9)			Comments: _____
(10)	<u>CC</u>	<u>1-14-75</u>	Affidavit of Publication received (date) <u>1-14-75</u>
(11)			Final date for protests <u>1-13-75</u> Protests received: yes _____ no ☒
(12)			Date and Place of hearing _____ Decision reached at hearing _____
(13)			All requested information received from agencies or applicant yes ☒ no _____
(14)			Action recommended: ☒ Approve Priority <u>12-18-74</u> ____ Deny Reason for Reduction _____ ☒ Measuring device required ____ See attached sheet for additional conditions of approval ____ No additional conditions for approval
(15)	District	<u>See them</u>	By <u>Bob Haynes</u> Date <u>1-15-75</u>

MICROFILMED

RESOURCES
XXXXXXXXXXXXXXXXXXXXXXXXXXXX

December 19, 1974

RE: Application For Permit No. 37-7412 - Robert R. Fredericksen

Gooding County Leader
Box 56
Gooding, Idaho 83330

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,


Bob Haynes
Southern District Engineer

BH:cc

MICROFILMED

Bill submitted 1-14-75 cc

OK
12-26-74



NOT FILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Robert R. Fredericksen

Box 200, Route #1, Gooding, Idaho

has on 12-18-74 submitted Application No. 37-7412

for a permit to appropriate 2.94 cubic feet per second ~~XXXXXX~~

of water from groundwater

by means of well, pump, sprinkler system

within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 1, T 5S, R 15E, B.M., Gooding County

to be used from April 1 - November 1

for Irrigation of 247 acres

within ~~xxx~~ Lot 3 & 4 NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 1; SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 2, T 5S, R 15E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before January 13, 1975.

R. KEITH HIGGINSON

Director

Published in the Gooding County Leader

on 12-26 and 1-2-75

MICROFILMED