


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bar H. Bar, Inc.

(Applicant)

President

RECEIVED

DEC 9 1974

Department of Water Resources
Southern District Office

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, Helen O. Kluger do
solemnly swear that I am the foreman, or
publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation,
published once a week at MOUNTAIN HOME,
IDAHO, that the notice attached hereto and
which is a part of the proof of publication
thereof, was published in said newspaper for

*O.K. cc
12-10-74*

Two consecutive weeks, the first publica-
tion having been made on the 28th day
of November, 1974, and
the last publication having been made on the
5th day of December,
1974; every Thursday issue of the paper
during the period and time of publication and
that the notice was published in the newspaper
proper and not in a supplement thereof.

And I further swear that the said MOUN-
TAIN HOME NEWS has been continuously and
uninterruptedly published in said Elmore County
during a period of 78 consecutive weeks prior
to the first publication of the attached notice.

Helen O. Kluger

Subscribed and sworn to me this 5th
day of December, 1974

Robert H. O'Leary
Notary Public

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given given that
Bar H Bar, Inc. RFD, Fairfield,
Idaho has on 11-18-74 submitted
Application No. 37-7403 for a

permit to appropriate 7.0 cubic feet
per second of water from ground-
water by means of well, pump,
sprinkler system within the
NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 26, T 1S, R 15E,
B.M., Camas County. SE $\frac{1}{4}$ NE $\frac{1}{4}$,
Sec. 26, T 1S, R 15E, B.M., Camas
County to be used from April 1 to
November 1 for irrigation of 410
acres within the SE $\frac{1}{4}$ SW $\frac{1}{4}$,
SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23; N $\frac{1}{2}$ NE $\frac{1}{4}$,
SW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$,
NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 26, T 1S, R 15E,
B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with the
Idaho Department of Water Re-
sources, 1041 Blue Lakes Blvd.,
North, Twin Falls, Idaho 83301 on
or before December 16, 1974.

R. KEITH HIGGINSON
Director

Published in the Mountain Home
News on 11-28-74 and 12-5-74.


RECEIVED

DEC 9 1974


Department of Water Resources
Southern District Office

MICROFILMED

T.Y.S., R.ISE., B.M.



(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SE 1/4 NE 1/4 Sec. 26, T.1S., R.15E.

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above ☒ None
- ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature

Checked by

Approved by

Date _____

Date _____

Date _____

16025-177

37

PR

37-7403

BEN KYANN

189

692

A

B

$$\begin{array}{r} 152\frac{2}{3} \\ - 41\frac{1}{2} \\ \hline 111\frac{1}{6} \end{array}$$

A-18

(W.A. Simon)

W A Simon

A-260

982

A

48²

B

788

С

BAR H BAR

23

292

72

A24

25
2nd line

wheel-like

1260

23	24
26	25

БАР И БАР

A-33

A-261

Handwritten: -o ← Meth

179

1 1/64 inches

L7

272
3453

26	25
35	36

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 37-7403 Priority November 18, 1974 Amount 2.54 cfs

THIS IS TO CERTIFY, that BAR H BAR, INC.
of Fairfield, Idaho, has complied with the terms and conditions of Permit
No. 37-7403 issued pursuant to Application for Permit dated November 18, 1974,
and has submitted proof to the Department of Water Resources on November 13, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.54 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u> at <u>2.54</u> cfs and <u>639.0</u> acre feet		
	from _____ to _____ at _____ cfs and _____		
	from _____ to _____ at _____ cfs and _____		
	(both dates inclusive)		

Subject, however, to the condition that no more than 2.54 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
639.0 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 26
Twp. 1S, Rge. 15E in the County of Camas

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
1S	15E	23									39			32	71
		26	8	4			39	39	36	12					142

Total number of acres irrigated 213

This right when combined with all other rights shall provide no more than 0.02 cfs
per acre nor more than 3.0 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 28 day of
September, 19 81.

Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. **37-7403**

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No. _____

Application No. 37-7403

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Bar H. Bar, Inc. Phone: _____
post office address RFD, Fairfield, Idaho

2. Source of water supply groundwater which is a tributary of _____

3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 26 Township 1S
Range 15E B.M. Camas County; additional points of diversion if any: _____
SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 26, T 1S, R 15E, B.M.

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 7.0 cfs for irrigation purpose from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 7.0 cubic feet per second and/or
b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump, sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 18 inches; proposed depth of well is 170 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ _____.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
1S	15E	23											40			40			80
		26	40	40	40		40	40	40	40	20	10				20			330


Total number of acres to be irrigated 410

c. Describe any other water rights used for the same purposes as described above.50 inch use rights on springs and reservoir.

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks We may possibly lose our spring flow once the pumps are put in operation.


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bar. H. Bar, Inc.


(Applicant) President

Proposed Priority 11-18-1974

Received by MJS Date 11-18-74 Time 4.40

Preliminary check by KOT Fee \$ 85.00

Receipted by MJS Date 11-18-74

KOT Publication prepared by CC Date 11-19-74

Published in Mountain Home News

Publication dates 11-27 & 12-5-74

Publication approved CC Date 12-10-74

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by MJS BDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-7403, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 80.
- Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 2 day of January 19 75.


Director

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 37-7403 Bar H. Bar, Inc.

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) KDF 11-19-74

In form to receipt

(2) _____

Send Copies to:

Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) _____

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

(4) KDF 11-19-74

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) cc 12-16-74

Affidavit of Publication received(date) 12-9-74

(12) _____

Final date for protests 12-16-74
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or
applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

Proposed Priority 11-18-74

Reason for Reduction _____

☒ Measuring device required

See attached sheet for other conditions of
approval

No special conditions for approval

(15) District Southern

By B. B. Hynes Date 12-16-74

RECEIVED

DEC 9 1974

Department of State
Southern District Office

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, ...Helen O. Kluger... do
solemnly swear that I am the foreman, or
publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation,
published once a week at MOUNTAIN HOME,
IDAHO, that the notice attached hereto and
which is a part of the proof of publication
thereof, was published in said newspaper for

Two..... consecutive weeks, the first publica-
tion having been made on the 28th..... day
of ...November....., 1974, and
the last publication having been made on the
...5th..... day of December....
19...74....; every Thursday issue of the paper


during the period and time of publication and
that the notice was published in the newspaper
proper and not in a supplement thereof.

And I further swear that the said MOUN-
TAIN HOME NEWS has been continuously and
uninterruptedly published in said Elmore County
during a period of 78 consecutive weeks prior
to the first publication of the attached notice.

Helen O. Kluger
.....

Subscribed and sworn to me this 5th.....
day of December 1....., 1974

Nelson H. Adams Jr.
.....
Notary Public



*O.K. - CC
12-10-74*

RECEIVED

DEC 9 1974

Department of State Resources
Southern District Office

RECEIVED

WATER RIGHT NUMBER 37-7403

OWNER LAST NAME - BAR H BAR INC.

FIRST NAME - ORIG OWNER -

ADDRESS LINE 1 - RFD

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - FAIRFIELD

STATE - ID ZIP CODE - 83327

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - LICENSE

STATUS -

PRIORITY - 11-18-1974 COUNTY - CAMAS

TOTAL DIV. RATE - 2.5400 -CFS

TOTAL DIV. VOLUME - 639.00 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - SENE 26 01S 15E LOT REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 04-01 TO - 11-01 USE - IRRIGATION

USE DIV. RATE - 2.5400 CFS USE DIV. VOLUME - 639.00 AFA

USE - IRRIGATION

PLACE OF USE - TWN 01S RNG 15E SEC 23 TRACT SESW LOT AC 39 TRACT SWSE LOT AC 32

USE - IRRIGATION

PLACE OF USE - TWN 01S RNG 15E SEC 26 TRACT NWE LOT AC 08 TRACT SWNE LOT AC 04

TRACT NENW LOT AC 39 TRACT NWNW LOT AC 39

TRACT SWNW LOT AC 36 TRACT SENW LOT AC 12

TRACT NWSW LOT AC 04

DECREE NAME -

DATE -

TOTAL ACRES 213

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE - SPRINGS.

PROOF DUE - 01-01-1980 PERMIT/DENIED - 01-02-1975 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - P FLD EXAM - COND. OF APPROVAL - R29

DIVERSION MEANS - WELL, PUMP & SPRINKLERS.

REPORT

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

OCT 30 1980

Department of Water Resources

37-7403

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	June 13, 1980	ADM	Scheduled at same time as Kelly Dam inspection
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)	7/8/80	ADM	@ 2:00 p.m @ Ranch house

EXAMINATION

Date 7/8/80 Accompanied by Gordon Schmidt Total Q. measured 2.54 cfs
If source is surface water, estimate total flow of source _____
Methods of measurement Installed In Line Meter Meets Permit requirements? Yes

Measurement calculations:

Measurement calculations:
 Meas. 0.005 A.F. / 85.6 sec $\Rightarrow$ 2.54 cfs capacity
 Allow measured amt.

Allow measured amt.

$$\text{Vol.} = 213 \text{ Acres} \times 3.0 \text{ Afz} = \underline{639 \text{ Afz.}} \checkmark$$
$$2.54 \times 1.9835 \times 214 = 1078.2$$
[illegible]

System Description Well & Pump deliver to 2 main line from which 3 hand lines
approx. $\frac{1}{4}$ mile long and $1\frac{1}{2}$ mile long wheel-line and $1\frac{1}{4}$ mile long
wheel-line irrigate the P/U.

**Code with map on reverse side. Disregard code if only one.*

RECOMMENDED AMOUNTS


USE	Q (cfs)	V (afa)	FROM	TO
Irrigation	2.54 cfs	639.0	4-1	11-1
Total	2.54 cfs ✓	639.0 ✓		

Remarks

Legal description of P/D appears to be in SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 26 T.1S., R.15E. however it is very close to NE $\frac{1}{4}$ SE $\frac{1}{4}$ of same section.


37-2105 Lake Creek > different sources
37-2218 Little Wood R. 7/10 Overlap

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SE 1/4 NE 1/4 Sec. 26, T.1S., R.15E.

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1S.	15E.	23												39			32		71
1S.	15E.	26		8	4		39	39	36	12		4							142

Recommended Amendments:

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

Examiner's Signature Allen J. Merritt
 Date 7/9/80

Checked by [Signature]
 Date 9-4-80

Approved by [Signature]
 Date 9/9/81

16025-177 37

7-740

692

A

102

B

1522
2324

(A-18)

WAS 34000

W A S. MON

982

A

482

B

782

C

BAR H BAR

(A-18)

A-24

1/64 mile



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 2, 1981

RE: Permit No. 37-7403

Bar H Bar, Inc.

RFD

Fairfield, ID 83327

Gentlemen:

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON

Water Distribution Supervisor

Enclosure

RECORDED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 11, 1981

RE: Permit No. 37-7403

Bar H Bar, Inc.
RFD
Fairfield, ID 83327

Dear Sirs:

A representative of this Department has made an examination of the works covered by your Permit No. **37-7403**, and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: **2.54 cfs** Source: **a groundwater source**

The maximum quantity diverted shall not exceed **639.0** acre feet per year.

Point(s) of diversion: **SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 26, T. 1S, R. 15E, Gamas County**

Beneficial use: **Irrigation of 213 acres within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23; W $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 26; T. 1S, R. 15E**

Priority date established: **November 18, 1974**

Conditions (if any): **This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.**

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

MICHAEL
IM JOHNSON
Water Distribution Supervisor

IDENT. NO. 37-7403

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT
DATA ENTRY LOG[illegible]



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

Bar H Bar Inc.
R.F.D.
Fairfield, Idaho
83327

December 27, 1979

Re: Water Permit 37-7403

Dear Sir;

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Senior Water Resource Agent

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 37-7403

Name(s) of Permit Holder: Bar 1' Park, Inc

Post Office Address: RFD Fairfield, Idaho

83327

Tel. No. 764-2534

Source of Water: Underground

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation 410 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

NOV 1979

Date

Dorothy A. Schmidt
 Signature of Permit Holder
Vic Frost

RECEIVED

NOV 13 1979

Department of Water Resources
Southern District Office

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



~~Department of Water Resources~~

RECEIVED

NOV 16 1979

PLACE
TEN CENT
STAMP
HERE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 384-2215

BAR H BAR INC.
RFD
FAIRFIELD, ID

161454

OCTOBER 31, 1979

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 37-7403 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

10/31/79



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

June 20, 1979

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

Northern Region Office
Rt. #5, Box 203 Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Street
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Blvd. North
Twin Falls, Idaho 83301

Western Region Office
92 S. Cole Road
Boise, Idaho 83705

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration, within 30 days after the completion or abandonment of the well.

RECEIVED

Department of Water Resources
Southern District Office
JAN 31 1978

1. WELL OWNER

Name Bar H Bar, Inc.Address RFDOwner's Permit No. 37-7403

7. WATER LEVEL

Static water level 12 feet below land surfaceFlowing? ☐ Yes ☒ NoTemperature 69 ° F. Quality Good

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Other

Discharge G.P.M.

Draw Down

Hours Pumped

150050'10 hrs

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 16 inches Total depth 345 feetCasing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>0.50</u> inches	<u>16</u> inches	<u>1</u> feet	<u>20</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 20 feetMaterial used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

County CamasNE 1/4 SE 1/4 Sec. 26, T. 15 N., R. 15 E.

10.

Work started Jan 31, 77 finished Feb 28, 77

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Bar H Bar Drilling
Victor R. Roney 268
Driller's or Firm's Name NumberRFD
Address
Chas. J. Roney
Signed By Date

January 6, 1975

Re: Permit Nos. 37-7400 and 37-7403

Bar H Bar, Inc.
RFD
Fairfield, Idaho 83327

Gentlemen:

Enclosed are copies of your approved Application for Permit Nos. 37-7400 and 37-7403. We direct your attention to the conditions of approval as listed on the fourth pages.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permits. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

November 19, 1974

RE: Application No. 37-7400 - Bar H Bar, Inc.
37-7401 - Mitchell Schmidt
37-7402 - Gerhard Schmidt
37-7403 - Bar H Bar, Inc.
37-7404 - Bernard E. &/or Evelyn B. Smith

Mountain Home News
P. O. Drawer 0
Mountain Home, Idaho 83647

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Bob Haynes
Bob Haynes
Southern District Engineer

BH:cc

RECORDED

Bill submitted 12-10-74 cc

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given given that Bar H Bar, Inc. RFD, Fairfield, Idaho has on 11-18-74 submitted Application No. 37-7403 for a permit to appropriate 7.0 cubic feet per second of water from ground-water by means of well, pump, sprinkler system within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 26, T 1S, R 15E, B.M., Camas County, SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 26, T 1S, R 15E, B.M., Camas County to be used from April 1 to November 1 for irrigation of 410 acres within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23; N $\frac{1}{2}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 26, T 1S, R 15E, B.M.

If issued this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Teton Falls, Idaho 83301 on or before December 16, 1974.

R. KEITH HIGGINSON
Director

Published in the Mountain Home News on 11-28-74 and 12-5-74.

O. K. CC
11-27-74

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Bar H Bar, Inc.

RFD, Fairfield, Idaho

has on 11-18-74 submitted Application No. 37-7403

for a permit to appropriate 7.0 cubic feet per second ~~XXXXXXXXXXXXXXXXXXXX~~

of water from groundwater

by means of well, pump, sprinkler system

within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 26, T 1S, R 15E, B.M., Camas County

SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 26, T 1S, R 15E, B.M., Camas County

to be used from April 1 to November 1

for irrigation of 410 acres

within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23; NE $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 26, T 1S,
R 15E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before December 26, 1974.

R. KEITH HIGGINSON

Director

Published in the Mountain Home News

on 11-27 and 12-5-74.