


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. T. 1 N., R. 18 E.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edward W. Hinkle
(Applicant)

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho,
County of Blaine

SS.

NOV 30 1973

Yordon O. Shammann, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 8th day of November, 1973, and the date of the last publication was on the 15th day of November, 1973.

Subscribed and sworn to before me this 19 day of November, 1973.
(SEAL)

J. Schneider
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Lines in Notice	<u>41</u>	
Number of Insertions	<u>2</u>	
Lines tabular at	315c	
<u>41</u> Lines straight at	21c	<u>8.61</u>
<u>41</u> Subsequent lines at	15c	<u>6.15</u>
TOTAL COST		<u>\$14.76</u>

COPY OF NOTICE

(Paste Here)

Notice of Application for
TITILE OF NOTICE
water permit
37-7310 - Edward Stricker
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Ad.
BILL TO

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Edward W. Stricker, Route 1, Box 129, Bellevue, Id., has on October 28, 1973 submitted Application No. 37-7310 for a permit to appropriate 40 cubic feet per second of water from groundwater by means of pump, well, pressure pipe, and sprinkler within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24, T. 1N, R. 18E, B.M., Blaine County to be used from Jan. 1 to Dec. 31 for domestic and stockwater purposes, and from Apr. 1 to Nov. 1 for irrigation of 30 acres within the E $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 24, T. 1N, R. 18E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho, 83301 on or before November 26, 1973.

R. KEITH HIGGINSON
Director

Published in the Wood River Journal on November 8 and November 15, 1973.

N: 10

37 7310

**NOTICE OF APPLICATION
FOR WATER PERMIT**

from OK 11-6-73

Notice is hereby given that Edward W. Stricker, Route 1, Box 130, Bellevue, Id., has on October 26, 1973 submitted Application No. 37-7310 for a permit to appropriate .46 cubic feet per second of water from groundwater by means of pump, well, pressure pipe, and sprinkler within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24, T. 1N, R. 18E, B.M., Blaine County to be used from Jan. 1 to Dec. 31 for domestic and stockwater purposes, and from Apr. 1 to Nov. 1 for irrigation of 29 acres within the E $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 24, T. 1N, R. 18E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blues Lakes Blvd. North, Twin Falls, Idaho, 83301 on or before November 25, 1973.

R. KEITH HIGGINSON
Director

Published in the Wood River
Journal on November 8 and
November 15, 1973.

37
7310

RECEIVED

MAY 01 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT Department of Water Resources

A. GENERAL INFORMATION

1. Owner: EDWARD W. STRICKER Permit No. 37-7310
Current Address: RG 1, Bx 130, Bellevue, Ida Phone No. 208 788-2781
2. Accompanied by: Edward W. Stricker EXAM. DATE: 8-6-86
Address: _____ Phone No. 208-788-2781
Relationship to Permit Holder: _____
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 1:24560

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).

RECEIVED
OCT 02 1987

Form 219-Supp.
6/83

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Gary Funderburg Date _____
Owner: _____ Permit No. 37-7310

Description of well &/or measuring site
- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

well diverts into main line and was measured
10' from well. Pump & motor Submersible.
wheel line

Measured inside diameter of pipe in inches (A) 4"

Size of Annubar used in test State ID No. 191753

Model No. of Annubar Meter Used 73
(Model No. = 75 for 6" and larger)
(Model No. = 73 for 4")

Size Eagle Eye Meter Used manometer State ID No. —

Date of Last Calibration of Meter —

Observed inches of H₂O read on Meter (B) 7.5

Flow Correction Factor (From Calibration Graph) (K) 1
(Use 1 if Error is $\pm 2\%$ at observed pressure)

Select C based on Annubar Model No.


If Model No. = 75, then C = 3.85

If Model No. = 73, then C = 4.14

(C) 4.14

CALCULATION: $\frac{K (A^2) (\sqrt{B}) C}{448.8} =$ 0.40 cfs measured

SKETCH (If not shown on Field Report):




MICROFILMED
OCT 02 1981

13 18
24 19

Township
1
North

Range
18
East



A-143

A-187

F
117.9

H
117.9

G
6.5

MICROFILMED

OCT 02 1987

0
15.0

S
24.3

R
13.5

W
25.2

NOT TO SCALE

Edward W. Stricker 37-7310



Lands Irrigated by wheel lines



location of livestock
usage.

RECEIVED

OCT 02 1987



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

January 7, 1975

Re: Permit No. 37-7310

Edward W. Stricker
Route #1, Box 130
Bellevue, ID 83313

Dear Mr. Stricker:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 37-7310 has lapsed.

You are further advised that the Department cannot reinstate the permit except upon a showing of reasonable cause within 60 days from the date of this notice of lapsing.


R. KEITH HIGGINSON
Director

RKH:jg

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 37-7310

Priority: June 10, 1983 Amount: .20 CFS 52.7 AFA

This is to certify, that EDWARD W. STRICKER
10767 STATE HWY. 75
BELLEVUE, ID 83313

has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated October 26, 1973, and
has submitted proof to the Department of Water Resources on June 10, 1983, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a diversion capacity of .40 cfs of water from;

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	04/01 to 11/01	.20 cfs	51.0 afa
Stockwater	01/01 to 12/31	.02 cfs	.5 afa
Domestic	01/01 to 12/31	.04 cfs	1.2 afa
	Totals	.20 CFS	52.7 AFA

LOCATION OF POINT OF DIVERSION(S): SENE, Sec. 24, Township 1N, Range 18E
Blaine County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
1N	18E	24	NENE 10	SENE 7			17

Total number of acres irrigated: 17

PLACE OF USE: Domestic

TWN RGE SEC

1N 18E 24 SENE

PLACE OF USE: Stockwater, same as Irrigation use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall not exceed more than .02 cfs per acre nor more than 3.0 afa per acre of lands above.

OCT 02 1981

State of Idaho
Department of Water Resources

PAGE 2

WATER RIGHT LICENSE

WATER RIGHT NO. 37-7310

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 25th day
of SEPTEMBER, 1987.

Acting for the

Director



MICROFILMED

OCT 02 1987

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT
NO. 37-7310 IN THE NAME
OF EDWARD W. STRICKER

ORDER OF REINSTATEMENT

WHEREAS, on December 6, 1973, the Director of the Department of Water Resources issued Permit No. 37-7310 with a condition of approval that proof of construction of works and application of water to beneficial use be submitted on or before January 1, 1975; and,

WHEREAS, on November 1, 1974, the Department sent a proof due notice to the permit holder; and,

WHEREAS, on January 7, 1975, the Department sent a lapse notice to the permit holder since neither proof of beneficial use nor a request for extension of time had been received from the permit holder; and,

WHEREAS, on June 10, 1983, proof of beneficial use was submitted by the permit holder; and,

WHEREAS, amendments to Section 42-218A, Idaho Code, effective April 8, 1983, provide that the Director may reinstate a permit upon which proof has been submitted subsequent to the sixty day period after the notice of lapsing; and,

WHEREAS, permit holder has shown adequate cause that the permit can be reinstated;

IT IS, THEREFORE, HEREBY ORDERED that permit No. 37-7310 be reinstated; and It Is Further ordered that the priority be advanced to June 10, 1983.

Dated this 26th day of March, 1984.


L. GLEN SAXTON
Chief, Operations Bureau

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT **APPROVED**

To Appropriates the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant EDWARD W. STRICKER
post office address Box 120, Bellevue, Idaho 83313
2. Source of water supply underground which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 24 Township 1 N.
Range 18 E. S.M. Blaine County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ S.M. _____
4. Water will be used for the following purposes:
Amount 0.4 CFS for irrigation purpose from April 1 to Nov. 1 (both dates inclusive)
Amount 0.4 CFS for domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
Amount 0.4 CFS for stockwater purpose from Jan. 1 to Dec. 31 (both dates inclusive)
Total quantity to be appropriated: allow 0.46 cfs
a. 46 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, cougates, etc. Pump in well, underground
pressure pipe, sprinkler

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
Proposed well diameter is 10 inches; proposed depth of well is 148 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years.
b. Estimated construction cost is \$ 3,000.00.
8. Description of proposed uses:
a. If water is not for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 24 Township 1 N.
Range 18 E. S.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered: _____

(4) Name of municipality to be served: _____, or number of families to be
supplied with domestic water: 1.
(5) If water is to be used for other purposes describe: 25 cattle, 10 horses

37 7310

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated.

1. Describe any other water rights used for the same purposes as described above

9. a Who owns the property at the point of diversion. Self


b. Who owns the land to be irrigated or place of use Self

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T. 1 N., R. 18 E.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

(Applicant)

52 7310

Proposed Priority 10-26-1973

Received by 1 Date 10-26-73 Time 8:00 P

Preliminary check by 1 Fee \$ 25.00

Received by 1 Date 10-26-73 Rel # 12567

NO Publication prepared by 1 Date 11-1-73

Published in Wood River Journal

Publication dates 11-8 & 11-15-73

Publication approved 1 Date 11-20-73

Priority reduced to _____ Reason _____

Protests filed by _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by 1 10

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 37-7310, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 75.
- Other. A measuring device of a type approved by this department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 6th day of December 19 73.

R. K. Hill
Director

AFFIDAVIT of PUBLICATION

State of Idaho,
County of Blaine

SS.

Nov 14 1973

Yordan D. Stinson, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Halley, County of Blaine, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 8th day of November 1973 and the date of the last publication was on the 15th day of November 1973

Subscribed and sworn to before me this 19 day of December 1973
(SEAL)

J. Schuster
NOTARY PUBLIC

WOOD RIVER JOURNAL Halley, Idaho COST OF PUBLICATION

Number of Lines in Notice	<u>41</u>	
Number of Insertions	<u>2</u>	
Lines tabular at		315c
<u>41</u> Lines straight at		21c <u>8.61</u>
<u>41</u> Subsequent lines at		15c <u>6.15</u>
TOTAL COST	<u>14.76</u>	


CITY OF BOISE (Folio 1100)

Notice of Publication for
TITLE OF CASE
State of Idaho
37-7310
PLAINTIFF'S OFFICE

DEFENDANT

PLAINTIFF

Dept. of Water Res.
BILL TO



37 7310

**NOTICE OF APPLICATION
FOR WATER PERMIT**

from OK 11-6-73

Notice is hereby given that Edward W. Stricker, Route 1, Box 130, Bellevue, Id., has on October 24, 1973 submitted Application No. 37-7310 for a permit to appropriate 46 cubic feet per second of water from groundwater by means of pump, well, pressure pipe, and sprinkler within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 24, T. 1N, R. 18E, B.M. Blaine County to be used from Jan. 1 to Dec. 31 for domestic and stockwater purposes, and from Apr. 1 to Nov. 1 for irrigation of 29 acres within the E $\frac{1}{2}$ NE $\frac{1}{4}$ Sec. 24, T. 1N, R. 18E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1941 Blues Lakes Blvd. North, Twin Falls, Idaho, 83301 on or before November 25, 1973.

R. KEITH HIGGINSON
Director

Published in the Wood River
Journal on November 8 and
November 15, 1973.

37-7310

September 28, 1987

EDWARD W. STRICKER
10767 STATE HWY. 75
BELLEVUE, ID 83313

RE: Permit No. 37-7310

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

OCT 02 1987

August 12, 1987

EDWARD W. STRICKER
10767 STATE HWY. 75
BELLEVUE, ID 83313

RE: Permit No. 37-7310

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

OCT 02 1987

CONVERSATION MEMORANDUM

DATE 7-31-87

FILE 37-7310

NAME OF PARTY ED STRICKER

EMPLOYEE Jim Johnson

RE: MR STRICKER CALLED AND AFTER
DISCUSSING THE ALTERNATIVES ELECTED TO NOT
PAY THE ADDITIONAL FEE.

MICROFILMED

OCT 02 1987



ate of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 29, 1987

RE: Permit No. 37-7310

Edward W. Stricker
10767 State Hwy. 75
Bellevue, ID 83313

Dear Permit Holder(s):

We are in the process of licensing the above referenced water right. You need to be aware that the amount of water to be licensed will be limited to 0.20 cfs rather than the 0.40 cfs which could be allowed under this right. The amount of water is being limited due to the amount paid as an examination fee. However, the license can be issued for the total 0.40 cfs if an additional exam fee is paid along with a late payment penalty.

The additional exam fee required to cover the 0.20 cfs is \$50.00 and the late payment penalty is \$25.00, for a total of \$75.00.

The Department will hold action on licensing this right for 30 days to allow you to submit the above fee. If we do not receive the additional fee, we will proceed with licensing the water right for the limited amount of water.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

MICROFILMED

OCT 02 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. **Measurement Calculations**

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{3.0 \times 17 = 51.0} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{0.20 \times 1.9835 \times 214 = 84.9} \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}} \end{aligned}$$

c) Volume Calculations for Other Uses:

2. **Overlap Review**

- a) Other water rights with same place of use: Big Wood River
37-0353A, 37-8012, 37-7818
37-0353B - Big Wood River
- b) Other water rights with same point of diversion: none

- c) Analysis: Recommend R29 for P/U overlaps
w/ Big Wood River rights

MICROFILMED

OCT 02 1987

10 day
~~EE~~

- Date 7/27/87

RECEIVED

MAY 01 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT Department of Water Resources

A. GENERAL INFORMATION


1. Owner: EDWARD W. STRICKER Permit No. 37-7310
Current Address: Rt 1, Bx 130, Bellevue, Ida Phone No. 208 788-2781
2. Accompanied by: Edward W. Stricker EXAM. DATE: 8-6 86
Address: _____ Phone No. 208-788-2781
Relationship to Permit Holder: _____
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 1:24550

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

FILED
OCT 02 1987

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Well Guard Control	15	30419-901-50		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SE	NE	24	1N	18E	Blaine	

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1N	18E	24	10			7													17
						D													
			(5)			(5)													

MICROFILMED

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MANOMETER Meas. $43.9 - 36.4 = 7.5$ " Reading w/ 4.026"
ANNULAR = 0.40 CFS.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 17.0 \text{ Ac.} \times 3 = 51.0 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.40)(215)(1.9835) = 174.84$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 51.0 \text{ AFA.}$

2. Volume Calculations for Other Uses:

Domestic .04 cfs 1.2 AFA

Stockwater 10 horses x 12 gpd = 120

R. cattle 25 hd x 12 " = 300

$(.04 \times 0.0134) = .000536$
 $300 \times .000536 = 0.1608$
 $120 \times .000536 = 0.06432$
 $0.1608 + 0.06432 = 0.22512$
 $0.22512 \times 1.9835 = 0.447$

MICROFILMED

OCT 02 1987

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Wheel lines are used to Irrigate the ground being Irrigated.

(2) 200 gal watering trough at the house

lin shall reflect not more than 1/4 in. nor exceed capacity of System when all user are being used.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Livestock	1-1	12-31	0.02 cfs.	0.5
Domestic	1-1	12-31	0.04 cfs.	1.2
Irrigation	4-1	11-1	0.34 cfs.	51.0
Totals:			0.40 cfs.	52.7 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name GARY FUNDERBURG

Signature Gary Funderburg

Certification Date _____

Field Report Preparation Date _____

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

OCT 02 1987

Form 219-Supp.
6/83

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Gary Funderburg Date _____
Owner: _____ Permit No. 37-7310

Description of well &/or measuring site
- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

well diverts into main line and was measured
10' from well. Pump motor Submersible.
wheel line

Measured inside diameter of pipe in inches (A) 4"

Size of Annubar used in test _____ State ID No. 191753

Model No. of Annubar Meter Used 73
(Model No. = 75 for 6" and larger)
(Model No. = 73 for 4")

Size Eagle Eye Meter Used manometer State ID No. _____

Date of Last Calibration of Meter _____

Observed inches of H₂O read on Meter (B) 7.5

Flow Correction Factor (From Calibration Graph)
(Use 1 if Error is ± 2% at observed pressure) (K) 1


Select C based on Annubar Model No.

If Model No. = 75, then C = 3.85

If Model No. = 73, then C = 4.14

CALCULATION: $\frac{K (A^2) (\sqrt{B}) C}{448.8} =$ (C) 4.14
0.40 cfs measured

SKETCH (If not shown on Field Report):



MICROFILMED
OCT 02 1981

13 18
24 19

Township
1
North

Range
18
East

A-143

A-177

F
1179

G
6.5


MICROFILMED

OCT 02 1987

NOT TO SCALE

Edward W. Stricker 37-7310

Lands Irrigated by wheel lines



location of livestock
usage,

REPRODUCED

OCT 02 1981

CALCULATION OF NEW PRIORITY DATES
LATE EXAM FEES

FOR PERMIT NO. 37-7310 *Sticker*

BY: *LH*

	<u>DATE</u>	<u>NUMBER OF DAYS</u> <u>(From Table of Days</u> <u>Between Two Dates)</u>
A. EXAMINATION FEE NOTICE SENT	<u>4/30/86</u>	<u> </u>
B. DATE FEE DUE (60 days)	<u>6/29/86</u>	<u>60</u>
C. DATE FEE RECEIVED	<u>6/11/86</u>	<u> </u>
D. NUMBER OF DAYS LATE (C - B)		<u>- 0 -</u>
E. ORIGINAL PRIORITY DATE (Check Reinstatement, etc.)	<u>6/10/83</u>	<u> </u>
F. NEW PRIORITY DATE (D + E)	<u>6/10/83</u>	<u> </u>

REMARKS:

Reinstated Permit.

MED

OCT 02 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

37.7310

Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED

MAY 01 1987

A. Prior to Conducting the Exam, the File Contains:

- ☐ Blank Field Report Form
- ☐ Copy of Permit
- ☐ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report
- ☐ Copy of U.S.G.S. Quad
- ☐ Check for Government Lots. If so, make a copy of Government Plat

Department of Water Resources

Check of P/D index 10/3/86 AJ (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index AJ 10/3/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? AJ 10/3/86 (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed AJ 10/3/86 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent JS 10-6-86 (Initial and date)

Exam Reviewed by Manager of Regional Office JS 11/8/86 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

4/86

RECEIVED

JUN 17 1986

Department of Water Resources
STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only

Fee Received 50.00

Date 6/16/86

Receipt # 40177

Receipt by M. Baldwin

Sent to S.O. 6/16/86

RECEIVED

JUN 11 1986

1. Permit No. ~~37-7310~~ 37-7310

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE Department of Water Resources

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: EDWARD W. STRICKER

3. Post Office Address: 10767 STATE HWY 75 BELLEVUE ID 83313

Telephone No. 788-2781

4. Source of Water: _____

5. Extent of Use:

Domestic ✓ 1 (No. of households) Stockwater ✓ 4 HORSES (No. and type of stock)

Irrigation 20 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 15 cfs 15 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1974

8. Person to contact to accompany the department representative during the field examination:

SAME

(Name)

RECEIVED

(Address)

OCT 02 1987

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date

6-10-86

Edward W. Stricker
Signature of Permit Holder (and title, if appropriate)



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720

37-7310
STRICKER, EDWARD W.
RT. 1 BOX 130
BELLEVUE, ID 83313

138678

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

MICROFILMED
OCT 02 1986

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECEIVED
OCT 02 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED

OCT 02 1987

March 29, 1984

RE: Permit No. 37-7310

Edward W. Stricker
Rt. 1, Box 130
Bellevue, ID 83313

Dear Mr. Stricker:

We acknowledge receipt of the statement of beneficial use postcard and the supporting documentation for reinstating the above referenced permit. Enclosed is a copy of the Order of Reinstatement. Please note that the priority date has been advanced to June 10, 1983.

Before a license can be issued, a field examination will be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you or a representative may show him the system.

If you have any questions regarding this matter, please contact this office or our Southern Regional Office at 734-3578.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc
Enclosure



Reinstatement Review

P.N. 37-7310

Proof Due : 1/1/75
Proof Received : 6/10/83
Proof Letter Sent : 11/1/74
Lapse Letter Sent : 1/7/75

Supporting Info.

Well estimate from well driller 6/9/83
(20 acres irrig.)

Irrig. Info & Meter/Billing Info sheets 6/8/83
(Irrig. yr 1982 30 acres)
20 acres listed on permit

Reason for not submitting proof in a timely fashion :

MEMORANDUM

TO: File 37-7310

FROM: Jim Johnson 

DATE: March 23, 1984

RE: Reinstatement of Lapsed Permit


Mr. Strickler was in today and explained why the proof to beneficial use card was not sent.

Mr. Strickler had a friend who was an attorney who also had filed for a water permit at the same time that Mr. Strickler had. When the correspondence was sent requesting the submittal of the proof to beneficial use, Mr. Strickler's friend had agreed to follow up on the necessary requirements to perfect the water right.

Mr. Strickler, not hearing anything further, had assumed that the water permit was in good standing and that everything was in proper order.

It wasn't until the notice of the Claims Program deadline sent to all land owners in 1982 that Mr. Strickler decided to check on the status of his water right. Whereupon, he discovered that his permit was still lapsed.

I have read the above and agree that it is a true and correct statement as to why the filing of proof to beneficial use was late.

x 
x 3-23-84

MICROFILMED

March 14, 1984

RE: Permit No. 37-7310

Edward W. Stricker
Rt. 1, Box 130
Bellevue, ID 83313

Dear Mr. Stricker:

We acknowledge receipt of the statement of beneficial use postcard and the supporting evidence for reinstating the above referenced permit. However, before further review and processing can continue, an additional piece of information is required. You need to submit reasonable cause for filing the proof late, as stated in Section 42-218a, Idaho Code (copy enclosed).

Please submit this information to our office by April 1, 1984, so that processing can continue.

If you have any questions, please let us know.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

RECEIVED
MARCH 14 1984
WATER DISTRIBUTION
DIVISION

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 37-1310.

Name(s) of Permit Holder: EDWARD W STRICKER

Post Office Address: RT 1 Box 130

BELLEUE IDAHO Tel. No. 788-2781

Source of Water: WELL

Extent of Use: ☒ Domestic 1 (number of households)
☒ Stockwater (number and type of stock)
☒ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

2-83
Date

Edward W Stricker
Signature of Permit Holder

EDWARD E. STRICKER

RT 1 Box 130

BELLEVUE IDAHO

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

KEN SMITH WELL DRILLING

Box 1165
Hailey, Idaho 83333
788-3163

37-7310

WELL ESTIMATE

Edward Stricker
Rt. 1 Box 130
Bellvue Idaho

June 9, 1983

This is to verify that I drilled
a ten inch irrigation well for Ed Stricker
which I finished May 8, 1974 at that time
I installed a 15 H.P. pump which he has
been using to sprinkle his 20 acre pasture
and hay since that time.

Ken Smith
for Ken Smith Well Drilling

RECEIVED



IRRIGATION INFORMATION

06-08-83

ACCT NUMBER- 1751-005742-1 CUSTOMER NAME- STRICKER*ED
 ACCT STATUS- ACTIVE SERV LOCATION- HY0848S 0385S 810 *
 CONN/DISC- 05/17/83 SERV CTYSTZIP- BELLEVUE ID 83313
 CIS ACTIVITY- NONE PENDING RATE- 24

HORSEPOWER INFORMATION

HORSEPOWER INFO

HORSEPOWER #MOTORS

IRRIG YR- 82 KVA
 WATER SOURCE- W 1- 25.0
 SYSTYP- S 2- .0
 ACRES- 00030 3- .0
 LIFT- 0000
 DMD/HP COMP- 0
 KWH TAX REF- 8.61
 PROP TAX REF- 12.40

COMBINATION NO-
 FINANCE CODE- M
 NO CHECK CODE- 0

HORSEPOWER INFORMATION

HORSEPOWER INFO

HORSEPOWER #MOTORS

IRRIG YR- 83 KVA
 WATER SOURCE- W 1- 25.0
 SYSTYP- S 2- .0
 ACRES- 00030 3- .0
 LIFT- 0000
 DMD/HP COMP- 0
 KWH TAX REF- .00
 PROP TAX REF- .00

COMBINATION NO-
 FINANCE CODE- M
 NO CHECK CODE- 0

RECEIVED
 JUN 11 1983
 11:11 AM

METER AND BILLING INFORMATION

06-08-83

ACCT NUMBER- 1751-005742-1 CUSTOMER NAME- STRICKER*ED
 ACCT STATUS- ACTIVE SERV LOCATION- HY0848S 0385S 810 *
 CONN/DISC- 05/17/83 SERV CTYSTZIP- BELLEVUE ID 83313
 CIS ACTIVITY- NONE PENDING RATE- 24

IRREG USE- LARGE POWER- MULT FAM- 1 UNDERGRD-
 APT/MBL- TONS A/C- EST CNT- 0 CHANGE STATUS- 0
 # CHANGES- 0 ELEC HT- HIVLT- 0 METER LOC- S

METER NO	S	TYP	D	PH	F-SCL	CONST	INS/RM/CHG	T-YR	READ	CURR	PREV	DEMAND
006062	A	2	5	1	48.0	1	08/08/79		96368	96368		0

CONN LD- .0 MNTH MN- .00 FAC CHG- .00 REVENUE CLASS- 5

METER HISTORY INFORMATION

0	05/17	00	0	0	.00
0	05/17	00	0	0	.00
0	10/12	22	16	1,263	34.03
0	09/20	30	16	4,287	129.97
0	08/19	30	16	9,824	247.67
0	07/21	30	16	6,931	184.77
0	06/21	30	16	8,773	224.82
0	05/20	09	0	0	4.50
0	05/11	00	0	0	.00
0	10/19	00	0	0	.00
0	10/19	30	16	900	17.63
0	09/18	30	16	9,920	188.44
0	08/19	30	16	8,330	168.15

MICROFILMED



Cecil D. Andrus
Governor

R. Keith Higginson
Director

STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 384-2215

January 7, 1975

Re: Permit No. 37-7310

Edward W. Stricker
Route #1, Box 130
Bellevue, ID 83313

Dear Mr. Stricker:

You are hereby notified that unless the provisions of section 22-218a of the Idaho Code, Permit No. 37-7310 can lapse.

You are further advised that the permit cannot be renewed to the permit except upon a showing of reasonable cause within 90 days from the date of this notice of lapsing.


R. KEITH HIGGINSON
Director

RKH:jg

November 1, 1974

CERTIFIED MAIL

#36190

Re: Permit No. 37-7310


Edward W. Stricker
Route #1, Box 130
Bellevue, ID 83313

Dear Mr. Stricker:

One of the conditions of approval of your water Permit No. 37-7310 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before January 1, 1975. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:lg
Enc: Proof affidavit

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>jm</u>	<u>11-1-73</u>	Application No. <u>37-7320</u> <u>Edward W. Shickler</u>
(2)	<u>KOF</u>	<u>11-1-73</u>	☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>KLF</u>	<u>11-1-73</u>	In form to receipt Send Copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from: U.S.F.S. ☐ Request Easement from B.L.M. ☐ Request Information from Applicant
(5)	<u>KOF</u>	<u>11-1-73</u>	In form for advertising
(6)			Located within Water District No. _____
(7)			Critical groundwater area: yes _____ no ☒
(8)			Groundwater levels: _____ Decline (comment) _____ ☒ Stable (comment) _____ _____ Increasing (comment) _____
(9)			Comments: _____
(10)	<u>jm</u>	<u>11-20</u>	Affidavit of Publication received (date) _____
(11)			Final date for protests <u>November 26, 1973</u> Protests received: yes _____ no ☒
(12)			Date and Place of hearing _____ Decision reached at hearing _____
(13)			All requested information received from agencies or applicant yes ☒ no _____
(14)			Action recommended: ☒ Approve Priority <u>10-26-73</u> _____ Deny Reason for Reduction _____ ☒ Measuring device required _____ See attached sheet for additional conditions of approval _____ No additional conditions for approval
(15)	District <u>Southern</u>	By <u>Bob Hymn</u> (date <u>11-26-73</u>)	37 7310

December 18, 1973

Re: Permit No. 37-7310

•
Edward W. Stricker
Route 1, Box 130
Bellevue, Idaho 83313

Dear Mr. Stricker:

Enclosed is a copy of your approved Application for Permit No. 37-7310. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:cd

Enclosures

37 7310

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Edward W. Stricker

Route 1, Box 130, Bellevue, ID

has on October 26, 1973 submitted Application No. 37-7310

for a permit to appropriate .46 cubic feet per second ~~XXXXXXXXXXXXXXXXXXXX~~
of water from groundwater

by means of pump, well, pressure pipe, and sprinkler

within the SE1/4, Sec. 24, T. 1N, R. 18E, B.M., Blaine County

to be used from Jan. 1 to Dec. 31 for domestic and stockwater purposes, and
~~XXXX~~ from Apr. 1 to Nov. 1 for irrigation of 20 acres

within the SE1/4, Sec. 24, T. 1N, R. 18E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Administration, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho, 83301 on
or before November 26, 1973.

R. KEITH HIGGINSON

Director

Published in the Wood River Journal

on November 8 and November 15, 1973

37 7310