


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T6S R18E



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Allen L. Sorensen
(Applicant)

37 7197

RECEIVED

FEB 20 1973

Department of Water Administration
Southern District Office

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Glenn L. Sorensen, Route 1, Box 60, Dietrich, ID 83324 has on Jan. 23, 1973 submitted Application No. 37-7197 for a permit to appropriate 5.0 cubic feet per second of water from a groundwater source by means of well and pump within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 27, T. 6S, R. 18E, B.M., Lincoln County to be used from April 1 to Oct. 15 for the irrigation of 280 acres within the S $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 28; S $\frac{1}{2}$ NW $\frac{1}{4}$, N $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 27, T. 6S R. 18E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before Feb. 19, 1973.

R. KEITH HIGGINSON
Director

Published in the Lincoln County Journal, Shoshone, ID on Feb. 1 and Feb. 8, 1973

2-1-2tc

AFFIDAVIT OF PUBLICATION

LINCOLN COUNTY JOURNAL

Shoshone, Idaho 83352

Warlene Garbelle

Being first duly sworn, says that She is the

Managing Editor of

the Lincoln County Journal, a newspaper published weekly at Shoshone, Idaho, in Lincoln County and having legal publication rights within the State of Idaho, and that the notice, a true copy of which is hereto attached, was published in said newspaper for

two consecutive weeks, beginning with the issue of

February 1, 1973

and ending with the issue of

February 8, 1973

Warlene Garbelle

Subscribed and sworn to before me this

16th day of February, 1973

Jill MacFarlan

Notary Public, Shoshone, Idaho.

37 7197

T
6
S




Diagram of System

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 37-7197 Priority January 23, 1973 Amount 4.46 cfs

THIS IS TO CERTIFY, that GLENN L. SORENSEN
of Dietrich, Idaho, has complied with the terms and conditions of Permit
No. 37-7197 issued pursuant to Application for Permit dated January 23, 1973,
and has submitted proof to the Department of Water Resources on July 31, 1973,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 4.46 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>October 15</u>	at <u>4.46</u> cfs and	<u>1120 acre feet</u>
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 4.46 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1120 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 27, Twp. 6S,
Rge. 18E, B.M., in the County of Lincoln

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6S	18E	27							40	40	40	40		40					200
		28			40	40													80

Total number of acres irrigated 280

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29 day of

May, 19 79

Director

RECORDED IN MAPS 174

Identification No. _____
Application No. 37-7197

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Glenn L. Sorensen 541-2484
post office address Rt. 1, Box 60, Dietrich, ID 83324
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 27 Township 6S
Range 18E B.M. Lincoln County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 5.0 for Irrigation purpose from April 1 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 5.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. pump from well and sprinkled on land

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 20 inches; proposed depth of well is 220 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ 42,000.00 including sprinkling system
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

37 7197

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6S	18E	28			40	40													80
6S	18E	27							40	40	40	40		40					200

Total number of acres to be irrigated 280


c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T6S R18E



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Alvin L. Sorensen
(Applicant)

Received by RM Date 1-23-73 Time 4:00 PM
Preliminary check by RM Fee \$ 65⁰⁰ 95.32
Receipted by RM Date 1-23-73
Publication prepared by alw Date 1-24-73
Published in Lincoln County Journal, Shoshone, ID
Publication dates 2-1 & 2-8-73
Publication approved alw Date 2-20-73
Priority ~~reduced~~ to 1-23-73 Reason _____

Protests filed by: _____

Copies of protests forwarded by: _____
Hearing held by: _____ Date: _____
Recommended for (approval) denial by 3DF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-7197, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 78.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 7th day of March, 19 73.

L. Karl Higin
Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)			Application No. <u>37-7197</u> Name <u>Glenn L. Sorensen</u>
(2)	<u>PLA</u>	<u>1-23-73</u>	Check: ☒ Signature ☐ Point of Diversion ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☐ Time required for C/W and application of water to B/U ☒ Place of Use ☐ Map ☒ Fee
(3)			Send copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M.
(5)	<u>PLA</u>	<u>1-23-73</u>	In form for advertising
(6)	<u>alw</u>	<u>2-20-73</u>	Affidavit of Publication received
(7)			Final date for protests <u>Feb. 19, 1973</u> Protests received: yes ☐ no ☒
(8)			Date and Place of hearing Decision reached at hearing
(9)			Located within Water District No.
(10)			Critical groundwater area: yes ☐ no ☒
(11)			Groundwater levels: ☐ Decline (comment) ☒ Stable (comment) <u>GW Levels 1972</u> ☐ Increasing (comment)
(12)			Comments:
(13)			Action recommended: ☒ Approve Priority <u>1-23-73</u> ☐ Deny Reason for Reduction ☒ See attached sheet for conditions of approval ☐ No conditions for approval
(14)			District <u>Southern</u> By <u>Bob Haynes</u> Date <u>2-21-73</u> Title <u>Dist. Eng.</u>

Mar 2
Department of Water Administration
37 7197

RECOMMENDED

CONDITIONS OF APPROVAL

☒ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.

☐ Maximum rate of diversion shall not exceed _____ c.f.s.

☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.

☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.

☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.

☐ The proposed well shall not be drilled within _____ feet of another well.

☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.

☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.

☐ Other: _____

RECEIVED

FEB 20 1973

Department of Water Administration
Southern District Office

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Glenn L. Sorensen, Route 1, Box 60, Dietrich, ID 83324 has on Jan. 23, 1973 submitted Application No. 37-7197 for a permit to appropriate 5.0 cubic feet per second of water from a groundwater source by means of well and pump within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 27, T. 6S, R. 18E, B.M., Lincoln County to be used from April 1 to Oct. 15 for the irrigation of 280 acres within the S $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 28; S $\frac{1}{2}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 27, T. 6S, R. 18E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before Feb. 19, 1973.

R. KEITH HIGGINSON
Director

Published in the Lincoln County
Journal, Shoshone, ID on Feb. 1 and
Feb. 8, 1973

2-1-2tc

AFFIDAVIT OF PUBLICATION

LINCOLN COUNTY JOURNAL

Shoshone, Idaho 83352

Warlene Harkell

Being first duly sworn, says that She is the

Managing Editor of

the Lincoln County Journal, a newspaper published weekly at Shoshone, Idaho, in Lincoln County and having legal publication rights within the State of Idaho, and that the notice, a true copy of which is hereto attached, was published in said newspaper for

two

consecutive weeks, beginning

with the issue of

February 1

1973

and ending with the issue of

February 8

1973

Warlene Harkell

Subscribed and sworn to before me this

16th


day of

February

1973

John MacFarlan

Notary Public, Shoshone, Idaho.



37 7197

May 30, 1979

Re: Permit No. 37-7197

Glenn L. Sorenson
Route #1, Box 60
Dietrich, ID 83324

Dear Mr. Sorenson:

Enclosed is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:lr

Enclosure

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Allred
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

April 23, 1979

Re: Permit No. 37-7197

Glenn L. Sorensen
Route #1, Box 60
Dietrich, Idaho 83324

Dear Mr. Sorensen:

A representative of this Department made an examination of the works covered by your Permit No. 37-7197 on April 21, 1977, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 4.46 cfs Source: groundwater

The maximum quantity diverted shall not exceed 1120 acre feet per
year.

Point of diversion: SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 27, Twp. 6S, Rge. 18E, B. M.

Beneficial use: Irrigation of 280 acres within the S $\frac{1}{2}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$,
Sec. 27, S $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 28, Twp. 6S, Rge. 18E, B. M.

Priority date established: January 23, 1973

If you do not concur with these findings please contact us within 10 days, otherwise a
water license will be issued as set forth above.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw

MICROFILM

DEPARTMENT OF WATER ADMINISTRATION

FIELD REPORT

RECEIVED

AUG 14 1973

1. Name of permit holder Glenn L. Sorensen
 Post office address Route #1, Box 60, Dietrich, Idaho 83324
 Person to contact _____
 Department of Water Administration
 Phone Southern District Office
544-2484

2. Source of water supply: Groundwater ☒ Surface water ☐
 (name spring, stream, etc.)
 Tributary to _____

3. Water will be used for the following purposes:

Amount 5.0 c.f.s. for irrigation
 _____ AF/Annum (nature of use)

Period of Use: from April 1 to Oct. 15
 (mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
 (mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
 (mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 37-7197
 Examination for b/u

4. Total amount to be appropriated:

Max Rate of Diversion 5.0 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 6S N/S, Range 18E E/W, B.M., Section 27, Subdivision SW $\frac{1}{4}$ NW $\frac{1}{4}$ Lincoln
 County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____
 County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____
 County

Other Points of Diversions: _____

Description of diverting works: 200 hp electric motor, 14" pump, 18" drilled hole, 211' deep and sprinkle on ground.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6S	18E	28			40	40													80
		27							40	40	40	40		40					200

MICROFILMED

T
6
S




Diagram of System

DATE OF EXAM 4-21-77

ACREAGE
Found 280
Recommended 280

Irrigation Requirement 4.0 Ac Ft/Ac

USE
Irrigation Q = 4.46 c.f.s. V = 1120.0 AF/Ann. from 4-1 to 10-15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 2000 gal/min = 4.46 cfs Method of measurement McCrometer

Total Q recommended 4.46 cfs Meter No. 73-12-131 Type 18" Condition New

Total V recommended 1120.0 Ac Ft/ANN

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

Measured: $2000 \text{ gal/min} \div 448.8 \frac{\text{gal}}{\text{cfs}} = 4.46 \text{ cfs}$
Allowed: 4.46 cfs
Volume: $1120 \text{ Ac Ft/ANN} \times (280 \text{ Acres}) (4.0 \text{ Ac Ft/Ac})$

SYSTEM DESCRIPTION:

G.E. Motor 200 hp. Serial # AJJ131114
Singer Pump. Sprinkler System (4) wheel lines
14 Hand lines 1/4 mile each w/ 9/64 & 5/32 Nozzles
System was @ capacity flow.

REMARKS:

Glenn Sorensen was present during field Exam.

Examiner's Signature Sam Sundberg Date 4-21-77
Checked by Allen Merritt Date 8/26/77
Approved by Michael L. Steel Date 12-29-77

August 10, 1973

Re: Permit No. 37-7197

Glenn L. Sorensen
Route #1, Box 60
Dietrich, Idaho 83324

Dear Mr. Sorensen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field exam, please contact our Southern District Office at 1041 Blue Lakes Blvd., North, Twin Falls, Idaho.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JC

37 7197

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Identification No. _____

Permit No. 37-7197

RECEIVED
JUL 31 1973

Department of Water Administration

1. a) Name of Permit Holder Glenn L Sorensen
b) Post Office Address Rte 1 Box 60 Dietrich Ida. 83324
2. Permit Number 37-7197
3. Date of Priority that you are prepared to establish June 1, 1973
4. a) Source from which water was appropriated Ground water (well)
b) Location of the point of diversion: SW 1/4 NW 1/4, Section 27
Township 6S, Range 18E Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:
amount 5 for Irrigation purposes from April 1 to Oct 15 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated _____ cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Displacement test by Layne Pump Co.

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 200 HP Electric Motor, 14" inch pump, 18 inch drilled hole, 211 feet deep and Sprinkle on Ground.
b) Describe the type and size of measuring device which you have installed at your point of diversion: 12" MCO 1400 McCrometer flow meter
c) Give well drillers name and address and date the well was completed Kenneth R. Smith
Dietrich, Idaho 83324
May 1, 1973

37 7197

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6 S	18 E	27			~~40~~ 40				40	40	40	40	40						200
6 S	18 E	28			40	40													80

Total number of acres irrigated 280

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

July 24 - 1973 Glen L. Sorensen
 (Date) (Signature)

State of Idaho)
 County of Lincoln) ss.

On this 30th day of July, 19 73, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Lance M. Haddock

 Magistrate, Lincoln County, Idaho.

My commission expires _____

March 7, 1973

Re. Permit No.: 37-7197

Glenn L. Sorensen
Route 1, Box 60
Dietrich, Idaho 83524

Dear Mr. Sorensen:

Enclosed is a copy of your approved Application for Permit No. 37-7197 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF: cd

Enclosures

37 7197

February 20, 1973

RE: Application No. 37-7197 - Glenn L. Sorensen

Lincoln County Journal
119 West A
Shoshone, ID 83352

Gentlemen:

Would you please submit an affidavit of publication in connection with the above referenced item. The legal notice was to have been published in your paper on Feb. 1 and Feb. 3, 1973.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

Bob Haynes
District Engineer
Southern District

BH:alw

37 7197

January 26, 1973

Re: Application No. 37-7197 - Glenn L. Sorensen

Lincoln County Journal
119 West A
Shoshone, ID 83352

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

" I hereby certify that the foregoing account is just and correct,
that the amount claimed is legally due, after allowing all just
credits, and that no part of the same has been paid. "

(signature of claimant)

Very truly yours,

Bob Haynes
District Engineer
Southern District

Bill submitted 2-6-73 by alw

BH:alw

Enc: Legal Notice

37 7197

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Glenn L. Sorensen,
Route 1, Box 60, Dietrich, ID 83324
has on Jan. 23, 1973 submitted Application No. 37-7197
for a permit to appropriate 5.0 cubic feet per second XXXX XXXX XXX XXXXX
of water from a groundwater source
by means of well and pump
within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 27, T. 6S, R. 18E, B.M., Lincoln County

to be used from April 1 to Oct. 15
for the irrigation of 280 acres
within the S $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 28; S $\frac{1}{2}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 27, T. 6S, R. 18E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301
on or before Feb. 19, 1973.

R. KEITH HIGGINSON

Director

Published in the Lincoln County Journal, Shoshone, ID
on Feb. 1 and Feb. 8, 1973

37 7197

December 18, 1972

Glen Sorensen
Route 1, Box 60
Dietrich, ID 83324

Dear Mr. Sorensen:

Enclosed please find an Application for Permit with instructions which you requested by phone.

If we can be of any further assistance, please feel free to contact our office.

Very truly yours,

Bob Haynes
District Engineer
Southern District

BH:alw

Enc.

37-7197