


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

CITY OF KETCHUM

L. W. Richey
(Applicant) mayor

37 7110

RECEIVED

AUG 9 1972

Department of Water Administration
Southern District Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Blaine, } ss.

GEORGE T. FRITZ, being first duly sworn deposes and says that he is now and all times herein mentioned has been the Editor and Publisher of the Wood River Journal (formerly The Hailey Times) which is now, and all times herein mentioned has been a newspaper as defined in Section 60-106 of the Idaho Code printed, regularly issued and published weekly at Hailey, in Blaine County, Idaho, and having a general circulation in said county, and having not less than 200 bona fide subscribers living within said county, and that said newspaper has been continuously and uninterruptedly so printed and published as a weekly newspaper in said county during the period of 78 consecutive weeks prior to the first publication of the annexed true copy and at all times since, and that said annexed true copy was so published in the regular edition of said newspaper, the Wood River Journal, and not in any supplement thereof, for two consecutive weeks commencing with the first publication thereof on the 27th day of JULY, 19 72 and ending with the last publication thereof on the 3rd day of AUGUST, 19 72.

Cost of this publication is \$ 9.82

George T. Fritz
GEORGE T. FRITZ

Subscribed and sworn to before me, this 4th day of AUGUST, 19 72.

Roberta J. Fischer
Notary Public for Idaho
Residing at Hailey,
Blaine County, Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that the City of Ketchum, Ketchum, Idaho has on July 11, 1972 submitted Application No. 37-7150 for a permit to appropriate 0.30 cubic feet per second of water from a groundwater source by means of pump within the NW 1/4, NE 1/4, Sec. 13, T. 4N, R. 17E, B. M., Blaine County to be used from April 1 to Oct. 15 for the irrigation of 15 acres within the NE 1/4, Sec. 13, T. 4N, R. 17E, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Blvd North, Twin Falls, ID 83301, on or before August 14, 1972.

R. KEITH HIGGINSON
Director

Published in the Wood River Journal, Hailey, Idaho on July 27 and August 3, 1972.

37 7150


T
4
N

Diagram of System

State of Idaho

Department of Water Administration

WATER RIGHT LICENSE

License of Water Right No. 37-7150 Priority July 16, 1972 Amount 0.30 cfs

THIS IS TO CERTIFY, that the CITY OF KETCHUM
of Ketchum, Idaho, has complied with the terms and conditions of Permit
No. 37-7150 issued pursuant to Application for Permit dated July 11, 1972,
and has submitted proof to the Department of Water Administration on September 6, 1973 (late proof),
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.36 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use &
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>Oct. 15</u>	at <u>0.30</u> cfs and	<u>45 acre feet or</u>
	from _____ to _____	at _____ cfs and	<u>3.0 af per acre</u>
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.30 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
45 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 13,
Twp. 4 N, Rge. 17 E, B.M. in the County of Blaine

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
4 N	17 E	13	3 $\frac{1}{2}$	4	4	3 $\frac{1}{2}$													15

Total number of acres irrigated 15

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29 day of
November, 19 73.

Director

37 7150

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 37-7150)
IN THE NAME OF CITY OF KETCHUM)

ORDER OF REINSTATEMENT

WHEREAS, on July 14, 1972, the City of Ketchum filed with the Department of Water Administration an application for permit to appropriate 0.30 cubic feet per second of water from a ground water source within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 13, Twp. 4 N, Rge. 17 E, B. M., Blaine County, to be used for irrigation purposes; and,

WHEREAS, on August 31, 1972, the Department approved said application and issued Permit No. 37-7150 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before September 1, 1973; and,

WHEREAS, on July 2, 1973, the Department notified the permit holders by certified mail that proof of beneficial use was due and instructed the permit holders as to the steps to be taken to make said proof; and,

WHEREAS, on August 14, 1973, the Department received an unacceptable proof of beneficial use of water affidavit from the permit holders; and,

WHEREAS, Permit No. 37-7150 automatically lapsed on September 1, 1973; and,


WHEREAS, on September 6, 1973, the Department received an acceptable proof affidavit from the permit holders; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 37-7150 be REINSTATED and the priority advanced to July 19, 1972.

Dated this 17 day of September, 1973.


R. KEITH HIGGINSON
Director

37 7150

MICROFILMED
jc

Identification No. _____

Application No. 37-7150

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

APPROVED

LICENSE ISSUED FOR 30 90 71
LICENSE PAGE NO. _____

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant City of Ketchum
post office address Ketchum Idaho 83340
2. Source of water supply Ground Water which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 13 Township 4 North
Range 17 East B.M. Blaine Co. County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.30 0.30 cfs for Irrigation purpose from April 1st to Oct 15th (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.30 0.30 0.30 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 7 1/2 HP Pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 8 in inches; proposed depth of well is 50 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years.
b. Estimated construction cost is \$ 15,000.
8. Description of proposed uses: Irrigate about 15 acres of grass for City of Ketchum, s public park
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 13 Township 4 North
Range 17 East B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served Ketchum Idaho, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

37 7150

Received by ey Date 7-11-72 Time 3:30 pm
Preliminary check by D Fee \$ 25.00
Receipted by ey Date 7-11-72
Publication prepared by alw Date 7-21-72
Published in Wood River Journal, Hailey, Idaho
Publication dates 7-27 & 8-3-72
Publication approved alw Date 8-9-72
Priority reduced to 7-1-72 Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by D BDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-7150, and said application is hereby APPROVED.


1. Approval of said application is subject to the following limitations and conditions:
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 73.
 - c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 31 day of August 19 72.

[Signature]
Director

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

CITY OF KETCHUM

[Signature]
(Applicant)
mayor

37 7110

RECEIVED

AUG 9 1972

Department of Water Administration
Southern District Office

AFFIDAVIT OF PUBLICATION


STATE OF IDAHO, }
County of Blaine, } ss.

GEORGE T. FRITZ, being first duly sworn deposes and says that he is now and all times herein mentioned has been the Editor and Publisher of the Wood River Journal (formerly The Hailey Times) which is now, and all times herein mentioned has been a newspaper as defined in Section 60-106 of the Idaho Code printed, regularly issued and published weekly at Hailey, in Blaine County, Idaho, and having a general circulation in said county, and having not less than 200 bona fide subscribers living within said county, and that said newspaper has been continuously and uninterruptedly so printed and published as a weekly newspaper in said county during the period of 78 consecutive weeks prior to the first publication of the annexed true copy and at all times since, and that said annexed true copy was so published in the regular edition of said newspaper, the Wood River Journal, and not in any supplement thereof, for two consecutive weeks commencing with the first publication thereof on the 27th day of JULY, 19 72 and ending with the last publication thereof on the 3rd day of AUGUST, 19 72.

Cost of this publication is \$ 9.82


GEORGE T. FRITZ

Subscribed and sworn to before me, this 4th day
of AUGUST, 19 72.


Notary Public for Idaho
Residing at Hailey,
Blaine County, Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that the City of Ketchum, Ketchum, Idaho has on July 11, 1972 submitted Application No. 37-7150 for a permit to appropriate 0.30 cubic feet per second of water from a groundwater source by means of pump within the NW 1/4, NE 1/4, Sec. 13, T. 4N, R. 17E, B. M., Blaine County to be used from April 1 to Oct. 15 for the irrigation of 15 acres within the NE 1/4, Sec. 13, T. 4N, R. 17E, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Blvd North, Twin Falls, ID 83301, on or before August 14, 1972.

R. KEITH HIGGINSON
Director

Published in the Wood River Journal, Hailey, Idaho on July 27 and August 3, 1972.

37 7150



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

37-7150

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 5, 1984.

Mr. James W. Phillips
City Attorney
P. O. Box 2315
Ketchum, ID 83340

Dear Mr. Phillips:

I researched our records for water rights with diversions from groundwater sources (wells) within the legal descriptions you related in our telephone conversation of April 4. Listed below are the legal descriptions of the lands researched along with the water right identification number and/or comments:

T. 4 N., R. 17 E.

Sec. 12: NE $\frac{1}{4}$ SE $\frac{1}{4}$ -- No valid water rights were found in Department records for diversions from wells.

Sec. 12: SW $\frac{1}{4}$ SE $\frac{1}{4}$ -- Claim 37-4316 in the name of Ramona Water Co. for two wells.

-- License 37-7397 in the name of Ketchum Presbyterian Church.

-- Application 37-8128 in the name of William D. O'Neill/
Patritia O'Neill.

✓ Sec. 13: NW $\frac{1}{4}$ NE $\frac{1}{4}$ -- License 37-7150 in the name of the City of Ketchum.

-- Permit 37-7682 in the name of the City of Ketchum.
The permit also describes points of diversion within the NW $\frac{1}{4}$ SE $\frac{1}{4}$ and the SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 12, T. 4 N., R. 17 E.

Mr. James W. Phillips

2

April 5, 1984

If you have any questions or need further assistance, please do not hesitate to contact us.

Sincerely,

Roberta Garrett

ROBERTA GARRETT
Records Supervisor

44-111-1000

On this 5th day of April 1984 I, Roberta Garrett,

do hereby certify that to the best of my knowledge there are no valid water right filings recorded with Idaho Department of Water Resources with points of diversion from groundwater (wells) within the following legal description:

Township 4 North, Range 17 East

Section 12: NE $\frac{1}{4}$ SE $\frac{1}{4}$

RECORDED

On this 5th day of April 1984, I, Roberta Garrett,
do hereby certify that the water right filings listed by identification number
describe points of diversion for groundwater (wells) within the following legal
descriptions and are recorded with Idaho Department of Water Resources.

Township 4 North, Range 17 East

Section 12: SW $\frac{1}{4}$ SE $\frac{1}{4}$ -- Claim 37-4316
-- License 37-7397
-- Application 37-8128

Section 13: NW $\frac{1}{4}$ NE $\frac{1}{4}$ -- License 37-7150
-- Permit 37-7682

RECORDED
1984 APR 11

ACT
ION

N OWNER LAST NAME - CITY OF KETCHUM

CITY - KETCHUM

STATE - ID

N SOURCE - GROUNDWATER

N STAGE - LICENSE

PRIORITY - 07-16-1972

COUNTY - BLAINE

TOTAL DIV. RATE -

.3000CFS

N TOTAL DIV. VOLUME - 45.00 AFA

N DIVERSION POINT - NWNE 13 04N 17E

N FROM - 04-01 TO - 10-15 USE - IRRIGATION

USE DIV. RATE -

.3000CFS

USE DIV. VOLUME -

45.00 AFA

N USE - IRRIGATION

PLACE OF USE - TWN 04N RNG 17E SEC 13 TRACT NENE

AC 04 TRACT NWNE

AC 04

N TRACT SWNE

AC 04 TRACT SENE

AC 04

N REMARKS - TOTAL AC. IRR. = 15.

N

COND. OF APPRVL - 01

N

3/79

IDENT. NO. 37-7150

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse — Annex 2
Boise, Idaho 83720
(208) 384-2190



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

November 30, 1973

Re: Permit No. 37-7150

City of Ketchum
Ketchum,
Idaho 83340

Gentlemen:

Enclosed herewith is a copy of the Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

Enclosure

37-7150

RECEIVED

TOTAL ACREAGE _____ **15**

T
4
N




Diagram of System

DATE OF EXAM 10-29-73

ACREAGE

Found 15
Recommended 15

Irrigation Requirement 3 Ac Ft/Ac

USE

Irrigation Q = .30 c.f.s. V = 45 AF/Ann. from April-1 to Oct 15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured .36 c.f.s. Method of measurement Badger meter

Total Q recommended .30 c.f.s. Meter No M0539137 type 4" Condition New

Total V recommended 45 Ac Ft/ANN

Recommended Amendments:

P.D. N/A
Place of Use N/A
Other N/A
None N/A

MEASUREMENT CALCULATION:

$Q = (160 \text{ gal/min} \div 448.8) = .36 \text{ c.f.s.}$
 $V = (.30 \text{ c.f.s.} \times 15 \text{ Acres}) = 45 \text{ Ac Ft/ANN.}$

SYSTEM DESCRIPTION:

Submersible pump # DF 1604 / Swanson Co T.F.I.
160 gal/min. Sprinkler System

REMARKS:

Examiner's Signature James Lindenberg Date 10-22-73

Checked by RO Flawender Date 10-29-73

Approved by _____ Date _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Identification No. _____

Permit No. 37-7150

SEP 6 1973

Department of Water Administration

1. a) Name of Permit Holder City of Ketchum

b) Post Office Address Ketchum, Idaho 83340

2. Permit Number 37-7150

3. Date of Priority that you are prepared to establish Sept. 1st, 1972

4. a) Source from which water was appropriated GROUND WATER

b) Location of the point of diversion: NW 1/4 NE 1/4, Section 13

Township 4 NORTH, Range 17 EAST Boise Meridian, Other points of diversion: _____

BLAINE COUNTY

5. a) The amount of water and use to which the water has been applied:

amount .03 CFS for IRRIGATION purposes from APRIL 1st to OCT 15th incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated .03 CFS cfs and/or acre feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) _____

PUMP SIZE 4 INCH 10 INCH CASING

MOTOR SIZE 7 1/2 H.P. 80 FT. DEEP

b) Describe the type and size of measuring device which you have installed at your point of diversion: _____

BADGER FLO. METER MDIM 4 INCH #MO539137 TESTED by J.K. 8-15-72

c) Give well drillers name and address and date the well was completed _____

EUGENE WALKER 624 PIERCE TWIN FALLS, IDAHO AUG. 22, 1972

9/18/73 J.C.

37 7150

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

TWP.	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4	N01	17ea	13	3	4	4	3												14 ACRES

Total number of acres irrigated 14

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

August 17, 1973
(Date)

CITY OF KETCHUM, IDAHO
K. W. Richey
(Signature)

Mayor

State of Idaho
County of Blaine

On this 20th day of August, 1973, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Robert M. McLean
Notary Public residing at Idaho Falls, Idaho

My commission expires 11/1/73

September 18, 1973

Re: Permit No. 37-7150

City of Ketchum
Ketchum,
Idaho 83340

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit. Enclosed please find an Order of Reinstatement; note that the priority has been advanced to July 19, 1972.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field exam, please contact our Southern District Office at 1041 Blue Lakes Blvd. North, Twin Falls, Idaho.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JC
Enclosure

37 7150

August 14, 1973

Re: Permit No. 37-7150

City of Ketchum
Attn: Betty A. Coles, City Clerk
Ketchum, Idaho 83340

Dear Ms. Coles:

We are in receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

However, we cannot accept this proof unless it is signed by a Notary Public. Therefore, we are returning this proof affidavit, with a blank form, to be completed and signed.

Please return the notarized affidavit on or before September 1, 1973.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:JC

Enc: Proof affidavit (Permit #37-7150)
Blank proof affidavit

37 7150

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)
(Additional charges required for these services)

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

CERTIFIED NO.

1

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

2

DATE DELIVERED

SHOW WHERE DELIVERED (Only if requested and include ZIP Code)

3

7-3-73

L

97-7450

U.S. POSTAL SERVICE
OFFICIAL BUSINESS



Postmark of Delivering Office

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.

- ↓
- If special services are desired, check block(s) on other side.
 - Moisten gummed ends and attach to back of article.

**RETURN
TO**

DEPARTMENT OF WATER ADMINISTRATION

STATEHOUSE - ANNEX #2
BOISE, IDAHO 83707

37 7 10

July 2, 1973

Certified Mail # 24613

Re: Permit No. 37-7150

City of Ketchum
Ketchum,
Idaho 83340

Gentlemen:

One of the conditions of approval of your water Permit No. 37-7150 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before September 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

37 7150

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
SOUTHERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

1041 Blue Lakes Boulevard North
Twin Falls, Idaho 83301
(208) 734-3578

RECEIVED

MAR 22 1973

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

Department of Water Administration
Southern District Office

March 19, 1973

37-7150

Ketchum City Park
Ketchum, Idaho
83340

Gentlemen:

We have received a well drillers report indicating that a well was drilled for you in SW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 13, Township 4 North, Range 17 East, B.M., Blaine County.

A review of our records indicates that you have not filed an application for a permit to appropriate the public water of the State of Idaho. Since March 25, 1963, an application has been required prior to construction of a well and a valid permit must be obtained before groundwater may be diverted. The only exception to this requirement is a well drilled for stockwatering or single family household use and water used for all other purposes, including irrigation of one-half acre of land in connection with the household use where the total use does not exceed 13,000 gallons of water per day.

If you have already filed an application, which we overlooked in the review of our records, please advise us of the number of the application or the name under which the application was filed. However, if you have not yet filed the required application, you should do so as soon as possible. You may obtain the forms upon request from this office.

If you have any questions regarding this matter, please contact this office.

Sincerely,

Bob Haynes

Bob Haynes
District Engineer
Southern District

BH:alw

37 7150

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

RECEIVED



Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse — Annex 2

Boise, Idaho 83707

(208) 384-2215

MAR 22 1973

Department of Water Administration
Southern District Office

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

September 6, 1972

City of Ketchum
Ketchum, Idaho 83340

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 37-7150. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF: cd

Enclosures

37 7150

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

SOUTHERN DISTRICT OFFICE



RECEIVED

Cecil D. Andrus
Governor

R. Keith Higginson
Director

1041 Blue Lakes Boulevard North

Twin Falls, Idaho 83301

(208) 734-3578

MAR 22 1973

Department of Water Administration
Southern District Office

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

July 11, 1972

Re: Application No. 37-7150 - City of Ketchum

City of Ketchum
Ketchum
Idaho 83340

Gentlemen:

Attached herewith is your Receipt No. 9760 in the amount of \$25.00 for the above reference Application for Permit which was received in this office under the above date.

Very truly yours,

Bob Haynes
aew

Bob Haynes
District Engineer
Southern District

BH:alw

Enc.

37 7150

March 19, 1973

Ketchum City Park
Ketchum, Idaho
83340

Gentlemen:

We have received a well drillers report indicating that a well was drilled for you in SIPANE, Section 13, Township 4 North, Range 17 East, B.M., Blaine County.

A review of our records indicates that you have not filed an application for a permit to appropriate the public water of the State of Idaho. Since March 25, 1963, an application has been required prior to construction of a well and a valid permit must be obtained before groundwater may be diverted. The only exception to this requirement is a well drilled for stockwatering or single family household use and water used for all other purposes, including irrigation of one-half acre of land in connection with the household use where the total use does not exceed 13,000 gallons of water per day.

If you have already filed an application, which we overlooked in the review of our records, please advise us of the number of the application or the name under which the application was filed. However, if you have not yet filed the required application, you should do so as soon as possible. You may obtain the forms upon request from this office.

If you have any questions regarding this matter, please contact this office.

Sincerely,

Bob Haynes
District Engineer
Southern District

BH:alw

37. 7150

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.Received
10-13-72
RWA

1. WELL OWNER

Name Ketchikan City Park
Address Ketchikan Idaho
Owner's Permit No. 37-7150

7. WATER LEVEL

Static water level 12 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature 46 ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☒ Pump ☐ Bailer ☒ Other Hand

Discharge G.P.M.	Draw Down	Hours Pumped
<u>6.6</u>	<u>115'</u>	<u>3</u>
<u>115'</u>	<u>Installed in</u>	<u>Well</u>

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED


☒ Cable ☐ Rotory ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 8 inches Total depth 91 feet
Casing schedule: ☐ Steel ☐ Concrete
Thickness Diameter From To
2.50 inches 8 inches FT feet 76 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feetWas a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☒ Knife ☐ Torch
Size of perforation _____ inches by _____ inchesNumber From To
66 perforations 27 feet 47 feet
24 perforations 54 feet 57 feet
42 perforations 61 feet 68 feetWell screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feetGravel packed? ☐ Yes ☐ No Size of gravel _____
Placed from _____ feet to _____ feetSurface seal? ☒ Yes ☐ No To what depth 20 feet
Material used in seal ☐ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



37 7150

County BLAINE
SW 1/4 NE 1/4 Sec. 13, T. 4 N. R. 17 E.

10.

Work started 27 July 72 finished 15 Aug 1972

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.EUGENE WALKER 15
Driller's or Firm's Name Number
324 Pine St. Twin Falls
Address
Eugene Walker 2011
Signed By Date

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No. 37-7150 Name City of Ketchum

Source Groundwater

Point of Diversion NW¹/₄NE¹/₄, Sec. 13, T. 4N, R. 17E, B.M., Blaine County

Quantity 0.30 Use irrigation Period April 1 to Oct. 15

Quantity Use Period

Quantity Use Period

Well Size Diameter 8" Proposed Depth 50 Feet

Use

Date Forwarded Date Returned Received by

COMMENTS:

RECOMMENDED:

Applied: Qty. 0.30 Use Irr ~~DATA~~ Period 4-1 to 10/15 AF/A 30 AF 45.0

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Maximum: Qty. 0.30 Use Irr Period 4-1 to 10/15 AF/A 30 AF 45.0

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

ACTION: Approved ✓ Denied

Conditions of approval or reason for denial: adequate measuring device

By Bob Ramsey Title Dist Engr
Date 8-16-72

37 7150

September 6, 1972

City of Ketchum
Ketchum, Idaho 83440

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 37-7150. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF: cd

Enclosures

37 7150

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that the City of Ketchum
Ketchum, Idaho
has on July 11, 1972 submitted Application No. 37-7150
for a permit to appropriate 0.30 cubic feet per second ~~more feet per second~~
of water from a groundwater source
by means of pump
within the NE $\frac{1}{4}$, Sec. 13, T. 4N, R. 17E, B.M., Blaine County

to be used from April 1 to Oct. 15
for the irrigation of 15 acres

within the NE $\frac{1}{4}$, Sec. 13, T. 4N, R. 17E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before August 14, 1972.

R. KEITH HIGGINSON

Director

Published in the Wood River Journal, Hailey, Idaho
on July 27 and August 3, 1972

37 7150

July 20, 1972

Re: Application No. 37-7150 - City of Ketchum
Claim No. 37-4023 - Fern.G. Jones

Wood River Journal
P. O. Box 988
Hailey, Idaho 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

" I hereby certify that the foregoing account is just and correct,
that the amount claimed is legally due, after allowing all just
credits, and that no part of the same has been paid. "

(signature of claimant)

Very truly yours,

Bob Haynes
District Engineer
Southern District

Bill submitted 8-9-72 by alw

BH:alw

Enc: Legal Notice (2)

37 7150

July 11, 1972

Re: Application No. 37-7150 - City of Ketchum

City of Ketchum
Ketchum
Idaho 83340

Gentlemen:

Attached herewith is your Receipt No. 9760 in the amount of \$25.00 for the above reference Application for Permit which was received in this office under the above date.


Very truly yours,

Bob Haynes
District Engineer
Southern District


BH:alw

Enc.

37 7150



BETTY A. COLES, CITY CLERK
KETCHUM, IDAHO 83340



Idaho Department of Water Administration
Statehouse - Annex #2
Boise, Idaho

37 7150