

RECEIVED
Identification No. 37-7146
Transfer No. 1835 NOV 14 1974
Department of Water Resources
Southern District Office

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

APPLICATION FOR TRANSFER OF WATER RIGHT
To Change the Point of Diversion and/or the Place of Use

APPROVED


1. Name of Right Holder IDAHO POWER COMPANY
Post office address Box 70, Boise, Idaho
2. Right obtained by:
a. Decree to _____ in Case of _____
(Name)
vs. _____, Dated _____ in _____
(Name of Court)
Court, County of _____.
- b. License No. 37-7146 issued by the State of Idaho, Department of Reclamation.
3. Source of water groundwater tributary to _____
(Name of stream or source)
4. Date of Priority May 23, 1972
5. Amount of water a. 0.03 c.f.s. and/or
b. _____ acre feet/annum
6. Water is used for Irrigation from April 1 to October 15
(Month, Day) (Month, Day)
7. Original location of point of diversion is SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 32,
Township 3N, Range 18E, B.M., in Blaine County;
Additional points of diversion, if any _____

8. Lands presently irrigated or place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3N	18E	32																1	1

Total number of acres presently irrigated 1

MICROFILMED



SCALE: 2 Inches Equal 1 Mile. Draw Plan in Ink.

9. If applicant was not the original holder of this right explain how it was acquired: _____

10. CHANGE IN POINT OF DIVERSION

- a. Quantity to be diverted at new point: 0.03 c.f.s. and/or _____ acre feet
(Two Points)
- b. New point of diversion: SE 1/4 SE 1/4, Section 32, Township 3N
_____, Range 18E, B.M.
- c. Description of method of diversion and conveyance from new points of diversion: well, pump

- d. Is water to be conveyed to the lands previously irrigated? Yes X No _____
If not, the place of use should be changed below.
- e. Describe the reasons for applying for a change in the point of diversion:
So we may use either well for irrigation purposes.

- f. Do you intend to make the transfer permanent? yes
- g. Do you intend to abandon completely the old point of diversion? no

- h. Indicate on the above plat the new point of diversion and lands to be irrigated.

11. CHANGE IN PLACE OF USE

- a. Describe the new lands on which you wish to use your right.

No Change

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres to be irrigated _____

- b. Do you intend to make the transfer permanent? _____
- c. Are you completely abandoning the lands previously irrigated by this right? If not, explain your plans:

- d. Describe any other water rights that you claim for the new ground upon which you wish to transfer this right: _____

- e. Indicate on the above plat the new land to be irrigated and the point of diversion.

I hereby assert that no one will be injured by such transfer and that the change will be made at my own risk. The information contained in this application is true to the best of my knowledge.

IDAHO POWER COMPANY

By W. J. Anne
 Vice President (signature of applicant)

Subscribed and sworn to before me this 13th day of November, 1974
Dale C. Farley
 (notary public)

My commission expires 5/14/78.

Director, Department of Water Resources
**ACTION OF STATE RECLAMATION ENGINEER
 AND CERTIFICATE OF TRANSFER**

This is to certify that I have examined Application for Transfer of Water Rights No. 37-7146,
 and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

2. Denial of said application is for the following reasons: _____

Witness my hand this 24 day of _____, 1974.

R. Keith Higgins
 State Reclamation Engineer
 Director, Department of Water Resources

FOR DEPARTMENT USE ONLY

Received by CC Date 11-14-74

Protest filed by: _____ Date _____

Prelim. check by RAN Date 11-14-74

Fee received by CC Date 11-14-74 Fee \$ 10⁰⁰

Approved for publication by RAN

Published in Wood River J Dates 11-21 & 11-27-74

Hearing held _____

Watermaster Recommendation sent _____

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Transfer
Application No. 37-7146

Idaho Power Co

REN 11-14-74

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
Description of Diverting Works
Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) REN 11-14-74

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant

(4) REN 11-14-74

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) CC 12-3-74

Affidavit of Publication received(date) 12-3-74

(12) _____

Final date for protests _____
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

Proposed Priority 5-23-72

Reason for Reduction _____

Measuring device required _____

See attached sheet for other conditions of approval

☒ No special conditions Department of Water Resources approval

(15) District Southern

By Bob Harper

Date 12-5-74

MICROFILMED

RECEIVED

DEC 9

AFFIDAVIT OF PUBLICATION

State of Idaho, }
 County of Blaine } SS.

Gordon O. Glawann, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 21 day of November, 1974, and the date of the last publication was on the 27 day of November, 1974.

Subscribed and sworn to before me this 2nd day of December, 1974.
 (SEAL)

Robert J. Fischer
 NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Number of Lines in Notice	<u>39</u>	
Number of Insertions	<u>2</u>	
Lines tabular at		315c
<u>39</u> Lines straight at		21c
<u>39</u> Subsequent lines at		15c
TOTAL COST		<u>14.04</u>

COPY OF NOTICE

(Paste Here)

Notice of Proposed
Change of Water Rights
37-7146

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water Resources
1041 Blue Lakes Blvd N
Twin Falls, Idaho 83301

NOTICE OF PROPOSED CHANGE OF WATER RIGHTS

No. 37-7146

Notice is hereby given that Idaho Power Company of Boise, Idaho, has applied to the Department of Water Resources for a change of the point of diversion of the waters of a groundwater source. The right sought to be changed is evidenced by License No. 37-7146 and is recorded as follows:

Amount: 0.03 cfs
 Priority: May 23, 1972
 Point of Diversion: SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 32, Twp. 3N, Rge. 18E, B.M. Blaine County.

The water is used for irrigation of one acre within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 32, Twp. 3N, Rge. 18E, B.M.

TO BE CHANGED AS FOLLOWS

The applicant proposes to divert 0.03 cfs from two wells within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 32, Twp. 3N, Rge. 18E, B.M.

Any protest against the approval of the proposed change of water right must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd, North, Twin Falls, Idaho, on or before December 6, 1974.

R. KEITH HIGGINSON

Director

Published: Wood River Journal, Blaine County, November 21 and 28, 1974.

Department of Water Resources
 Southern District Office

State of Idaho

Department of Water Administration

WATER RIGHT LICENSE

License of Water Right No. 37-7146 Priority May 23, 1972 Amount 0.03 cfs

THIS IS TO CERTIFY, that IDAHO POWER COMPANY
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 37-7146 issued pursuant to Application for Permit dated May 23, 1972,
and has submitted proof to the Department of Water Administration on September 26, 1973,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.03 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use &
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>Oct. 15</u>	at <u>0.03</u> cfs and	<u>3.0 af per acre</u>
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____
	(both dates inclusive)		

Subject, however, to the condition that no more than 0.03 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
3.0 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 32,
Twp. 3 N, Rge. 18 E, B. M. in the County of Blaine

Description and location of place of use: (Wood River Substation)

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3 N	18 E	32																1	One

Total number of acres irrigated One

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 3rd day of
January, 19 74.

37 7146

Director

Identification No. _____

Application No. 37-2146

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

PERMIT ISSUED FOR 203 SEC. PT.
LICENSE PAGE NO. _____

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant IDAHO POWER COMPANY
post office address P O Box 70, Boise, Idaho ⁸³⁷²¹~~83707~~
2. Source of water supply Ground Water which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 32 Township 3N
Range 18E B.M. Blaine County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.11 ^{cfs} for irrigation purpose from April 1 to October 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.11 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 6" drilled and cased well with electric pump, pump house and sprinkler system. 1½" submersible pump will be operated by 2 HP motor

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 6 inches; proposed depth of well is 100 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 6 months ^{1 year}~~2 years~~
b. Estimated construction cost is \$ 4300.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	18E	32																3.37	3.37

Total number of acres to be irrigated 3.37

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Idaho Power Company

b. Who owns the land to be irrigated or place of use Idaho Power Company

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks The well will be drilled by Eugene Walker, Twin Falls, Idaho.
Water will be used to sprinkle the lawn and to water the trees and
shrubby located upon the Wood River Substation property near Hailey,
Idaho.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

IDAHO POWER COMPANY MAP NO 21D-17303 DATED JULY 30, 1962,

ATTACHED HERETO.

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

IDAHO POWER COMPANY

(Applicant)

By

Glenn J. Hall

Vice President

37 7146

Received by SH Date 5-23-72 Time 11:00 AM
 Preliminary check by WH Fee \$ 10.00 Rec'd #9256
 Received by Y Date 5-23-72
 Publication prepared by SL Date 5-26-72
 Published in Wood River Journal, Hailey
 Publication dates 6-1 ~ 6-8-72
 Publication approved OLW Date 6-14-72
 Priority reduced to 5/23/72 Reason _____

 Protests filed by: _____

 Copies of protests forwarded by _____
 Hearing held by _____ Date _____
 Recommended for approval denial by Y BDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-7146, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 73.
- c. Other: The maximum amount of water diverted in any one year shall not exceed 10.1 acre feet.

2. Denial of said application is for the following reasons: _____

Witness my hand this 19 day of September 1972.

P. Karl Higginson
 Director

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No. 37-7146 Name Idaho Power Company

Source Groundwater

Point of Diversion SE¹/₄SE¹/₄, Sec. 32, T. 3N, R. 18E, B.M., Blaine County

Quantity 0.11 c.f.s Use Irrigation Period April 1 to Oct. 15

Quantity Use Period

Quantity Use Period

Well Size Diameter 6 in Proposed Depth 100 Feet

Use

Date Forwarded Date Returned Received by

COMMENTS: This application exceeds .02 cfs per acre see conditions for approval.

RECOMMENDED:

Applied: Qty. 0.11 cfs Use irrigation Period 4-1 10-15 AF/A 3.0 AF 10.1

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Maximum: Qty. .07 cfs Use irrig Period 4-1 10-15 AF/A 3.0 AF 10.1

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

ACTION: Approved ✓ Denied

* Conditions of approval or reason for denial: average pumping rate during any 24 hr period not to exceed .07 cfs.

Southern Dist. Bob Haynes Title Dist Engr

Date 6-22-72

*Approved 7/3/72
District & AD
No - 37-7146
11/15/72
C.S.A. Authorized this
procedure for 11/15/72
Bob H. Starks*

RECOMMENDED

CONDITIONS OF APPROVAL

☐ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.

☐ Maximum rate of diversion shall not exceed _____ c.f.s.

☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.

☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.

☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.

☐ The proposed well shall not be drilled within _____ feet of another well.

☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.

☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.

☒ Other: The maximum amount of water diverted in any
one year shall not exceed 10.1 acre feet. ³

DDF

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Blaine, } ss.

GEORGE T. FRITZ, being first duly sworn deposes and says that he is now and all times herein mentioned has been the Editor and Publisher of the Wood River Journal (formerly The Hailey Times) which is now, and all times herein mentioned has been a newspaper as defined in Section 60-106 of the Idaho Code printed, regularly issued and published weekly at Hailey, in Blaine County, Idaho, and having a general circulation in said county, and having not less than 200 bona fide subscribers living within said county, and that said newspaper has been continuously and uninterruptedly so printed and published as a weekly newspaper in said county during the period of 78 consecutive weeks prior to the first publication of the annexed true copy and at all times since, and that said annexed true copy was so published in the regular edition of said newspaper, the Wood River Journal, and not in any supplement thereof, for two consecutive weeks commencing with the first publication thereof on the 1st day of JUNE, 19 72 and ending with the last publication thereof on the 8th day of JUNE, 19 72.

Cost of this publication is \$ 10.08.


GEORGE T. FRITZ

Subscribed and sworn to before me, this 12th day of JUNE, 19 72.


Notary Public for Idaho
Residing at Hailey,
Blaine County, Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Idaho Power Company P. O. Box 70, Boise, Idaho has on May 23, 1972 submitted Application No. 37-7146 for a permit to appropriate 0.11 cubic feet per second of water from a groundwater source by means of well, pump, motor and sprinkler system within the SE¹/4SE¹/4, Sec. 32, T. 3N, R. 18E, B. M., Blaine County to be used from April 1 to Oct. 15 for the irrigation of 3.37 acres within the SE¹/4SE¹/4, Sec. 32, T. 3N, R. 18E, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before June 19, 1972.

R. KEITH HIGGINSON
Director

Published in the Wood River Journal, Hailey, Idaho on June 1 and June 8, 1972.


RECEIVED

JUN 13 1972

Department of Water Administration

37 7146

REVISION
1 9-5-62
Located & of
3 Pole Dead
End Structure
HCM
2 12-3-62
Located down
guys. Added Road-
way easement to
State of Idaho
HCM
3 5-14-63
Field Revisions
GUN
4 11-30-65
ADDED ALTERNATE
LOCAL SERVICE
LTS
5 12-31-69
Added Location
of 138-46 KV Emergency
Transfer Bus
6BD
6 5-24-71
Added 138KV Line
To Ketchikan
7 6-25-71
Moved Fence 10'-0"
To The East
8 8-23-71
Change Emergency
Bus
9 11-19-71
ADDED TREES
G.B. & R.M.



REFERENCE:
Fence Plan A-17309
Foundation Plan D-17304
138KV/46KV Structure Elevations D-17210
Grounding Plan D-17325
Cable & Conduit Plan D-17330

DEED RECORDING	
1. - Instrument No.	117200
Recorded, Page No.	386
Book No.	176
State	Idaho
County	Blaine
2. - Date of Purchase	July 23, 1962
Work Order No.	3-62
3. - Construction Permit No.	
CITY	
COUNTY	
NOT REQUIRED	

WOOD RIVER SUBSTATION GENERAL LOCATION PLAN	
IDAHO POWER CO. BOISE, IDAHO	
SCALE 1" = 20'-0"	DATE July 30, 1962
DR. HCM	APPROVED
TR.	
CH. JH	
8 1	D-17303
7 REV	21

MAY 12 1972

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Idaho Power Co
Boise Idaho


7. WATER LEVEL **6 ft 24 June 1973**
17 8 March 1975
Static water level **17** feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
Abandoned (Describe method of abandoning) _____

3. PROPOSED USE
☒ Domestic ☒ Irrigation ☐ Test ☒ Other (Specify type) **Fire**
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED
☒ Cable ☐ Rotary ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION
Diameter of hole **12** inches Total depth **141** feet
Material ☐ Steel ☐ Concrete
Thickness **1/4** inches Diameter **12** inches From **1/2** feet To **141** feet
inches inches feet feet
inches inches feet feet
inches inches feet feet
inches inches feet feet
inches inches feet feet
Bottom 20 ft 5/16
Mud packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☒ Knife ☐ Torch
Size of perforation **3/16** inches by **2** inches
Number From To
48 perforations **47** feet **52** feet
200 perforations **84** feet **112** feet
40 perforations **134** feet **138** feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet
2 1/2 ft Plus
Surface seal depth _____ Material used in seal ☒ Cement grout
☒ Pudding clay ☐ Well cuttings
Sealing procedure used ☐ Sherry pit ☐ Temporary surface casing
44 lb. Cement ☐ Overbore to seal depth

6. LOCATION OF WELL
Sketch map location must agree with written location.

Subdivision Name _____
Lot No. _____ Block No. _____
County **BLAINE**
SE SE 31 3 18 E
1/4 Sec. _____ T. _____ N/S, R. _____ E/W

8. WELL TEST DATA
☒ Pump ☐ Bailor ☐ Other _____
Discharge G.P.M. **475** Draw Down **40** Hours Pumped **4 3/8**
3 hr at above GPM

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water Yes No
	From	To		
16	0	16	Clean Gravel - Boulder	
16	10	20	Gravel - SAND Trace	
12			Clay Water 19 ft	
12	20	30	Clean Gravel & sand	
12	30	47	Clay Gravel Very	
12	47	52	Little Water	
12	52	84	Clean Gravel sand	
			Clay & Gravel	
			no water	
	84	85	Clean Gravel	
	85	112	Gravel Clay	
			Coarse Rock	
12	112	132	Clay & Gravel	
	132	134	Clay	
12	134	137	Clean Gravel	
	137	141	Gravel & Bed Rock material	

10. Work started **15 Dec** finished **24 June 1975**

11. DRILLERS CERTIFICATION
Firm Name **ENGELWALKER CO** Firm No. _____
Address **Twin Falls Idaho** Dpts _____
Signed by (Firm Official) **Engel Walker**
and _____
(Operator) _____

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

548

549

550

551

552

553

554

555

556

557

558

559

560

561

562

563

564

565

566

567

568

569

570

571

572

573

574

575

576

577

578

579

580

581

582

583

584

585

586

587

588

589

590

591

592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

612

613

614

615

616

617

618

619

620

621

622

623

624

625

626

627

628

629

630

631

632

633

634

635

636

637

638

639

640

641

642

643

644

645

646

647

648

649

650

651

652

653

654

655

656

657

658

659

660

661

662

663

664

665

666

667

668

669

670

671

672

673

674

675

676

677

678

679

680

681

682

683

684

685

686

687

688

689

690

691

692

693

694

695

696

697

698

699

700

701

702

703

704

705

706

707

708

709

710

711

712

713

714

715

716

717

718

719

720

721

722

723

724

725

726

727

728

729

730

731

732

733

734

735

736

737

738

739

740

741

742

743

744

745

746

747

748

749

750

751

752

753

754

755

756

757

758

759

760

761

762

763

764

765

766

767

768

769

770

771

772

773

774

775

776

777

778

779

780

781

782

783

784

785

786

787

788

789

790

791

792

793

794

795

796

797

798

799

800

801

802

803

804

805

806

807

808

809

810

811

812

813

814

815

816

817

818

819

820

821

822

823

824

825

826

827

828

829

830

831

832

833

834

835

836

837

838

839

840

841

842

843

844

845

846

847

848

849

850

851

852

853

854

855

856

857

858

859

860

861

862

863

864

865

866

867

868

869

870

871

872

873

874

875

876

877

878

879

880

881

882

883

884

885

886

887

888

889

890

891

892

893

894

895

896

897

898

899

900

901

902

903

904

905

906

907

908

909

910

911

912

913

914

915

916

917

918

919

920

921

922

923

924

925

926

927

928

929

930

931

932

933

934

935

936

937

938

939

940

941

942

943

944

945

946

947

948

949

950

951

952

953

954

955

956

957

958

959

960

961

962

963

964

965

966

967

968

969

970

971

972

973

974

975

976

977

978

979

980

981

982

983

984

985

986

987

988

989

990

991

992

993

994

995

996

997

998

999

1000

1001

1002

1003

1004

1005

1006

1007

1008

1009

1010

1011

1012

1013

1014

1015

1016

1017

1018

1019

1020

1021

1022

1023

1024

1025

1026

1027

1028

1029

1030

1031

1032

1033

1034

1035

1036

1037

1038

1039

1040

1041

1042

1043

1044

1045

1046

1047

1048

1049

1050

1051

1052

1053

1054

1055

1056

1057

1058

1059

1060

1061

1062

1063

1064

1065

1066

1067

1068

1069

1070

1071

1072

1073

1074

1075

1076

1077

1078

1079

1080

1081

1082

1083

1084

1085

1086

1087

1088

1089

1090

1091

1092

1093

1094

1095

1096

1097

1098

1099

1100

1101

1102

1103

1104

1105

1106

1107

1108

1109

1110

1111

1112

1113

1114

1115

1116

1117

1118

1119

1120

1121

1122

1123

1124

1125

1126

1127

1128

1129

1130

1131

1132

1133

1134

1135

1136

1137

1138

1139

1140

1141

1142

1143

1144

1145

1146

1147

1148

1149

1150

1151

1152

1153

1154

1155

1156

1157

1158

1159

1160

1161

1162

1163

1164

1165

1166

1167

1168

1169

1170

1171

1172

1173

1174

1175

1176

1177

1178

1179

1180

1181

1182

1183

1184

1185

1186

1187

1188

1189

1190

1191

1192

1193

1194

1195

1196

1197

1198

1199

1200

1201

1202

1203

1204

1205

1206

1207

1208

1209

1210

1211

1212

1213

1214

1215

1216

1217

1218

1219

1220

1221

1222

1223

1224

1225

1226

1227

1228

1229

1230

1231

1232

1233

1234

1235

1236

1237

1238

1239

1240

1241

1242

1243

1244

1245

1246

1247

1248

1249

1250

1251

1252

1253

1254

1255

1256

1257

1258

1259

1260

1261

1262

1263

1264

1265

1266

1267

1268

1269

1270

1271

1272

1273

1274

1275

1276

1277

1278

1279

1280

1281

1282

1283

1284

1285

1286

1287

1288

1289

1290

1291

1292

1293

1294

1295

1296

1297

1298

1299

1300

1301

1302

1303

1304

1305

1306

1307

1308

1309

1310

1311

1312

1313

1314

1315

1316

1317

1318

1319

1320

1321

1322

1323

1324

1325

1326

1327

1328

1329

1330

1331

1332

1333

1334

1335

1336

1337

1338

1339

1340

1341

1342

1343

1344

1345

1346

1347

1348

1349

1350

1351

1352

1353

1354

1355

1356

1357

1358

1359

1360

1361

1362

1363

1364

1365

1366

1367

1368

1369

1370

1371

1372

1373

1374

1375

1376

1377

1378

1379

1380

1381

1382

1383

1384

1385

1386

1387

1388

1389

1390

1391

1392

1393

1394

1395

1396

1397

1398

1399

1400

1401

1402

1403

1404

1405

1406

1407

1408

1409

1410

1411

1412

1413

1414

1415

1416

1417

1418

1419

1420

1421

1422

1423

1424

1425

1426

1427

1428

1429

1430

1431

1432

1433

1434

1435

1436

1437

1438

1439

1440

1441

1442

1443

1444

1445

1446

1447

1448

1449

1450

1451

1452

1453

1454

1455

1456

1457

1458

1459

1460

1461

1462

1463

1464

1465

1466

1467

1468

1469

1470

1471

1472

1473

1474

1475

1476

1477

1478

1479

1480

1481

1482

1483

1484

1485

1486

1487

1488

1489

1490

1491

1492

1493

1494

1495

1496

1



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

December 30, 1974

Re: Transfer No. 37-7146

Idaho Power Company
Box 70
Boise, Idaho 83721

Gentlemen:

Enclosed is a copy of your approved Application for Transfer No. 37-7146. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosure

MICROFILMED

WATER RESOURCE BOARD:

John F. Streiff
Chairman

Franklin Jones
Member

George L. Yost
Vice-Chairman

M. Read Hansen
Member

Donald R. Kramer
Secretary

Scott W. Reed
Member

Edwin C. Schlender
Member

Joseph H. Nettleton
Member

November 15, 1974

RE: Application For Transfer of Water Right - Idaho Power Co. - 37-7146

Wood River Journal
P. O. Box 988
Hailey, Idaho 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Bob Haynes
Southern District Engineer

BH:cc

Bill submitted: _____

MICROFILMED

NOTICE OF PROPOSED CHANGE OF WATER RIGHTS

No. 37-7146

Notice is hereby given that Idaho Power Company of Boise, Idaho has applied to the Department of Water ~~Resources~~ for a change of the point of diversion of the waters of a groundwater source. The right sought to be changed is evidenced by License No. 37-7146 and is recorded as follows:

Amount: 0.03 cfs Priority: May 23, 1972

Point of diversion: SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 32, Twp. 3N, Rge. 18E, B.M.
Blaine County.

The water is used for the irrigation of one acre within the
SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 32, Twp. 3N, Rge. 18E, B.M.

TO BE CHANGED AS FOLLOWS

The applicant proposes to divert 0.03 cfs from two wells within the
SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 32, Twp. 3N, Rge. 18E, B.M.

Any protest against the approval of the proposed change of water right must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho, on or before December 6, 1974.

R. KEITH HIGGINSON

Director

MICROFILMED

SNAKE RIVER



HYDRO POWER

IDAHO POWER COMPANY

RECEIVED

NOV 14 1974

BOX 70 • BOISE IDAHO 83721
Department of Water Resources

Southern District Office
November 13, 1974


Mr Ken Flowerdew
Water Resource Technician II
Southern District
Department of Water Resources
1041 Blue Lakes Blvd North
Twin Falls, Idaho 83301

Dear Mr Flowerdew:

In accordance with your letter dated November 7, 1974, we are returning Application For Transfer of Water Right which has been signed by the Company together with my agent's check for \$10.00 to cover filing fee.

Thank you very much for your cooperation in expediting our application.

Very truly yours,


Gale C Farley
Agent

GCF:sc

Encls

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83720
(208) 384-2190



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

January 8, 1974

Re: Permit No. 37-7146

Idaho Power Company
P. O. Box 70
Boise, Idaho 83721

Gentlemen:

Enclosed herewith is a copy of the Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

Enclosure

37 7146

NOTICE OF PROPOSED CHANGE OF WATER RIGHTS

No. 37-7146

Notice is hereby given that Idaho Power Company of Boise, Idaho has applied to the Department of Water ~~Resources~~ for a change of the point of diversion of the waters of a groundwater source. The right sought to be changed is evidenced by License No. 37-7146 and is recorded as follows:

Amount: 0.03 cfs Priority: May 23, 1972

Point of diversion: SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 32, Twp. 3N, Rge. 18E, B.M.
Blaine County.

The water is used for the irrigation of one acre within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 32, Twp. 3N, Rge. 18E, B.M.

TO BE CHANGED AS FOLLOWS

The applicant proposes to divert 0.03 cfs from two wells within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 32, Twp. 3N, Rge. 18E, B.M.

Any protest against the approval of the proposed change of water right must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho, on or before December 6, 1974.

R. KEITH HIGGINSON

Director

MICROFILMED

Encl Page

1. Name of permit holder Idaho Power Co.

Postoffice address P. O. Box 70, Boise, Idaho 83721

Phone 394-2111

Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 0.11 c.f.s. for irrigation
 AF/Annum (nature of use)

Period of Use: from Apr. 1 to Oct. 15
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

4. Total amount to be appropriated:

Max Rate of Diversion 0.11 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 3N N/S, Range 18E E/W, B.M., Section 32, Subdivision SE $\frac{1}{4}$ SE $\frac{1}{4}$, Blaine
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____
County _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____
County _____

Other Points of Diversions: _____

Description of diverting works: 1 hp subm. pump, 1 hp motor, 6" well casing, cased full depth of 101' pump set at 47', static W.S. approx. 20', drawdown 5' + concreted to depth of 17'.

Measuring device required: yes ☐ no ☒

6. Lands to be irrigated or place of use.

[illegible]

37 7126

TOTAL ACREAGE 3.37

T
3
N




Diagram of System

Rge - 18E

37 2196

1
3
N

3 2

*

Diagram of System

DATE OF EXAM 10-12-73

ACREAGE
Found 1
Recommended 1

Irrigation Requirement 3.0 Ac Ft/Ac

USE .03
Irrigation Q = .03 c.f.s. V = 3.0 AF/Ann. from April-1 to Oct 15
Domestic Q = c.f.s. V = AF/Ann. from to
Livestock Q = c.f.s. V = AF/Ann. from to

Is water co-mingled? yes no 2

Name source:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Exchange? yes no ✓

Name source exchanged with:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Point of injection:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Point of exchange:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Total Q measured NA Method of measurement NA

Total Q recommended .02 cfs Meter No. NA Type NA Condition NA

Total V recommended 3.0 Acre Ft/Ann

Recommended Amendments:

P.D. NA
Place of Use NA
Other NA
None NA

MEASUREMENT CALCULATION:

Use Q in same proportion as permit was approved.

Q = .03 cfs = 1 Acre
V = 3.0 Acre Ft/Ann BDF 11/6/74

SYSTEM DESCRIPTION:

Berkley 1HP - 7203877 Pressure tank 60gal
pump & motor

REMARKS:

Examiner's Signature [Signature] Date 10-22-73

Checked by [Signature] Date 10-29-73

Approved by Date

October 16, 1973

Re: Permit No. 37-7146

Idaho Power Company
P. O. Box 70
Boise, Idaho 83721

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field exam, please contact our Southern District Office at 1041 Blue Lakes Blvd. North, Twin Falls, Idaho.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JC

37 7146

RECEIVED SEP 21 1973

SEP 26 1973 Identification No. _____
Permit No. 37-7146

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

SEP 20 1973
Department of Water Administration

1. a) Name of Permit Holder Idaho Power Company
b) Post Office Address P O Box 70, Boise, Idaho, 83721
2. Permit Number 37-7146
3. Date of Priority that you are prepared to establish May 23, 1972
4. a) Source from which water was appropriated well
b) Location of the point of diversion: SE 1/4 SE 1/4, Section 32
Township 3 N, Range 18 E Boise Meridian, Other points of diversion:

5. a) The amount of water and use to which the water has been applied:
amount 30 gpm for culinary purposes from May to Nov incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount 20 gpm for culinary purposes from Nov to May incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated 30 gpm cfs and/or acre feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Gene Walker - well driller

- pumping of well at various pressure settings
21 gpm at 30 psi 25 gpm at 50 psi
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: NA

b) Describe the agreement or understanding by which you take water from the works: NA

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 1 HP submersible pump, 1 HP motor, 6" well casing, cased full depth of 101 ft pump set at 47 ft, static W.S. approx. 20 ft, drawdown 5 ft + concreted to depth of 17 ft

b) Describe the type and size of measuring device which you have installed at your point of diversion: no measuring device installed

c) Give well drillers name and address and date the well was completed July 26, 1972 well
Gene Walker completed
624 Pierce Street
Twin Falls, Idaho 83301

Exam typed 10/16/72 by jca

37 7146

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use the water will be used for culinary purposes and sprinkler irrigation at the Idaho Power substation site near Hailey, Idaho.

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres irrigated _____

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

IDAHO POWER COMPANY

9/19/73

(Date)

James E Bruce
 (Signature) James E Bruce, Vice President

State of Idaho)

County of Ada) ss.

On this 19th day of September, 1973, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Walter C. Farley
 Notary Public residing at Boise, Idaho

My Commission Expires May 14, 1974

My commission expires 5/14/74

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name Idaho Power Co

Address Bow Lake

Owner's Permit No. 37-7146

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test

☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 101 feet

Casing schedule: ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>6</u> inches	<u>±1</u> feet	<u>101</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____


Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 18 feet

Material used in seal ☐ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



County BLaine

SE 1/4 SE 1/4 Sec. 32, T. _____ N/S, R. 12 E/W

7. WATER LEVEL

Static water level 2 feet below land surface

Flowing? ☐ Yes ☐ No G.P.M. flow _____

Temperature _____ ° F. Quality _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
<u>30</u>	<u>12</u>	<u>2</u>
_____	_____	_____
_____	_____	_____

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
8	0	2	SURFACE		
8	2	15	Gravel & sand		
			Boulders		
6	15	30	Gravel & clay		
			Water		
6	30	44	Clay & gravel		
			Gravel		
	44	47	Gravel & clay soil		
	47	88	Gravel & clay		
			Thin silt water		
	88		Gravel & clay		
			Thin layer of water		
	88	100	Clay & gravel		
	100	101	Gravel & clay		
			Water under pressure		

10.

Work started 11 July 7 finished 26 July

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.

Driller's or Firm's Name _____ Number _____

Address _____

Signed By _____ Date _____

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

Received
10-13-72
WA

1. WELL OWNER

Name Idaho Power Substation/Hall
Address Boise Idaho 83707
Owner's Permit No. 37-7146

7. WATER LEVEL

Static water level 2 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature 46° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
<u>30</u>	<u>12 ft</u>	<u>3</u>

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 101 feet
Casing schedule: ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>2.52</u> inches	<u>6.75</u> inches	<u>0</u> feet	<u>2</u> feet
	<u>6.75</u> inches	<u>2</u> feet	<u>101</u> feet

Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet


Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 18 feet
Material used in seal ☒ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



County BLAINE 37 7146

10.

Work started 10 July 1972 finished 26 July 1972

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.

EUGENE A. WALKER 15
Driller's or Firm's Name Number
624 KEECE & Tinsley
Address
Eugene Walker 26 Aug 1972
Signed By Date

SNAKE RIVER



HYDRO POWER

IDAHO POWER COMPANY

BOX 70 • BOISE, IDAHO 83721

September 25, 1973

SEP 26 1973

Department of Water Administration

Department of Water Administration
Statehouse - Annex 2
614 State Street
Boise, Idaho 83720

Re: Permit No 37-7146

Attention: D Darlene Reich,
Water Rights Supervisor

Dear Ms Reich:

Enclosed is Proof of Application of Water to
Beneficial Use upon which the signature has been notarized.

I am sorry to have overlooked this requirement and
wish to thank you for calling it to my attention.

Very truly yours,

Gale C. Farley
Gale C Farley
Agent

GCF:sc

Enclosure

37 7146

September 24, 1973

Re: Permit No. 37-7146

Idaho Power Company
Attn: Gale C. Farley
Box 70
Boise, Idaho 83721

Dear Mr. Farley:

We are in receipt of your affidavit submitted as proof of beneficial use for the above referenced permit.

However, we cannot accept your proof unless your signature is notarized. Therefore, we have herewith returning your proof affidavit.

Please return the notarized affidavit on or before October 1, 1973.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JC

37 7146

SNAKE RIVER



HYDRO POWER

IDAHO POWER COMPANY

BOX 70 • BOISE, IDAHO 83721

September 19, 1973

RECEIVED
SEP 20 1973
Department of Water Administration

Mr R Keith Higginson, Director
Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

Re: Permit No 37-7146

Dear Mr Higginson:

Enclosed is executed Proof of
Application of Water to Beneficial Use and
Well Driller's Report which we wish to file
in connection with the above numbered permit.

Very truly yours,


Gale C Farley
Gale C Farley
Agent

GCF:mlm

Encl

37 7146

**POST OFFICE DEPARTMENT
OFFICIAL BUSINESS**



POSTMARK OF DELIVERING OFFICE

Print your name and address below. If you want to restrict delivery, or to have the address of delivery shown on this receipt, check block(s) on other side. Moistren gummed ends and attach this card to back of article.

**DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX #2
BOISE, IDAHO 83707**

685-15-7184-11
EOD Form 3811 Apr. 1969

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S).
REQUIRED FEE(S) PAID.

☐

Show to whom, date and address
where delivered

☐

Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)

CERTIFIED NO.

24706

1
2
3
IDAHO POWER COMPANY

INSURED NO.

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

DATE DELIVERED

AUG 3 1973

SHOW WHERE DELIVERED (*only if requested*)

37 7146

August 1, 1973

CERTIFIED MAIL

#24706

Re: Permit No. 37-7146

Idaho Power Company
P. O. Box 70
Boise, Idaho 83721

Gentlemen:

One of the conditions of approval of your water Permit No. 37-7146 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before October 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

37 7146

September 22, 1972

Idaho Power Company
P.O. Box 70
Boise, Idaho 83707

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 37-7146. We direct your attention to the conditions of approval as listed on the fourth page.

Very truly yours,

BONNY D. FLENNOR
Assistant Director

EDF: cd

Enclosure

37 7146

RECEIVED

INTER-DEPARTMENT MEMO — 1

JUL 17 1972 DATE July 13, 1972

FROM Don McEldowney

Department of Water Administration
Southern District Office

TO Bob Haynes

SUBJECT Application for Permit No. 37-7146 - Idaho Power Company

In final Staff Review, we have decided to approve the above application for 0.11 c.f.s. The Staff feels that a variable rate of diversion would be contrary to Idaho Laws.

The conditions of approval would be for 9.5 Acre Feet.

D.m.

SIGNATURE

37 7146

Snake River



Hydro Power

IDAHO POWER COMPANY

BOX 70 • BOISE, IDAHO 83707

May 26, 1972

Bob Haynes
Water Resource Inv Adm
Southern District
Idaho Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

RECEIVED
MAY 27 1972
Department of Water Administration

Re: Application No 37-7146-Idaho Power Company

Dear Mr Haynes:

I have consulted our substation engineers concerning the justification of excess water applied for in the above numbered application as requested in your letter dated May 24, 1972. They inform me that it is possible that we may wish to erect a building on the substation site which will require the use of some domestic water. Also, it is possible we may find it necessary to install some pieces of high voltage equipment here that will be water-cooled. These uses will, of course, utilize a small amount of additional water.

I hope this will provide you with the information you need. If not, please advise.

Very truly yours,

Gale C. Farley
Gale C Farley
Agent

GCF:bp

37 7146

May 26, 1972

Re: Application No. 36-7246 - Morgan-Shillington Farm Co.
" " 37-7146 - Idaho Power Company
" " 37-7147 - Sun Valley Company, Inc.

Wood River Journal
P. O. Box 988
Hailey, Idaho 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

" I hereby certify that the foregoing account is just and correct,
that the amount claimed is legally due, after allowing all just
credits, and that no part of the same has been paid. "

(signature of claimant)

Very truly yours,

Bob Haynes
Water Resource Inv. Adm.
Southern District

Bill submitted 6-14-72 by alw

BH/BL
Enc: legal notices (3)

37 7146

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Idaho Power Company
P. O. Box 70, Boise, Idaho
has on May 23, 1972 submitted Application No. 37-7146
for a permit to appropriate 0.11 cubic feet per second ~~more feet per second~~
of water from a groundwater source
by means of well, pump, motor and sprinkler system
within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 32, T. 3N, R. 18E, B.M., Blaine County

to be used from April 1 to Oct. 15
for the irrigation of 3.37 acres

within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 32, T. 3N, R. 18E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before June 19, 1972.

R. KEITH HIGGINSON

Director

Published in the Wood River Journal, Hailey, Idaho
on June 1 and June 8, 1972

37 7146

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Idaho Power Company P. O. Box 70, Boise, Idaho has on May 23, 1972 submitted Application No. 37-7146 for a permit to appropriate 0.11 cubic feet per second of water from a groundwater source by means of well, pump, motor and sprinkler system within the SE¹/₄SE¹/₄, Sec. 32, T. 3N, R. 18E, B. M., Blaine County to be used from April 1 to Oct. 15 for the irrigation of 3.37 acres within the SE¹/₄SE¹/₄, Sec. 32, T. 3N, R. 18E, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before June 19, 1972.

R. KEITH HIGGINSON

Director

Published in the Wood River Journal, Hailey, Idaho on June 1 and June 8, 1972.

0. K.
6-1-72
Bj.

37 7146

May 24, 1972

Re: Application No. 37-7146 - Idaho Power Company

Gale C. Farley, Agent
Idaho Power Company
Box 70
Boise, Idaho 83707

Dear Mr. Farley:

Pursuant to our conversation in my office of May 23, I am requesting justification for the amount of water claimed in excess of the statutory limits for irrigation of the lawn at Idaho Power Wood River Substation. We will need this justification before this application can be approved.

If you should have any questions, do not hesitate to contact this Department.

Sincerely,

Bob Haynes
Water Resource Inv. Adm.
Southern District

BH/bl

37 7146

SNAKE RIVER



HYDRO POWER

IDAHO POWER COMPANY

BOX 70 • BOISE, IDAHO 83707

May 23, 1972

RECEIVED
MAY 23 1972
Department of Water Administration

Mr R Keith Higginson, Director
Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

Re: Application for Permit -
Wood River Substation

Dear Mr Higginson:

Enclosed is Idaho Power Company's Application for Permit to appropriate 0.11 cfs of public waters from a well to be drilled upon Idaho Power Company property located near Hailey, Idaho. Map numbered 21D-17303 showing the location of the proposed well is also enclosed, together with my agent's check for \$10.00 to cover filing fees.

Your early consideration of this application is hereby requested in order that we may commence drilling the well as soon as possible.

Very truly yours,

Gale C. Farley
Gale C Farley
Agent

GCF:bp

Encl

37 7146