

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT

TRANSFER NO. 4508
WATER RIGHT NO(S). 37-02698/37-02699/37-07305

This is to certify that: CITY OF HAILEY
PO BOX 945
HAILEY ID 83333

has requested a change to the above captioned water right(s). This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code, provided the conditions listed below are met.

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>
Right No. 37-02698 : MUNICIPAL	01/01 to 12/31	2.56 CFS
Right No. 37-02699 : MUNICIPAL	01/01 to 12/31	2.00 CFS
Right No. 37-07305 : MUNICIPAL	01/01 to 12/31	2.62 CFS
TOTAL:		* 7.18 CFS

DATE OF PRIORITY:

Right No. 37-02698 : 10/29/1964
Right No. 37-02699 : 08/11/1964
Right No. 37-07305 : 11/04/1973

SOURCE

GROUNDWATER

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 4, Township 02N, Range 18E
SENW , Sec. 9, Township 02N, Range 18E
SESE , Sec. 9, Township 02N, Range 18E
SWSE , Sec. 10, Township 02N, Range 18E
BLAINE County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

APPROVED


JUN 13 1995

TRANSFER NO. 4508
WATER RIGHT NO(S). 37-02698/37-02699/37-07305

CONDITIONS/REMARKS:

2. Approval of this transfer in no way grants any right-of-way or easement for use of a delivery system owned by person(s) other than the right owner.
3. The change authorized by this transfer shall be accomplished within one (1) year of the date of this approval.
4. Failure to comply with the conditions of this transfer is cause for the director to issue an order to show cause why the approval of the transfer should not be rescinded.
5. Approval of this transfer does not preclude the opportunity for review of the validity of the water right(s) in the ongoing Snake River Basin Adjudication.
6. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
- *7. The total instantaneous diversion of water from all points of diversion under Transfer No. 4508 shall not exceed 7.18 cfs.
8. Place of use is located within the city limits of Hailey and the surrounding service area.

Dated this 9th day of June, 1995.


Chief, Water Alloc. Bureau

JUN 13 1995

Form 222
7/92

RECEIVED

JUN 2 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESAPPLICATION FOR TRANSFER OF WATER RIGHT
PART 1

NOV 04 1994

Department of Water Resources

Name of applicant: City of HaileyPhone: 1-208-788-4221
Department of Water Resources
Southern Region OfficePost Office address: P.O. Box 945, Hailey, Idaho 83333

PURPOSE OF TRANSFER

1. ☐ Change point of diversion ☒ Add diversion point(s) ☐ Change place of use
☐ Change nature of use ☐ Change period of use ☐ Other

2. Describe the reason for the proposed changes: Applicant's existing municipal water system ties together three (3) existing wells and a surface water source into the same delivery system. A fourth well is about to be added. Applicant's three (3) existing ground water rights for this system each have only one (1) well as a point of diversion. This Application seeks to add all of the other wells as additional points of diversion for each water right.

B. DESCRIPTION OF RIGHT(S) OR PORTION THEREOF, AFTER THE REQUESTED CHANGE

1.

Right Number	Priority	Amount	Nature	Period of Use	Volume
37-02698	10/29/1964	2.56 cfs	municipal	January 1 to December 31	
37-02699	8/11/1964	2.00 cfs	municipal	January 1 to December 31	
37-07305	11/4/1973	2.62 cfs	municipal	January 1 to December 31	
				to	

2. Total amount of water being transferred: 7.18 cubic feet/second and/or _____ acre-feet per annum.

3. Source of water: groundwater tributary to _____

4. Point(s) of Diversion:

Ident No.	Gov't Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Local name for diversion
		NE	SE	SE	9	2N	18E	Blaine	Third Avenue Well
		SE	SE	NW	9	2N	18E	18E	River Street Well
		SW	SE	SE	10	2N	18E	Blaine	Woodside Well
		SW	SE	SW	4	2N	18E	Blaine	Northridge Well

5. Lands irrigated or Place(s) of Use: Within corporate limits of City of Hailey and surrounding service area.

TWP	RGE	SEC	N E				N W				S W				S E				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

Total acres: _____

JUN 13 1995

6. General Information:

a. Are the lands from which you propose to transfer the water right subject to any liens, deeds of trust, mortgages, or contracts? _____ Yes X No If yes, provide a notarized statement from the holder of the lien, deed of trust, mortgage or contract agreeing to the proposed changes.

b. Describe the affect on the land now irrigated if the place of use is changed pursuant to this transfer: Not applicable.

c. Remarks: The City water system is not "zoned". Instead, each of the three (3) existing wells and the one (1) new well can deliver water to anywhere within the City's service area. Therefore, each well is capable of delivering water pursuant to each of the City's ground water rights and the additional points of diversion sought by this Application will make the water rights conform to actual functioning of the system.

C. DESCRIPTION OF UNCHANGED PORTION OF RIGHT

1. amount _____ for _____ purposes from _____ to _____
(cfs/ac-ft)
 amount _____ for _____ purposes from _____ to _____
(cfs/ac-ft)

2. Point(s) of Diversion:

Ident No.	Gov't Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Local name for diversion

3. Lands irrigated or Place(s) of Use:

TWP	RGE	SEC	N E				N W				S W				S E				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

Total acres: _____

JUN 13 1995

PART 2

TRANS NO. 4508

A. DESCRIPTION OF RIGHT AS RECORDED:

Water Right No. 37-02698

STAGE: LICENSE

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>
MUNICIPAL	01/01 to 12/31	2.56 CFS

SOURCE

GROUNDWATER

Priority: 10/29/1964

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 10, Township 02N, Range 18E
BLAINE County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. P/U WITHIN CITY LIMITS OF HAILEY & SURROUNDING AREAS.

RECORDED

JUN 13 1995

PART 2

A. DESCRIPTION OF RIGHT AS RECORDED:

Water Right No. 37-02699

STAGE: LICENSE

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>
MUNICIPAL	to	2.00 CFS

SOURCE

GROUNDWATER

Priority: 08/11/1964

LOCATION OF POINT(S) OF DIVERSION: SENW , Sec. 9, Township 02N, Range 18E
BLAINE County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. P/U WITHIN CITY LIMITS OF HAILEY & SURROUNDING AREA.

RECEIVED

JUN 13 1995

PART 2

TRANS NO. 4508

A. DESCRIPTION OF RIGHT AS RECORDED:

Water Right No. 37-07305

STAGE: LICENSE

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>
MUNICIPAL	01/01 to 12/31	2.62 CFS

SOURCE

GROUNDWATER

Priority: 11/04/1973

LOCATION OF POINT(S) OF DIVERSION:


SWSE , Sec. 10, Township 02N, Range 18E
BLAINE County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. P/U WITHIN CITY LIMITS OF HAILEY; WOODSIDE SUBD.
2. REINSTATED 04/17/1980.

JUN 13 1995



PART 3**A. CHANGES IN NATURE OF USE**

1.

<u>New Nature of Use</u>	<u>Amount (cfs/AF)</u>	<u>Hours/Days/Year</u>	<u>Period Of Use</u>
			to
			to
			to

2. Quantity and quality of return flows and location of discharge:

3. Describe effects on other water uses resulting from the proposed change:

I hereby assert that no one will be injured by such change and that the change does not constitute an enlargement in use of the original right. The information contained in this application is true to the best of my knowledge.

I understand that any willful misrepresentations made in this application may result in voiding its approval.

CITY OF HAILEY

By: [Signature]Subscribed and sworn to before me this 2nd day of November, 1994.

[Signature]
 Notary Public for Idaho
 Residing at East Fork, ID
 My commission expires 1/29/97

FOR DEPARTMENT USE ONLY

Received by Mr Baldwin Date 11/4/94
 Prelim. check by MTS Fee \$100.
 Receipted gs # SD17526
 Published in Good River Journal
 Pub. dates 1/4 & 1/11/95 Recommend: X approve Adm deny
 Watermaster recommendation requested N/A rec'd
 Field exam conducted (required for statutory claims) _____

Protest filed by: _____

Hearing held by: _____

RECEIVED

JUN 13 1995

BUCKHORN SUB.

BUTTERCUP SUB.

4
910

Blaine County School
District No. 61

OFFICIAL MAP
OF
CITY OF HAILEY
BLAINE COUNTY, IDAHO
1983

LEGEND
Corporate Limits

SCALE IN FEET
0 300 600 900 1200 1500 1800

MAR 01 1993

REVISION	DATE
4-24-74	
6-6-79	
12-1-83	

T#4508

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 32018/37-2698 Priority Oct. 29, 1964 Amount 2.56 cfs

THIS IS TO CERTIFY, that the CITY OF HAILEY
of Hailey, Idaho, has complied with the terms and conditions of Permit
No. 32018/37-2698 issued pursuant to Application for Permit dated August 11, 1964,
and has submitted proof to the Department of Water Resources on November 1, 1974 (late proof),
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.56 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Municipal</u>	from <u>Jan. 1</u> to <u>Dec. 31</u>	at <u>2.56</u> cfs and	<u>n/a</u>
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 2.56 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
n/a acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 10,
Twp. 2 N, Rge. 18 E, B. M. in the County of Blaine

Description and location of place of use: Corporate limits of City of Hailey & surrounding areas.

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.


The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 12 day of
May, 19 75.

Director

PAGE 6 of 7


T# 4508



Microfilm

(BELLEVUE 1:62 500)
3170 IV

SCALE 1:24 000



CONTOUR INTERVAL 40 FEET



AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
 Connty of Blaine } SS.

DEC 18 1974

Department of Water Resources

Gordon O. Gleason, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 27 day of November,

1974, and the date of the last publication was on the 5

day of December, 1974.

Gordon O. Gleason

Subscribed and sworn to before me this 6th

day of December, 1974.
 (SEAL)

Roberta Backfischer
 NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Number of Lines in Notice 41

Number of Insertions 2

Lines tabular at 315c

41 Lines straight at 21c 8.61

41 Subsequent lines at 15c 6.15

TOTAL COST 14.76

COPY OF NOTICE

(Paste Here)

Notice of Existing Water Permit

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

City of Hailey
Box 945
Hailey, Idaho

NOTICE OF EXISTING WATER PERMIT

Notice is hereby given that City of Hailey, Box 945, Hailey, Idaho has received an approved Permit No. 32018 / 37-2698 issued by the Idaho Department of Water Resources authorizing the diversion of 4.0 cubic feet per second of water from a groundwater source. The priority to be established under this permit is October 29, 1964 and the permit was approved August 14, 1964.

Water is to be diverted by pump & motor from a point within the SW¹/₄SW¹/₄, Sec. 10, Twp. 2N, Rge. 18E, B.M., Blaine County, to be used for municipal water supply purposes in the corporate limits of the City of Hailey and surrounding areas.

Proof of the application of the water to beneficial use was submitted to the Department on November 1, 1974. Any protest against the issuance of the license for the above referenced permit should be filed with the Idaho Dept. of Water Resources, State Capitol, Boise, Idaho, 83720, with ten (10) days of the last date of publication of this notice.

R. KEITH HIGGINSON
 Director

Published: Wood River Journal, Blaine County, November 27 and December 5, 1974.

MICROFILMED

BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 32018/37-2698)
)
in the name of CITY OF HAILEY)
_____)

ORDER OF REINSTATEMENT

WHEREAS, on August 11, 1964, City of Hailey applied to the Department of Water Resources (formerly the Department of Water Administration) for a permit to appropriate 4.0 cubic feet per second of groundwater within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 10, Twp. 2N, Rge. 18E, B.M., Blaine County, to be used for municipal water supply purposes; and,

WHEREAS, on August 14, 1964, the Department approved said application and issue Permit No. 32018/37-2698 with the condition that one-fifth of the work be completed on or before February 14, 1967, and that the whole of said work and proof of beneficial use be submitted on or before August 14, 1969; and,

WHEREAS, on July 23, 1969, the Department extended the time within which to submit proof of beneficial use to August 14, 1974; and,

WHEREAS, on May 31, 1974, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on September 4, 1974, the Department notified the permit holder that Permit No. 32018/37-2698 had lapsed for failure to submit proof of beneficial use; and,


WHEREAS, on November 1, 1974, the Department received the required proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 32018/37-2698 be REINSTATED and the priority advanced to October 29, 1964.

Dated this 15th day of November, 1974.


A. KENNETH DUNN, Administrator
Operations Division

JG

MICROFILMED

APPLICATION FOR PERMIT 37-2698

To Appropriate the Subterranean Waters of The State of Idaho

Application No. G- 40152
Permit No. G- 32018
District No.

1. Name of Applicant: City of Hailey, Idaho
Postoffice address: City Hall County: Blaine State: Idaho, Zip 83333
2. Quantity of water claimed: 4.0 CFS == 200" = 1,800 GPM
 (a) Rate of withdrawal in cubic feet per second or Idaho
 Miners' inches or gallons per minute
 (b) Annual withdrawal in acre feet per annum
3. Source of water supply: Subterranean from well
4. Location of point of diversion or well is in the SW 1/4 of the SW 1/4 of Section 10
 Twp. 2 N , Rge. 18 E , B.M., County of Blaine
5. Water is to be used for: Municipal water supply - domestic, culinary, recreational, irrigation, sprinkling, industrial
6. If for municipal, industrial or recreational purposes, give:
 - (a) Point of use of water is ~~in the~~ 1/4 of the 1/4 of Section , Twp.
 within corporate limits of City of Hailey and surrounding areas
 Rge. , B.M.
 - (b) Waste water or sewage effluent is to be returned to Wood River
 at a point in the SW 1/4 of the NE 1/4 of Section 16 , Twp. 2 N , Rge. 18 E , B.M.
7. Kind of works: Drilled 16" Dia. well, cased 200', 200' deep, 100 H.P. Pump, with 64' to screen, electric motor & controls, pump house,
8. Estimated cost of works: \$ 16,000.00
9. (a) Is reservoir to be used? No
 (b) Capacity of reservoir:
10. The time required for the completion of such work and complete application of the water to the proposed use is 5 years.
11. If applicant is a corporation, give: Applicant is a Municipal Corporation
 - I. (a) Date and place of incorporation:
 (b) Amount of capital stock: \$ None (c) Amount paid in: \$ None
 (d) Names and addresses of directors:
 - II. The financial resources of the applicant are (a) Cash on hand: \$
 (b) Treasury stock: (c) Bonds to be issued:
 (d) Other resources:
12. The land to be irrigated is described in the following tabulation: SEE REMARKS
13. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are: Springs source Rights purchased by City of Hailey from West Coast Power Co. when water system was purchased.
 2.60 CFS (130 Miners Inches) (1,120 GPM) See Remarks
 (a) 4.00 (cubic feet per second, inches or gallons per minute) of the water herein applied for is to be supplemental to the existing water rights.
 (b) None (cubic feet per second, inches or gallons per minute) is for new lands.

This application is for water in addition to water obtained from:
1. Springs water supply with constant flow, of 130 Meters Inches from Indian Creek, decreed to Hailey Water & Power Co. y District Court, Fourth Judicial District, Idaho, and for Lincoln County in an action entitled S. C. Frost et al, Vs. Alturus Water Co. et al, and being the same as reserved and excepted from terms of a deed from Idaho State Life Insurance Co. to David Devine, recorded Book 80 of Deeds, Page 619, Records of Blaine County.
2. Application for 2.0 CFS from Well No. 2 submitted July 1964

Remarks: See attached map Carlyle W. Briggs - 640629, dated June 29, 1964, showing existing water mains and services and location of Well No. 2, and proposed Well No. 3. Well No. 1 is a shallow well now abandoned

BE IT KNOWN THAT The undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

City of Hailey, Blaine County, Idaho Applicant.
By s/ Geo. R. Allen, Agent.
Mayor

Date of first receipt at Department of Reclamation: 1:30 P.M. August 11, 1964
Returned to applicant for correction:
Corrected application received:

Approval of State Reclamation Engineer

The number of this permit is G— 32018
Recorded in Book 112 Page 32018 Approved August 14, 1964
This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Idaho, and hereby approve the same, subject to the following limitations and conditions:
Bond in the sum of \$ to be filed on or before
Work to begin on or before and to continue deligently and uninterruptedly to completion, unless temporarily interrupted by circumstances over which the permit holder has no control.
One-fifth of the work above specified to be completed on or before February 14, 1967
The whole of said work to be completed and beneficial use of water appropriated in accordance herewith, to be made and proofs offered on or before August 14, 1969
Witness my hand this 14th day of August, 1964 s/ CARL E. TAPPAN
STATE RECLAMATION ENGINEER.
IN TESTIMONY WHEREOF, We, JACK MURPHY, Acting Governor of the State of Idaho, and ARNOLD WILLIAMS, Secretary of State of the State of Idaho, have caused this instrument to be executed in the name of the State of Idaho, and caused the Great Seal of the State of Idaho to be hereunto affixed, this 14th day of August, 1964.

Countersigned: STATE OF IDAHO
(SEAL) By s/ JACK M. MURPHY Acting Governor
By s/ ARNOLD WILLIAMS Secretary of State.

12.

Twp.	Range	Sec.	NE¼	NW¼	SW¼	SE¼	Totals
			NE¼ NW¼ SW¼ SE¼	NE¼ NW¼ SW¼ SE¼	NE¼ NW¼ SW¼ SE¼	NE¼ NW¼ SW¼ SE¼	
SEE:	Extension of	time to August 14, 1974 in file.					

LICENSE ISSUED FOR 2.56 SEC. FT.
LICENSE PAGE NO.

1. DRILLING PERMIT NO. 37-95-S-0070-000
Other IDWR No. I-4508 37-02698, 37-2699, 37-07305

2. OWNER:

Name EMB HATLEY
Address 9530 PICO BLVD.
City LOS ANGELES State CA Zip 90035

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.

Twp. 2 North ☒ or South ☐
 Rge. 18 East ☒ or West ☐
 Sec. 4 1/4 NE 1/4 SW 1/4
 Gov't Lot _____ County BLAINE

Address of Well Site CENENNIAL BLVD.
700' W OF BUTTERCUP City HIALEY
 (Give at least name of road + Distance to Road or Landmark)

Lt. _____ Blk. _____ Sub. Name **NORTHRIDGE**

4. PROPOSED USE:

☐ Domestic ☒ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK

☐ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☐ Air Rotary ☒ Cable ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
CEMENT	0	20	80 SKS	OVERBORE

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s) _____
Was drive shoe seal tested? Y ☐ N ☒ How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
1.6	-155	-159.3	.375	STEEL	☒	☐	☒	☐
2.75	-155	-190	.375	STEEL	☐	☒	☐	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method MILLS KNIFE
☐ Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
40	110	.5	400			☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

_____ ft. below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or
control devices:

11. WELL TESTS:

☐ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
1566 w/ Air	108'	122'	2.0HR
825		41'	.5HR

Water Temp. 48 Bottom hole temp.

Water Quality test or comments: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Water

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
20	0	6	SURFACE DIRT		X
	6	14	BOULDERS & GRAVEL		X
	14	20	GRAVEL SAND & CLAY		X
16	20	38	GRAVEL SAND & CLAY		X
	38	61	GRAVEL & SAND	Y	
	61	66	CEMENTED GRAVEL		X
	66	81	SMALL GRAVEL & SAND	Y	
	81	89	GRAVEL & CLAY		X
	89	105	GRAVEL & CLAY		X
	105	110	COURSE GRAVEL & CLAY		X
	110	120	GRAVEL & CLAY		X
	120	140	CLAY GRAVEL & SAND		X
	140	155	CLAY GRAVEL & SAND		X
	155	160	CLAY GRAVEL & SAND		X
	160	175	CEMENTED CONGLOMERATE		X
	175	183	CEMENTED CONGLOMERATE		X
	183	186	HARD SAME AS PREV.		X
	186	190	VERY HARD		Y

RECEIVED

11/10/2011

Department of Water Resources
Southern Region

Completed Depth 190' (Measurable)
Date: Started 08/10/95 Completed 10/19/95

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name WALKER WATER SYSTEMS INC. Firm No. 15

Firm Official Frank Walker Date 11/14/95

and

Supervisor or Operator Date 11/14/95

(Sign once if Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JUNE 9, 1995

CITY OF HAILEY
P O BOX 945
HAILEY ID 83333

Transfer of Water Right Nos. 37-02698/37-02699/37-07305

Dear Water Right Holder(s):

Enclosed is a copy of your approved Transfer of Water Right for the above referenced water rights (Transfer No. 4508). Please be sure to thoroughly review the "Conditions/Remarks:" as listed on the transfer.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:rl

Enclosure

A faint, circular stamp or seal, possibly a departmental or archival mark, located in the lower right area of the page.

JUN 13 1995

MEMORANDUM

TO: FILE NOS. 37-02698, 37-02699 & 37-07305

FROM: PAM SKAGGS/STATE OFFICE *PS*

SUBJECT: TRANSFER NO. 4508

DATE: June 8, 1995

=====

Transfer No. 4508 was filed to add a new well and combine the existing wells together in a single delivery system. Corrections to the legal descriptions were also made per field confirmation of the locations. The place of use location is within the City of Hailey and the surrounding service area.

The transfer conditions limit the total combined rate of diversion to the combined totals of these three licensed rights or 7.18 cfs, and require measuring devices to confirm use. No enlargement of use is authorized through this approval. The applicant has filed Application No. 37-08837 requesting additional diversion from the same system, primarily the additional capacity of the new well. Any additional diversion of water will be limited to the amount authorized under this new permit when and if it is approved.

Other recommended conditions include drilling permit requirements, right-of-way and standard transfer conditions.

37-08837
JUN 13 1995

TRANSFER REVIEW SHEET
(04-95)

Transfer # 4508

Date Reviewed 06-08-95 28

Right(s) 37-02698 _____
37-02699 _____
37-07305 _____

☒ Print Split Summary NA - municipal Run POU Comparison Report

B:Change P/D (C)Add P/D D:Change P/U E:Change Nature of Use
F:Change Period of Use G:Other H:Change P/D & Add P/D
I:Change P/D & P/U J:Add P/D & Change P/U

Proof of Ownership NA P/D changes only

Transfer ☒ All of Right _____ Portion of Right
Resulting Split(s) NONE

Check Transfer Against Right

Season/Vol. Yr Round NA

(1) ☒ Priority (2) ☒ Use (3) _____ Season (4) ☒ Rate (5) NA Volume
(6) ☒ Source (7) _____ P/D (8) ☒ P/U (9) NA Proof/Owner (10) ☒ Map
(11) NA Water District (12) NO Pertinent Conditions (13) NO Expansion
Limit Total DIV

(3) Add Yr round use to 37-02699
(7) Add 4 correct P/Ds 3 existing + 1 New = 4 Total

Transfer Remarks P/D City of Hailey WB4
Conditions 046, T04, T07, T08, T09, T17

Database/Processing Notes T Files - Total Line cls *

WR_Reports File _____ Transfer Memo Complete ☒

WR0749NP
No. T37-02698

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 06/08/95
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CITY OF HAILEY PO BOX 945 HAILEY ID 83333 (208) 788-4221	10/29/1964	MUNICIPAL	01-01 12-31	2.560 CFS	
TOTAL DIVERSION:					2.560 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion:	T02N R18E S04	SESW		BLAINE County
	S09	SENW	SESE	BLAINE County
	S10	SWSE		BLAINE County

Point of Diversion Name(s):

	Name	Rate	Number
T02N R18E S04	SE SW	NORTHRIDGE WELL	
S09	SE NW	RIVER ST WELL	
S09	SE SE	THIRD AVE WELL	
S10	SW SE	WOODSIDE WELL	

Pou County:

Conditions of Approval:

- 046 - Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
- T04 - Approval of this transfer in no way grants any right-of-way or easement for use of a delivery system owned by person(s) other than the right owner.
- T07 - The change authorized by this transfer shall be accomplished within one (1) year of the date of this approval.
- T08 - Failure to comply with the conditions of this transfer is cause for the director to issue an order to show cause why the approval of the transfer should not be rescinded.
- T09 - Approval of this transfer does not preclude the opportunity for review of the validity of the water right(s) in the ongoing Snake River Basin Adjudication.
- T17 - Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.

* Total cfs

Remarks: * The total instantaneous diversion of water from all points of diversion under Transfer No. 4508 shall not exceed 7.18 cfs. Place of use is located within the city limits of Hailey and the surrounding service area.

Dates:	App. Received: 11/04/1994	Priority Date: 10/29/1964
	Proof Due Date:	Proof Made Date:
	Exam Made Date:	Exam Sent to S.O.:
	Licensed Date: 05/15/1979	

WR0749NP
No. T37-02698

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 06/08/95
PAGE: 2

=====
Comments: Date: 12/16/1994 User-ID: MBALDWIN Subject: TRANSFER NO. 4508
Trans. #4508 was filed to add a point of diversion and correct
the legal description of the existing wells under Right Nos.
37-02698/02699/07305.

Audit: 12/16/94 MBALDWIN 06/06/95 SCURTIS 06/08/95 PSKAGGS

WR0749NP
No. T37-02699

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 06/08/95
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CITY OF HAILEY PO BOX 945 HAILEY ID 83333 (208) 788-4221	08/11/1964	MUNICIPAL	01-01 12-31	2.000 CFS	
TOTAL DIVERSION:					2.000 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion:	T02N R18E S04	SESW		BLAINE County
	S09	SESW	SESE	BLAINE County
	S10	SWSE		BLAINE County

Point of Diversion Name(s):

		Name	Rate	Number
T02N R18E S04	SE SW	NORTHBRIDGE WELL		
S09	SE NW	RIVER ST WELL		
S09	SE SE	THIRD AVE WELL		
S10	SW SE	WOODSIDE WELL		

Pou County:

Conditions of Approval:

- 046 - Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
- T04 - Approval of this transfer in no way grants any right-of-way or easement for use of a delivery system owned by person(s) other than the right owner.
- T07 - The change authorized by this transfer shall be accomplished within one (1) year of the date of this approval.
- T08 - Failure to comply with the conditions of this transfer is cause for the director to issue an order to show cause why the approval of the transfer should not be rescinded.
- T09 - Approval of this transfer does not preclude the opportunity for review of the validity of the water right(s) in the ongoing Snake River Basin Adjudication.
- T17 - Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.

*TOTAL CFS

Remarks: * The total instantaneous diversion of water from all points of diversion under Transfer No. 4508 shall not exceed 7.18 cfs.
Place of use is located within the city limits of Hailey and the surrounding service area.

Dates:	App. Received: 11/04/1994	Priority Date: 08/11/1964
	Proof Due Date:	Proof Made Date:
	Exam Made Date:	Exam Sent to S.O.:
	Licensed Date: 05/15/1979	

WR0749NP
No. T37-02699

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 06/08/95
PAGE: 2

=====
Comments: Date: 12/16/1994 User-ID: MBALDWIN Subject: TRANSFER NO. 4508
Trans. #4508 was filed to add a point of diversion and correct
the legal descriptions of existing wells under Right Nos.
37-02698/02699/07305.

Audit: 12/16/94 MBALDWIN 06/06/95 SCURTIS 06/08/95 PSKAGGS

WR0749NP
No. T37-07305

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 06/08/95
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CITY OF HAILEY PO BOX 945 HAILEY ID 83333 (208) 788-4221	11/04/1973	MUNICIPAL	01-01 12-31	2.620 CFS	
TOTAL DIVERSION:					2.620 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion:	T02N R18E S04	SESW		BLAINE County
	S09	SENW	SESE	BLAINE County
	S10	SWSE		BLAINE County

Point of Diversion Name(s):

		Name	Rate	Number
T02N R18E S04	SE SW	NORTHBRIDGE WELL		
S09	SE NW	RIVER ST WELL		
S09	SE SE	THIRD AVE WELL		
S10	SW SE	WOODSIDE WELL		

Pou County:

Conditions of Approval:

- 046 - Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
- T04 - Approval of this transfer in no way grants any right-of-way or easement for use of a delivery system owned by person(s) other than the right owner.
- T07 - The change authorized by this transfer shall be accomplished within one (1) year of the date of this approval.
- T08 - Failure to comply with the conditions of this transfer is cause for the director to issue an order to show cause why the approval of the transfer should not be rescinded.
- T09 - Approval of this transfer does not preclude the opportunity for review of the validity of the water right(s) in the ongoing Snake River Basin Adjudication.
- T17 - Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.

* Total cfs

Remarks: * The total instantaneous diversion of water from all points of diversion under Transfer No. 4508 shall not exceed 7.18 cfs.
Place of use is located within the city limits of Hailey and the surrounding service area.

Dates:	App. Received: 11/04/1994	Priority Date: 11/04/1973
	Proof Due Date: 03/01/1980	Proof Made Date: 01/01/1900
	Exam Made Date:	Exam Sent to S.O.:
	Licensed Date: 04/19/1982	

WR0749NP
No. T37-07305

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 06/08/95
PAGE: 2

=====
Comments: Date: 12/16/1994 User-ID: MBALDWIN Subject: TRANSFER NO. 4508
Trans. #4508 was filed to add a point of diversion and correct
the legal descriptions of the existing wells used under Right
Nos. 37-02698/02699/07305.

Audit: 12/16/94 MBALDWIN 06/06/95 SCURTIS 06/08/95 PSKAGGS

WR5747NP

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS NUMBER INDEX

DATE: 06/06/95

PAGE: 1

WATER RIGHT
NUMBER

NAME

CFS

37-02698

CITY OF HAILEY

2.56

WR5747NP

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS NUMBER INDEX

DATE: 06/06/95
PAGE: 1

WATER RIGHT NUMBER	NAME	CFS
37-02699	CITY OF HAILEY	2.00

T#4508

WR5747NP

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS NUMBER INDEX

DATE: 06/06/95
PAGE: 1

WATER RIGHT
NUMBER

NAME

CFS

37-07305

CITY OF HAILEY

2.62

T#4508

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRANSFER ANALYSIS SHEET

INITIAL REVIEW BY: MTS
37-02698-37-02699

1. Right number 37-07305 Applicant City of Hailey
2. Type of right: ☐ Decree ☒ License ☐ Claim
3. Purpose of transfer: ☐ Change point of diversion ☒ Add diversion point(s) ☐ Change place of use
☐ Other _____
4. Check:
 - a. ☒ Source ☒ Priority ☒ Amount ☒ Purpose ☒ Period of use
 - b. ☒ Description of original point of diversion.
 - c. ☒ Description of original place of use.
5. Amount of land &/or water transferred:
 - a. ☒ All of right.
 - b. ☐ Part of right (NOTE! Part B should be filled in only if part of the right is owned by the applicant).
 - c. ☒ Check description of point(s) of diversion.
 - d. ☒ Check description of place of use.
 - e. ☒ Check map (shows p.d. and p.u. after transfer).
 - f. ☒ Check for correct signature, notarization, and fee.
 - g. ~~NA~~ Check proof of ownership of right &/or land from which water is transferred.
 - h. ☒ Check for expansion in use of right. Comments See attached memo
 - i. ~~NA~~ Check for existing water rights from same source, on land water is being transferred to.
Right number(s) _____
 - j. ~~NA~~ Is use within a Watermaster District? ☒ Yes ☐ No
If yes, what district? NA

FINAL PROCESSING REVIEW BY: _____

1. Watermaster recommendation requested on N/A Received on _____
2. Is transfer published correctly? ☒ Yes ☐ No
3. Protest received? ☐ Yes ☒ No

RECOMMENDED ACTION

1. ☒ Approve
2. ☐ Deny
3. Conditions* See 5/26/95 Memo

4. By ADN Date 5/26/95
JUN 2 1995
Department of Water Resources

FROM: Allen Merritt

DATE: May 26, 1995

TO: Files: Application for Permit 37-08837
Application for Transfer #4508
Both in the name of the City of Hailey

SUBJECT: Analysis and recommendation

These applications should be reviewed together since they involve the same delivery system. The transfer proposes to tie the points of diversion of three licensed rights together and be diverted from three existing wells and one new proposed well. The application for permit proposes to divert more water from this same system.

I recommend that the transfer be approved with the following conditions:

- All rights are subject to SRBA review.
- Measuring devices with totalizing meters to be maintained at all points of diversion.
- The new well to be constructed must be approved under a separate drilling permit.

Review of the application for permit and the associated material which is included in the file leads me to believe that specific conditions need to be placed on approval of this permit.

In reading the "Development Agreement" I believe it demonstrates that it is the intent of the City to supply water to 12 acres of athletic fields and recreation facilities associated with the development on the School Districts property in the Northridge Project from the well system. This intent is contrary to the intent expressed by the city's attorney regarding this application. I recommend the following condition:

The only authorized use to be developed under this permit is uses which individually meet the "domestic use" definition under 42-111. Use for irrigation of large tracts of land such as athletic fields, parks or recreation facilities are specifically not authorized under this water right since mitigation has not been provided.

Another item of concern gleaned from the file is the contradiction in that the permit is requested for 8.31 cfs however interpretation of the information provided to support Rule 4,5,3 tends to indicate that the water to be developed will be in the new well and that its capacity will be 2100 gpm or 4.67 cfs. No other information is provided which would support development of more than 4.67 cfs other than the application itself. I recommend that the permit be

RECEIVED

JUN 13 1995

Page 2
5/26/95
City of Hailey

approved for 4.67 cfs. I further recommend that the permit be conditioned with the other standard conditions such as:

- measuring device with totalizing meters for the points of diversion.
- drilling permit required for drilling the new well.
- other conditions as appropriate.

JUN 13 1995

AFFIDAVIT of PUBLICATION

RECEIVED

JAN 17 1995

State of Idaho, }
County of Blaine } ss.

Department of Water Resources
Southern Region Office

On this 11 day of Jan, in the year 1995, before me a Notary Public of said State, personally appeared **DANIEL J. GORHAM**, known or identified to me to be the person whose name is subscribed to be the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same. As the publisher of the Wood River Journal, he/she attests that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 4 day of Jan, 1995, and the date of the last publication was on the 11 day of Jan, 1995.

Daniel J. Gorham
Subscribed and sworn to before me this 11 day of Jan, 1995.
(SEAL)

Roberta M. Kercher
NOTARY PUBLIC

#9412

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 11.5
Number of Lines in Notice 112.667
Number of Insertions 2
Lines tabular at 64.783 6¢ / Pica
Lines straight at 51.827 5¢ / Pica
Subsequent lines at 51.827 4¢ / Pica
TOTAL COST +5 \$121.61

COPY OF NOTICE
(Paste Here) -02699

Change 37-02698 -07305
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

ID Water Res. S. Region

BILL TO

NOTICE OF PROPOSED
CHANGE OF WATER RIGHT
NOS. 37-02698, 37-02699,
37-07305

Notice is hereby given that CITY OF HAILEY, c/o James P. Speck, Esquire of P.O. Box 987; Ketchum, ID 83340 has applied to the Department of Water Resources to change the following described water right(s) pursuant to Section 42-222 of IDAHO CODE and further described as Transfer No. 4508.

The purpose of this application is to add Diversion point(s) by drilling one new well as well as tie together three existing wells and the proposed new well with a surface water source into the same delivery system.

WATER RIGHT AS
RECORDED:

Water Right No. 37-02698
Basis: License
Date of Priority: 10/29/1964
Amount: 2.56 cfs
Source: groundwater
Use: Municipal from 1/1 to 12/31
Point of Diversion: SWSW, S10, T02N, R18E; Blaine County.

Water Right No. 37-02699
Basis: License
Date of Priority: 8/11/1964
Amount: 2.00 cfs
Source: groundwater
Use: Municipal from 1/1 to 12/31
Point of Diversion: SENW, S9, T02N, R18E; Blaine County.

Water Right No. 37-07305
Basis: License
Date of Priority: 11/4/1973
Amount: 2.62 cfs
Source: groundwater
Use: Municipal from 1/1 to 12/31
Point of Diversion: SWSE, S10, T02N, R18E; Blaine County.

Place of Use for above Water Rights: Within city limits of Hailey and surrounding area.

Claims have been filed in the Snake River Basin Adjudication.

WATER RIGHT NOS. 37-02698, 37-02699, 37-07305 TO BE CHANGED by locating points of diversion within NESESE, S9, T2N, R18E (Third Avenue Well); SESENW, S9, T2N, R18E (River Street Well); NWSWSE, S10, T2N, R18E (Woodside Well) SWSESW, S4, T2N, R18E (New proposed Northridge Well) to be used for municipal use within the corporate limits of City of Hailey and surrounding service area. Any protest against approval of the proposed change of water right application must be filed with the Department of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, ID 83301 together with a protest fee of \$25.00 on or before January 23, 1995. The protestant must also send a copy of the protest to the applicant.

R. Keith Higginson, Director

Published in the Wood River Journal on 1/4 & 1/11/95.

MEMO TO FILE

FROM: MEL SCHULTE

DATE: JANUARY 16, 1995 *MTS*

RE: CITY OF HAILEY
APPLICATION FOR PERMIT 37-08837
TRANSFER APPLICATION #4508

I MET THIS DATE WITH JAKE LEMMON TO DISCUSS THE ABOVE REFERENCED APPLICATIONS. MR LEMMON LIVES A SHORT DISTANCE FROM THE SITE OF THE NEW WELL PROPOSED BY THE CITY OF HAILEY. HE AND SEVERAL NEIGHBORS ARE CONSIDERING PROTESTS BECAUSE OF CONCERNS ABOUT THE IMPACT THE NEW WELL MAY HAVE ON THEIR DOMESTIC WELLS. MR. LEMMON EXPRESSED TWO THINGS WORTH NOTING AS WE PROCESS THE APPLICATIONS.

MR. LEMMON STATED THE CITY HAS HIRED DR. CHUCK BROCKWAY TO STUDY THE HYDROLOGIC IMPACT THEIR NEW WELL MAY HAVE ON THE AREA ADJACENT TO THE NEW WELL. INFORMATION IN DR. BROCKWAY'S REPORT COULD BE BENEFICIAL TO THE DEPARTMENT IN ITS REVIEW OF THE APPLICATIONS.

MR. LEMMON ALSO INDICATED THAT TO HIS KNOWLEDGE THE CITY AND SCHOOL DISTRICT HAVE AGREED THE MUNICIPAL SYSTEM IS AVAILABLE TO SERVICE THE BALL FIELDS AND GROUNDS AROUND THE NEW PROPOSED SCHOOL NEAR THE NEW WELL SITE. HE THINKS THE IRRIGATION SYSTEMS FOR THE FIELDS HAVE ALREADY BEEN HOOKED UP TO THE CITY. THIS IS CONTRARY TO INFORMATION PREVIOUSLY PROVIDED BY REPRESENTATIVES OF THE CITY AND THE SCHOOL DISTRICT.

MTS

[Handwritten signature]

JUN 13 1995

**NOTICE OF PROPOSED
CHANGE OF WATER RIGHT
NOS. 37-02698, 37-02699,
37-07305**

Notice is hereby given that CITY OF HAILEY, c/o James P. Speck, Esquire of P.O. Box 987; Ketchum, ID 83340 has applied to the Department of Water Resources to change the following described water right(s) pursuant to Section 42-222 of IDAHO CODE and further described as Transfer No. 4508.

The purpose of this application is to add Diversion point(s) by drilling one new well as well as tie together three existing wells and the proposed new well with a surface water source into the same delivery system.

**WATER RIGHT AS
RECORDED:**

Water Right No. 37-02698
Basis: License
Date of Priority: 10/29/1964
Amount: 2.56 cfs
Source: groundwater
Use: Municipal from 1/1 to 12/31
Point of Diversion: SWSW, S10, T02N, R18E; Blaine County.

Water Right No. 37-02699
Basis: License
Date of Priority: 8/11/1964
Amount: 2.00 cfs
Source: groundwater
Use: Municipal from 1/1 to 12/31
Point of Diversion: SENW, S9, T02N, R18E; Blaine County.

Water Right No. 37-07305
Basis: License
Date of Priority: 11/4/1973
Amount: 2.62 cfs
Source: groundwater
Use: Municipal from 1/1 to 12/31
Point of Diversion: SWSE, S10, T02N, R18E; Blaine County.

Place of Use for above Water Rights: Within city limits of Hailey and surrounding area.

Claims have been filed in the Snake River Basin Adjudication.

WATER RIGHT NOS. 37-02698, 37-02699, 37-07305 TO BE CHANGED by locating points of diversion within NESESE, S9, T2N, R18E (Third Avenue Well); SESENW, S9, T2N, R18E (River Street Well); NWSWSE, S10, T2N, R18E (Woodside Well) SWSESW, S4, T2N, R18E (New proposed Northridge Well) to be used for municipal use within the corporate limits of City of Hailey and surrounding service area.

Any protest against approval of the proposed change of water right application must be filed with the Department of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, ID 83301 together with a protest fee of \$25.00 on or before January 23, 1995. The protestant must also send a copy of the protest to the applicant.

R. Keith Higginson, Director

Published in the Wood River Journal on 1/4 & 1/11/95.

RECORDED
JAN 13 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

December 16, 1994

R. KEITH HIGGINSON
Director

WOOD RIVER JOURNAL
PO BOX 988
HAILEY ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published in your newspaper. We have inserted the required publication dates. If time allows, please submit a galley proof for review before publication.

We have attempted to submit this legal as camera ready. Please call me at your earliest convenience and prior to your staff re-typing the legal if it does not meet your specifications so I can possibly make adjustments.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary Baldwin
Sr. Secretary

Enclosure

RECEIVED
JUN 13 1995

JUN 13 1995

NOTICE OF PROPOSED CHANGE OF WATER RIGHT NOS.
37-02698, 37-02699, 37-07305

Notice is hereby given that CITY OF HAILEY, c/o James P. Speck, Esquire of P.O. Box 987; Ketchum, ID 83340 has applied to the Department of Water Resources to change the following described water right(s) pursuant to Section 42-222 of IDAHO CODE and further described as Transfer No. 4508.

The purpose of this application is to add Diversion point(s) by drilling one new well as well as tie together three existing wells and the proposed new well with a surface water source into the same delivery system.

WATER RIGHT AS RECORDED:

Water Right No. 37-02698

Basis: License

Date of Priority: 10/29/1964

Amount: 2.56 cfs

Source: groundwater

Use: Municipal from 1/1 to 12/31

Point of Diversion: SWSW, S10, T02N, R18E; Blaine County.

Water Right No. 37-02699

Basis: License

Date of Priority: 8/11/1964

Amount: 2.00 cfs

Source: groundwater

Use: Municipal from 1/1 to 12/31

Point of Diversion: SENW, S9, T02N, R18E; Blaine County.

Water Right No. 37-07305

Basis: License

Date of Priority: 11/4/1973

Amount: 2.62 cfs

Source: groundwater

Use: Municipal from 1/1 to 12/31

Point of Diversion: SWSE, S10, T02N, R18E; Blaine County.

Place of Use for above Water Rights: Within city limits of Hailey and surrounding area.

Claims have been filed in the Snake River Basin Adjudication.

WATER RIGHT NOS. 37-02698, 37-02699, 37-07305 TO BE CHANGED by locating points of diversion within NESESE, S9, T2N, R18E (Third Avenue Well); SESENW, S9, T2N, R18E (River Street Well); NWSWSE, S10, T2N, R18E (Woodside Well) SWSESW, S4, T2N, R18E (New proposed Northridge Well) to be used for municipal use within the corporate limits of City of Hailey and surrounding service area.

Any protest against approval of the proposed change of water right application must be filed with the Department of Water Resources,

JUN 13 1975

Southern Region, 222 Shoshone Street East, Twin Falls, ID 83301 together with a protest fee of \$25.00 on or before January 23, 1995. The protestant must also send a copy of the protest to the applicant.

R. Keith Higginson, Director

Published in the Wood River Journal on 1/4 & 1/11/95.

RECEIVED

JUN 13 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

December 16, 1994

R. KEITH HIGGINSON
Director

JAMES P SPECK ESQUIRE
PO BOX 987
KETCHUM ID 83340

Re: Application for Transfer No. 4508 (37-02698, 37-02699, 37-07305) AND Application for Permit No. 37-08837 - City of Hailey

Dear Mr. Speck:

The Department of Water Resources acknowledges receipt of the above referenced Applications on behalf of the City of Hailey.

This office has scheduled advertising the applications in the Wood River Journal for 1/4 and 1/11/95. The advertisements will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the applications are protested, you will be sent a copy of the protest. A protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

State Office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Mel Schulte
Sr. Water Resource Agent

MS:MB

DEC 18 1994

MEMORANDUM TO FILE

FROM: MEL SCHULTE *MTS*

DATE: NOVEMBER 23, 1994

RE: FIELD INSPECTION
CITY OF HAILEY WELL SITES

ON NOVEMBER 22, 1994 I CONFIRMED THE LOCATION OF THE CITY OF HAILEY'S THREE CURRENT WELLS AND A PROPOSED NEW WELL. I WAS ASSISTED AND ACCOMPANIED BY STEVE TOZIER, THE HEAD OF THE CITY'S WATER AND SEWER DEPARTMENT. THE INSPECTION COINCIDED WITH AN APPLICATION FOR PERMIT AND AN APPLICATION FOR TRANSFER FILED BY THE CITY.

AT EACH WELL WE IDENTIFIED THE SITE ON A COPY OF THE CITY OF HAILEY'S OFFICIAL MAP DATED 1983 AND ON AN ENLARGED COPY OF AN OPQ MAP. WE FOUND A TEN ACRE DISCREPANCY IN THE LEGAL DESCRIPTION USED FOR THE WOODSIDE WELL IN THE APPLICATIONS. WE ALSO FOUND A SECTION AND QUARTER/QUARTER SECTION DISCREPANCY FOR THE LICENSED P/D RELATING TO THE 3RD AVENUE WELL.

STEVE TOZIER INDICATED THAT HAILEY WAS THE FASTEST GROWING CITY IN THE WOOD RIVER VALLEY. THEY PROJECT THE CITY'S POPULATION TO GROW FROM THE CURRENT LEVEL OF ABOUT 6,000 TO 7-8,000 BY THE YEAR 2000. THE NEW WELL TO BE ADDED IS EXPECTED TO HANDLE THEIR NEAR TERM PROJECTED GROWTH. HE SAID THE NEW WELL IS TO BE CONSTRUCTED BY THE BLAINE COUNTY SCHOOL DISTRICT AND MR CAPLO, THE OWNER OF NORTHRIDGE SUBDIVISION, BUT TIED IN TO THE CITY'S SYSTEM. THE SUBDIVISION IS CURRENTLY BEING EXPANDED AND IS SERVICED BY THE CITY SYSTEM. THE SCHOOL DISTRICT IS PLANNING TO BUILD A NEW MIDDLE SCHOOL IN THE SUBDIVISION AND PLANS TO USE CITY WATER FOR ITS INTERNAL USE.

TO MEET THE SCHOOL DISTRICT'S PLANS THE NEW WELL MUST BE DRILLED AND ON LINE BY AUGUST 1996. THE SPECIFIC SITE OF THE WELL IS NOT DEFINITE AT THIS TIME AND WILL NOT BE UNTIL DEQ COMPLETES ITS SITE INSPECTION. IF THE WELL LOCATION CHANGES FROM THAT CURRENTLY PROPOSED, STEVE TOZIER WILL LET US KNOW.


IF THE APPLICATION FOR PERMIT TO EXPAND THE CITY'S DIVERSION RATE IS NOT APPROVED, I AM CONCERNED WITH APPROVAL OF THE TRANSFER APPLICATION. IT DOES NOT APPEAR JUSTIFIED TO ADD A FOURTH WELL TO THE CITY'S SYSTEM WITHOUT A COMPANION WATER RIGHT FOR ADDITIONAL WATER. THE CITY SYSTEM IS SUPPOSEDLY NOW AT ITS MAXIMUM CAPACITY WHICH IS ASSUMED TO BE THEIR LICENSED CAPACITY. ANOTHER WELL PROVIDES THE OPPORTUNITY TO INCREASE THEIR DIVERSION WITHOUT THE LEGAL RIGHT TO EXPAND.

RULE 4,5,3 CRITERIA NEEDS TO BE ADDRESSED BEFORE APPROVAL OF THE APPLICATION FOR PERMIT.

MTS

JUN 13 1995

T # 4508



Substation
Grav
Pit

City of Hailey wells
11-22-94

JUN 13 1995

T # 4508

Proposed
New Well at
Manufacturing Park

Radio
Facility 6/10

Woodlands

Hailey

UNION

Handman Gulch

Quigley



HOGUE, SPECK & AANESTAD

A PROFESSIONAL ASSOCIATION
ATTORNEYS

TERRY G. HOGUE
JAMES P. SPECK
DOUGLAS J. AANESTAD
TRACY DUNLAP
JOHN A. SEILLER

120 EAST AVENUE
POST OFFICE BOX 987
KETCHUM, IDAHO 83340
(208) 726-4421
FAX (208) 726-0752

HAILEY OFFICE:
16 WEST CROY STREET
SUITE K
POST OFFICE BOX 460
HAILEY, IDAHO 83333
(208) 788-3567
FAX (208) 788-4230

November 3, 1994

Allen Merritt
Idaho Department of Water Resources
Southern Region
222 Shoshone Street East
Twin Falls, Idaho 83301

CKs nos.
attached
15 16 17 18 19 23999
+ 24000
NOV 04 1994
Department of Water Resources
Southern Region Office

Re: City of Hailey - Application for Permit and Application for Transfer
of Water Right

Dear Allen:

I have prepared and enclosed on behalf of the City of Hailey an Application for Permit and Application for Transfer of Water Right. The City currently has three (3) municipal ground water rights (37-06298, 37-02699 and 37-07305). Each of these rights has a single well as its point of diversion. However, the City's existing municipal water system ties all of these three (3) wells together in the same delivery system. Therefore, the Application for Transfer seeks merely to add the other two (2) wells and a proposed new well as additional points of diversion for each of these existing groundwater rights. The new well will be known as the "Northridge Well" and will be located in the Northridge Subdivisions which have been annexed into the City just north of the previous municipal boundary.

Once the new well is drilled, the total capacity of the four (4) wells will be 15.49 cfs. The total licensed amount for the three (3) existing ground water rights is 7.18 cfs. The Application for Permit is for the balance of this projected capacity - 8.31 cfs. This amount is needed to meet the reasonably anticipated future needs of the City. Each projected individual use of the new permit within the city limits or service area of the City will meet the limitations of Idaho Code Section 42-111A for "domestic uses". Therefore, a mitigation plan is not required and will not be submitted. I have also enclosed for filing with each of the Applications a copy of the official map of the City of Hailey on which I have approximately located the three (3) existing wells and the proposed new well.

RECEIVED

JUN 13 1995

T # 4508

Allen Merritt
Idaho Department of Water Resources
Southern Region
November 3, 1994
Page 2

Please contact me if you have any questions concerning these Applications.

Sincerely yours,

HOGUE, SPECK & AANESTAD, P.A.


James P. Speck

JPS/jl

cc: Steve Crabtree, Esq.
Mayor Kearns

MS-4508

JUN 13 1995

T # 4508

C May 13, 1975

Re: Permit No. 32018/37-2698

O
City of Hailey
Box 945
Hailey, Idaho 83333

P Gentlemen:

Enclosed herewith is a copy of the water license issued on the above referenced permit.

Sincerely,

Y
BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosure

MICROFILMED

April 28, 1975

City of Hailey
P.O. Box 945
Hailey, Idaho 83333

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 32018/37-2698 and has found the following:

Quantity of water diverted: 2.56 cfs Source: ground water

Amount of water that can be recognized as beneficially used under Idaho law: 2.56 cfs

Point of diversion: SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 10, Twp. 2 N, Rge. 18 E, B.M.

Beneficial use: Municipal purposes for the corporate limits of the City of Hailey & surrounding areas

Priority date established: October 29, 1964

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:DR

RECEIVED

TOTAL ACREAGE

DATE OF EXAM 1-28-1975

ACREAGE
Found ✓
Recommended ✓

Irrigation Requirement ✓ Ac Ft/Ac

USE
Irrigation Q= c.f.s. V= AF/Ann. from to
Domestic Q= 2.56 c.f.s. V= 1850 AF/Ann. from Jan 1 to Dec 31
Livestock Q= c.f.s. V= AF/Ann. from to

Is water co-mingled? yes ✓ no

Name source: ground water Lic. 37-2699-2.0c.f.s.
twp. 2 N N/S, Rge ✓ E/W, B.M., Sec. Sub. SE 1/4 NW 1/4 Blaine
County

Exchange? yes no ✓

Name source exchanged with:
twp. N/S, Rge E/W, B.M., Sec. Sub. 1/4 1/4
County

Point of injection:
twp. N/S, Rge E/W, B.M., Sec. Sub. 1/4 1/4
County

Point of exchange:
twp. N/S, Rge E/W, B.M., Sec. Sub. 1/4 1/4
County

Total Q measured ✓ Method of measurement ✓

Total Q recommended 2.56 cfs Meter No. L Type ✓ Condition ✓

Total V recommended 1850 Ac Ft/Ann.

Recommended Amendments:

P.D. ✓
Place of Use ✓
Other ✓
None ✓

MEASUREMENT CALCULATION:

$Q = 2.56 \text{ cfs}$ pump is 1150 gpm.
 $V = 1850 \text{ Ann} (1.98) (36.5 \text{ days}) (2.56 \text{ cfs})$

SYSTEM DESCRIPTION:

(1) well, motor & pump Hollowshaft 60HP #R1011540
verti-line pump, 12KH WMM 1150 gpm.
co-mingler with other pumps.

REMARKS:

pump is for 1150 gpm. $\div 448.8 = 2.56 \text{ cfs}$. Note
6" E.I. dimension
1150 gpm was written on a plate located on the
pump.

Examiner's Signature Sam Sunderburg Date 1-28-75

Checked by Bob Haynes Date 3-20-75

Approved by Date

December 16, 1974

Re: Permit No. 32018/37-2698

City of Hailey
P. O. Box 945
Hailey, ID 83333

Gentlemen:

We acknowledge receipt of the affidavit of publication submitted in connection with the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions concerning the field exam, please contact our Southern District Office in Twin Falls.

Sincerely,

D. Darlene Reich
Water Rights Supervisor'

DDRLJG

MICROFILMED

November 21, 1974

Re: Permit No. 32018/37-2698 - City of Hailey

Wood River Journal
P. O. Box 988
Hailey, ID 83333

Gentlemen:

Enclosed is a legal notice which we wish to have published for two consecutive weekly issues of your newspaper. We have inserted the publication dates, allowing time for you to submit to us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact this office immediately.

The expense of the publication is to be paid by:

City of Hailey
P. O. Box 945
Hailey, ID 83333

to whom you should furnish an affidavit of publication.

Very truly yours,

D. Darlene Reich
Water Rights Supervisor

DDR:JG
Enclosure

November 21, 1974

Re: Permit No. 32018/37-2698

City of Hailey
Box 945
Hailey, ID 83333

Gentlemen:

We have caused the legal notice for the above referenced permit to be published in the Wood River Journal on November 28, and December 5, 1974.

You will be required to submit an affidavit of publication to this office. The affidavit may be obtained from the above mentioned newspaper upon payment of the publication fee. We have asked the newspaper to bill you direct. Upon receipt of the affidavit of publication, we will then schedule a field examination.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

MICROFILMED

NOTICE OF EXISTING WATER PERMIT

RECEIVED
NOV 23 1974

Notice is hereby given that City of Hailey, Box 945, Hailey, Idaho

has received an approved Permit ~~NO. 32018/37-2698~~

32018/37-2698 issued by the Idaho Department of Water Resources authorizing the diversion ~~average~~ of 4.0 cubic feet per second ~~average~~ of water from a groundwater source.

The priority to be established under this permit is October 29, 1964 and the permit was approved August 14, 1964.

Water is to be diverted by pump & motor from a point within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 10, Twp. 2N, Rge. 18E, B.M., Blaine County,

to be used for municipal water supply purposes

in the corporate limits of the City of Hailey and surrounding areas.

Proof of the application of the water to beneficial use was ~~submitted~~ submitted to the Department on ~~October 1, 1974~~ November 1, 1974. Any protest against the issuance of the license for the above referenced permit should be filed with the Idaho Dept. of Water Resources, State Capitol, Boise, Idaho, 83720, within ten (10) days of the last date of publication of this notice ~~or~~ ~~prior to the expiration of the permit~~ ~~beneficial use proof is due without further notice~~

R. KEITH HIGGINSON

Director

Wood River Journal, Hailey, Idaho

Published in the _____
on _____ and _____.

Permit No. 32018/37-2698

Director:

You are hereby authorized to have the above notice published at my expense in the Wood River Journal of Hailey, Idaho; published in the county in which the works are situated.

(Signature)

ADRIAN MAYER

(Address)

HAILEY, IDAHO

(Date)

11/19/74

MICROFILMED

November 18, 1974

Re: Permit No. 32018/37-2698

City of Hailey
Box 945
Hailey, ID 83333

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit. Enclosed is an Order of Reinstatement; please note that the priority has been advanced to October 29, 1964.

Before a field examination can be made and a water license issued, it will be required that notice of the permit be published for two consecutive weeks, at your expense, in a newspaper as prescribed by the Department. If you will sign and return the enclosed advertising authorization, we will cause the notice to be published.

If you have any questions concerning this matter, please contact us.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG
Enc: Order of Reinstatement
Advertising authorization

MICROFILMED

Identification No. _____

Permit No. 37-2698

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

late
198

1. a) Name of Permit Holder City of Hailey, Blaine County, Idaho
b) Post Office Address Box 945, Hailey, Idaho 83333
2. Permit Number 37-2698
3. Date of Priority that you are prepared to establish August 14, 1964
4. a) Source from which water was appropriated ground water
b) Location of the point of diversion: SW ¼ SW ¼, Section 10
Township 2, Range 18 E., Boise Meridian, Other points of diversion:
5. a) The amount of water and use to which the water has been applied:
Amount 4.0 CFS for municipal purposes from 1/1 to 12/31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 4.0 CFS cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: flow meter, Harold Cox, P.E.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Drill sixteen (16) inch diameter well cased
two hundred (200) feet, two hundred (200) feet deep, sixty (60)
horsepower pump, Layne & Bowler 1150 GPM pump with eight (8)
inch discharge.
b) Describe the type and size of measuring device which you have installed at your point of diversion: None

c) Give well driller's name and address and the date the well was completed: George Roessler,
Shoshone, Idaho - June 29, 1965
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: Municipal water supply purposes

Exam typed 12/16/77 by fg

MICROFILMED

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres irrigated _____

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

10/31/74
(Date)

[Signature]
(Signature)
Mayor, City of Hailey

State of IDAHO)
) ss.
County of Blaine)

On this 31st day of October, 19 74, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

[Signature]
Notary Public residing at Hailey, Idaho

My commission expires 2-10-77

September 26, 1974

Re: Permit No. 37-2698

Boller & Croner
Attorneys at Law
101 N. Main
Hailey, Idaho 83338

Gentlemen:

Pursuant to your letter of September 25, 1974, enclosed is a copy of the above referenced permit as you requested. Also enclosed are the necessary forms for making proof of beneficial use.

Proof must be submitted sixty (60) days from the date of the notice of lapsing, which would be by November 3, 1974, in order for the permit to remain in good standing.

If you have any questions concerning this matter, please contact our office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Encl: Copy of Permit
Proof of B/U with instr.

MICROFILMED

STEPHEN W. BOLLER
JOHN F. CRONER

BOLLER & CRONER
ATTORNEYS AT LAW
101 N. MAIN
P. O. BOX 908
HAILEY, IDAHO 83333

TELEPHONE
AREA CODE 208
784-4331

SEP 28 1974
Department of Water Resources

September 25, 1974

STATE OF IDAHO
Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

Re: Permit No. 32018/37-2698


Gentlemen:

The City of Hailey has handed me your letter of May 31, 1974, in regard to the above permit. I note by that letter that proof of application to beneficial use or request for an extension of time must have submitted prior to August 14, 1974.

I do not have the permit, but gather it relates to domestic wells in the City of Hailey's water system. Would you please be good enough to forward me a copy of the original permit, since the City cannot find it, so that I might make the appropriate steps to complete whatever process is necessary.

Very truly yours,

BOLLER & CRONER


Stephen W. Boller

SWB/jf

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

September 4, 1974


Re: Permit No. 32018/37-2698

City of Hailey
City Hall
Hailey, ID 83333

Gentlemen:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 37-2698 has lapsed.

You are further advised that the Department cannot reinstate the permit except upon a showing of reasonable cause within 60 days from the date of this notice of lapsing.


R. KEITH HIGGINSON by A. KENNETH DUNN, Administrator
Director Operations Division

RKH:jg

MICROFILMED
MICROFILMED

WATER RESOURCE BOARD:

John F. Streiff
Chairman
Franklin Jones

George L. Yost
Vice-Chairman
M. Reed Hansen

Donald R. Kramer
Secretary
Scott W. Reed

Edwin C. Schlender
Member
Joseph H. Nettleton

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)

☐

Show to whom, date and address
where delivered

☐

Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

CERTIFIED NO.

1

C. M. S. / 11/1/74

INSURED NO.

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

DATE DELIVERED

SHOW WHERE DELIVERED (Only if requested, and include ZIP Code)

JUN 8 1974

3

RECEIVED MED


37-2698

Due 8/14/74

U.S. POSTAL SERVICE
OFFICIAL BUSINESS




Postmark of Post Office



SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.

- If special services are desired, check block(s) on other side.
- Moisten gummed ends and attach to back of article.



DEPARTMENT OF WATER ADMINISTRATION

STATEHOUSE - ANNEX #2

BOISE, IDAHO 83707

Department of Water Administration

MICROFILMED

PS Form 3811 Nov. 1970 655-16-81277-1

May 31, 1974

CERTIFIED MAIL

#25380

Re: Permit No. 32018/37-2698

City of Hailey
City Hall
Hailey, Idaho 83333

Gentlemen:

One of the conditions of approval of your water Permit No. 32018/37-2698 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before August 14, 1974. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

MICROFILMED

Suggest we allow until

August 14, 1974

OK

RKH

Don

32018

37-2698

July 29, 1969

C
Re: Permit No. G-32018

O
City of Hailey
City Hall
Hailey, Idaho

Gentlemen:

P
Please find enclosed a copy of your APPROVED application for extension of time. You will note that it has been approved until August 14, 1974.

If we may be of further assistance, please contact us.

Very truly yours,

Y
Donald W. McEldowney
Appropriation Examiner

DWM:TG

Enc: application for extension

32018
37-2698

Keith Higginson
State Reclamation Engineer
State House
Boise, Idaho 83725

STATE OF IDAHO

DEPARTMENT OF RECLAMATION

JUL 16 1969

APPLICATION FOR EXTENSION OF TIME

State of Idaho)
County of Blaine)

Department of Reclamation
Permit No. G-32018

City of Hailey) of City Hall, Hailey, Idaho 83333
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Waters of the State of Idaho No. G-32018.

That under the terms and conditions of said permit, work thereunder was required to be completed by August 14, 1969.

That he has heretofore performed the following work described under said permit:
Drilled 20" Diameter well 198' depth
Cased 20" Diameter x 160'
Perforated 65' to 80' and 98' to 149'. Static Water Level 23.5' below top of well casing. Test pumped to 2,500 GPM, 14 hours, 2,000 GPM at 49 foot pumping water level below top of well casing. Costing \$ 4,800.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: Awaiting construction funds. Bond election passed on March 4, 1969, included funds for pumping station construction. The City of Hailey is now in process of selling bonds, and expects construction to be completed during the year 1970, or earlier if possible.

WHEREFORE, he asks that the State Reclamation Engineer extend the time for the completion of obligations under said permit to August 14, 1970.

Virde Allred
Attest: Virde Allred, City Clerk

(signature) George R. Allen
City of Hailey, Idaho

Subscribed and sworn to before me this 14 day of July, 1969.

(notary public)

My commission expires Aug 16 1971.

Date of receipt at office of Department of Reclamation

ACTION OF STATE RECLAMATION ENGINEER

I, R. KETH HIGGINSON, State Reclamation Engineer of the State of Idaho, hereby approve the above application for extension of time to August 14, 1970.

Witness my hand this 23rd day of July, 1969.

R. Keith Higginson
State Reclamation Engineer

* If other than the holder, Power of Attorney must be supplied.

ACTION OF STATE RECLAMATION ENGINEER

I, _____, State Reclamation Engineer of the State of Idaho,
hereby _____

Witness my hand this _____ day of _____, 1969.

State Reclamation Engineer

32018
37-2698

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR EXTENSION OF TIME

State of Idaho)
County of Blaine)

Permit No. G-32018

City of Hailey of City Hall, Hailey, Idaho 83333
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Waters of the State of Idaho No. G-32018.

That under the terms and conditions of said permit, work thereunder was required to be completed by August 14,, 19 69.

That he has heretofore performed the following work described under said permit:

Drilled 20" Diameter well 198' depth

Cased 20" Diameter x 160'

Perforated 65' to 80' and 98' to 149'. Static Water Level 23.5' below top of
well casing. Test pumped to 2,500 GPM, 14 hours, 2,000 GPM at 49 foot
pumping water level below top of well casing. Costing \$ 4,800.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: Awaiting construction funds. Bond election
passed on March 4, 1969, included funds for pumping station construction. The
City of Hailey is now in process of selling bonds, and expects construction to
be completed during the year 1970, or earlier if possible.

WHEREFORE, he asks that the State Reclamation Engineer extend the time for the completion of obligations under said permit to August 14, 19 70.

Virda Allred
Attest: Virda Allred, City Clerk

George R. Allen
(signature) George R. Allen, Mayor
City of Hailey, Idaho

Subscribed and sworn to before me this 14 day of July, 1969.

[Signature]
(notary public)

My commission expires Aug 10, 1971.

Date of receipt at office of Department of Reclamation _____

32018

37-2698

June 1, 1969

Re: Permit No. G-32018

City of Hailey
City Hall
Hailey, Idaho

Gentlemen:

During the 1967 session of the Idaho Legislature, certain amendments were made in the law pertaining to the procedures for making proof of beneficial use of water. In order for the Department to comply with these changes, Rules of Practice and Procedure were adopted on August 1, 1968. Generally, these procedures and the amended law make it simpler for a person to make proof and relieve the permit holder from making separate proofs of completion of works and beneficial use of water.

The enclosed order modifies your permit to comply with these rules and regulations. As a part of the new procedure, you will be required to publish a notice at your expense for two consecutive weeks in a paper as prescribed by the Department, stating that you have been issued a permit and are now submitting proof of beneficial use. Previously, a permit holder had to publish a notice for four weeks when he submitted proof under his permit.

If you will complete the enclosed forms, we will cause the notice to be published. Should you require additional forms or information, we will be glad to supply it upon request at any time.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR

Enc: Order
Proof due notice
Proof package
Advertising package

32018

BEFORE THE STATE RECLAMATION ENGINEER

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. G-32018)

in the name of City of Hailey)

ORDER MODIFYING REQUIREMENTS
FOR COMPLETION OF PERMIT TO
APPROPRIATE WATER

WHEREAS, the 39th Idaho Legislature made certain amendments to the Idaho Water Law; and,

WHEREAS, these changes raised questions as to the procedures to be followed by holders of permits issued prior to the effective date of the amendments, May 31, 1967; and,


WHEREAS, on August 1, 1968, the Department of Reclamation adopted Rules of Practice and Procedures for the processing of such permits issued prior to May 31, 1967; and,

WHEREAS, Permit No. G-32018 was issued previous to that date;

NOW THEREFORE, the requirements for completion of the above-numbered permit are hereby modified to conform to the adopted Rules of Practice and Procedures as follows:

1. The above-numbered permit will be completed under the terms of Title 42, Chapter 2, Idaho Code, as amended by the 39th Idaho Legislature.
2. The conditions of the above-numbered permit are modified as follows:
 - a. Notice of the issuance of the permit will be published at the permit holders expense for two weekly issues in the official newspaper of the county in which the point of diversion lies.

Dated this 28th day of May, 1969.


R. KEITH HIGGINSON
State Reclamation Engineer

32018

INSTRUCTIONS TO DELIVERING EMPLOYEE

☐ Show to whom, date, and
address where delivered

☐ Deliver ONLY
to addressee

(Additional charges required for these services)

RECEIPT

Received the numbered article described below.

REGISTERED NO.	1 2 3	SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)
CERTIFIED NO. 271050		<i>City of Wiley</i>
INSURED NO.		SIGNATURE OF ADDRESSEE'S AGENT, IF ANY <i>by Linda Alford</i>
DATE DELIVERED JUN 2 1969		SHOW WHERE DELIVERED (only if requested) <i>4-32618</i>

655-16-71548-10 GPO

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE \$300

POST MARK OF
DELIVERING OFFICE



INSTRUCTIONS: Show name and address below and complete instructions on other side, where applicable. Moisten gummed ends, attach and hold firmly to back of article. Print on front of article **RETURN RECEIPT REQUESTED**.

← **RETURN TO**

NAME OF SENDER

Department of Education

STREET AND NO. OR P.O. BOX

Annex # 2 Station 100

POST OFFICE, STATE, AND ZIP CODE

Boise, Idaho 83727

POD Form 3811 Apr. 1957 c55-16-71648-10

June 1, 1969

Re: Permit No. G-32018


City of Hailey
City Hall
Hailey, Idaho

Gentlemen:

One of the conditions of the approval of your permit
G-32018 was that proof of application of the water to
beneficial use be submitted to this office on or before _____
August 14, 1969.

Enclosed is an affidavit form which must be used to submit
this proof. You may request an extension of time provided the
delay is for reasonable cause as indicated in Section 42-204, ICA.

Either the proof or a request for extension must be received
by this department on or before the above mentioned date, otherwise
the permit will lapse and be of no further force or effect.



State Reclamation Engineer

Enclosure: Proof form
DR

NOTICE OF EXISTING WATER PERMIT

Notice is hereby given that City of Hailey, City Hall, Hailey, Idaho
_____ has received an approved permit No.
G-32018 issued by the Idaho State Reclamation Department authorizing the
diversion ~~/storage/~~ of 4.0 cubic feet per second ~~acre feet per annum~~
of water from a ground water source,
subject to all prior rights. The priority to be established under this permit is
August 11, 1964 and the permit was approved August 14, 1964.
Water is to be diverted by well, pump and electric motor
from a point within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 10, T. 2 N, R. 18 E, B.M., Blaine County
_____ to be used for municipal water supply
in the corporate limits of City of Hailey and surrounding areas

Proof of the application of the water to beneficial use is to be submitted to the
Department on or before August 14, 1969. Any protests against
the issuance of a license for the above referenced permit should be filed with the
Department of Reclamation within ten (10) days of the last date of publication of
this notice or prior to the licensing of the permit. Licensing may commence prior
to the date beneficial use proof is due without further notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Hailey Times, Hailey, Idaho on
_____ and _____.

32018

June 22, 1965

RE: Application for Permit
Relinquishment of G-32018
City of Hailey

V. K. Jeppesen
Attorney at Law
Hailey, Idaho

Dear Mr. Jeppesen:

Enclosed please find form for relinquishment
and a photocopy of sketch map submitted.

Kindly complete relinquishment form and enter
legal subdivisions of land, point of diversion and point
of return of water to Wood River in ink on the enclosed
sketch map, and return promptly to this office.

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer

H. PETRI
Office Manager

HP:ct
Enc. Relinquishment form
sketch map

G 32018

May 27, 1965

Re: Application for Permit
Permit No. G-32018
City of Hailey

V. K. Jeppesen
Attorney at Law
Hailey, Idaho

Dear Mr. Jeppesen:

Returned herewith is the application for permit
for possible correction and return with filing fee.

Permit No. G-32018 shows well No. 3 in SW $\frac{1}{4}$ SW $\frac{1}{4}$,
Sec. 10, instead of SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 9. This permit claims 4.0
c.f.s. The amount of water claimed on a permit can never be
increased.

It seems Permit No. G-32018 will require an
amendment to the point of diversion or the application will
have to be changed.

Permit No. G-32018 can be relinquished and this
application can be for 8.0 c.f.s. or retain your permit and
change the application to 4 c.f.s. to make the total 8.0 c.f.s.

Very truly yours,

RALPH W. THOMAS, Deputy

RT:ew

Enc. application

G 32018

November 18, 1964

RE: Permit G-32018
City of Hailey

Carlyle Briggs
619 Grove Street
Boise, Idaho

Dear Mr. Briggs:

In reference to our phone conversation of November 17th, we are enclosing new forms 16 & 17A for depositions of holder and witnesses. Since the publication notice was correct for G-32018, it will require new depositions based on subject permit. Also required is an affidavit by notary V. K. Jeppesen and subscribed to before another notary stating whether or not any protestants appeared in his office between the date of October 20, 1964, and the actual date depositions are signed before the notary, also the reason why new depositions are necessary.

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer

H. PETRI
Head of Section
State Water Rights & Records

HP:ot

Enc. Forms 36 & 17A

h32018

Re: Permit No. G-32018
City of Hailey

August 26, 1964

City of Hailey,
City Hall,
Hailey, Idaho.

Gentlemen:

This acknowledges the Notice of Proof of Completion of Works and Application of water to Beneficial Use under Permit No. G-32018. The proofs are to be made at 2:00 o'clock P.M., on the 20th day of October, 1964, before V. K. Jeppeson, 113 South Main St., Hailey, Idaho, Notary Public.

As of this date, we have mailed the Notice to the Hailey Times Hailey, Idaho, with instructions to publish it once a week for four consecutive weeks prior to the date set for final proof then mail the affidavit of publication and statement of costs to you.

It is important that the enclosed depositions be executed by you and two disinterested witnesses who are familiar with the terms of the permit and the work done thereunder, at the place, on the date, and at the time and before the Notary, as advertised. It is very important and necessary that each question be answered in detail.

In returning the depositions to this office, be sure that all copies have been signed, the Notary's seal has been placed on each and that all depositions, (holder and two witnesses) are being returned. Also be sure to enclose the AFFIDAVIT OF PUBLICATION.

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer
By

(MRS.) EDNA P. RULE
Chief Clerk

Encl.
EPR:pmk
cc: Notary

§32018

NOTICE TO ACCOMPANY THIS LETTER MUST BE MADE IN DUPLICATE

(Date) August 26, 1964

(P. O.) City of Hailey, City Hall, Hailey, Idaho

TO THE STATE RECLAMATION ENGINEER

Boise, Idaho

Dear Sir:

You are hereby authorized to have the attached notice published
at my expense in the Hailey Times of
Hailey, Idaho published in the
county in which the works are situated.

CITY OF HAILEY, IDAHO

BY: Carlyle W. Briggs
Carlyle W. Briggs, P.E.
Engineer for Hailey, Idaho

(In case of canals or other works designed to divert and
carry more than 50 cubic feet of water per second, the following certificate
must be signed by a well known and competent engineer.)

I hereby certify that the facts set forth in the
attached notice are true.

Engineer

932018

NOTICE OF PROOF OF COMPLETION OF WORKS

and
APPLICATION OF WATER TO BENEFICIAL USE

Notice is hereby given that at 2:00 PM., on the 20th day of October 19 64, at Hailey, County of Blaine, State of Idaho, before V.K. Jeppesen, Notary Public, at (address) 113 South Main Street, proof will be submitted of the completion of works for the diversion of 2.00 cubic feet per second of underground water from a well, and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. C-32018, heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit is City of Hailey, City Hall, Hailey, Idaho

2. Said works of diversion will be fully completed on the date set for such completion, and the amount of water which said works are capable of conveying to the place of use is 2.00 cubic feet per second.

3. The use to which said water has been applied is Municipal Water Supply, purposes, and the amount applied to beneficial use is 2.00 cubic feet per second.

4. The point of diversion of said water is SW 1/4 of the NW 1/4 of Section 9, E2N, R1SE, B.M., Blaine County, Idaho

5. The place where said water is used is within Corporate Limits of the City of Hailey and surrounding areas.

6. The date of priority which said user is prepared to establish is August 11, 1964

CARL E. TAPPAN

State Reclamation Engineer

B32018

Re: Permit No. G-32018
City of Hailey

Date: August 26, 1964

Hailey Times,
Hailey, Idaho.

Gentlemen:

Enclosed you will find Notice for Publication, once a week for four consecutive weeks prior to October 20, 1964 the date set for proof; the expense of the publication is to be paid by the applicant City of Hailey of City Hall, Hailey, Idaho to whom you should furnish proof of publication on or prior to the date set for proof.

Please acknowledge receipt of this notice and furnish this office with a copy or tear sheet of the first publication. **

Very truly yours,

Carl E. Tappan
CARL E. TAPPAN
State Reclamation Engineer

** If the first copy is not received in this office for checking purposes and errors appear in subsequent issues, it is possible that re-publication of corrected copy will be at your own expense

32018

**NOTICE OF PROOF OF
COMPLETION OF WORKS
and
APPLICATION OF WATER
TO BENEFICIAL USE**

NOTICE IS HEREBY GIVEN that at 2:00 P. M., on the 20th day of October 1964, at Hailey, County of Blaine, State of Idaho, before V. K. Jeppesen, Notary Public, at 113 South Main Street, proof will be submitted of the completion of works for the diversion of 4.0 cubic feet per second of underground water from a well, and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. G-32018, heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit is City of Hailey, City Hall, Hailey, Idaho.

2. Said works of diversion will be fully completed on the date set for such completion, and the amount of water which said works are capable of conveying to the place of use is 4.0 cubic feet per second.

3. The use to which said water has been applied is Municipal Water Supply, purposes, and the amount applied to beneficial use is 4.0 cubic feet per second.

4. The point of diversion of said water is SW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 10, T 2 N, R 18, E. B. M., Blaine County, Idaho.

5. The place where said water is used is within Corporate Limits of the City of Hailey and surrounding areas.

6. The date of priority which said user is prepared to establish is August 11, 1964.

CARL E. TAPPAN

State Reclamation Engineer

Pub. 9/3 to 9/24

August 21, 1964

Re: Permit No. G-32018 & G-32019
City of Hailey

George Allen, Mayor,
City of Hailey,
Hailey, Idaho.

Dear Mayor Allen:

We enclose Permit No. G-32018 and
G-32019 in which we direct
your attention to the limitations and conditions as given on the
fourth page under approval of the State Reclamation Engineer.

~~Whereas~~ Departmental Receipt No. G-8798
which was issued covering payment in the amount of \$ 11.00
for the filing fee of the above mentioned permit, was given to
you while in our office.

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer
By

(MRS.) EDNA P. RULE
Chief Clerk

Encl.
EPR:pmk


832018

Map To Accompany Application


Well No. 3

In the SW 1/4 of the SW 1/4
Sec. 10, T2N, R18E, B.M.

July 30, 1964



Permit Map No. 32018
As Approved AUG 14 1964
CARL E. TAPPAN
State Reclamation Engineer



Transmission Pipeline From Indian Springs 11206PM
To Sun Valley
CORPORATE LIMITS

Permit Map No. 32018
As Approved
CARL E. TAPPAN
State Reclamation Engineer
AUG 14 1964

- LEGEND**
- Fire Hydrant
 - Gate Valve
 - Concrete Meter & Curb Stop Valve & Lawn Hydrant
 - Service Not In Use
 - Wood Stave Steel
 - Galv. Iron Pipe
 - Cast Iron Pipe
 - Pipe Smaller Than
 - Pipe Larger Than
 - New Pipe To Be Installed

BRIGGS & ASSOCIATES
Consulting Engineers
CIVIL-MECHANICAL-MINING
BRIGGS ENGINEER BUILDING
619 GROVE STREET, BOISE, IDAHO

**CITY OF
BLAINE CO
WATER WORKS
PROPOSED NEW**

DRAWN BY:
CARLYLE W. BRIGGS, P.E.
DATE: 7-13-64

