

Home ◉


H
O
M
E

◉


MICROFILM

152

SEC. 4, T. 2 N., R. 18 E.



MICROFILMED
JUN 05 2002



Edwards, Mc
ENGINEERS /



Diversion Works



Original Home Yard On Lot 4

MICROFILMED

JUN 05 2002

37-7603 now 20622

6-26-01

JE Stanton



Pasture West of Thomas Home (Looking North)



Pasture West & South of Thomas Home (Looking East)

MICROFILMED
JUN 05 2002

37-7603 now 20622
6-26-01
JE Stanton

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 37-20622

Priority: October 14, 1988

Maximum Diversion Rate: 0.06 CFS
Maximum Diversion Volume: 3.4 AF

It is hereby certified that MORGAN THOMAS And/Or DENISE L THOMAS
PO BOX 209
HAILEY ID 83333 have complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated May 9, 1977; and have
submitted Proof of Beneficial Use on October 14, 1988. An examination indicates that the works have a
diversion capacity of 0.12 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
IRRIGATION	04/15 to 10/31	0.02 CFS	2.8 AF

LOCATION OF POINT OF DIVERSION:

GROUND WATER NW¼SW¼SE¼ Sec. 4, Twp 02N, Rge 18E, B.M., BLAINE County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
02N 18E 4														X			

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
02N 18E 4															.7	.1	.8

Total Acres: 0.8

CONDITIONS OF APPROVAL

1. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.
2. Irrigation use under this right is authorized only in connection with a domestic use.

MICROFILMED

NOV 3 5 2007

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 37-20622

3. Point of diversion is located within Lot 4 of Serendipity Acres Subdivision.
4. Place of use is located within Lots 3 and 4 of Serendipity Acres Subdivision.
5. Right No. 37-20452 is also diverted through the point of diversion described above.
6. This right when combined with all other rights shall provide no more than 0.02 cfs nor more than 2.8 afa at the field headgate for irrigation of the land described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 21st day of MAY, 2002.

Acting for


KARL J. DREHER
Director

MICROFILMED

JUN 6 5 2002

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-20622

RECEIVED

MAY 16 2002

Department of Water Resources

Date of Priority: October 14, 1988

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

3.4 AF

Comes now MORGAN THOMAS And/Or DENISE L THOMAS

PO BOX 209

HAILEY ID 83333 and represents to the Director of the Idaho Department

of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 37-20622, and requests that the permit be changed as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/31	0.02 CFS	2.8 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF

LOCATION OF POINTS OF DIVERSION:

GROUND WATER NW¼SW¼SE¼ Sec. 4, Twp 02N, Rge 18E, B.M., BLAINE County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N 18E 4															.7	.1	.8

Total Acres: 0.8

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N 18E 4															X		

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 14 day of May, 2002

Denise L. Thomas
(Signature)

MICROFILMED

MAY 25 2002

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-20622

.....
FOR DEPARTMENT USE ONLY
Preliminary check by LWK Fee = \$50.00 Received by JM # 062115 Date 5/16/02

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 37-20622 with the following:

CONDITIONS OF APPROVAL

1. Point of diversion is located within Lot 4 of Serendipity Acres Subdivision.
2. Place of use is located within Lots 3 & 4 of Serendipity Acres Subdivision.
3. Right No. 37-20452 is also diverted through the point of diversion described above.
4. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.
5. This right when combined with all other rights shall provide no more than 0.02 cfs nor more than 2.8 afa at the field headgate for irrigation of the land described above.

Witness my hand this 21ST day of MAY, 2002.

Acting for


KARL J. DREHER
Director

MICROFILMED

JUN 6 8 2002

IDAHO DEPARTMENT OF WATER RESOURCES

Water Permit Report 37-20622

WATER RIGHT NUMBER: 37-20622

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	DENISE L THOMAS PO BOX 209 HAILEY, ID 83333 (208)788-6417
Current Owner	MORGAN THOMAS PO BOX 209 HAILEY, ID 83333 (208)788-6417
Original Owner	ART BOOZER PO BOX 97 HAILEY, ID 83333

Priority Date: 10/14/1988

Basis:

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	04/01 to 11/01	0.080 CFS	
DOMESTIC	12/31 to 12/31	0.040 CFS	
	<u>Total Diversion:</u>	0.120 CFS	

Location of Point(s) of Diversion

GROUND WATER	SW1/4SE1/4	Sec. 4, Twp 02N, Rge 18E, B.M.
BLAINE County		

Place of UseIRRIGATION Within BLAINE County

T02N R18E S04 SWSE 4.0

DOMESTIC Within BLAINE County

T02N R18E S04 SWSE

Conditions of Approval:Remarks:

MICROFILMED
JUN 10 2002

IDAHO DEPARTMENT OF WATER RESOURCES
Water Permit Report 37-20622

Comments:

1. kwalker 2/28/2002 Split of 37-20451

Comment: Rt. 37-20451 was split by examiner when preparing license recommendations. See Nos. 37-20622 and 37-20623.

Dates and Other Information:

Permit Proof Due Date:
Permit Proof Made Date:
Permit Approved Date:
Permit Moratorium Expiration Date:
Enlargement Use Priority Date:
Enlargement Statute Priority Date:
Field Exam Date: 6/26/2001
Date Sent to State Office: 1/25/2002
Date Received at State Office: 1/28/2002
State or Federal:
Owner Name Connector:
Water District Number:
Generic Max Rate Per Acre:
Generic Max Volume Per Acre:
Swan Falls Trust or Nontrust:
Swan Falls Dismissed:
DLE Act Number:
Carey Act Number:
Mitigation Plan: False

Element Reviewed/Verified Dates:

<u>Element</u>	<u>Last Reviewed Date</u>	<u>Reviewer</u>	<u>Last Verified Date</u>	<u>Verifier</u>	<u>Status</u>
----------------	---------------------------	-----------------	---------------------------	-----------------	---------------

Verification Log:

<u>Element</u>	<u>Date Time Stamp</u>	<u>Reviewer</u>	<u>Log text</u>
----------------	------------------------	-----------------	-----------------

MICROFILMED

SEP 5 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

May 22, 2002

MORGAN THOMAS
DENISE L THOMAS
PO BOX 209
HAILEY ID 83333

RE: License No. 37-20622 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a copy of the approved Application for Amendment.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED


JUN 24 2002

CERTIFICATE OF SERVICE

I hereby certify that on May 22, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 37-20622

**MORGAN THOMAS
DENISE L THOMAS
PO BOX 209
HAILEY ID 83333**


**Kari Lynn Townsend
Secretary**

MICROFILMED

JUN 05 2002

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

JUN 9 5 2002

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

SEP 14 2002

MEMORANDUM

TO: Files 37-20622 and 37-20623

FROM: KAY WALKER *kw*

RE: License Recommendations

Date: May 14, 2002

.....

Denise Thomas called me on April 10, 2002, regarding the need for licensing amendments of the above referenced permits. She said nothing had changed since they had developed the property. I tried to convey to her that the addition of the NWSE, Sec. 4 to the place of use required we amend 37-20622. I also told her we needed the amendment for Permit 37-20623 due to the well developed and used in the NWSE, Sec. 4 which was not included on the permit. She said she understood the need for that amendment.

She was not a happy water user. At the end of our conversation she said she would submit the amendments along with the filing fees. As of this date we have not received either of the licensing amendments.

Permit 37-20623 cannot be licensed without the amendment since all development was in an area that had not been permitted. That permit should be voided; however, the use can be considered under domestic exemption.

The development under 37-20622 can only be licensed for 0.1 acres. License has been prepared to reflect development without an amendment.

Amendments rec'd 5/16/2002 - kw

MICROFILMED

JUN 13 2002

Comment Report

37-20622

1. jstanton 12/20/2001 Field Exam

Comment: During the exam of 6-26-01, I found the well to be located in the SW corner of Lot 4 of Serendipity Acres Sub. About 0.4 acres of that lot is irrigated as lawn, and the original home is there. On Lot 3, about 0.4 acres of pasture are irrigated with the well on Lot 4. Also on Lot 3, about 0.4 acres are irrigated with a separate well - see 37-20623. Original well is rated for 0.12 cfs, with about 0.07 cfs used to run 9 sprinklers on Lots 2, 3, & 4. Acreage is too small to allow full amount, however, so I can only recommend 0.07 cfs for irrigation under the 3 parts of 37-7603 (20622, 20623, & 20452). GIS shows a small amount of land in the SW/SE Sec. 4, with the rest in the NW/SE Sec. 4. The GCDB for 2N 18E was originally rectified incorrectly, but this was corrected last summer; licensing recommendations are based on the corrected data.

2. kwalker 5/14/2002 License Recommendations

Comment: The permit holders failed to submit the required licensing amendment for this permit. The license can only be issued for the portion of the right that did not need amended, therefore, this right is being recommended for 0.1 acres only.

3. kwalker 2/28/2002 Split of 37-20451

Comment: Rt. 37-20451 was split by examiner when preparing license recommendations. See Nos. 37-20622 and 37-20623.

MICROFILMED

JUN 05 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

March 25, 2002

MORGAN THOMAS
DENISE L THOMAS
PO BOX 209
HAILEY ID 83333

RE: Water Right Permits 37-20622 and 37-20623

Dear Permit Holder(s):

I previously forwarded to you Applications for Amendment so that you could amend your permits to depict your water rights as they have actually been developed. I have not yet received the amendments. If I do not receive them within 14 days, I will assume you no longer have any interest in the permits and cancellation proceedings will begin.

Enclosed for your convenience are additional amendment forms. Please note that the \$50.00 filing fees for each of these amendments have not been paid.

If you have any questions regarding this matter, please call me at 208-327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

KW:klt

Enclosure

MICROFILMED

APR 10 2002

4-10-02
Denise Thomas
will send in
amendments &
fee this week.
KW
4/19 - left msg.
requesting
amendments.
KW



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

March 1, 2002

MORGAN THOMAS
DENISE L THOMAS
PO BOX 209
HAILEY ID 83333

RE: Water Right Permit No. 37-20622

Dear Permit Holders:

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

✓ **Place(s) of Use**

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

If you have any questions, please call me at 208-327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

MICROFILMED

Enclosure

APR 11 2002

LICENSE REVIEW CHECKLIST

Permit No. 37-20622 Date: 2-28-02 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use change

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s): _____

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.12 cfs

Fee Limit 0.20 cfs

Measured 0.12 cfs

Theoretical 0.07 cfs

Recommended Total Diversion Rate 0.06

Water Uses OK

Change (P46)

Season of Use per new Standards

4-15 10-31

Irrigation 0.02 cfs 3.8 af

Stockwater _____ cfs _____ af

Domestic 0.04 cfs 0.4 af

_____ cfs _____ af

_____ cfs _____ af

Total 0.06 cfs 3.4 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (106/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

$0.8 \text{ ac} \times 0.03 = 0.024 \text{ cfs}$

$0.8 \text{ ac} \times 3.5 = 2.8 \text{ AF}$

Volume Determination

_____ cfs x 1.9835 x _____ days = _____ af (vs) 0.8 acres x 3.5 (FHR) = 2.8 af

2.5 (con)

Remarks: _____

Additional Conditions _____ Watermaster Control

_____ GW Measurement/Measuring Device

_____ Other

Trust R55 - remove 051)

Non-trust (048)

GW Dist? _____

Water Msmt. Dist? _____

Crit. GWMA? _____

GWMA? _____

Government Lots? _____

Advance Priority? yes
no

If yes, explain why below.

SRBA Claim? _____

Adjust memo _____

Amend Letters _____ P87, S06

Second Amendment Notice P49 S06

DAHO DEPARTMENT OF WATER RESOURCES

STAFF ANALYSIS SHEET FOR BENEFICIAL USE FIELD EXAMS:

PERMIT NO. 37-20622

A. Items To Be Placed In Exam File (Items A & B to be Completed by Compiler)

- (☒) Blank Field Report & Notice of Completed Exam
- (☒) Copy of App. for Permit, Approved Permit, Amendments, Orders, Assignments, Proof of Beneficial Use, SRBA Claim (Claim Filed? — Required? —)
- (☒) Well Inspection Form, Dairy Water-Use Worksheet (if applicable)
- (☒) Well Log(s) & Groundwater Measurement Analysis Form (if applicable)
- (☒) Copy of ~~Orthophotoquad~~ Map Sub. plot, 615 map
- (☒) 660-Scale Aerial Photo (Examiner Will Obtain If Applicable)
- (☒) Government Lot Plats (If Applicable)

B.1. P/D Overlap - Yes or No? If Yes, Include Copy of Overlapping Rights & Claims

- If Yes, Type of Overlap: () Add Acres or Uses to Existing System
() Increase Rate of Flow or Volume

B.2. P/U Overlap - Yes or No? If Yes, Include Copies of Overlapping Rights & Claims

- If Yes, Type of Overlap: () Increase Rate of Flow or Volume
() Add Supplemental Water Source
() Increase Acres Within Tracts

C. Field Exam Appointment Made:

Date 6-26-01 Time 10 am Place _____

Contact Person & Phone _____

D. Post-Exam Review & Processing

Exam Completed 6-26-01 Notice of Completion Turned In 1-25-02

Field Report Completed 1-25-02 J. F. Stanton 1-25-02
Signature of Examiner & Date

Field Report Reviewed by Sr. Agent _____ (Initial & Date)

Field Report Reviewed by Region Mgr. _____ (Initial & Date)

Field Report Sent to S.O. _____ Region Card File Updated _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 28 2002
DEPARTMENT OF WATER RESOURCES

A. GENERAL INFORMATION

Permit No. 37-20622

1. Owner: Morgan & Denise L. Thomas

Phone No. 788-2648

Current Address: PO Box 209, Hailey, ID 83333

2. Accompanied by: Mrs. Thomas

EXAM DATE: 6-26-01

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Ground Water

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: —

2. Other water rights with the same point of diversion: 37-20452

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SW	SE	4	2N	18E	Blaine	ArcView GIS

2. Place(s) of Use:


Indicate Method of Determination ArcView GIS

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	18E	4													0.7	0.1			0.8

MICROFILMED

JAN 28 2002

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____ Sub. p/47 = SDE

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor ^{Model/} Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	3	2823029/03	?	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

MICROFILMED

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Not measured. Runs 9 Rainbird #30H heads w/1/64" nozzles at 1 time.
 At 40 psi = $9 \times 3.63 \text{ gpm/head} = 33 \text{ gpm} = 0.07 \text{ cfs}$
 Pump rated $\approx 55 \text{ gpm at } 40 \text{ psi} + 43' \text{ lift per Wood River Drilling Co.} = 0.12 \text{ cfs.}$

E. NARRATIVE/REMARKS/COMMENTS

This right is a portion of Permit 37-7603 (now 37-20451 due to partial assignment) of the 5 acres originally permitted, less than half have been watered from the permitted well. The tax lot # Lot 1 of Serendipity Acres Sub. are served by a separate well under a separate water right (37-82538).

Well, motor, pump, pressure tank, hoses & handlines for irrigation of pasture on Lot 3, a home and lawn on Lot 4.

Also see attached Comments Report.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

FEB 6 5 2002

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$0.8 \text{ ac} \times 0.03 \text{ cfs/ac} = 0.024 \text{ cfs. Allow } 0.03 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.8 \times 3.5 = 1.4 \text{ AFA (pasture)}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

Lawn Irrigation - Allow 0.6 AFA standard volume

Domestic - Allow 0.6 AFA standard rate

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-15	10-31	0.03	2.0
Domestic	1-1	12-31	0.04	0.6
Totals:			0.07	2.6

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name J. F. Stanton Date 1-25-02

Reviewer _____ Date _____

MICROFILMED
SEP 9 2002 SEAL

Comment Report

37-20622

1. jstanton 12/20/2001 Field Exam

Comment: During the exam of 6-26-01, I found the well to be located in the SW corner of Lot 4 of Serendipity Acres Sub. About 0.4 acres of that lot is irrigated as lawn, and the original home is there. On Lot 3, about 0.4 acres of pasture are irrigated with the well on Lot 4. Also on Lot 3, about 0.4 acres are irrigated with a separate well - see 37-20623. Original well is rated for 0.12 cfs, with about 0.07 cfs used to run 9 sprinklers on Lots 2, 3, & 4. Acreage is too small to allow full amount, however, so I can only recommend 0.07 cfs for irrigation under the 3 parts of 37-7603 (20622, 20623, & 20452). GIS shows a small amount of land in the SW/SE Sec. 4, with the rest in the NW/SE Sec. 4. The GCDB for 2N 18E was originally rectified incorrectly, but this was corrected last summer; licensing recommendations are based on the corrected data.


MICROFILMED

DEC 05 2002




1

SEC. 4, T. 2 N., R. 18 E.




MICROFILMED

1923



Edwards, Mc
ENGINEERS /



Diversion Works



Original Home Yard On Lot 4

MICROFILMED

DATE 10-10-1988

37-7603 now 20622
6-26-01
JE Stanton



Pasture West of Thomas Home (Looking North)



Pasture West & South of Thomas Home (Looking East)

MICROFILMED

1975 12 17/1982

37-7603 now 20622

6-26-01

JE Stanton