





SEC. 4, T. 2 N., R. 18 E.

Edwards, H
ENGINEERS

MICROFILMED
11 JUN 05 2002

MICROFILMED

JUN 05 2002





Diversion Works

MICROFILMED
JUN 05 2002

37-20452
6-26-01
JE Stanton



Pasture East of Thomys Home (Lot 2) (Looking East)

MICROFILMED
JUN 05 2002

87-1603 Nov 20452
6-26-01
JE Stanton

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 37-20452

Priority: October 14, 1988

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 3.5 AF

It is hereby certified that WILLIAM K SULLIVAN And/Or GAYLE M SULLIVAN
PO BOX 1068
HAILEY ID 83333 have complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated May 9, 1977; and have
submitted Proof of Beneficial Use on October 14, 1988. An examination indicates that the works have a
diversion capacity of 0.12 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	04/15 to 10/31	0.02 CFS	3.5 AF

LOCATION OF POINT OF DIVERSION:

GROUND WATER NW¼SW¼SE¼ Sec. 4, Twp 02N, Rge 18E, B.M., BLAINE County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N 18E 4															1.0		1.0

Total Acres: 1

CONDITIONS OF APPROVAL

1. Point of diversion is located within Lot 4 of Serendipity Acres Subdivision.
2. Place of use is located within Lot 2 of Serendipity Acres Subdivision.
3. Right 37-20622 is also diverted through the point of diversion described above.
4. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 16TH day of MAY, 2002.

MICROFILMED

NOV 15 2002

Acting for


KARL J. DREHER
Director

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-20452

Date of Priority: October 14, 1988

Maximum Diversion Rate: 0.02 CFS

Maximum Diversion Volume: 3.5 AF

Comes now WILLIAM K SULLIVAN And/Or GAYLE M SULLIVAN
PO BOX 1068

HAILEY ID 83333 and represents to the Director of the Idaho Department
of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the
State of Idaho No. 37-20452, and requests that the permit be changed as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/31	0.02 CFS	3.5 AF

LOCATION OF POINT OF DIVERSION:


GROUND WATER NW¼SW¼SE¼ Sec. 4, Twp 02N, Rge 18E, B.M., BLAINE County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N 18E 4															1.0		1.0

Total Acres: 1

Permit holder asserts that no one will be injured by such change and that such change will be made at
permit holder's own risk. Signed this 1st day of April, 2002.


(Signature)

MICROFILMED

APR 11 2002

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-20452

RECEIVED

APR - 4 2002

Department of Water Resources

.....
FOR DEPARTMENT USE ONLY
Preliminary check by EW Fee \$55.00 Received by JM # 6061163 Date 4/4/02

ACTION OF THE DEPARTMENT OF WATER RESOURCES


I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 37-20452 with the following:

CONDITIONS OF APPROVAL

1. Point of diversion is located within Lot 4 of Serendipity Acres Subdivision.
2. Place of use is located within Lot 2 of Serendipity Acres Subdivision.
3. Right 37-20622 is also diverted through the point of diversion described above.
4. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.

Witness my hand this 16th day of MAY, 2002.

Acting for


KARL J. DREHER
Director

MICROFILMED
JUN 6 5 2002

IDAHO DEPARTMENT OF WATER RESOURCES

Water Permit Report 37-20452

WATER RIGHT NUMBER: 37-20452

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	WILLIAM K. SULLIVAN PO BOX 1068 HAILEY, ID 83333 (208) 578-2349
Current Owner	GAYLE M. SULLIVAN PO BOX 1068 HAILEY, ID 83333 (208) 578-2349
Original Owner	ART BOOZER PO BOX 97 HAILEY, ID 83333

Priority Date: 10/14/1988

Basis:

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	04/01 to 11/01	0.020 CFS	
	<u>Total Diversion:</u>	0.020 CFS	

Location of Point(s) of Diversion

GROUND WATER	SW1/4SE1/4	Sec. 4, Twp 02N, Rge 18E, B.M.
BLAINE County		

Place of UseIRRIGATION Within BLAINE County

T02N R18E S04 SWSE 1.0

Total Acres: 1

Conditions of Approval:Remarks:Comments:

1. jpeppers 8/13/2001 Assignment

Comment: split by assignment; this is part of 37-7603 (0.02 cfs for 1 acre irrigation)

Dates and Other Information:MICROFILMED
SEP 14 2001

IDAHO DEPARTMENT OF WATER RESOURCES

Water Permit Report 37-20452

Dates and Other Information:

Permit Proof Due Date:
Permit Proof Made Date: 10/14/1988
Permit Approved Date:
Permit Moratorium Expiration Date:
Enlargement Use Priority Date:
Enlargement Statute Priority Date:
Field Exam Date: 6/26/2001
Date Sent to State Office:
Date Received at State Office:
State or Federal:
Owner Name Connector: And/Or
Water District Number:
Generic Max Rate Per Acre:
Generic Max Volume Per Acre:
Swan Falls Trust or Nontrust:
Swan Falls Dismissed:
DLE Act Number:
Carey Act Number:
Mitigation Plan: False

Element Reviewed/Verified Dates:

<u>Element</u>	<u>Last Reviewed Date</u>	<u>Reviewer</u>	<u>Last Verified Date</u>	<u>Verifier</u>	<u>Status</u>
----------------	---------------------------	-----------------	---------------------------	-----------------	---------------

Verification Log:

<u>Element</u>	<u>Date Time Stamp</u>	<u>Reviewer</u>	<u>Log text</u>
----------------	------------------------	-----------------	-----------------

MICROFILMED
OCT 13 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

May 17, 2002

WILLIAM K SULLIVAN
GAYLE M SULLIVAN
PO BOX 1068
HAILEY ID 83333

RE: License No. 37-20452 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a copy of the approved Application for Amendment.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)


MICROFILMED
MAY 17 2002

CERTIFICATE OF SERVICE

I hereby certify that on May 17, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 37-20452

**WILLIAM K SULLIVAN
GAYLE M SULLIVAN
PO BOX 1068
HAILEY ID 83333**


**Kari Lynn Townsend
Secretary**

MICHOUEL
JUN 03 2002

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED
JUN 10 2013



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

March 1, 2002

WILLIAM K SULLIVAN
GAYLE M SULLIVAN
PO BOX 1068
HAILEY ID 83333

RE: Water Right Permit No. 37-20452

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

Place(s) of Use

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

If you have any questions, please call me at 208-327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

Enclosure

MICROFILMED

MAR 27 2002

3/25/02
per phone con
w/ Mr. Sullivan -
he will get amendment
& fee in mail
this week - had
been out of
town. Kw

LICENSE REVIEW CHECKLIST

Permit No. 37-20452 Date: 2-28-03 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: OK

Does change clarify original intended source? If no, void permit.
Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use change

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s): none see p/u
File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.02 cfs see 3 p/u

Fee Limit 0.2 cfs

Measured 0.07 cfs

Theoretical 0.12 cfs

Recommended Total Diversion Rate 0.02

Water Uses OK

Change (P46)

Season of Use per new Standards

4-15 10-31

Irrigation 0.02 cfs 3.5 af
Stockwater _____ cfs _____ af
Domestic _____ cfs _____ af
_____ cfs _____ af
Total 0.02 cfs 3.5 af

Irrigation - overlap(R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (106/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

0.02 cfs x 1.9835 x 200 days = 7.9 af (vs) 1 acres x 3.5 (FHR) = 3.5 af
2.5 (cont)

Remarks: W36, W59, W60

Additional Conditions

Watermaster Control

GW Measurement/Measuring Device

Other

Trust R55 - remove 051)

Non-trust (048)

GW Dist?

Water Msmt. Dist?

Crit. GWMA?

GWMA?

Government Lots?

Advance Priority? yes
no

If yes, explain why below.

SRBA Claim? _____

Adjust memo _____

Amend Letters

P87, S06

Second Amendment Notice

P49 S06

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 30 2002
DEPARTMENT OF WATER RESOURCES

A. GENERAL INFORMATION

Permit No. 37-20452

1. Owner: William K. &/or Gayle M. Sullivan Phone No. 208-578-2349

Current Address: PO Box 1068, Hailey, ID 83333

2. Accompanied by: Mr. Sullivan & Denise Thomas EXAM DATE: 6-26-01

Address: _____ Phone No. _____

Relationship to Permit Holder: Mrs. Mrs. Thomas own the property that Sullivan is buying

3. Source: Ground Water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: 37-20622

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SW	SE	4	2N	18E	Blaine	ArcView


2. Place(s) of Use:

Indicate Method of Determination ArcView

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	18E	4														1.0			1.0

MICROFILMED
JAN 30 2002

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" =

subdivision plat

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	3	2823029103	?	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: *Not measured. Runs 9 Rainbird #30H heads with 9/64" nozzles at a time at 40 psi = 9 x 3.63 gpm/head = 33 gpm = 0.07 cfs.*
Pump rated at 55 gpm at 40 psi & 43' of lift per Wood River Drilling Co. = 0.12 cfs.

MICROFILM

E. NARRATIVE/REMARKS/COMMENTS

Well, motor, pump, pressure tank, hoses & handlines for irrigation of pasture. Well is on Lot 4 of Serendipity Acres Sub. Irrigation system is operated by Mr. & Mrs. Thomas, & will continue to provide water to Lot 2 of Serendipity Acres until the Sullivans build a home on the property in 2002. Same well & sprinkler system waters land on Lots 3 & 4 of this subdivision under Permit 37-20622. Well capacity is more than can be licensed, however, so there are no combined limits for the two rights-amounts are just additive.

Be aware that the original survey for this township put the 40 lines too far south. This was corrected last year. SDE shows the old 40 line in pink & the new (correct) 40 line in gray. Recommended POD & POU are based on the new survey.

This is a split of Permit 37-7603.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

JUN 8 2002

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

Allow 0.02 cfs permitted amount

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 3.5 = 3.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 7.9$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.5 \text{ AFA}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-15	10-31	0.02	3.5
Totals:			0.02	3.5

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name J. Stanton Date 12-21-01

Reviewer _____ Date _____

SEAL

MICROFILMED

JAN 9 2002

Comment Report

37-20452


1. jstanton 12/20/2001 Field Exam

Comment: This permit is a portion of 37-7603 that was recently sold to the Sullivans. The point of diversion is on Lot 4 of Serendipity Acres Subdivision, and the place of use is Lot 2. The place of use is 1 acre of irrigated pasture, which will continue to be irrigated from the existing well until the Sullivans retire and build a home on the property next year. Pump capacity per Wood River Drilling is 0.12 cfs. Sprinkler capacity is 0.07 cfs (9 heads at 3.63 gpm/head). Allow 0.02 cfs permitted amount.

2. jpeppers 8/13/2001 Assignment

Comment: split by assignment; this is part of 37-7603 (0.02 cfs for 1 acre irrigation)

MICROFILMED
JAN 10 2002



SEC. 4, T. 2 N., R. 18 E.


0 2

1923	C	F
2501		2500

Edwards, J.
ENGINEERS

PROFILME

0 5 2002



Diversion Works

MICROFILMED

NOV 11 1982

37-20452

6-26-01

JE Stanton



Pasture East of Thom's Home (Lot 2) (Looking East)

MICROFILMED

37-7603 Now 20452

6-26-01

JE Stanton

IDAHO DEPARTMENT OF WATER RESOURCES

STAFF ANALYSIS SHEET FOR BENEFICIAL USE FIELD EXAMS: PERMIT NO. 27-20452

A. Items To Be Placed In Exam File (Items A & B to be Completed by Compiler)

- (☒) Blank Field Report & Notice of Completed Exam
- (☒) Copy of App. for Permit, Approved Permit, Amendments, Orders, Assignments, Proof of Beneficial Use, SRBA Claim (Claim Filed? — Required? —)
- (☒) Well Inspection Form, Dairy Water-Use Worksheet (if applicable)
- (☐) Well Log(s) & Groundwater Measurement Analysis Form (if applicable)
- (☒) Copy of ~~Orthophotoquad Map~~ Sub. plat, GIS map
- (☐) 660-Scale Aerial Photo (Examiner Will Obtain If Applicable)
- (☐) Government Lot Plats (If Applicable)

B.1. P/D Overlap - Yes or No? If Yes, Include Copy of Overlapping Rights & Claims

- If Yes, Type of Overlap: () Add Acres or Uses to Existing System
() Increase Rate of Flow or Volume

B.2. P/U Overlap - Yes or No? If Yes, Include Copies of Overlapping Rights & Claims

- If Yes, Type of Overlap: () Increase Rate of Flow or Volume
() Add Supplemental Water Source
() Increase Acres Within Tracts

C. Field Exam Appointment Made:

Date 6-26-01 Time 10 am Place _____

Contact Person & Phone Mrs. Thomas

D. Post-Exam Review & Processing

Exam Completed 6-26-01 Notice of Completion Turned In 1-25-02

Field Report Completed 12-21-01 J. F. Stanton 1-25-02
Signature of Examiner & Date

Field Report Reviewed by Sr. Agent _____ (Initial & Date)

Field Report Reviewed by Region Mgr. _____ (Initial & Date)

Field Report Sent to S.O. _____ Region Card File Updated _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

August 14, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

WILLIAM K SULLIVAN
GAYLE M SULLIVAN
PO BOX 1068
HAILEY ID 83333

RE: Change of Ownership for Water Right for Permit 37-7603 (new number 37-20452)


Dear Mr. & Mrs. Thomas:

The department acknowledges receipt of correspondence changing ownership of the above referenced water right to you. The department has modified its records to reflect the change in ownership and has enclosed a computer-generated report for your records. This change was a *partial* assignment resulting in a split of the original permit which created two (2) new permit numbers. Copies of the proof report for both new numbers are enclosed for your information.

Please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address of the owner of a water right to the department. Notice of the change must be provided to the department within 120 days of the change. Change reporting forms are available from any office of the department.

Please feel free to contact this office if you have any questions regarding this matter.

Sincerely,


Jeff Peppersack, Manager
Water Right Permits Section

JP:klt

Enclosures

MICROFILMED

SEP 11 2001