

P/U & P/D, 37-8448, 8508, 8819, 8820

R. 18E



● Private Irrigation Well

● Well For Lots 9, 10, 12 & Part of Lot 13

MICROFILMED
JUN 14 2001

Prepared By J E Stanton 1-17-01






MICROFILME
JUN 14 2001

37-84988
FD
FM

SEC. 33, T. 3 N., R. 18 E.



MICROFILMED
JUN 14 2001

1919	1923	2501
De	Pc	

Edwards, H
ENGINEERS



PD-37-8448B, 8819, 8508 A & B (Looking NE)

JE Stanton
12-1-00

MICROFILMED
JUN 14 2001

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 37-20378

Priority: November 07, 1988

Maximum Diversion Rate: 0.01 CFS
Maximum Diversion Volume: 1.4 AF

It is hereby certified that JOHN MILEY And CYNTHIA MILEY
PO BOX 3010
HAILEY ID 83333 have complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated October 27, 1988; and have
submitted Proof of Beneficial Use on July 12, 1991. An examination indicates that the works have a
diversion capacity of 0.2 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	04/15 to 10/31	0.01 CFS	1.4 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SE $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 33, Twp 03N, Rge 18E, B.M., BLAINE County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
03N 18E 33															.4		.4

Total Acres: 0.4

CONDITIONS OF APPROVAL

1. Irrigation use under this right is authorized only in connection with a domestic use.
2. This right when combined with all other rights shall provide no more than 0.01 cfs nor more than 1.4 afa at the field headgate for irrigation of the land described above.
3. Rights 37-20377 and 37-20378 when combined shall not exceed the irrigation of 1.5 acres within Lot 13, Buckhorn Subdivision First Addition.
4. Rights 37-08819, 37-20375 and 37-20376 are also diverted through the point of diversion described above.
5. Point of diversion is located within Lot 10, Buckhorn Subdivision First Addition.

MICROFILMED

APR 1 1995

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 37-20378

6. Place of use is located within Lot 13, Buckhorn Subdivision First Addition.
7. Rights 37-08819, 37-20375, 37-20376 and 37-20378 when combined shall not exceed a total diversion rate of 0.15 cfs for irrigation purposes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 6th day of JUNE, 2001.

Acting for


KARL J. DREHER
Director

MICROFILMED

JUN 14 2001

RECEIVED

APR 19 2001

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-20378

Date of Priority: November 07, 1988

Maximum Diversion Rate: 0.01 CFS

Maximum Diversion Volume: 1.4 AF

Comes now KEITH FRIEDLY

PO BOX 1770

HAILEY ID 83333 and represents to the Director of the Idaho Department

of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 37-20378, and requests that the permit be changed as follows:

Source: GROUND WATER


<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/31	0.01 CFS	1.4 AF

LOCATION OF POINT(S) OF DIVERSION:GROUND WATER SE $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 33, Twp 03N, Rge 18E, B.M., BLAINE CountyPLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N 18E 33															.4		.4

Total Acres: 0.4

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 16 day of April, 2001.


(Signature)

MICROFILMED

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 37-20378

FOR DEPARTMENT USE ONLY

Preliminary check by KW Fee = 50.00 Received by JAL # 0053290 Date 7/19/01

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 37-20378 with the following:

CONDITIONS OF APPROVAL

1. Irrigation use under this right is authorized only in connection with a domestic use.
2. This right when combined with all other rights shall provide no more than 0.01 cfs nor more than 1.4 afa at the field headgate for irrigation of the land described above.
3. Rights 37-20377 and 37-20378 when combined shall not exceed the irrigation of 1.5 acres within Lot 13, Buckhorn Subdivision First Addition.
4. Rights 37-08819, 37-20375 and 37-20376 are also diverted through the point of diversion described above.
5. Point of diversion is located within Lot 10, Buckhorn Subdivision First Addition.
6. Place of use is located within Lot 13, Buckhorn Subdivision First Addition.
7. Rights 37-08819, 37-20375, 37-20376 and 37-20378 when combined shall not exceed a total diversion rate of 0.15 cfs for irrigation purposes.

Witness my hand this 6TH day of June, 2001.

Acting for


KARL J. DREHER
Director

MICROFILMED

37-20378 1 19 2001

References

[System Help](#)

[Contact Help Desk](#)

[Document Management](#)

[Search](#)

[Effect Tracking](#)

[Administrative Rules](#)

[Query Tools](#)

Enter Water Right Number

Basin #

Sequence #

Split Suffix

Find Pedigree

37

8448

Total Acreage, Volume, & Rate for

Calculate Total

Parent Acreage

Parent POU Acreage

Parent Rate

Parent Volume

Children Acreage

Children POU Acreage

Children Rates

Children Volumes

Difference

Difference

Difference

Difference

WATER RIGHT PEDIGREE

37-8448-

37-20377-

37-20378-

Water Right #	Type	Owner List	Source	Priority Date	Water Use	Rate	Acre	Volume
WR 37-8448-	Active		GROUND WAT...	11/07/1988	01	0.06	2	
WR 37-20377-	Active		GROUND WAT...	11/07/1988	01	0.03		3.9
WR 37-20378-	Active		GROUND WAT...	11/07/1988	01	0.01		1.4

ADJUDICATION PEDIGREE

37-8448-

Water Right #	Type	Owner List	Source	Priority Date	Water Use	Rate	Acre	Volume
AJ 37-8448-								

Hide References

Next Step

Previous Steps

Second ID 421

See "Parent"
right 37-08448
for prior information -
KW
5/30/01

MICROFILMED

2004 11 10 10:00



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 7, 2001

JOHN MILEY
CYNTHIA MILEY
PO BOX 3010
HAILEY ID 83333

RE: License No. 37-20378 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a copy of the approved Application for Amendment.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

MICROFILMED

SWK:klt


Enclosure(s)

CERTIFICATE OF MAILING

I hereby certify that on June 7, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 37-20378

**JOHN MILEY
CYNTHIA MILEY
PO BOX 3010
HAILEY ID 83333**


**Kari Lynn Townsend
Secretary**

MICROFILMED

JUN 8 2001

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

1986 4 14 2000

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

1983 1 4 7000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

April 20, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

JOHN B MILEY
PO BOX 3010
HAILEY ID 83333

RE: Permit Nos. 37-08819, 37-08448 and 37-8508

Dear Mr. Miley:

We are in receipt of the assignment of permit forms and licensing amendments that you submitted for Permits 37-08819, 37-08448, and a portion of 37-08508. We have changed the permits to reflect you as the current owner. Enclosed are five receipts for the fees you submitted.

We are prepared to issue licenses on all of your water rights as soon as we know that you have complied with the condition requiring a lockable device which will allow the watermaster control of the irrigation use under Permit No. 37-08819. This is the permit that we recently modified the measuring device and lockable controlling works requirement on. Please send us some documentation that you have complied with this condition. The documentation could be in the form of pictures or a statement from the watermaster that the device you have is acceptable to him for controlling your diversion.

If you have any questions in regard to this matter, please do not hesitate to contact me.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

KW:k
Enclosures

MICROFILMED

APR 24 1992

John B. Miley
209 Red Devil Dr.
PO Box 3010
Hailey, ID 83333
Voice 208-578-7882 fax 208-578-9750

RECEIVED
APR 19 2001
Department of Water Resources

April 16, 2001

Ms. Kay Walker
Sr. Water Resource Agent
Idaho Department of Water Resources
1301 N. Orchard St.
P.O. Box 83720
Boise, ID 83720-0098


Dear Kay:

Thank you for your help, as I have said I am a novice at this business.

I have enclosed the assignment forms with Fee and the application for amendment with Fee.

If there is anything further required please let me know.

Sincerely,



John B. Miley

Enc: five

MICROFILMED

APR 16 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

March 29, 2001

KEITH FRIEDLY
PO BOX 1770
HAILEY ID 83333

RE: Water Right Permit No. 37-20378 (Portion of Permit 37-08448)

Dear Permit Holder:

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

- ☒ Point(s) of Diversion
☐ Place(s) of Use
☐ Other

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

MICROFILMED

APR 14 1999

If you have any questions, please call me at 208-327-7944.

Sincerely,

A handwritten signature in cursive script that reads "Kay Walker". The signature is written in black ink and is positioned above the printed name.

KAY WALKER
Sr. Water Resource Agent

Enclosure

Cc: John Miley
PO Box 3010
Hailey ID 83333

(With copy of Enclosure)

MICROFILMED

APR 14 2008

LICENSE REVIEW CHECKLIST

Permit No. 37-20378 Date: 3/29/01 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: Change

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s): _____

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate _____ cfs

Fee Limit _____ cfs

Measured _____ cfs

Theoretical _____ cfs

Recommended Total Diversion Rate 2.01

Water Uses

Change (P46)

Season of Use per new Standards

4-15 10-31

Irrigation 0.01 cfs 1.4 af

Stockwater _____ cfs _____ af

Domestic _____ cfs _____ af

_____ cfs _____ af

_____ cfs _____ af

Total 0.01 cfs 1.4 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (081/R07)

Payette ~ (W22/047/27A)

Stockwater for US (R37)

Volume Determination

0.01 cfs x 1.9835 x 200 days = 3.96 af (vs) 0.4 acres x 3.5 (FHR) = 1.4 af
~ 4.0 2.5(con)

Remarks: OK

Additional Conditions

_____ Watermaster Control

_____ GW Measurement/Measuring Device

_____ Other

Trust R55 - remove 051)

Non-trust (048/049)

GW Dist? _____

Water Msmt. Dist? _____

Crit. GWMA? _____

GWMA? _____

Government Lots? _____

Advance Priority? yes

no

If yes, explain why below.

SRBA Claim?

Not req'd

Adjust memo _____

Amend Letters

P87, S06

Second Amendment Notice

S06

JAN 26 2001

DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 37-8448^v Ae-Exam

1. Owner: Keith Friedly Phone No. 788-2114

Current Address: PO Box 1770, Harley, ID 83333

2. Accompanied by: Greg Stuntent EXAM. DATE: 12-1-00

Address: PO Box 2824, Ketchikan, ID, 83340 Phone No. 726-3250

Relationship to Permit Holder: representative

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____

☐ Copies Attached

2. Other water rights with same point of diversion: 37-8819, 8508

_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

2. Other water rights with the same point of diversion:

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

[illegible]

2. Place(s) of Use:

Indicate Method of Determination *G/S*

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	18E	33															0.4		0.4
																	MICROFILMED		

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.

Scale: 1" = _____ 615 Map

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

See 37-8508 Exgms

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model/ Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Hitachi	7 1/2	CP6K02HC-04	Sta-Rite	~

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Measured in 1992 exgms at 0.16 cfs. Allow 0.15 cfs permitted amount for irrigation for all irrigation rights on this well.

MICROFILMED

2008 1 16 2008

E. NARRATIVE/REMARKS/COMMENTS

P/D is in Lot 10 Duckhorn Subdivision First Addition.

P/A is in Lot 13 " " " "

Although the same irrigation/domestic well also serves Lots 9, 10 & 12, that land is either under separate ownership now or it will be soon. Friedly plans to sell lots 12 & 13 to someone who will turn around & sell lot 12. Presumably all the land in Lot 13 will eventually be watered from the well in Lot 13, as local zoning laws do not allow split ownership of individual lots. Lot 12 will have its own well also. So I am recommending that this permit be licensed separately from the other permits on this system. Although the instantaneous diversion rate on the recommended place of use is higher than the proportional share of the system based on acres, I am only recommending the proportional rate in order to simplify the expected future transfer of this right to Friedly's own well.

Not to exceed 0.15 cfs for all irrigation rights from the well on Lot 10.

Well recommended under 37-8448A provides the domestic water required under this permit.

Not to exceed 1.5 acres of irrigation on Lot 13 when combined with 37-8448A.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

1987 1 6 2001

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

$$Perm; \uparrow = 0.03 \text{ cfs/qc} \times 0.4 \text{ qchrs} = 0.01 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.4 \times 3.5 = 1.4 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .01 \times 198 \times 1.9835 = 3.9$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1.4 \text{ AFA}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>4-15</u>	<u>10-31</u>	<u>0.01</u>	<u>1.4</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>0.01</u>	<u>1.4</u>

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name J. P. Stanton Date 1-18-01

Reviewer _____ Date _____

SEAL

MICROFILMED

JAN 22 1991

P/U & P/D, 37-8448, 8508, 8819, 8820

R. 18E

T. 3N


T. 2N

● Private Irrigation Well

⊙ Well For Lots 9, 10, 12 & Part of Lot 13


MICROFILMED
1994 1-1-1994

Prepared By J E Stanton 1-17-01





SEC. 33, T. 3 N., R. 18 E.





PD-37-8448B, 8819, 8508A & B (Looking NE)

MICROFILMED

1967

JE Stanton
12-1-00

S1
4/92

IDAHO DEPARTMENT OF WATER RESOURCES

STAFF ANALYSIS SHEET FOR BENEFICIAL USE FIELD EXAMS:

PERMIT NO. 37-84488

A. Items To Be Placed In Exam File (Items A & B to be Completed by C) **RECEIVED**

- (☒) Blank Field Report & Notice of Completed Exam **JAN 26 2001**
(☒) Copy of App. for Permit, Approved Permit, Amendments, Orders, **DEPARTMENT OF WATER RESOURCES**
Proof of Beneficial Use, SRBA Claim (Claim Filed? _____ Required? _____)
(☒) Well Inspection Form, Dairy Water-Use Worksheet (if applicable)
() Well Log(s) & Groundwater Measurement Analysis Form (if applicable)
(☒) Copy of Orthophotoquad Map
() 660-Scale Aerial Photo (Examiner Will Obtain If Applicable)
() Government Lot Plats (If Applicable)

B.1. P/D Overlap - Yes or No? If Yes, Include Copy of Overlapping Rights & Claims

If Yes, Type of Overlap: (☒) Add Acres or Uses to Existing System
() Increase Rate of Flow or Volume

B.2. P/U Overlap - Yes or No? If Yes, Include Copies of Overlapping Rights & Claims

If Yes, Type of Overlap: () Increase Rate of Flow or Volume
() Add Supplemental Water Source
() Increase Acres Within Tracts

C. Field Exam Appointment Made:

Date 12-1-00

Time 10 am

Place P/D

Contact Person & Phone _____

D. Post-Exam Review & Processing

Exam Completed 12-1-00

Notice of Completion Turned In 1-18-01

Field Report Completed 12-18-01

J. G. Stanton 1-18-01
Signature of Examiner & Date

Field Report Reviewed by Sr. Agent _____ (Initial & Date)

Field Report Reviewed by Region Mgr. _____ (Initial & Date)

Field Report Sent to S.O. _____ Region Card File Updated _____