

P/U & P/D, 37-8448, 8508, 8819, 8820


R. 18E




● Private Irrigation Well

● Well For Lots 9, 10, 12 & Part of Lot 13

MICROFILMED
JUN 14 2001




Prepared By J E Stanton 1-17-01



37-4498A
PD
7-11

MICROFILMED
JUN 14 2001



SEC. 33, T. 3 N., R. 18 E.

MICROFILMED
JUN 14 2001



Area Between Friedly Home & Gravel Road (Looking North)

MICROFILMED

JUN 14 2001

37-8448A
12-1-00
JE Stanton



Friedly Home, Well, Lawn (Looking West)



Home, Irrigated Area In Front of Road (Looking NW)

MICROFILMED
JUN 14 2001

37-8448A
JE Stanton
12-1-00

References

System Help

Contact Help Desk

Document Management

Search

Effect Tracking

Administrative Rules

Query Tools

Enter Water Right Number

Basin # Sequence # Split Suffix

Find Pedigree

Total Acreage, Volume, & Rate for

Calculate Total

Parent Acreage

Parent POU Acreage

Parent Rate

Parent Volume

Children Acreage

Children POU Acreage

Children Rates

Children Volumes

Difference

Difference

Difference

Difference

WATER RIGHT PEDIGREE

- 37-8448-
- 37-20377-
- 37-20378-

Water Right #	Type	Owner List	Source	Priority Date	Water Use	Rate	Acre	Volume
WR 37-8448	Active		GROUND WAT	11/07/1988	01	0.06	2	
WR 37-20377	Active		GROUND WAT	11/07/1988	01	0.03		3.9
WR 37-20378	Active		GROUND WAT	11/07/1988	01	0.01		1.4

ADJUDICATION PEDIGREE

- 37-8448-

Water Right #	Type	Owner List	Source	Priority Date	Water Use	Rate	Acre	Volume
AJ 37-8448								

Hide References

Next Step

Previous Steps

Screen ID: 421

See "parent" right 37-08448 for prior information - kw 5/30/01

MICROFILMED

11-A 9 1 2001

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 37-20377

Priority: November 07, 1988

Maximum Diversion Rate: 0.03 CFS
Maximum Diversion Volume: 3.9 AF

It is hereby certified that JOHN MILEY And CYNTHIA MILEY
PO BOX 3010
HAILEY ID 83333 have complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated October 27, 1988; and have
submitted Proof of Beneficial Use on July 12, 1991. An examination indicates that the works have a
diversion capacity of 0.1 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	04/15 to 10/31	0.03 CFS	3.9 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 33, Twp 03N, Rge 18E, B.M., BLAINE County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
03N 18E 33																1.1	1.1

Total Acres: 1.1

CONDITIONS OF APPROVAL

1. Irrigation use under this right is authorized only in connection with a domestic use.
2. Point of diversion and place of use are located within Lot 13, Buckhorn Subdivision First Addition.
3. Rights 37-20377 and 37-20378 when combined shall not exceed the irrigation of 1.5 acres within Lot 13, Buckhorn Subdivision First Addition..

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 6TH day of June, 2001.

MICROFILMED

Acting for

KARL J. DREHER
Director



JUN 14 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 7, 2001

JOHN MILEY
CYNTHIA MILEY
PO BOX 3010
HAILEY ID 83333

RE: License No. 37-20377 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

JUN 14 2001

CERTIFICATE OF MAILING

I hereby certify that on June 7, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 37-20377

**JOHN MILEY
CYNTHIA MILEY
PO BOX 3010
HAILEY ID 83333**


**Kari Lynn Townsend
Secretary**

MICROFILMED

10/18/01

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

APR 14 2005

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

APR 1 1991

John B. Miley
209 Red Devil Dr.
PO Box 3010
Hailey, ID 83333
Voice 208-578-7882 fax 208-578-9750

RECEIVED
APR 19 2001
Department of Water Resources

April 16, 2001

Ms. Kay Walker
Sr. Water Resource Agent
Idaho Department of Water Resources
1301 N. Orchard St.
P.O. Box 83720
Boise, ID 83720-0098


Dear Kay:

Thank you for your help, as I have said I am a novice at this business.

I have enclosed the assignment forms with Fee and the application for amendment with Fee.

If there is anything further required please let me know.

Sincerely,



John B. Miley

Enc: five

MICROFILMED

APR 19 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

March 19, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

John Miley
PO Box 3010
Hailey ID 83333

Dear Mr. Miley:

Pursuant to our telephone conversation this morning, enclosed are three proof reports of the water rights that we show in the name of Keith Friedly. Please note that I have partially completed three "assignment of permit" forms for your convenience. The forms must be completed as you want your name to show on your water rights and then Mr. Friedly must sign the forms in the presence of a notary public. There is a \$25.00 filing fee for the submittal of each of the assignment forms.

If you have any questions regarding the assignment forms, or the attached water right proof reports, please do not hesitate to contact me.

Sincerely,

A handwritten signature in black ink that reads "Kay Walker". The signature is written in a cursive, flowing style.

KAY WALKER
Sr. Water Resource Agent

Enclosures

MICROFILMED

LICENSE REVIEW CHECKLIST

Permit No. 37-20377

Date: 3/29/01

Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK
Point of Diversion: OK

Does change clarify original intended source? If no, void permit.
Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps: Right(s): _____
File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate _____ cfs
Fee Limit _____ cfs
Measured _____ cfs
Theoretical _____ cfs

Recommended Total Diversion Rate 0.03

Water Uses

OK Change (P46)

Season of Use per new Standards
4-15 10-31

Irrigation 0.03 cfs 3.9 af
Stockwater _____ cfs _____ af
Domestic _____ cfs _____ af
_____ cfs _____ af
_____ cfs _____ af
Total 0.03 cfs 3.9 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)
supp. Gw (WB7/065/104)
overlap spec combined rts (W35)
<1 acre (W31)
Domestic (W01/wb5/070/071/075)
Power (W42 or W43/025/027/R22 or R23)
Fish (042)
Fire (077)
Water Quality (081/R07)
Payette - (W22/047/27A)
Stockwater for US (R37)

Volume Determination

0.03 cfs x 1.9835 x 200 days = 11.9 af (vs) 1.1 acres x 3.5 (FHR) = 3.9 af
2.5 (con)

Remarks: _____

Additional Conditions

_____ Watermaster Control
_____ GW Measurement/Measuring Device
_____ Other
Trust R55 - remove 051)
Non-trust (048/049)

GW Dist? _____
Water Msmt. Dist? _____
Crit. GWMA? _____
GWMA? _____
Government Lots? _____

Advance Priority? _____ yes
_____ no If yes, explain why below.

SRBA Claim? _____

Adjust memo _____

Amend Letters

P87, S06

Second Amendment Notice

S06

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 26 2001
DEPARTMENT OF WATER RESOURCES

A. GENERAL INFORMATION

1. Owner: Keith Friedly Permit No. 37-8448^A Ag-Exam
Current Address: PO Box 1770, Hailey, ID 83333 Phone No. 788-3114
2. Accompanied by: Greg Sturtevant EXAM. DATE: 12-1-00
Address: PO Box 2924, Ketchum, ID, 83340 Phone No. 726-3250
Relationship to Permit Holder: representative
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: 3 _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached

MICROFILMED

Scale: 1" = _____ G/S Map

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, 2 motors, 2 pumps, lines to home & big-gun sprinklers.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Domestic Pump		3/4			
Irrig. Pump		3			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SW	SE	33	3N	18E	Blaine	G/S

6. Place(s) of Use:

Indicate Method of Determination G/S

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	18E	33															1.1		1.1
																	1.1		

MICROFILMED

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Not Measured. Theoretical capacity for irrig. well = 0.10 cfs. Allow 1.1 ac x 0.03 cfs/ac = 0.033 cfs.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional) See original exam

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: 0.10 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.1 \text{ ac} \times 3.5 \text{ AFA/ac} = 3.9$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.03 \times 198 \times 1.9835 = 11.8$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.9 \text{ AFA}$

2. Volume Calculations for Other Uses:

MICROFILMED

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Original 1992 exam found 0.7 acres watered from domestic well, but I found 1.1 acres watered. I spoke to Mr. Friedly 1-16-01, and he confirmed that the same land has always been watered. So I am recommending the larger ~~area~~ area. The area near the road has a more natural appearance, so is probably watered to reduce fire danger (it is not lawn or pasture). He has worked out of the area the last 1 1/2 years, so ~~area~~ area was not regularly watered. Two separate systems irrigate portions of lot 13, so recommend permit be split in licensing. This portion is recommended as Part A.
P/D & P/U are in lot 13 of Buckhorn Subdivision First Addition.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-15	10-31	0.033	3.9
Totals:			0.033	3.9

2. Recommended Amendments

- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

J. AUTHENTICATION

Field Examiner's Name J E Stanton
Signature J E Stanton
Certification Date 1-17-01
Field Report Preparation Date _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JAN 16 1991

P/U & P/D, 37-8448, 8508, 8819, 8820

R. 18E

T. 3N


T. 2N

● Private Irrigation Well


◎ Well For Lots 9, 10, 12 & Part of Lot 13

MICROFILMED


1981-1-1-2003




Prepared By J E Stanton 1-17-01



SEC. 33, T. 3 N., R. 18 E.



MICROFILMED




Area Between Friedly Home & Gravel Road (Looking North)


MICROFILMED

1978 12 1

37-8448A
12-1-00
JE Stanton



Friedly Home, Well, Lawn (Looking West)



Home, Irrigated Area In Front of Road (Looking NW)

MICROFILMED

1978 4 4 1978

37-8448A
JE Stanton
12-1-00

IDAHO DEPARTMENT OF WATER RESOURCES

STAFF ANALYSIS SHEET FOR BENEFICIAL USE FIELD EXAMS: PERMIT NO. 37-8448A Re-Exam

A. Items To Be Placed In Exam File (Items A & B to be Completed by Compiler)

RECEIVED

- (☒) Blank Field Report & Notice of Completed Exam
(☒) Copy of App. for Permit, Approved Permit, Amendments, Orders, Assurances, Proof of Beneficial Use, SRBA Claim (Claim Filed? Required?)
(☒) Well Inspection Form, Dairy Water-Use Worksheet (if applicable)
(☐) Well Log(s) & Groundwater Measurement Analysis Form (if applicable)
(☒) Copy of Orthophotoquad Map
(☐) 660-Scale Aerial Photo (Examiner Will Obtain If Applicable)
(☐) Government Lot Plats (If Applicable)

JAN 26 2001

DEPARTMENT OF WATER RESOURCES

B.1. P/D Overlap - Yes or No? If Yes, Include Copy of Overlapping Rights & Claims

- If Yes, Type of Overlap: (☐) Add Acres or Uses to Existing System
(☐) Increase Rate of Flow or Volume

B.2. P/U Overlap - Yes or No? If Yes, Include Copies of Overlapping Rights & Claims

- If Yes, Type of Overlap: (☐) Increase Rate of Flow or Volume
(☐) Add Supplemental Water Source
(☐) Increase Acres Within Tracts

C. Field Exam Appointment Made:

Date 12-1-00 Time 10 am Place P/D

Contact Person & Phone _____

D. Post-Exam Review & Processing

Exam Completed 12-1-00 Notice of Completion Turned In 1-18-01

Field Report Completed 1-17-01 G. Stanton 1-17-01
Signature of Examiner & Date

Field Report Reviewed by Sr. Agent _____ (Initial & Date)

Field Report Reviewed by Region Mgr. _____ (Initial & Date)

Field Report Sent to S.O. _____ Region Card File Updated _____