

E 1/2, NE 1/4, Sec.13, Twp. 3N, Rn.
TETON COUNTY, IDAHO
OWNER: Boyd Moulton

Scale: 1" = 150'

2641.19' N0°06'26"W

336.19'

① 1.7 ac.

⑤ 1.7 ac.

④ 1.8 ac.

③ 1.9 ac.

② 2.2 ac.

① 2.3 ac.

② 3.1 ac.

③ 4.2 ac.

④ 2.0 ac.

⑤ 2.2 ac.

⑥ 2.7 ac.

⑦ 2.4 ac.

② 1.5 ac.

EDGEWOOD LANE

OLD STATE HIGHWAY

South

East

West

North

1/4 Corner Found 1/2 Rod Inst. No.

S 0°01'56" E 2641.60'

MICROFILMED

MICROFILMED
JUN 23 1999

○ 5" R. Rebar w/t Cap
● 1/2" R. Rebar w/t Cap
⊙ R.R. SPIKE
② LOT No.
⬡ BLOCK No.
== 10' UTILITY EASEMENT

CURVE	Chrd. Bearing	Chrd. Dist.	DELTA	RADIUS	TAN	ARC LENG
C - 1	N 0°25'57"E	95.15'	35°51'11"	154.56'	50.10'	96.90'
C - 2	N 41°09'41"E	167.28'	131°53.30'	90.25'	202.20'	207.76'
C - 3	N 6°09'49"E	177.45'	50°42'15"	176.81'	84.72'	86.51'
C - 4	N 33°08'05"E	96.65'	90°45'55"	64.08'	66.09'	102.63'
C - 5	N 71°08'45"	80.94'	71°55'52"	68.92'	50.01'	86.51'

LINE	BEARING	DISTANCE
A	N 8°51'42" E	60.51'
B	N 62°46'08" E	169.39'
C	S 79°36' E	53.12'
D	N 31°38" E	59.72'
E	N 65°30'42" W	87.02'
F	S 77°12'37" E	44.75'
G	N 31°13'38" E	70.69'
H	N 49°50'23" W	58.90'
I	S 58°35'43" W	58.04'
J	N 22°10' E	86.07'
K	N 47°32'37" E	57.00'


100 D ESTATES

Twp. 3N, Rng. 45E, B. M.

AHO

1

Sheet 1 of 2



BEARING	DISTANCE
51°42' E	60.51'
2°46'08" E	169.39'
9°36' E	53.12'
1°38' E	59.72'
5°30'42" W	87.02'
7°12'37" E	44.75'
1°13'38" E	70.69'
4°50'23" W	58.90'
8°35'43" W	58.04'
2°10' E	86.07'
1°32'37" E	57.00'

Scale 1" = 150'

MICROFILMED


JUN 23 1999 AW Engineering
Victor, Idaho

T3N 45E

EDGEWOOD ESTATES

E 1/2, NE 1/4, Sec. 13, Twp. 3N, Rng. 45E, B.M.
TETON COUNTY, IDAHO
OWNER: Boyd Moulton

Scale: 1" = 150'



CURVE	Chd. Bearing	Chd. Dist.	DELTA	RADIUS	TAN	ARC LENG.
C-1	N 0°25'57"E	96.15'	35°51'11"	154.56'	50.10'	96.90'
C-2	N 4°09'41"E	167.28'	131°53'30"	90.25'	202.20'	207.76'
C-3	N 6°39'49"E	177.45'	50°42'15"	178.81'	84.72'	77.73'
C-4	N 33°08'05"E	96.65'	9°45'55"	64.08'	66.09'	102.63'
C-5	N 7°08'45"	80.94'	7°55'22"	68.92'	50.0'	86.51'

Legend

- 5/8" Rebar w/1 Cap
- 1/2" Rebar w/1 Cap
- ⊙ R.R. Spike
- ② LOT No.
- ① BLOCK No.
- 10' UTILITY EASEMENT

LINE	BEARING	DISTANCE
A	N 8°51'42"E	60.51'
B	N 62°46'08"E	169.39'
C	S 7°36'E	53.12'
D	N 31°38'E	59.72'
E	N 65°30'42"W	87.02'
F	S 7°42'37"E	44.75'
G	N 31°13'38"E	70.69'
H	N 49°50'23"W	58.90'
I	S 58°35'43"W	58.04'
J	N 22°10'E	86.07'
K	N 47°32'37"E	57.00'

Scale 1" = 150'

AW Engineering
Victor, Idaho


EDGEWOOD ESTATES

E 1/2, NE 1/4, Sec. 13, Twp. 3N, Rng. 45E, B.M.


TETON COUNTY, IDAHO

OWNER: Boyd Moulton

Sheet 1 of 2




9082-22



-  S03n45e.shp
-  T03n45e.shp
-  Posnpnt.shp
-  S08n44e.shp
-  T08n44e.shp

22-07806




R45E | R46E

- ⊕ Posnpnt.shp
- S03n45e.shp
- T03n45e.shp

22-07806

3 km SE of Victor, Idaho, United States 27 Jun


1994




22-7806

EDGEWOOD ESTATES SUB

TETON CO. IDAHO



DEP #
89-2-41



**PLANS & SPECIFICATIONS
REVIEW**


By [Signature]
Environmental Engineer

These plans and/or specifications have been reviewed for compliance with Idaho Dept. of Health and Welfare rules. This review does not relieve the owner, engineer, or the contractor of the responsibility to design or construct these facilities in compliance with all current applicable federal, state and local laws, rules, regulations, or ordinances.

Date: 11-17-99


Plans and/or specifications must be resubmitted for review if construction is not completed by: 11-17-2001

Refer to letter of 11-17-99 to Mr. [Name]




22-7806

WELL LOT LAYOUT	
EDGEWOOD ESTATES Sub	
SEC 13, TWP 3 N, RND 45 E, S.M. TETON COUNTY, IDAHO	
SURVEYED FOR:	
Edgewood Estate Sec Victor, Idaho	AW ENGINEERING P.O. BOX 130 VICTOR, IDAHO 83455 (208) 787-2862
DRAWN: aww	5/22/99 PROJECT: 99-057
SURVEYED: AWW	WELL SUB. GCD sheet 3 of 3



open hole
- after Bedrock
- cased
Rock structure
not supportive



WELL & CONTROL

+/-340 FEET


22-7806

WELL DETAILS			
EDGEWOOD ESTATES Sub			
SEC 13, TWP 3 N, RND 45 E, S.M. TETON COUNTY, IDAHO			
SURVEYED FOR:		AW ENGINEERING	
Edgewood Estate Sec		P.O. BOX 138	
Victor, Idaho		VICTOR, IDAHO 83488	
		(208) 787-2982	
DRAWN	aww	5/22/99	PROJECT 99-057
SURVEYED	AWW		WELLSUB.GCD sheet 3 of 4


UP TO 2" PIPES
INSTALL 12" X 12" BLOCKS

3" TO 4" PIPES
INSTALL 18" X 18" BLOCKS


5" & 6" PIPES
INSTALL 24" X 24" BLOCKS



TYPICAL THRUST BLOCKS



TYPICAL TRENCH DETAILS



WATER EQUIP

- 1 2" GI WATERLINE IN
- 2 2" GATE VALVE
- 3 2" CHECK VALVE
- 4 2" WATER METER
- 5 SAMPLE SPIGOT
- 6 PRESSURE GAGE
- 7 PRESSURE CONTROL SWITCH

WELL CONTROL
VAULT PLUMBING

22-7806

AW ENGINEERING
P.O. BOX 130, VICTOR, IDAHO 83455
208-787-2952

WELL DETAILS
EDGEWOOD ESTATES Sub

owner Edgewood Estates

SHEET 2 of 2

22-7806
Old well →
New well ↘





22 - 7806 Homes on ride are on the system.

AFFIDAVIT OF PUBLICATION

State of Idaho)

County of Teton)

I, Jammie van Leerdam,
being first duly sworn, depose and say that I am
the Manager of the Teton Valley News,
a newspaper as defined by Idaho Codes An-
notated, Section 58-106, as amended, and that
said newspaper is a weekly newspaper printed and
published at Driggs, in Teton County, Idaho,
having a general circulation in said county, and
that said newspaper has been printed in said
county for more than 78 consecutive weeks prior
to the first publication of the attached notice, ad-
vertisement, or publication of

Application for Water Right

And affiant further says that said attached notice,
advertisement, or publication, as per clipping at-
tached, was published in said newspaper, in the
regular and entire issue thereof, and not in any
supplement issue thereof, for consecutive
issues thereof; first publication having been
made on the 15 day of April
1999

And affiant further says that at the times herein
mentioned said newspaper was made up of at
least eight pages of at least five columns each,
printed from typed matter, of at least sixteen in-
ches deep.

State of Idaho)


County of Teton)

On this 19th day of mar
in the year of 1999, before me, a Notary Public,
personally appeared Jammie van Leerdam,
known or identified to me to be the person whose
name subscribed to the within instrument, and
being by me first duly sworn, declared that the
statements therein are true, and acknowledged to
me that he executed the same.

Bonnie Zohner
Notary Public for Idaho

Residing at Driggs Idaho

My commission expires 10-1-2004



NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been
filed to appropriate the public waters of the
State of Idaho.

22-07806

EDGEWOOD ESTATES HOME-
OWNERS ASSOC

C/O MARY PATNO

PO BOX 402

VICTOR, ID 834550402

Source: GROUNDWATER

Diversion Pt: NENE Sec 13 T 03N R
45E in TETON County.

Use: DOMESTIC (0.440 CFS)

Total Diversion: (0.440 CFS)

Date Filed: 3/23/1999

In: TETON County

T03N R45E S13 NENE SENE

Any protests against the proposed appli-
cation must be filed with the Dept. of Water
Resources, 900 N Skyline Dr., Ste A, Idaho
Falls, ID 83402, together with a protest fee of
\$25.00 on or before MAY 3, 1999 to be
considered by the Department in its decision
to grant or deny any part of the proposed
application. The protestant must also send a
copy of the protest to the applicant.

KARL J. DREHER, Director

Published in the Teton Valley News April
15 and 22, 1999.

MICROFILMED

JUN 23 1999

RECEIVED

MAY 21 1999

Department of Water Resources
Eastern Region

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO.)	
22-07806 IN THE NAME OF)	
EDGEWOOD ESTATES)	
HOMEOWNERS ASSN)	
_____)	REINSTATEMENT ORDER

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted to the Department on or before June 1, 2000; and,

WHEREAS, the Department granted an Extension of Time to provide additional time in which to submit proof of beneficial use on May 12, 2000 and extended the proof of beneficial use deadline to June 1, 2001; and,

WHEREAS, the Department notified the permit holder on March 31, 2001 by certified mail that proof of beneficial use was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use or an extension of time request; and,

WHEREAS, the Department's State Office sent the permit holder a lapse notice on June 5, 2001, since the State Office had not received an acceptable proof of beneficial use statement or extension of time; and,

WHEREAS, Section 42-218a, Idaho Code, provides that the Department may reinstate a permit upon a showing of reasonable cause by the permit holder within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting acceptable proof of beneficial use on August 1, 2001;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 22-07806 is **REINSTATED** with an advance in priority to **May 23, 1999**.

DATED this 8th day of August, 2001.



L. GLEN SAXTON, Chief
Water Allocation Bureau

OCT 02 2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

AUG - 1 2001

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 22-07806 Telephone No. 208-787-2886
2. Name of Permit Holder(s): EDGEWOOD ESTATES HOMEDOWNERS, INC. % SHARLENE MILLIGAN
3. Mailing Address: P.O. Box 380
City VICTOR State ID Zip 83455
4. Source of Water: WELL If GROUNDWATER (well), Date Drilled: mo. 6/12 / yr. 2000
 - a. Well Driller: DENNING WELL DRILLING, INC. Drilling Permit Number: 22-07806 Tag# D0011977
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 8 Stockwater (No. and type of stock): N/A
Irrigation (No. of acres): N/A Other: N/A
6. Total rate of diversion and/or volume for which proof is submitted: 44 GPM ^{.44 cfs} ~~cfs~~ OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
Measuring Device: Is a measuring device required? Yes _____ or No ✓
Has the measuring device been installed? Yes _____ or No ✓
8. Fee Enclosed: \$ 100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: SHARLENE MILLIGAN Telephone Number: 208-787-2886
Address: P.O. Box 380 928 EDGEWOOD LANE, VICTOR, ID 83455
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 7/29/01
(include your title, or On behalf of company or organization)

OCT 02 2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

RECEIVED
MAY 4 - 2000
Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 22-07806
Name(s) of Permit Holder: EDGEWOOD ESTATES HOMEOWNERS ASSN
Address: Box 402 City VICTOR State ID Zip 83455
Telephone No. 208 787-2044 Date Proof is Due: JUNE 1, 2000

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

WELL SITE HAS BEEN DESIGNATED & APPROVED BY DEQ

THE REVISED WELL PLANS & SPECIFICATIONS HAVE BEEN APPROVED BY DEQ

Costing \$ _____

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

THE DEQ APPROVAL CAME IN NOV AND BY THEN THE SNOWFALL ON THE
ROAD PREVENTED THE WELL DRILLER ACCESS TO THE SITE.

NOW THAT THE ROAD IS OK WE WANT TO PROCEED

Permit holder(s) request an extension to NOVEMBER, 20 00

Mary Patra EDGEWOOD ESTATES HOMEOWNER ASSOC
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be

APPROVED and the time within which to submit proof of beneficial use is extended to
June 1, 2001.

Signed this 12 day of May, 20 00

L. Glen Saxton
L. Glen Saxton, Chief
Water Allocation Bureau

MICHO. L. L. L.

OCT 02 2001

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 22-07806

Proposed Priority: March 23, 1999

Maximum Diversion Rate:

0.44 CFS

This is to certify, that **EDGEWOOD ESTATES HOMEOWNERS ASSN**
C/O MARY PATNO
PO BOX 402
VICTOR ID 83455-0402

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

DOMESTIC	01/01 to 12/31	0.44 CFS
----------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 13, Township 03N, Range 45E
TETON County

PLACE OF USE: DOMESTIC

TWN RGE SEC

03N 45E 13

NENE

SENE

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 2000.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
5. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
6. The irrigation occurring under this domestic use shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed. This right does not provide for irrigation of common areas or for irrigation of lots upon which homes have not been constructed.
7. The issuance of this right does not grant any right-of-way or easement across the land of another.
8. Two points of diversion are located within NENE, S13, T03N, R45E.
9. Points of diversion are located between Lots 1 & 2, Blk. 2, Edgewood Estates Subdivision.
10. Places of use are located within Lots 1-5, Blk. 1; Lots 1-6, Blk. 2; and Lots 1-11, Blk. 3; Edgewood Estates Subdivision.
11. Domestic use is for 22 homes.

MICROFILMED
JUN 23 1999


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 22-07806

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

14 th day of June, 19 99.


Karl J. Dreher, Director
for

MICROFILMED

JUN 23 1999

RECEIVED

MAY 28 1999

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Ident. No.

22-07806

RECEIVED

MAR 23 1999

Department of Water Resources
Eastern RegionEdgewood Estates Homeowners Assoc.1. Name of Applicant 50 Mary Patno P.O. Box 402 Victor ID Phone 208-787-2044Mailing address 83455-04022. Source of water supply Groundwater which is a tributary of _____3. Location of point of diversion is Township 3 N Range 4 SE Sec. 13 in the NE 1/4, NE 1/4, Govt. Lot _____, B.M., Teton County;
additional points of diversion if any: (2 wells)

4. Water will be used for the following purposes:

Amount 0.44 cfs for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)5. Total quantity to be appropriated is (a) 0.44 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source 2 wells to 22
lotsb. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feetc. Proposed well diameter is 8 inches; proposed depth of well is 400 feetd. Is ground water with a temperature of greater than 85°F being sought? Ne. If well is already drilled, when? 1981; Drilling firm Eugene Richards Drilling
one well exists Well was drilled for (well owner) Continental Realty; Drilling Permit No. NA7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW. NAb. Stockwatering; list number and kind of livestock. NAc. Municipal; show name of municipality. NAd. Domestic; show number of households. 22 - 10 homes already exist

e. Other; describe fully. _____

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	4SE	13	D			D													

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. N/A

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: Domestic limitations restrict Irrigation to 1/2 acre per home.

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edgewood Estates HOMEOWNERS ASSOC., Inc

MICROFILMED
JUN 23 1999


Mary C. Patro
Signature of Applicant (and title, if applicable)

Received by HWJ Date 3-23-1999 Time _____ Preliminary check by _____
 Fee \$ 100.00 Received by HWJ # E024854 Date 3-23-1999
 Publication prepared by SC Date 4/15 & 4/22/99 Published in Teton Valley News
 Publication approved _____ Date 5/21/99 _____

EDGEWOOD E

E 1/2, NE 1/4, Sec. 13, Twp. 3N, Rn.
TETON COUNTY, IDAHO
OWNER: Boyd Moulton

Scale: 1" = 150'



E 1/4 Corner
Found 1/2" Rod Inst. No. _____

S 0°01'56" E
BASIS OF BEARING

2641.60'

MICROFILMED
JUN 23 1999

Legend


- 5/8" Rebar w/1 Cap
- 1/2" Rebar w/1 Cap
- ⊙ R.R. Spike
- ② LOT No.
- ① BLOCK No.
- 10' UTILITY EASEMENT

CURVE	Chrd. Bearing	Chrd. Dist.	DELTA	RADIUS	TAN	ARC LENG
C - 1	N 0°25'57"E	98.15'	33°51'11"	154.56'	50.10'	96.90'
C - 2	N 4°09'41"E	187.28'	131°53'30"	90.25'	202.20'	207.76'
C - 3	N 6°09'49"E	177.45'	50°42'15"	176.91'	84.72'	86.51'
C - 4	N 33°08'05"E	96.65'	91°45'55"	64.08'	66.09'	102.63'
C - 5	N 7°08'45"	80.94'	71°55'22"	68.92'	50.0'	86.51'

LINE	BEARING	DISTANCE
A	N 8°51'42" E	60.51'
B	N 62°46'08" E	169.39'
C	S 79°36' E	53.12'
D	N 31°38' E	59.72'
E	N 65°30'42" W	87.02'
F	S 77°12'37" E	44.75'
G	N 31°33'38" E	70.69'
H	N 49°50'23" W	58.90'
I	S 58°35'43" W	58.04'
J	N 2°10' E	86.07'
K	N 41°42'3" E	57.00'

1

9'
,"W




JUN 23 1999 AW Engineering
Victor, Idaho

T-34 15E

EDGEWOOD ESTATES

E 1/2, NE 1/4, Sec. 13, Twp. 3N, Rng. 45E, B.M.
TETON COUNTY, IDAHO
OWNER: Boyd Moulton

Scale: 1" = 150'



CURVE	Chd. Bearing	Chd. Dist.	DELTA	RADIUS	TAN	ARC LENG.
C-1	N 0°25'57"E	96.15'	35°51'11"	154.56'	50.10'	96.90'
C-2	N 4°09'41"E	167.28'	131°53'30"	90.25'	202.20'	207.76'
C-3	N 6°39'49"E	177.45'	50°42'15"	178.81'	84.72'	77.73'
C-4	N 33°08'05"E	96.65'	9°45'55"	64.08'	66.09'	102.63'
C-5	N 7°08'45"	80.94'	7°55'22"	68.92'	50.00'	86.51'

Legend

- 5/8" Rebar w/1 Cap
- 1/2" Rebar w/1 Cap
- ⊙ R.R. Spike
- ② LOT No.
- ① BLOCK No.
- 10' UTILITY EASEMENT

LINE	BEARING	DISTANCE
A	N 8°51'42"E	60.51'
B	N 62°46'08"E	169.39'
C	S 7°36'E	53.12'
D	N 31°38'E	59.72'
E	N 65°30'42"W	87.02'
F	S 7°42'37"E	44.75'
G	N 31°33'38"E	70.69'
H	N 49°50'23"W	58.90'
I	S 58°35'43"W	58.04'
J	N 22°10'E	86.07'
K	N 47°32'37"E	57.00'

Scale 1" = 150'

AW Engineering
Victor, Idaho

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

MAY 21 2002

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 22-7806

1. Owner: Edgewood Estates Homeowners Assn. c/o Bill Bowen Phone No. _____

Current Address: Box 248, Victor, ID 83455

2. Accompanied by: Sharlene Milligan EXAM DATE: 8-15-01

Address: P.O. Box 380, Victor, ID 83455 Phone No. 208 787 2886

Relationship to Permit Holder: Secretary / Treasurer

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: No 2 wells

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NE	NE	13	3N	4SE	Teton	Old Well r081518b
		NW	SE	NE	13	3N	4SE	Teton	New Well r081518d

2. Place(s) of Use:

Indicate Method of Determination USGS Quad GPS

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	4SE	13	D			D													

22-7806

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Old well	Submersible	2 1/2			
New well		5			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: According to Sharlene Milligan. Old well produces 8 gpm & New well produces 44 gpm. Q_{TOTAL} = 52 gpm

22-7806

Cistern is 10,000 gallons GPS R081518A

Dennings tested New well at 44 gpm. Electrician said 44 gpm also.
Old well produces only 8 gpm.

Old well GPS R081518B

New well GPS R081518D

Center of upper (cut de-sac) R081518C

SUBDIVISION PLATTED for 22 lots

Lots occupied at time of Exam (12)

Lot 2 Block 1 Edgewood Estates

Lot 4 Block 1 " "

Lot 5 Block 1 " "

Lot 1 Block 2 " "

Lot 2 Block 2 " "

Lot 3 Block 2 " "

Lot 6 Block 2 " "

Lot 2 Block 3 " "

Lot 4 Block 3 " "

Lot 6 Block 3 " "

Lot 8 Block 3 " "

Lot 10 Block 3 " "

Theoretical flow $Q = 0.07 \text{ cfs} + 0.04 \text{ cfs} = 0.11 \text{ cfs}$

Information Supplied $Q = 44 \text{ gpm} + 8 \text{ gpm} = 52 \text{ gpm} = 0.115 \text{ cfs} = 0.12 \text{ cfs}$

Recommend $Q = 0.12 \text{ cfs}$

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

$$Q_{\text{INFO SUPPLIED TO EXAMINER}} = 52 \text{ gpm} = 0.12 \text{ cfs}$$

$$Q_{\text{LIMITED BY CAPACITY}} = 0.12 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$V_{\text{Dom}} = 1.2 \times 22 = 26.4 \text{ afa}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic (22 units)	1/1	12/31	0.12 cfs	0.26 afa
Totals:				

2. Recommended Amendments

☐ Change P.D. as reflected above ☒ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Steve Mueller Date 8-15-01

Reviewer _____ Date _____

SEAL

22-7806

THEORETICAL PUMP FLOW CALCULATIONS

Formula: $Q_{cfs} = [(Hp)(8.814)(Eff)] \div [Lift + (psi \times 2.308)]$

SYSTEM: New

$Hp = \text{Horsepower} = \underline{5}$
 $Eff = \text{Efficiency} = \underline{70\%}$ (Usually 70%)
 $Lift: (\text{Static Level} + \text{Assumed Drawdown})$
 $\text{Static Water Level} = \underline{\hspace{2cm}}$ ft.
 $\text{Assumed Drawdown} = + \underline{\hspace{2cm}}$ ft.
 $Lift = \underline{300'}$

NOTE: Engineers Report

Pressure @ New well = 67 psi

Elevation New well = 6506.1

Elevation Tank = 6660.2

OR

Measured Dynamic Water Level = ft.

Elevation change from well to storage tank = 155.1 ft

psi = Operating Pressure = psi

$$Q_{cfs} = \left[\frac{5}{Hp} \times 8.814 \times \frac{70\%}{Eff} \right] \div \left[\frac{300}{Lift} + \left(\frac{155.1}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = [\underline{30.849}] \div [\underline{455.1}] \quad Q = 30.4 \text{ gpm}$$

$$Q_{cfs} = \underline{0.067}^{0.07 \text{ cfs}} \text{ cfs SYSTEM } \underline{New}$$

SYSTEM: Old

$Hp = \text{Horsepower} = \underline{2.5}$
 $Eff = \text{Efficiency} = \underline{70\%}$ (Usually 70%)
 $Lift: (\text{Static Level} + \text{Assumed Drawdown})$
 $\text{Static Water Level} = \underline{\hspace{2cm}}$ ft.
 $\text{Assumed Drawdown} = + \underline{\hspace{2cm}}$ ft.
 $Lift = \underline{300}$

NOTE:

ENGINEERS REPORT

OR

Pressure @ old well = 40 psi; Measured Dynamic Water Level = ft.

Elevation old well = 6568.7' 91.5 ft elevation change

Elevation Tank: 6660.2 psi = Operating Pressure = 40 psi

$$Q_{cfs} = \left[\frac{2.5}{Hp} \times 8.814 \times \frac{70\%}{Eff} \right] \div \left[\frac{300}{Lift} + \left(\frac{40}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = [\underline{15.425}] \div [\underline{392.35}]$$

$$Q_{cfs} = \underline{0.039}^{0.04 \text{ cfs}} \text{ cfs SYSTEM } \underline{Old System}$$

PERMIT NO. 22-7806


EDGEWOOD ESTATES

E 1/2, NE 1/4, Sec 13, Twp 3N, Rng 45E, B.M.

TETON COUNTY, IDAHO

OWNER: Boyd Moulton

Sheet 1 of 2



Legend

- 1. 1/2" Pipe w/ Cap
- 2. 1/2" Pipe w/ Cap
- 3. 1/2" Pipe
- 4. 1/2" Pipe
- 5. 1/2" Pipe
- 6. 1/2" Pipe
- 7. 1/2" Pipe
- 8. 1/2" Pipe
- 9. 1/2" Pipe
- 10. 1/2" Pipe
- 11. 1/2" Pipe
- 12. 1/2" Pipe

Lot	Acres	Area	Perimeter
1	4.2	176,400	1,200.00
2	2.2	92,400	600.00
3	2.7	110,700	700.00
4	2.4	100,800	600.00
5	2.4	100,800	600.00
6	2.4	100,800	600.00
7	2.4	100,800	600.00
8	2.4	100,800	600.00
9	2.4	100,800	600.00
10	2.4	100,800	600.00
11	2.4	100,800	600.00
12	2.4	100,800	600.00


Scale 1" = 150'

AW Engineering
Victor, Idaho

9082-27


940 Edgewood Lane

Old State Hwy



-  S03n45e.shp
-  T03n45e.shp
-  Posnpnt.shp
-  S08n44e.shp
-  T08n44e.shp

22-07806




R45E | R46E

-  Posnpnt.shp
-  S03n45e.shp
-  T03n45e.shp

22-07806

3 km SE of Victor, Idaho, United States 27 Jun

1994



22-7806

DE 94 99-2-41

RECEIVED

NOV 16 1999

DEQ-IDAHO FALLS


PUBLIC WELL
PRELIMINARY DESIGN REPORT
for

EDGEWOOD ESTATES SUBDIVISION

Section 13, Twp. 3N, Rng. 45 E., B.M.
Teton County, Idaho

Prepared For:
Edgewood Estates Homeowners' Association
c/o Mary Patno

Prepared by:
A-W Engineering
Box 139
Victor, ID 83455



May 21, 1999

22-7806

TABLE OF CONTENTS

I.	ENGINEERING REPORT	<u>PAGE</u>
	A. WATER SYSTEM PROPOSED	1
	B. WATER SYSTEM DEMANDS	2
	C. MINIMUM SEPARATION DISTANCES	3
	D. PUMP CURVE	4
	E. WELL LOG OF EXISTING EDGEWOOD WELL	5
	F. APPLICATION PERMIT COPY	6
II.	WATER SYSTEM SPECIFICATIONS	
	A. 410 WELL DRILLING	P: 1-5
	B. 411 DISINFECTION	P: 6-8
III.	WELL SITE AND DRAWINGS	
	A. VICINITY MAP	
	B. EDGEWOOD ESTATES SUB	
	C. WELL SITE AREA	
	D. WELL DETAILS	
	E. TRENCH & PLUMBING DETAILS	

22-7806

1. ENGINEERING REPORT

A. WATER SYSTEM PROPOSAL

1. Location:

Edgewood Estates Subdivision is located in the E 1/2 NE 1/4 of Section 13, Twp. 3N, Rng. 45 E., B.M. Teton County, Idaho. The existing and proposed well are on the Eastern one-third of the property.

2. Owner:

Edgewood Estates Subdivision Homeowners' Association.
P.O. Bx. 402, Victor, Id. 83455 208-787-2044

3. General Proposal:

The purpose of requesting a permit to drill a new well for the Edgewood Estates Subdivision is that the original well has never produced the amount of water the subdivision requires. The original design calculations showed that the development would require 30 g.p.m. volume of water.

The test pumping of the existing well shows that at the time it was drilled in 1981, only 10 g.p.m. could be drawn out of the well. It is estimated that the current production from the existing well is about 8 g.p.m.

4. Soils and Well Data:

The soil in the area of the well is Ridgecrest, extremely stony loam soil, with slope ranging from 5% to 20%. It is described in the SCS Soil Survey Manual as the top 18 inches being brown, rocky loam soil over hard, fractured limestone.

Well data for wells one-half mile to the South in the Trail Creek Drainage, indicate that there is good quality as well as an adequate quantity of water available in the drainage, but this subdivision sits up on the hill.

Well logs available in Section 13, Twp. 3N, Rng. 45 E., B.M. Teton County, Idaho:

<u>WELL NAME</u>	<u>DESCRIPTION</u>	<u>GPM</u>	<u>WATER DEPTH</u>	<u>WELL DEPTH</u>
Edgewood Estates	1'-145' Rock & boulders & rock	10	300'	335'
Owen	0'-55' gravel	50	60'	200'
Vesgard	0'-45' gravel/clay		38'	100'
Majors	0'-60' gravel/boulders		20'	80'
Leibler	1'-90' boulders/gravel		10'	115'

According to the Engineer's knowledge, and the Dept of Water Resources records no recharge wells are known to be close to this well or in the area.

22-7806

5. Flood Plain Data.

The proposed well location is on a hill above the normal Trail Creek water flood elevation. The ground at the well site will be over 300 feet above the anticipated 100 year flood plain elevation.

B. WATER SYSTEM DEMANDS

The amount of water demand for Edgewood Estates Subdivision is calculated for the following:

METHOD I Average Residential Use GPM:

# of residents per lot average:	3.4
# of lots in Edgewood Estates:	22
Average gallons/day/resident:	120 gallons/day

Residential use = $3.4 \times 22 \text{ lots} \times 120 \text{ gallons/user} = 8,976 \text{ GPD}$
at 9000 gallons/day = 9.4 gpm for 16 hours use.
Design for residential average use 10 gpm plus some irrigation.

METHOD II

Average demand = 3.0 gallons/minute/lot = $3 \times 22 \text{ LOTS} = 66 \text{ GPM}$
Peak at 1.5 x average = 99 gallons/minute
At 100 GPM peak demand from 6:30 to 8:00 am
 $90 \text{ min} \times 100 \text{ GPM} = 9000 \text{ gallons water needed}$
with well producing 25 gpm : $100 - 25 \text{ gpm} = 75 \text{ gpm storage}$
 $75 \text{ GPM} \times 90 \text{ min} = 6750 \text{ gallon water in storage}$
Have 8000 gallon storage tank.

System has an 8000 gallon tank to take care of demands.

22-7806

C. RECOMMENDATIONS:

Drill a second well that will produce a minimum of 20 g.p.m. with a volume over 30 g.p.m. being desirable. The well is to be a minimum of an 8" well casing.

Four well locations could be considered:

1. At the water tank - elev. 6660 feet.
Estimated depth: 400 feet.
2. At the existing well lot.
Estimated depth: 350 feet.
3. At well lot # 2
Estimated depth: 250 feet.
4. At the old road right-of-way, West of current road.
Estimated depth: 240 feet.

The easiest and most convenient site would be at the water tank; however this site would likely be the most expensive well.


The second best site may be the well lot at the # 2 area.

With all the problems that have been encountered by drilling where the existing well is, and the small amount of water that developed, I am hesitant to recommend that as an optimum site.


22-7806

EDGEWOOD ESTATES SUB

TETON CO. IDAHO



DEQ #
89-2-41



PLANS & SPECIFICATIONS REVIEW


By [Signature]
Environmental Engineer

These plans and/or specifications have been reviewed for compliance with Idaho Dept. of Health and Welfare rules. This review does not relieve the owner, engineer, or the contractor of the responsibility to design or construct these facilities in compliance with all current applicable federal, state and local laws, rules, regulations, or ordinances.

Date: 11-17-99


Plans and/or specifications must be resubmitted for review if construction is not completed by: 11-17-01

Refer to letter of 11-17-99 to Victor, Idaho



22-7806

WELL LOT LAYOUT	
EDGEWOOD ESTATES Sub	
SEC 15, TWP 3 N., RND 45 E., S.M. TETON COUNTY, IDAHO	
DESIGNED FOR: Edgewood Estate Sec Victor, Idaho	AW ENGINEERING P.O. BOX 130 VICTOR, IDAHO 83405 (208) 787-2822
DRAWN BY: gvw	5/22/99 PROJECT 99-057
SURVEYED BY: AW	WELL SUB. GCD sheet 3 of 3



22-7806

WELL DETAILS EDGEWOOD ESTATES Sub


SEC 13, TWP 3 N, R10 45 E, S. 14 N.
TETON COUNTY, IDAHO

SURVEYED FOR:		AW ENGINEERING	
Edgewood Estate Sec		P.O. BOX 130	
Victor, Idaho		VICTOR, IDAHO 83406	
		(208) 787-2802	
DRAWN	aww	5/22/99	PROJECT 99-057
SURVEYED	AWW		WELLSUB.GCD sheet 3 of 4


UP TO 2" PIPES
INSTALL 12" X 12" BLOCKS

3" TO 4" PIPES
INSTALL 18" X 18" BLOCKS


5" & 6" PIPES
INSTALL 24" X 24" BLOCKS



TYPICAL THRUST BLOCKS



TYPICAL TRENCH DETAILS



AW ENGINEERING
P.O. BOX 139, VICTOR, IDAHO 83486
208-787-2982

WELL DETAILS
EDGEWOOD ESTATES Sub


owner Edgewood Estates

SHEET 2 of 2

22-7806

Old well →

New well ↓





22 - 7806 Homes on ride are on the system.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

August 8, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

EDGEWOOD ESTATES HOMEOWNERS INC
C/O SHARLENE MILLIGAN
PO BOX 380
VICTOR ID 83455

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 22-07806

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form and payment of the \$100.00 examination fee submitted for the above referenced permit. Enclosed is an order reinstating the permit advancing the priority since proof was submitted after the proof due date.

Please be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. If you have questions concerning the field examination, please contact the **Eastern Regional Office** of the department in Idaho Falls at (208) 525-7161.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Enclosure
c: IDWR - Region

MICROFILMED
OCT 02 2001

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 22-7806

Reviewed By: dgibson

Date: August 1, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?			Drilling permit required?		
License examination fee required?			Drilling permit No.:		D0011977
Appropriate fee submitted?			Drilling permit upgrade needed?		
Receipt No.:		C055230	Well driller's report filed?		
Additional Amount Due:			Measuring device required?		
Name and address same as permit?			Measuring device installed?		
Are the water uses correct?			Measure device waiver requested?		

Priority Calculation

Date proof received		08/01/2001
Date proof due	-	06/01/2001
Lapse notice sent	-	06/05/2001
No. of days late	=	61
Holiday allowance	+	
Priority date	+	03/23/1999
New priority date	=	05/23/1999

Deficiencies of Actions Items

Forward to April or John Carlson for review for drilling permit fees, etc. for drilling standards. Acknowledge proof and reinstate permit. Advance priority to 5/23/1999.

Well Construction's review found no requirements needing completion. Ok to complete proof processing.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

June 5, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

EDGEWOOD ESTATES HOMEOWNERS ASSN
C/O MARY PATNO
PO BOX 402
VICTOR, ID 834550402

LAPSE NOTICE

RE: PERMIT NO. 22-7806

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in the proof due notice dated March 31, 2001. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

Sincerely,


L. Glen Saxton, Chief
Water Allocation Bureau

Enclosures

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street
Boise, Idaho 83706-2237

RETURN REQUESTED

POSTAGE
PAID



RECEIVED

JUN 11 2001

Department of Water Resources

MICROFILMED

OCT 02 2001

WA

22-7806

PATN402 1034552001 1800 05 06/06/01
RETURN TO SENDER
PATNO
TEMPORARILY AWAY
RETURN TO SENDER

03906152237453



June 5, 2001

EDGEWOOD ESTATES HOMEOWNERS ASSN
C/O MARY PATNO
PO BOX 402
VICTOR, ID 834550402

LAPSE NOTICE

RE: PERMIT NO. 22-7806

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in the proof due notice dated March 31, 2001. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

Sincerely,

L. Glen Saxton, Chief
Water Allocation Bureau

Enclosures

MICROFILMED
OCT 8 2 2001

CERTIFICATION OF MAILING
I hereby certify that on 6/5/01
~~a copy~~ an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

dg

March 31, 2001

EDGEWOOD ESTATES HOMEOWNERS ASSN
C/O MARY PATNO
PO BOX 402
VICTOR, ID 834550402

PROOF DUE NOTICE

RE: PERMIT NO. 22-7806

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 01, 2001. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


Sincerely,

Deborah J. Gibson , Administrative Assistant
Water Allocation Bureau

Enclosures

MICROFILMED

OCT 02 2001





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 12, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

EDGEWOOD ESTATES HOMEOWNERS ASSN
C/O MARY PATNO
PO BOX 402
VICTOR ID 83455-0402

RE: Permit No. 22-07806

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time submitted in connection with the above referenced permit which extends the time within which to submit proof of beneficial use to **June 1, 2001**. The department has granted this extension based on governmental agency delay. It is important that you work diligently toward the completion of the development during the construction period allowed since the department may not be able to grant additional extensions in connection with this permit.

Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner.

Please contact me directly at (208)327-7953, if you have any questions regarding this matter.

Sincerely,

Deborah Drew-Ellis
Administrative Assistant
Water Allocation Bureau

Enclosure

c: IDWR - Regional Office

MICROFILMED

OCT 12 2001

ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 22-07806 Reviewed by D. Ellis Date 5/12/00

BASIC INFORMATION

4/27/00 Date stamp received
Yes Extension received timely
Yes Fee received and receipted
Yes Name and signature same as permit
No Address Change

BASIS FOR EXTENSION REQUEST

Yes Has adequate work been completed to demonstrate due diligence?
No Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____
Yes Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____
No Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

Approve extension for 1 yr. to June 1, 2001.

PRIORITY CALCULATION

Date extension received	<u>4/27/00</u>	=	_____
Proof due date	<u>6/1/00</u>	=	_____
Number of days late	<u>0</u>	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address N/A
Change Proof Due Date 6/1/2001
Change Priority Date N/A

March 31, 2000

EDGEWOOD ESTATES HOMEOWNERS ASSN
C/O MARY PATNO
PO BOX 402
VICTOR ID 834550402

PROOF DUE NOTICE

RE: PERMIT NO. 22-07806

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 2000.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

DEBORAH DREW-ELLIS
Administrative Assistant

Enclosures

MICROFILMED

SEP 07 2001





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

June 15, 1999

EDGEWOOD ESTATES HOMEOWNERS ASSN
C/O MARY PATNO
PO BOX 402
VICTOR ID 83455-0402

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 22-07806

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this right were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Groundwater Protection Section located here at this office or our regional office nearest you.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

1999

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, reading "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

MICROFILMED
JUN 23 1999

CERTIFICATE OF MAILING

I hereby certify that on the 15th day of June, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 22-07806

EDGEWOOD ESTATES HOMEOWNERS ASSN
C/O MARY PATNO
PO BOX 402
VICTOR ID 83455-0402


Kari Lynn Townsend
Secretary

MICROFILMED
JUN 23 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED
JUN 23 1999

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

JUN 23 1999

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

 by *Cindy*

 No.: 22-7806 Name: Edgewood Est. Htn Date: 6/4/99 Ad OK? ☒ ☒ Gvmt Lts: ☒

 AREA OF CONCERN: - No/Yes: ESRP Mor/ GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

- > 1 year - 26A-P17
- ≤ 1 year/no proof - P16

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT

- All wells (✓ WDQ3) - 046/P23
- In Basin 34? - 085
- Irr. within WD - P05 (new well location)
- WMD (✓ MAP) - North / East / West
- > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

WMD

- Supp. irr. use only - 065-079 (if GW use SW)-(keep SW)-(GW not primary irr. source)
- Supp. irr. + uses - 100-101
- > 0.24 cfs/5 acres - 01M (report when notified)
- ≤ 0.24 cfs/5 acres - No MD

No SW available for irrigation

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

- FISH & GAME CONTACTED: - YES / NO; WHEN: _____ RESPONSE: _____
- IN/ABOVE MSF (✓ MAP) - *WB9
- IN-STREAM DEVELOPMENT - P52 (stream channel alteration)
- WD (✓ MAP & LISTING) - R04 (WD # _____)
- > 0.20 cfs - 01J-P08 (MD & LD)
- ≤ 0.20 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)
- WMD (✓ MAP) - 067 or No MD (in-stream stock or power)
- > 0.24 cfs/5 acres - No MD
- ≤ 0.24 cfs/5 acres - No MD
- SPRINGS/SINK, INACTIVE WD & REST OF STATE
- > 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (*Surface water):

- Snake R (01) - *W22 -P04, NA
- (02/03-irr) - 007 (w/ remark *WB9 if above Weiser), NA
- Payette R (65) - *W22 (regulated uses), 047-P04 (Payette Lake), NA
- Salmon R (70's) - 029 (fish screens), NA
- Weiser R (67) - 086, 087

USE:

- STORAGE (✓ 3 compo.) - 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA
- IRR. ≤ 5 acres - R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- > 5 acres - R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- STOCKWATER - R37 (BLM/USFS); NA
- MINING - 054(req) -081-P10
- FISH PROPAGATION - 029(70's only)-007-042(req)-081 (WQ)-P10
- HEATING/COOLING - R07 (injection well)
- POWER - 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use); 17G (FERC) or 17M (FERG); 18B-P09; >25 cfs-P18
- MUNICIPAL
- In restricted area? - 022, 075, 004 (+memo?)
- Irr., GW supp. to SW? - 102
- DOMESTIC
- Surface water - *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- >1 in rest. area - 04-070
- FIRE PROTECTION - 077

LOCATION:

- BOISE FRONT LOGEO - 058 (<85° GW temp only)
- ~~42-248 AREA~~ - 120
- 42-248 AREA - P84 (to 20/30/40/50/60/70/80 (87) basin)
- SWAN FALLS FLAG (✓ Code) -
- Trust - 051-052-053-P74 (Consumptive Uses), NA
- Non-Trust (1) - 048-049 (Consumptive Uses), NA

OWNERSHIP:

OTHER CONDITIONS:

 STANDARD REMARKS: ① W32 ② W01/22 ③ W59 ④ W60

 BENEFICIAL USE DUE: 6/1/2000

COMMENTS:

RECEIVED

Sent
Copies MAY 28 1999

Department of Water Resources

Dist. for staffing

Submitted for advertising

3-23-99

Form No. 202

4/87

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATIONS FOR PERMIT ANALYSIS PERMIT

Edgewood Estates

INITIAL REVIEW BY DMS

DATE 25 Mar

APPLICATION NO.

22-07806

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- NO Overlapping place of use (Describe source & relationship to present application on the back.)
- NO Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)

See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

PROCESSING

☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☒ Idaho Dept. of Health & Welfare *DEO Greg Eyer 4/8/99 SC*
☐ Idaho Dept. of Fish & Game ☐ U.S. BLM
☐ Idaho Dept. of Lands ☐ U.S. Forest Service
☐ Adjudication Bureau Unit ☐ Water District
☐ Other *Dist 7 Health, Idaho Falls 4/8/99 SC*

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken _____
☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest _____
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☐ No Recommendations attached
☐ Yes ☐ No Measuring device required
☐ Yes ☐ No Access port required
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☐ No Special conditions of approval or cover letter below.

Date of priority recommended 3-23-1999
By: [Signature] Date: 5-21-1999
STATE OFFICE REVIEW

By _____ Date: _____
ADDITIONAL INFORMATION

** Applicant must conform to DEQ requirements for plans completed by certified engineer.*

LOCAL PUBLIC INTEREST

Comments received from

_____City	_____Idaho Fish & Game	_____Irrigation Dist.
_____County	_____Idaho Health & Welfare	_____Canal Company
_____Reservations	_____Div. of Environment	_____Other

Project impacts/implications report

COMMENTS

[illegible]

AFFIDAVIT OF PUBLICATION

State of Idaho)

County of Teton)

I, Bonnie van Leerdam,
being first duly sworn, depose and say that I am
the Manager of the Teton Valley News,
a newspaper as defined by Idaho Codes An-
notated, Section 58-106, as amended, and that
said newspaper is a weekly newspaper printed and
published at Driggs, in Teton County, Idaho,
having a general circulation in said county, and
that said newspaper has been printed in said
county for more than 78 consecutive weeks prior
to the first publication of the attached notice, ad-
vertisement, or publication of

Application for Water Right

And affiant further says that said attached notice,
advertisement, or publication, as per clipping at-
tached, was published in said newspaper, in the
regular and entire issue thereof, and not in any
supplement issue thereof, for consecutive
issues thereof; first publication having been
made on the 15 day of April,
1999.

And affiant further says that at the times herein
mentioned said newspaper was made up of at
least eight pages of at least five columns each,
printed from typed matter, of at least sixteen in-
ches deep.

State of Idaho)

County of Teton)


On this 19th day of mar
in the year of 1999, before me, a Notary Public,
personally appeared Bonnie van Leerdam,
known or identified to me to be the person whose
name subscribed to the within instrument, and
being by me first duly sworn, declared that the
statements therein are true, and acknowledged to
me that he executed the same.

Bonnie Zohner

Notary Public for Idaho

Residing at Driggs Idaho

My commission expires 10-1-2000



FOR WATER RIGHT

The following application(s) have been
filed to appropriate the public waters of the
State of Idaho.

22-97806
EDGEWOOD ESTATES HOME-
OWNERS ASSOC
GEO MARY PATINO
PO BOX 402
VICTOR, ID 834550402
Source: GROUNDWATER
Division: F. NENE S. 15 T. 35 N. R.
45E in TETON County.
Use: DOMESTIC (8,440 CFS)
Total Diversion: (8,440 CFS)
Date Filed: 3/23/1999
In: TETON County
T35N R45E S15 T35N SENE
Any protests against the proposed appli-
cation must be filed with the Dept. of Water
Resources, 900 N. Skyline Dr., Ste. 200, Boise
Falls, ID 83402, together with a protest fee of
\$25.00 on or before **MAY 3, 1999** to be
considered by the Department in its decision
to grant or deny any part of the proposed
application. The protestant must also send a
copy of the protest to the applicant.
KARL J. DREIER, Director
Published in the Teton Valley News April

MICROFILMED

JUN 23 1999

RECEIVED
MAY 21 1999

Department of Water Resources
Eastern Region



STATE OF IDAHO
DIVISION OF
ENVIRONMENTAL QUALITY

900 North Skyline, Suite B, Idaho Falls, ID 83402-1718, (208) 528-2650

Dirk Kempthorne, Governor

April 28, 1999

Harold W. Jones
Department of Water Resources
900 N. Skyline Dr. Ste A
Idaho Falls, ID 83402

Re: Application for Permit #22-07806

Dear Harold:

In review of the Application for Permit for Edgewood Estates Homeowner's Association, DEQ will need to approve the plans and specifications (prior to construction) for the proposed water system. The plans and specifications must be completed and certified by a professional engineer that is registered to practice in the state of Idaho. This is required because the number of homes on the proposed system will make the water system a "public water system."

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script, appearing to read "Carlin Feisthamel".

Carlin Feisthamel
Water Quality Engineer

RECEIVED

APR 28 1999

Department of Water Resources
Eastern Region

MICROFILMED

JUN 23 1999

cc to applicant 4-29-99
[Handwritten initials]



State of Idaho
DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

April 8, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

DISTRICT 7 HEALTH DEPARTMENT
254 E STREET
IDAHO FALLS ID 83402

RE: Applications for Permit #22-07806

Dear Sirs:

We are enclosing a copy of the application (s) that may be of interest to your department. Please review the application (s) and submit any comments you may have to our Department as soon as possible. The last date of protest is May 3, 1999, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Respectfully submitted,

Harold W. Jones
Water Right Supervisor

HWJ: sc

Enc.

MICROFILMED

JUN 23 1999



State of Idaho
DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

April 8, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

DEPARTMENT OF ENVIRONMENTAL QUALITY
900 N SKYLINE DR STE B
IDAHO FALLS ID 83402

RE: Applications for Permit #22-07806

Dear Greg:

We are enclosing a copy of the application (s) that may be of interest to your department. Please review the application (s) and submit any comments you may have to our Department as soon as possible. The last date of protest is May 3, 1999, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Respectfully submitted,

Harold W. Jones
Water Right Supervisor

HWJ: sc

Enc.

MICROFILMED
JUN 23 1999



State of Idaho
DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

April 8, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

EDGEWOOD ESTATES HOMEOWNERS ASSOC
C/O MARY PATNO
PO BOX 402
VICTOR ID 83455-0402

RE: Application for Permit #22-07806

Dear Applicant:

This office is currently in the process of advertising the application in the Teton Valley News on April 15 and 22, 1999. The advertisement will be published once a week for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Harold W. Jones
Water Right Supervisor

HWJ::sc

MICROFILMED

JUN 23 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

APRIL 8, 1999

Legal Notices Department
TETON VALLEY NEWS
P.O. BOX 509
DRIGGS, ID 83422

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.


An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 3, 1999.

Yours truly,

Sharla Cox
Senior Secretary

Encl.



MICROFILMED

JUN 23 1999

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

22-07806

EDGEWOOD ESTATES HOMEOWNERS ASSOC
C/O MARY PATNO
PO BOX 402
VICTOR, ID 834550402

Source: GROUNDWATER

Diversion Pt: NENE Sec 13 T 03N R 45E in TETON County.

Use: DOMESTIC (0.440 CFS)
Total Diversion: (0.440 CFS)

Date Filed: 3/23/1999

In: TETON County
T03N R45E S13 NENE SENE

Any protests against the proposed application must be filed with the Dept. of Water Resources, 900 N Skyline Dr., Ste A, Idaho Falls ID 83402, together with a protest fee of \$25.00 on or before MAY 3, 1999. to be considered by the Department in its decision to grant or deny any part of the proposed application. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 4/15/1999 & 4/22/1999

MICROFILMED

JUN 23 1999

1. WELL OWNER
Name Conitiental Reality
Address Driggs
Owner's Permit No. _____

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

3. PROPOSED USE
☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED
☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION
Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness Diameter From To
2.50 inches 8 inches + 2 feet 160 feet
2.50 inches 6 inches 2 feet 310 feet
2.50 inches _____ inches 306 feet 326 feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☒ Torch
Size of perforation 1/4 inches by 4 inches
Number From To
40 perforations 306 feet 326 feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 105 Material used in seal: ☐ Cement grout
☐ Puddling clay ☒ Well cuttings
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld
☐ Cemented between strata
Describe access port 6" well cap

6. LOCATION OF WELL
Sketch map location must agree with written location.
N
W E
S
County Teton
Subdivision Name _____
Lot No. _____ Block No. _____
N.W. 1/4 NE 1/4 Sec. 13 T. 3 N. R. 45 E.

7. WATER LEVEL
Department of Water Resources
Eastern District Office
Static water level 300 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 60 OF. Quality Fair

8. WELL TEST DATA
☐ Pump ☒ Bailer ☐ Air ☐ Other _____
Discharge G.P.M. Pumping Level Hours Pumped
10 300 4

9. LITHOLOGIC LOG
Hole Diam. Depth Material Water
From To Yes No
12" 0 5 (Brown) Top Soil ☒
" 5 20 (Red) Mountain Rock ☒
" 20 65 (Red) Boulder ☒
" 65 105 (Red) Shell Rock ☒
8" 105 110 (Brown) Clay + Shell ☒
" 110 115 (Red) Shell ☒
" 115 125 (Red) Clay + some pea gravel ☒
" 125 143 (Red) Shell with clay ☒
" 143 160 Lime Stone Broken ☒
" 160 240 Lime Stone solid ☒
" 240 305 Lime Stone Broken ☒
" 305 315 Lime Stone Solid ☒
6" 315 326 Lime Stone Broken ☒
4" 326 335 Lime Stone Broken ☒

10. Work started 12-12-80 finished 1-20-81

11. DRILLERS CERTIFICATION
I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.
Eugene Richards
Firm Name Well Drilling Firm No. 242
Address PT 1 Box 30 Driggs Date Feb 29 1981
Signed by (Firm Official) Eugene Richards
and
(Operator) BS