


A detailed land survey map showing a central rectangular tract outlined in red. The tract is labeled '1177' and 'R-40-E'. It is surrounded by other tracts with various numbers and labels. A north arrow is present on the right side. The map includes numerous numerical values, likely representing acreage or survey measurements, and several circled numbers (153, 299, 300, 294, 427, 1463, 413). A red stamp is visible at the bottom center.

James Wood President
(Applicant) Title —

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GUARDSTOR		UNKNOWN	INGERSOLL RAND	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

STATE ID #

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
ULTRASONIC	Tyner Flyte	Peek	ISTT-P	26863		196802

2. Measurements: 1302 gpm Max flow SEE MEASUREMENT TAPE

MICROFILMED

NOV 07 2000

844

1554

25

25

30

36

36

31

4.6
1 NH62

500
T-153

NW

T6
R40E

R40E R41E

PLACE OF USE

4.7
5 NH62

13.0
NH62

36

544
T-300

NW

1177
T-294

NW

15.6
6 H62

POINT OF DIVERSION

800


36

36

31

MICROFILMED

22-07674



R40E

R40E R41E

T6N

T6N
T5N

R40E R41E

22-07674

Keith Culbert
5-26-1998

MICROFILMED
NOV 17 2007



POINT OF DIVERSION

MICROFILMED
NOV 07 2000

22-7674



PORTABLE
MAINLINE
GOING WEST

VIEW LOOKING WEST

MAINLINE
TO
PUMP

UNDERGROUND MAINLINE
GOES $\approx$ 260' TO THE EAST

MICROFILMED
NOV 07 2000

22-7674

POINT OF DIVERSION



MEASUREMENT SITE

MICROFILMED
NOV 07 2000

22-07674

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 22-07674

Priority: June 19, 1990

Maximum Diversion Rate:

2.76 CFS

Maximum Diversion Volume:

483.0 AF

This is to certify, that SON RISE INC

C/O JAMES WOOD

PO BOX 610

REXBURG ID 83440

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 19, 1990; and has submitted Proof of Beneficial Use on August 26, 1992. An examination indicates that the works have a diversion capacity of 2.900 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	2.76 CFS	483.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SESESE , Sec. 36, Township 06N, Range 40E
MADISON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06N	40E	36	NESE 38	NWSE 39	SWSE 31	
			SESE 30			138

Total number of acres irrigated: 138

CONDITIONS OF APPROVAL AND REMARKS

1. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
2. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
3. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 24TH day of

OCTOBER, 2000

Acting for KARL J. DREHER, Director

MICROFILMED

2000

OFFICE USE ONLY
Amt. of Fee \$ 150.⁰⁰
Date 8/26/92
Receipt No. C225312
Receipt by [Signature]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

AUG 26 1992

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 22-07674 Telephone No. _____
2. Name(s) of Permit Holder(s): Sea Rise Inc c/o James Wood
3. Mailing Address: P.O. Box 610 Rexburg Id 83440
4. Source of Water: Groundwater

If GROUNDWATER, Well Driller's Name: High Plains / Ken Vollmer Date Drilled: 1 May 92

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 140 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 2.80 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No _____ Installed? _____ Yes ☒ No _____

OR
Flow Measurement Port: Required? _____ Yes ☒ No _____ Installed? _____ Yes ☒ No _____

8. Fee Enclosed: \$ 150.⁰⁰ (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

James Wood 356-8377
Name Telephone No.

P.O. Box 610 Rexburg Id 83440
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8-7-92 James Wood (President)
Date Signature (and title, if on behalf of a company or organization)

SEP 09 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 22-07674

Proposed Priority: June 19, 1990 Maximum Diversion Rate: 2.80 CFS
This is to certify, that **SON RISE INC.**

C/O JAMES WOOD
P.O. BOX 610
REXBURG, ID 83440

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	2.80 CFS

LOCATION OF POINT(S) OF DIVERSION: SESE Sec. 36, Township 06N, Range 40E
MADISON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06N	40E	36	NESE 39	NWSE 40	SWSE 29	140
			SESE 32			

Total number of acres irrigated: 140

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1992**.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

OCT 16 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 22-07674

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21st day of September, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

OCT 16 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Son Rise Inc. c/o James Wood Phone 356-8377
Post office address Box 610 Rexburg, ID 83440
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 36 Township 6N Range 40E B.M. Madison County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 2.80 cfs for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.80 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Well and pump to sprinklers


 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 20 inches; proposed depth of well is 750 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

RECORDED

OCT 16 1990

100-41100

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James Wood
(Applicant) President

Received by RB Date 6-19-90 Time 10:35 Preliminary check by DMD
Fee \$ 5.50 Receipted by HWT # E014861 Date 6-19-90
Publication prepared by RB Date 7-19-26-70 Published in Rex Standard-Tribune
Publication approved RB Date 8-13-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECORDED

OCT 16 1990

THE STANDARD-JOURNAL
Rexburg, Idaho
AFFIDAVIT OF PUBLICATION

STATE OF IDAHO
County of Madison

I, Terry Weatherston, being
first duly sworn, depose and say, that I
am the printer of THE STANDARD-JOURNAL,
a semi-weekly newspaper printed and
published semi-weekly at Rexburg,
Madison County, Idaho; and I do solemnly
swear that the

Notice Of Application a copy
of which notice appears attached hereto,
as published in the regular and entire
issue of said newspaper, and not in any
supplement issue thereof for

Two consecutive issues, the
first publication having been made on
July 19, 1990 and the last
publication having been made on
July 26, 1990.


Further, that said newspaper is one
of general circulation in said county;
that it is a legal newspaper, conforming
to legal specifications under the Idaho
Statutes; that it has at least two
hundred bona fide subscribers living
within the county of publication; and
that it has been continuously and
uninterruptedly published in said county
during a period of seventy eight
consecutive weeks prior to the first
publication of the said notice.

Terry Weatherston
STATE OF IDAHO)
COUNTY OF MADISON)

On this 27th day of July in
the year of 1990, before me, a Notary
Public, personally appeared Terry
Weatherston, known or identified to me
to be the person whose name subscribed
to the within instrument, and being by
me first duly sworn, declared that the
statements therein are true, and
acknowledged to me that he executed the

[Signature]
Notary Public for Idaho

Residing at Rexburg, Idaho
My commission expires: June 8, 1993.



DD-100 (Rev. 1-77) Water Resources
Section, Idaho Department of
Agriculture

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

22-07668

KMH FARMS
C/O MARILYN HOOPES
901 VOGEN TOLL RD.
JACKSON, CA 95642
Source: GROUNDWATER
Diversion Pt: SWNE Sec 9 T 05N R 40

E Use: IRRIGATION (5.950 CFS) Total
Diversion: (5.950 CFS)
Date Filed: 4/30/1990
In: T05N R40E S09 NENE NWNE
SWNE SENE NESE NWSE SESE
S10 NENW NWNW SWNW SENW
NESW NWSW SWSW SESW 480.5
ACRES TOTAL

22-07674

SON RISE, INC.
C/O JAMES WOOD
BOX 610
REXBURG, ID 83440
Source: GROUNDWATER
Diversion Pt: SESE Sec 36 T 06N R

40E Use: IRRIGATION (2.800 CFS) Total
Diversion: (2.800 CFS)
Date Filed: 6/19/1990
In: T06N R40E S36 NESE NWSE
SWSE SESE 140.0 ACRES TOTAL

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public interest
criteria of Sec. 42-203C, Idaho Code. Pro-
tests must be filed with the Director, Dept.
of Water Resources, 150 Shoup Ave.,
Suite 15, Idaho Falls, Idaho 83402 on or
before AUGUST 26, 1990.

R. KEITH HIGGINSON
Director

Publ. July 19 and 26, 1990J.

MICROFILMED

OCT 16 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

October 25, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

SON RISE INC
C/O JAMES WOOD
PO BOX 610
REXBURG ID 83440

RE: WATER RIGHT NO. 22-07674

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure .

MICROFILMED

NOV 07 2000

CERTIFICATE OF MAILING

I hereby certify that on the 25th day of October, 2000, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 22-07674

SON RISE INC
C/O JAMES WOOD
PO BOX 610
REXBURG ID 83440


Kari Lynn Townsend
Secretary

MICROFILMED
NOV 07 2000

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

NOV 07 2000

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

LICENSE REVIEW CHECKLIST

Permit No. 22-07674 Date: 10-20-2000 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: OK

Does change clarify original intended source? If no, void permit.
Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps: Right(s): none
File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 2.80 cfs
Fee Limit 3.0 cfs
Measured 2.90 cfs
Theoretical _____ cfs

Recommended Total Diversion Rate 2.76

138 ac.
2.02
2.76

Water Uses OK

Change (P46)

Season of Use per new Standards

4-1 10-31

Irrigation 2.76 cfs 483 af
Stockwater _____ cfs _____ af
Domestic _____ cfs _____ af
_____ cfs _____ af
Total 2.76 cfs 483 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69) R63

supp. Gw (WB7/065/104)
~~overlap spec combined rts (W35)~~
~~>1 acre (W31)~~
~~Domestic (W01/wb5/070/071/075)~~
~~Power (W42 or W43/025/027/R22 or R23)~~
~~Fish (042)~~
~~Fire (077)~~
~~Water Quality (081/R07)~~
~~Payette - (W22/047/27A)~~
~~Stockwater for US (R37)~~

Volume Determination

2.76 cfs x 1.9835 x 214 days = 1171.5 af (vs) 138 acres x 3.5 (FHR) = 483 af
2.5 con

Remarks: 048, 049, R63

Additional Conditions 01

Watermaster Control
GW Measurement/Measuring Device
Other
Trust (052/R55 - remove 051)
Non-trust (048/049)

GW Dist? yes-Madison
Water Msmt. Dist? 0
Crit. GWMA? 0
GWMA? 0
Government Lots? _____

Advance Priority? yes If yes, explain why below.
no

SRBA Claim?

No - not reg'd.

Adjust memo

NO

moratorium = Salmon
Clearwater?

Amend Letters

P87, S06

Second Amendment Notice

S06

DIVERSION
VOLUME

7.800 CFS

Stage: PERMIT

MADISON County

SE

0

↑

22-02201 22-07674

046 - Right holder shall comply with the drilling permit

026 - Permit holder shall commence the excavation

048 - The use of water under this right shall not give rise to any and shall proceed after the project is completed.

- theories of tortelcture, abandonment, adverse possession, waiver
- equitable estoppel
- estoppel by laches or customary preference

- the use into a water district, require streamflow augmentation;

016 - Prior to the diversion of water under this right a flow

- equipment and the determination of the rate of diversion by the

- and all other water rights on the same land shall not exceed 0.02

01/11/1985

Exam sent to S.O.::

applicant
know of.
this permit-
no assignment
was possible.
see original
app. for
permit

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE								NW								SW								SE								SUM	
		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE			
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac		
L2207674	T06N R40E S36 GROUNDWATER																																		
	:																																		
	:																																		
2200018	SPRING CRE :																																		
2202187	GROUNDWATE :	40		36		39		39																											154
A2202187	GROUNDWATE :	40		27		40		40																											227
2202191	GROUNDWATE :									39		36		37		39				39		40													230
A2202191	GROUNDWATE :									39		36		37		39				39		40													230
2207485	GROUNDWATE :																																		
2207674	GROUNDWATE :																																		

See
original
app. -
assignment
could not be
obtained

Idaho Department of Water Resources

Place of Use 1/4 1/4 Comparison Report

T06N R40E S36		NE		NW		SW		SE						
Type	WR- Number	Source NE NW SW SE NE NW SW SE NE NW SW SE Total												
Right	22-18	SPRING CREEK								0				
Claim	22-2187	GROUND WATER		40	36	40	40	40	40	236				
Right	22-2191	GROUND WATER		39	36	37	39	39	40	230				
Permit	22-7485	GROUND WATER								40	40	40	40	160
Permit	22-7674	GROUND WATER								39	40	29	32	140

← all
app.
for
permit
no assign
possible
no OL

References

[System Help](#)

[Contact Helpdesk](#)

[Document Management Search](#)

[Defect Tracking](#)

[Launch ArcView](#)

[Search Audit Log](#)

[Administrative Rules](#)

[Edit Selection File](#)

[POU Comparison](#)

Screen ID 473

Process: Data

Entry

Step: Adhoc Data

Entry

View Documents Refresh Add Remarks/Conditions Start New Process Water Right Number 22 7674

Default Values Comments Applicant Source & POD Water Use Place Of Use Remarks & Status

Place of Use PLS

Top Rge Sec Gov/Lot/Num QD Q County Water Use Number of Acres

106N 40E 36 SE SE MADISON IRRIGATION 32

Add Edit Edit To Grid Add Subdivision Name Grid Entry Text Entry

Top	Rge	Sec	QD	Q	County	Lo.	Acres	Purpose	POUID
06N	40E	36	NE	SE	MADISON	39		IRRIQA	483002
06N	40E	36	NW	SE	MADISON	39		IRRIQA	483002
06N	40E	36	SE	SE	MADISON	30		IRRIQA	483002
06N	40E	36	SW	SE	MADISON	31		IRRIQA	483002

Total Acreage Copy POU

Total Acreage

Calculate Total Acreage

Total for Irrigation Total for Impaction From Storage

136 0

Same as POD Remove Selected POU Remove All Save

determined from shape file in Arc View 10/20/2000. kw

Hide References

Next Step

Previous Steps:

Screen ID 473

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 23 1997
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 22-07674
356-8377 (H)
Phone No. 351-3782 (Mobile Phone)
458-4123 (Shop)

1. Owner: SAN RISE INC % JAMES WOODS

Current Address: P.O. Box 160, Rexburg, Id 83440

2. Accompanied by: - EXAM DATE: 8-19-1997

Address: - Phone No. -

Relationship to Permit Holder: -

3. Source: GROUNDWATER tributary to -

B. OVERLAP REVIEW

1. Other water rights with the same place of use: -

2. Other water rights with the same point of diversion: -

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	SE	36	6N	40E	MADISON	ON SR/FSA Aerial/USGS QUAD

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
6N	40E	36																	

AIRCROFILMED

SEP 02 2000

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GUARDSTAR		UNKNOWN	INGERSOLL RAND	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

STATE ID #

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
ULTRASONIC	Tyler flyte	Peck	ISTT-P	26863		196802

2. Measurements: 1302 gpm Max flow SEE MEASUREMENT TAPE

E. NARRATIVE/REMARKS/COMMENTS

Well pump mainline to laterals with Sprinklers

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

NOV 07 2003

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I,R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D,R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I,R} \text{ and } V_{D,R} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			_____	_____

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ____ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATION

Field Examiner's Name KEITH C WILSON Date 9-18-97

Reviewer _____ Date _____

SEAL

EXHIBIT

9-18-97

22-7674

FLOW 1285.377 GPM
5.207 F/S
DIF CNT= 1011
DELTA T= 341.31

SETUP NO. 1

PIPE O.D 10.150 IN

PIPE WALL THICKNESS 0.054 IN

PIPE I.D 10.042 IN

PIPE MATERIAL ALUMINUM

PIPE SOUND VELOCITY 10170.604 F/S

LINER MATERIAL NONE

LINER SOUND VELOCITY 0.000 F/S

LINER THICKNESS 0.000 IN

INSIDE ABS ROUGHNESS 0.00015000

FLUID MATERIAL WATER

FLUID SOUND VELOCITY 4863.330 F/S

FLUID VISCOSITY 1.132 Cst

TRANSDUCER TYPE STANDARD

TRANSDUCER MOUNTING U

TRANSDUCER SPACING 7.797 IN

11:56:03 08-19-97

Min. Rate 0.00 GPM
Max. Rate 1294.97 GPM
Avg. Rate 1174.97 GPM
FLOW RATE 1285.96 GPM
NET TOT(X1) 2292 GAL
POS TOT(X1) 2292 GAL
NEG TOT(X1) 0 GAL

11:56:25 08-19-97

SCALE FACTOR = 0.990
OFFSET(GPM) = 0.000
nsec OFFSET = 11.64
usec OFFSET = -0.29
XMT_DET_DLY = 16.01
AERATION FAC. = 1.00
XDUCE: STANDARD/U
WIN_DLY = 363.39 362.75
SE>R = 2.10 2.10
BIAS = 1.25 1.25
AGC = 0.63 0.65

Max. Rate 1294.97 GPM
Avg. Rate 1174.97 GPM
FLOW RATE 1285.96 GPM
NET TOT(X1) 2292 GAL
POS TOT(X1) 2292 GAL
NEG TOT(X1) 0 GAL

11:56:25 08-19-97

SCALE FACTOR = 0.990
OFFSET(GPM) = 0.000
nsec OFFSET = 11.64
usec OFFSET = -0.29
XMT_DET_DLY = 16.01
AERATION FAC. = 1.00
XDUCE: STANDARD/U

WIN_DLY = 363.39 362.75
SE>R = 2.10 2.10
BIAS = 1.25 1.25
AGC = 0.63 0.65
SIG_STG = 8.78 8.78
MISSED = 0 0
TIME(us) = 373.2 372.8
DEL TIME(ns) = 341.4
DIFF COUNT = 993
P2X = 57
SPS = 22.55
AERATION = 0.000

FLUID (F/S) = 4902.98
REYNOLDS NO. = 359434
PROFILE FACTOR = 0.9457

FLOW: = 1294.062 GPM
5.242 F/S

11:57:03 08-19-97

Min. Rate 1276.20 GPM
Max. Rate 1295.03 GPM
Avg. Rate 1285.35 GPM
FLOW RATE 1290.42 GPM
NET TOT(X1) 3577 GAL
POS TOT(X1) 3577 GAL
NEG TOT(X1) 0 GAL

11:58:03 08-19-97

Min. Rate 1284.96 GPM
Max. Rate 1302.69 GPM
Avg. Rate 1292.51 GPM
FLOW RATE 1290.32 GPM
NET TOT(X1) 4870 GAL
POS TOT(X1) 4870 GAL
NEG TOT(X1) 0 GAL

11:59:03 08-19-97

Min. Rate 1276.29 GPM
Max. Rate 1299.38 GPM
Avg. Rate 1288.12 GPM
FLOW RATE 1293.61 GPM
NET TOT(X1) 6139 GAL
POS TOT(X1) 6139 GAL
NEG TOT(X1) 0 GAL

12:00:03 08-19-97

Min. Rate 1286.58 GPM
Max. Rate 1299.61 GPM
Avg. Rate 1292.77 GPM
FLOW RATE 1291.79 GPM
NET TOT(X1) 7432 GAL
POS TOT(X1) 7432 GAL
NEG TOT(X1) 0 GAL

12:01:03 08-19-97

Min. Rate 1278.28 GPM
Max. Rate 1300.29 GPM
Avg. Rate 1287.25 GPM
FLOW RATE 1292.63 GPM
NET TOT(X1) 8719 GAL
POS TOT(X1) 8719 GAL
NEG TOT(X1) 0 GAL

12:02:03 08-19-97

Min. Rate 1288.63 GPM
Max. Rate 1302.20 GPM
Avg. Rate 1294.84 GPM
FLOW RATE 1292.52 GPM
NET TOT(X1) 10000 GAL
POS TOT(X1) 10000 GAL
NEG TOT(X1) 0 GAL

MICROFILMED

NOV 07 2000

22-07674

FLOW MEASUREMENT
TAPE

22-07674

25

25 30

36

36 31

4.5
IN H₂O

T
6
N

R40E

4.7
5 H₂O

36

PLACE OF USE

R40E R41E

544
300

4.6
6 H₂O


POINT OF DIVERSION

36

X 36 31

MICROFILMED

22-07674



R40E

R40E R41E

T6N

T6N
T5N


Sommers Butte

Webster Butte

R40E R41E

22-07674

Keith Wilson
5-26-1998




POINT OF DIVERSION

MICROFILMED

NOV 07 2000

22-7674



PORTABLE
MAINLINE
GOING WEST

VIEW LOOKING WEST

UNDERGROUND MAINLINE
GOES ~ 260' TO THE EAST


MAINLINE
TO
PUMP

MICROFILMED

NOV 07 2000

22-7674

POINT OF DIVERSION



MEASUREMENT SITE

MICROFILMED
NOV 07 2000

22-07674

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

August 28, 1992

SON RISE INC.
C/O JAMES WOOD
P.O. BOX 610
REXBURG ID 83440

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 22-07674

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

SEP 09 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 22-0764774 Reviewed by Klg Date 8/26/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 22-90-E-073
300 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
150 Amount Submitted
yes Correct?
NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due / -
No. of days late / =
Priority Date / +
New Priority Date /

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY
New Address _____

Proof Made 8/26/92
8/28/92 Klg

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.USE TYPEWRITER OR
BALLPOINT PENRECEIVED
APR 01 1992

1. WELL OWNER

Name Jamie Wood
Address 4554 E 2000 S Rexburg Id.
Drilling Permit No. 22-90-E-073
Water Right Permit No. 22-7674

7. WATER LEVEL

Department of Water Resources

Static water level 537 feet below surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 50 °F. Quality ex
Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Well diameter increase
- ☐
- Modification
-
- ☐
- Abandoned (describe abandonment or modification procedures
-
- such as liners, screen, materials, plug depths, etc. in lithologic
-
- log, section 9.)

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>500</u>	<u>750</u>	<u>24</u>

3. PROPOSED USE

- ☐
- Domestic
- ☒
- Irrigation
- ☐
- Monitor
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

4. METHOD DRILLED

- ☐
- Rotary
- ☐
- Air
- ☐
- Auger
- ☐
- Reverse rotary
-
- ☒
- Cable
- ☐
- Mud
- ☐
- Other _____
-
- (backhoe, hydraulic, etc.)

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>250</u> inches	<u>24</u> inches	<u>1</u> feet	<u>18</u> feet
<u>250</u> inches	<u>20</u> inches	<u>2</u> feet	<u>521</u> feet
<u>250</u> inches	<u>16</u> inches	<u>480</u> feet	<u>833</u> feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☒ Yes ☐ NoHow perforated? ☐ Factory ☒ Knife ☐ Torch ☐ GunSize of perforation? 7/8 inches by 3 inches

Number	From	To
<u>100</u> perforations	<u>500</u> feet	<u>505</u> feet
<u>100</u> perforations	<u>561</u> feet	<u>568</u> feet

Number	From	To
<u>100</u> perforations	<u>500</u> feet	<u>505</u> feet
<u>100</u> perforations	<u>561</u> feet	<u>568</u> feet

Well screen installed? ☐ Yes ☒ No

Manufacturer _____ Type _____

Top Packer or Headpipe _____

Bottom of Tailpipe _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____


Placed from _____ feet to _____ feet

Surface seal depth 20 Material used in seal: ☒ Cement grout☐ Bentonite ☐ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit☐ Temp. surface casing ☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded☐ Solvent Weld ☐ Cemented between strata

Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location:



Subdivision Name _____

Lot No. _____ Block No. _____

County MadisonSE 1/4 SE 1/4 Sec. 36, T. 16 N ☒ S ☐ R. 40 E ☒ W ☐

11. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name High Plains Firm No. 299Address Rexburg Idaho Date _____Signed by Drilling Supervisor Marcus Franzen

and

(Operator) Danny Franzen
(If different than the Drilling Supervisor)

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

pg 2

[illegible]

INTER-DEPARTMENT MEMO

TO: File
FROM: Karen Gustafson

SUBJECT: well log/permit
DATE: 8/26/92

A conversation with Dennis Dunn in Eastern this a.m. He stated that the drilling (High Plains) was thrown off the job. The well was incomplete. Ken Vollmer completed the well the following year under the same permit. The case is currently in court. Ken Vollmer will not submit a well log until the case is complete. They do not want High Plains to be able to obtain a copy of the log. We will accept the prod as is. A log from Vollmer should be filed prior to the field exam.

() For your information

() Response required

SEP 09 1992

signature

K. Gustafson

July 31, 1992

SON RISE INC.
C/O JAMES WOOD
P.O. BOX 610
REXBURG ID 83440

PROOF DUE NOTICE

RE: PERMIT NO. 22-07674

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

MICROFILMED

SEP 09 1992



S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
September 24, 1990

SON RISE INC.
C/O JAMES WOOD
P.O. BOX 610
REXBURG, ID 83440

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 22-07674

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

RECORDED

OCT 16 1990



We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ: SC
Enclosures

RECEIVED

OCT 16 1947

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Dist. for staffing 7-3-90
Sub. for advertising 7-5-90

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY James M. Dunn DATE 3 July 1990 APPLICATION NUMBER 22-7674
San Rise Inc. c/o James Wood
REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.) 22-07485
☐ Overlapping point of diversion
☐ Yes ☒ No Field check required
☐ Yes ☒ No Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

RECEIVED
SEP 07 1990

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 8-2-90
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☒ Yes ☒ No Access port required Flow Task Force Memo
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 01-705
☒ Yes ☐ No Special conditions of approval or cover letter below.

See below for additional information
Date of priority recommended 6-19-90
By HWS Date 8-31-90

STATE OFFICE REVIEW P05, P23 P14 48 49 46 26

See below for additional information
By kw Date 9-18-90

ADDITIONAL INFORMATION

Condition - 2016
App. in NON-TRUST area -
OK to allow 2 yrs. to develop

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) SON RISE, INC. c/o James Wood

2. Mailing Address Box 610

Rexburg, ID Telephone 356-8377

(☒) Well Owner (☐) Well Operator (☐) Other, specify _____

3. Proposed well location SE 1/4 SE 1/4, or Gov't Lot No. _____

Sec. 36, Twp. 6N, Rge. 40E, County Madison

Street Address of Well Site _____

Lot, block and subdivision _____

4. Proposed use of well:

- (☐) Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

- (☒) Non-Domestic: Any beneficial use not included within the definition of domestic. irrigation 140 acres

(☐) Injection

(☐) Monitoring - A well bore schematic and map is required for each well.

No. of proposed wells: _____

5. Well construction information:

A. (☒) New well (☐) Deepen (☐) Replace - See Condition 9

B. Proposed Surface Diameter 20" Proposed Maximum Depth 750'

C. Anticipated bottom hole temperature:

- (☒) 35°F or less (Cold water well)
(☐) 35°F to 212°F (Low temp. geothermal well)
(☐) 212° or more (Geothermal well)

6. Construction Start Date 8-30-90

7. Anticipated Well Driller High Plains

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature James Wood (JWS) Date 8-30-90

Title _____

(Owner, Firm Representative, Other)

MICROFILMED

OCT 16 1990

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is approved

Date 8-30-90

If approved, this permit authorizes the constuction or modification of a well subject to the following conditions. READ CAREFULL

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the wa
right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriatio
injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one
year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfa
which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling per
at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a w
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the w
owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules c
Regulations.

SPECIFIC CONDITIONS: SEE: Addendum to drilling permit for water right
permit no 22-7674, Son Rise, Inc., c/o James Wood 22-90-E-073

ATTACHED

RECEIVED

OCT 16 1990

Dennis M. Dunn

Signature of Authorized Department Representative

30 August 1990

Title

Receipt No. 5015189 Received by RB Fee \$200⁰⁰ Date 8-30-90

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

ADDENDUM TO DRILLING PERMIT
FOR WATER RIGHT PERMIT NO. 22-7674
SON RISE, INC., C/O JAMES WOOD
22-90-E-073

1. APPLICATIONS, AS NECESSARY, ARE ON FILE SEEKING AUTHORIZATION TO USE THE WELL FOR THE PURPOSE FOR WHICH IT IS BEING DRILLED.
2. THERE ARE NO APPARENT REASONS THAT THE PENDING APPLICATIONS WILL NOT BE APPROVED AUTHORIZING USE OF THE WELL.
3. THE APPLICANT HAS REQUESTED BY LETTER THROUGH HIS AGENT THAT EXPEDITED APPROVAL IS NEEDED FOR IMMEDIATE CONSTRUCTION.
4. THE DRILLING PERMIT IS CONDITIONED TO SHOW THAT THERE IS NO AUTHORIZATION FOR DIVERSION AND USE OF WATER UNTIL THE WATER RIGHT APPLICATION IS APPROVED.
5. THE APPLICANT BY ACCEPTING THIS DRILLING PERMIT AND COMMENCES CONSTRUCTION ACKNOWLEDGES THAT HE ACCEPTS ALL RISK THAT THE WELL MAY NOT BE APPROVED FOR USE.

James Wood (sue)

RECORDED

OCT 16 1990

11-Jul-1990

SON RISE INC. C/O JAMES WOOD
BOX 610
REXBURG, ID 83440

RE: Application for Permit No. 22-7674

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Rexburg Standard-Journal on JULY 19 & 26, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECEIVED

OCT 16 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

JULY 11, 1990

THE REXBURG STANDARD-JOURNAL
P.O. BOX 10
REXBURG, ID 83440

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 26, 1990.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

OCT 16 1990

22-07674

SON RISE, INC.
C/O JAMES WOOD
BOX 610
REXBURG, ID 83440

Source: GROUNDWATER

Diversion Pt: SESE Sec 36 T 06N R 40E

Use: IRRIGATION (2.800 CFS)
Total Diversion: (2.800 CFS)

Date Filed: 6/19/ 1990

In: T06N R40E S36 NESE NWSE SWSE SESE
140.0 ACRES TOTAL

RECORDED

OCT 16 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before AUGUST 26, 1990.

R. Keith Higginson, Director

Published 7/19/1990 & 7/26/1990

EX-100-1000

OCT 19 1990

