


- ✓ 13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

✓ *[Signature]*
(Applicant) MAYOR

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 22-7530
1. Owner: City of Driggs Phone No. 354-2362
Current Address: P.O. Box 48 Driggs Id 83422
2. Accompanied by: Gary Henrie EXAM. DATE: 7 July 1989
Address: P.O. Box 136 Driggs Id 83422 Phone No. 354-2934
Relationship to Permit Holder: City Clerk
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: NA

☐ Copies Attached
2. Other water rights with same point of diversion: NA

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

DEC 13 1994



PLACE OF USE

POINT OF DIVERSION

T
5
N

R45E

T5N
T4N


22-7530

DEC 13 1994



22-7530

DEC 13 1994



22-7530



22-7530

22-7530

DEC 13 1994

AFFIDAVIT OF PUBLICATION

State of Idaho)
) ss
County of Teton)

Kristi Atkinson
being first duly sworn depose and say that I am the Secretary of the Teton Valley News, a newspaper as defined by Idaho Codes Annotated, Section 58 106, as amended, and that said newspaper is a weekly newspaper printed and published at Driggs, in Teton County, Idaho, having a general circulation in said county, and that said newspaper has been printed in said county for more than 78 consecutive weeks prior to the first publication of the attached notice, advertisement or publication of

application
22-7530-Driggs

And affiant further says that said attached notice, advertisement or publication, as per clipping attached, was published in said newspaper, in the regular and entire issue thereof, and not in any supplement issue thereof, for 2... consecutive issues thereof, first publication having been made on the 3 day of Sept., 1987, and last publication on the 10 day of Sept., 1987.

And affiant further says that at the times herein mentioned said newspaper was made up of at least eight pages of at least five columns each, printed from type matter, of at least sixteen inches deep

Kristi Atkinson

Subscribed in my presence and sworn to before me this 14th day of Sept., 1987
(SEAL) Notary Public for the state of Idaho, residence and postoffice address, Driggs, Idaho.

Debra A. Rich
My Commission expires

12/2 1991

RECEIVED
SEP 15 1987

Department of Water Resources
Eastern District Office

NOTICE OF APPLICATION FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

22-7530

CITY OF DRIGGS

P.O. Box 739, Driggs, Id 83422

Source: GROUNDWATER

Diversion Pt: SWNWNE Sec. 34 T 05N R 45E

Use: WATER QUALITY IMPROVEMENT (0.020 CFS)

Date Filed: 08/19/1987

In: NWNE Sec 34 T 05N R 45E

The permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42.203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402 on or before September 21, 1987.

Norm Young

Acting Director

Published in the Teton Valley News on September 3 and 10, 1987.

MICROFILMED

FEB 24 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 22-07530

Priority: August 19, 1987

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

7.3 AF

This is to certify, that CITY OF DRIGGS

80 N MAIN ST

DRIGGS ID 83422

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 19, 1987; and has submitted Proof of Beneficial Use on September 22, 1988. An examination indicates that the works have a diversion capacity of .060 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
WATER QUAL. IMPROVEMENT	01/01 to 12/31	0.02 CFS	7.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 34, Township 05N, Range 45E
TETON County

PLACE OF USE: WATER QUAL. IMPROVEMENT

TWN RGE SEC

05N 45E 34

NWNE


CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.

Witness the seal and signature of the Director, affixed at Boise, this 2ND day of DECEMBER, 1994.

Acting for


R. Keith Higginson, Director

DEC 13 1994

RECEIVED

SEP 22 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

For Office Use Only

Fee Received _____

Date _____

Receipt # _____

Receipt by _____

Reviewed by JS

Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner, who has been appointed by the department.

Permit No. 22-07530Name(s) of Permit Holder: CITY OF DRIGGSPost Office Address: P.O. BOX 739 80 NORTH MAIN STREET DRIGGS IDAHOTelephone No. 208-354-2362Source of Water: GROUNDWATER (WELL)

Extent of Use:

Domestic YES 850 (number of households) Stockwater _____ (number and type of stock)Irrigation _____ (acres) Other/Remark LAWN USE * Water Quality ImprovementTotal rate and/or volume for which proof is submitted 0.02 CFS _____ cfs _____ acre-feetShow the date water was first diverted and beneficially used under this permit: JUNE 1 1988Measuring Device: Required? Yes X No
Installed? Yes X NoFee enclosed \$ -0-
(See License Examination Fee Schedule)Flow Measurement Port: Required? Yes X No
Installed? Yes X No

Person to contact to accompany the Department representative during the field examination:

GARY HENRIE

208-354-2362

(Name)

(Telephone Number)

DRIGGS IDAHO 83422

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

NOV 21 1988

Date

Signature of Permit Holder (and title, if appropriate)

Per telephone conversation with
* Gary Henrie 10/29/88. JS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant City of Driggs Phone 354-2362
Post office address P.O. Box 739, Driggs, Idaho 83422

2. Source of water supply Ground water which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 34 Township 5N Range 45E B.M. Teton County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Water Quality
Amount 0.02 for Improvement purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or ~~acre-feet per annum~~)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.02 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 6" X 40' well w/ pump into city
sewage system chlorinator.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6" inches; proposed depth of well is 40' feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECORDED

FEB 24 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. Water use @ sewage treatment plant. Well will supply the water needed to run a water chlorinator.

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5N	45E	34		T															

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECEIVED

FEB 24 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Al Valley
(Applicant)

MAYOR

Proposed Priority 8/19/87

Received by kw Date 8-19-87 Time 2:00p Preliminary check by Kw

Fee \$ 30.00 Receipted by dg # 41364 Date 8-24-87
9-3-9-10-87

Publication prepared by dg Date 8-26-87 Published in Leton Valley News

Publication approved kw Date 9-22-87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 22-7530, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before
November 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department.

Witness my hand this 7TH day of October, 1987.

[Signature]
Director

MICROFILMED

FEB 24 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 5, 1994

CITY OF DRIGGS
80 N MAIN ST
DRIGGS ID 83422

RE: WATER RIGHT NO. 22-07530

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

A faint, circular official stamp, likely from the Idaho Department of Water Resources, located in the bottom right corner of the page.

DEC 13 1994

LICENS REVIEW CHECKLIST

PERMIT NO. 22-07530 DATE 11-7-94



NAME	☒ Yes	☐ No	Or <u>Address</u> Change?
PRIORITY DATE	☐	☒	Advance? ☐ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>NO/NA</u>
SOURCE	☐	☐	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☐	☒	Amendment needed? _____ Overlaps? _____
PLACE OF USE	☐	☒	Amendment needed? _____ Overlaps? _____
DIV RATE	☐	☒	Permit/fee limits: <u>.02 CFS</u> Meas Q = _____ Theo Q = <u>.06</u> Recommend: <u>.02</u> _____ Combined rates exceed capacity _____
ANNUAL VOLUME	☐	☒	Season of use: <u>(1-1 to 12-31)</u> Calculations: <u>(12 hrs/day)</u> Flow limit: <u>.02</u> cfs x <u>365</u> x 1.9835 = <u>14.5</u> ÷ 2 = <u>7.3</u> Combined volumes exceed capacity/allowable _____
USES	☐	☒	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
REMARKS	☐	☒	Multiple p/d(s) in ¼ ¼? _____ Other _____
CONDITIONS	☐	☒	Measuring/Locking Devices _____ Watermaster control - District <u>01</u> _____ Irrigation Overlap _____ Water Quality _____ Other _____ Heat/Cool/ Fish verified _____
COMMENTS: _____ _____ _____			

RECOMMENDED	CFS	VOL	SRBA Claim Filed	<u>NO</u>
<u>Water Quality</u>	<u>.02</u>	<u>7.3</u>	Adjustment Memo Needed	<u>NO</u>
_____	_____	_____	LICENSE	☒
_____	_____	_____	1ST AMENDMENT LETTER	_____
_____	_____	_____	FINAL AMENDMENT LETTER	_____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

22-7530
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED
NOV 01 1994

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☐ Blank Field Report Form
☒ Copy of Permit
none ☒ Copies of any Amendments/Orders with conditions of approval
☐ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index LW. 5-24-89 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index LW. 5-24-89 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☐ Fully completed and signed Field Report Form
☐ Photographs of Point of Diversion and Place of Use
☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Kaw 7-7-89 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent SW 5-10-94 (Initial and date)

Exam Reviewed by Manager of Regional Office _____ (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 22-7530

1. Owner: City of Driggs

Phone No. 354-2362

Current Address: P.O. Box 48 Driggs Id 83422

2. Accompanied by: Gary Henrie

EXAM. DATE: 7 July 1989

Address: P.O. Box 136 Driggs Id 83422

Phone No. 354-2934

Relationship to Permit Holder: City Clerk

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NA

☐ Copies Attached


2. Other water rights with same point of diversion: NA

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater).

☐ Aerial Photo Attached

(required for irrigation of 10 acres or more).

DEC 18 1989

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

well pump to sewage system chlorinator

* Andrew Well Drilling installed a 1hp pump in well

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	RedJacket	1hp*	Red Jacket		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NE	34	5N	45E	Teton	

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	45E	34		T															

Do not use this space

DEC 13 1994

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Static H₂O level from well log is 9 ft

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

de minimus

2. Alternate Method for Checking Purposes: $Q = \frac{hp(8.814) \text{ off}}{L + (P \times 2.308)} = \frac{1(8.814)(1.7)}{9 + (40 \times 2.308)} = \frac{6.1698}{101.32} = 0.06 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$V_{\text{Water Quality Improvement}} = 0.02 \times 1.9835 \times 365 = 14.5 \text{ ft}^3$

DEC 13 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Acq. Fed. ... HWS
S... ..

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Water Quality Improvement	1/1	12/31	0.02	14.5 afa
Totals:			0.02 cfs	14.5 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


J. AUTHENTICATION

Field Examiner's Name KEITH C. WILSON
Signature Keith C. Wilson
Certification Date _____
Field Report Preparation Date _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

DEC 13 1994



PLACE OF USE

POINT OF DIVERSION

T
5
N

R45E

T5N
T4N

22-7530

DEC 3 1934



22-7530

DEC 13 1994



22-7530

DEC 13 1994

January 3, 1989

RE: Permit No. 22-7530

City of Driggs
P.O. Box 739
80 North Main Street
Driggs, ID 83422

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161, or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,

KEITH C. WILSON
Sr. Resource Agent

KCW:CW

DEC 13 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.RECEIVED
90
OCT 18 1988

1. WELL OWNER

Name City of Driggs Treatment Plant
Address Driggs, Idaho 83472
Owner's Permit No. 22-87-E-006

7. WATER LEVEL

Static water level 9 feet below land surface.
Flowing? ☐ Yes ☒ No
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality Good
Describe artesian or temperature zones below.

2. NATURE OF WORK

22-7530
☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☒ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other Treatment Plant (specify type)

4. METHOD DRILLED

☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>21 1/2</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 20+ Material used in seal: ☐ Cement grout☒ Bentonite ☐ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld☐ Cemented between strataDescribe access port Well Cap

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____

Lot No. _____ Block No. _____

County TetonNW 1/4 NE 1/4 Sec. 34, T. 5N N/S. R. 45 EW.

10.

Work started 8/13/87 finished 8/13/87

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Andrew Well Drilling Firm No. 5Address 1268 E. 17th Street Date 8/20/87Idaho Falls, Idaho 83406Signed by (Firm Official) Harold F. Andrew

and

(Operator) Walt Nubel

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

RECEIVED

AUG 13 1987

Department of Water Resources

1. Applicant Howard Andrews of Andrews Well Drilling for City of Driggs

✓ 2. Address 1268 E 17th St
Idaho Falls, Idaho 83409

() Well Owner () Well Operator (X) Other, specify well driller

3. Water right permit no. _____; Injection well permit no. _____

4. Proposed well location SW 1/4 NW 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 34, Twp. 5N, Rge. 45E, County Teton,
Lot, block and subdivision _____

5. Proposed use of well: (Check all that apply)

() Domestic () Stockwater () Monitoring
() Irrigation () Industrial () Municipal
() Injection (X) Other, Specify Water Quality Improvement

6. Well construction information:

(X) New well () Deepen () Replace
Proposed surface diameter 6" Proposed depth 40'

Anticipated bottom hole temperature:

(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

7. Anticipated construction start date August 11, 1987

8. Well Driller (if known) Andrews Well Drilling # 005

Address See above.

✓ Date 8-11-87 Applicant's signature Howard P. Andrews
Title Partner

RECEIVED

* After other pre-requisite approvals have been obtained.

NOV 21 1988

(X) approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

This permit does not constitute a water right for the diversion of water from this well. An approved permit must be obtained prior to diverting water for the designated beneficial use.

Dated this 11th day of August, 1987.

Signed Ernest Carlson for
Title Eastern Regional Manager

Received by dy Fee \$100⁰⁰ Date 8-11-87

Receipt No. 41330 Construction start date _____

Construction start extension to _____

Extension approved by _____

NOV 21 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

October 11, 1988

Howard Andrew
Andrew Well Drilling
1268 E. 17th Street
Idaho Falls, ID 83401

RE: City of Driggs 22-87-E-006
NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 34, T5N, R45E
Drillers Log

Dear Mr. Andrew:

Please submit a drillers report for the referenced well. Please submit the log to my attention. Thank you.

Sincerely,

John E. Beal

JOHN E. BEAL, Manager
Groundwater Protection Section

JEB:ldt(GP13-1.15)

CC: Harold Jones

RECEIVED

NOV 21 1988

CITY OF DRIGGS
P.O. BOX 739
DRIGGS, ID 834220000

August 31, 1988

138323

PROOF DUE NOTICE

RE: PERMIT NO. 22-07530

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MAILED

NOV 21 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
OCTOBER 14, 1987

CITY OF DRIGGS
P.O. BOX 739
DRIGGS, ID 83422

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 22-7530

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

RECEIVED
FEB 24 1988

August 28, 1987

Dept. of Health & Welfare
Division of Environment
150 North 3rd
Pocatello, Idaho 83201

RE: Application for Permit No. 22-7530, City of Driggs

Gentlemen:

This office is currently in the process of publishing notices that the above application was filed with the Department of Water Resources. Since the application maybe of interest to you, a copy is enclosed for your examination. Comments concerning the application should be addressed to the applicant with a copy forwarded to this office. Protests objecting to granting the permit should be directed to this Department and received no later than September 21, 1987. Final action will be taken by this office shortly after this date, provided there are no protests lodged against the application

Respectfully submitted,

Ernest Carlsen
Water Rights Supervisor

EC/md

Enclosure

RECEIVED

FEB 24 1988

August 27, 1987

City of Driggs
P.O. Box 739
Driggs, Idaho 83422

RE: Application for Permit No. 22-7530

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification no. 22-7530. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the Teton Valley News. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Ernest Carlsen
Assistant Regional Manager

EC/dg

RECEIVED

FEB 24 1988

AFFIDAVIT OF PUBLICATION

State of Idaho)
) ss
 County of Teton)

Kristi Atkinson
 being first duly sworn depose and say that I am the Secretary of the Teton Valley News, a newspaper as defined by Idaho Codes Annotated, Section 58106, as amended, and that said newspaper is a weekly newspaper printed and published at Driggs, in Teton County, Idaho, having a general circulation in said county, and that said newspaper has been printed in said county for more than 78 consecutive weeks prior to the first publication of the attached notice, advertisement or publication of

Application
22-7530-Driggs

And affiant further says that said attached notice, advertisement or publication, as per clipping attached, was published in said newspaper, in the regular and entire issue thereof, and not in any supplement issue thereof, for 2... consecutive issues thereof, first publication having been made on the 3 day of Sept, 1987 and last publication on the 10 day of Sept, 1987.

And affiant further says that at the times herein mentioned said newspaper was made up of at least eight pages of at least five columns each, printed from type matter, of at least sixteen inches deep

Kristi Atkinson

Subscribed in my presence and sworn to before me this 14th day of Sept, 1987
 (STATE) Notary Public for the state of Idaho, residence and postoffice address, Driggs, Idaho.

Debra A. Rich
 My Commission expires

12/2..... 1991

RECEIVED
 SEP 14 1987

Department of Water Resources
 Eastern Teton Office

NOTICE OF APPLICATION FOR ADJUDICATION
 The following applications have been filed to appropriate the public waters of the State of Idaho:
 22-7530
 CITY OF DRIGGS
 P.O. Box 738, Driggs, ID 83422
 Source: GROUNDWATER
 Reversion Pt: SWNW 1/4 Sec. 34 T 05N R 45E
 Use: WATER QUALITY IMPROVEMENT (0.020 CFS)
 Date Filed: 08/19/1987
 The power of the court is hereby exercised to appoint a master to hear and report on the application of Sec. 42-203A, Idaho Code, and/or the new public use criteria, of Sec. 42-203A, Idaho Code. Protests must be filed with the Director, Department of Water Resources, 150 Shoshone Ave., Suite 15, Idaho Falls, Idaho, 83402 on or before September 21, 1987.

Norm Young
 Acting Director
 Published in the Teton Valley News on September 3 and 10, 1987.

RECORDED
 FEB 24 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

AUGUST 26, 1987

Teton Valley News
Driggs,
Idaho 83422

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 21, 1987.

Yours Truly,

Michele Davis
Office Secretary

Encl.

MICROFILMED

FEB 24 1988

22-7536

CITY OF DRIGGS

P.O. BOX 739, DRIGGS, ID 83422

Source GROUNDWATER

Diversion Pt: SEWNNE Sec 34 T 05N R 45E

Use: WATER QUALITY IMPROVEMENT (0.020 CFS)

Date Filed: 08/19/1987

In: NWNE Sec 34 T 05N R 45E

RECEIVED

FEB 24 1988

NOTICE OF APPLICATION

FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

The permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42.203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402 on or before September 21, 1987.

Norm Young

Acting Director

Published September 3, and September 10, 1987

RECEIVED

FEB 24 1988

August 17, 1987

City of Driggs
C/O Alvin Dalley, Mayor
P.O. Box 739
Driggs, Idaho 83422

Dear Mayor:

Pursuant to a telephoned conversation I had with Don Scholes, please find enclosed an application for permit for the new well at the sewage treatment plant. An approved permit must be obtained before the City is authorized to divert water for the purpose specified on the application.

The application is complete, but you should review it for any errors. Please sign the application, showing your position with the City, and return it with the appropriate fee to this office.

Also please find enclosed your check no. 2374 for \$30. We cannot receipt this fee without the signed application. Please resubmit the check with the application enclosed.

Your prompt attention is appreciated. If you need further assistance, please contact our office.

Sincerely,

Eric Verner
Sr. Water Resource

EV/dg
Enclosure

MICROFILMED

FEB 24 1988