


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

DEC 14 1989

Stephen B Cook
(Applicant)



R40E

57.0

32

B
57.0

A
34.9

I
179.5

B
141.5

A158

A
102.1

Place of fuse
(pre-1978)
flight

A159

S
100.1

T
6
N

#22-7502

RECEIVED

DEC 14 1989

A160

NOT TO SCALE

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 22-07502

Proposed Priority: June 27, 1985

Maximum Diversion Rate:

0.80 CFS

This is to certify, that **STEPHEN B. COOK**
HELEN THOMAS
244 W. 1ST S.
REXBURG, ID 83440

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/01 to 11/01	0.80 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION:

SWSW Sec. 32, Township 06N, Range 40E
LOT 3(SENW), Sec. 4, Township 05N, Range 40E
MADISON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06N	40E	32	SWSE	40		40

Total number of acres irrigated: 40

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1990.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

DEC 14 1989

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 22-07502

CONDITIONS/REMARKS:

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

30th day of November, 1989.

for R. Keith Higginson, Director
R. Keith Higginson

RECORDED

DEC 14 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant STEPHEN B. COOK &/or HELEN THOMAS Phone 356-5928

Post office address 244 West First South, Rexburg, ID 83440

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 32 Township 6N

Range 40E B.M. Madison County, additional points of diversion if any: _____

(L-3) SENW Sect. 4 T5N R40E

4. Water will be used for the following purposes:

Amount 0.80 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.80 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 2 wells/pumps to common
mainline and sprinkler lines

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is NA inches; proposed depth of well is NA feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

RECEIVED

DEC 14 1989

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6N	40E	32												20			40	50	40

Total number of acres to be irrigated 40

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant - Cook

b. Who owns the land to be irrigated or place of use Applicant - Thomas


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Written agreement between applicants.

10. Remarks This system has been in place and pumping on the place of use described in Sec. 32, since 1972.

RECEIVED

DEC 14 1969

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: ~~2 inches equal 1 mile.~~

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

REFILMED

DEC 14 1989

Stephen B Cook
(Applicant)

Asst By Huf

Received by CW Date 6-27-85 Time 3:00p
Preliminary check by HR Fee \$ 45⁰⁰
Receipted by CW Date 6-27-85 # 33384
Publication prepared by CT Date 8-1-85
Published in Rexburg Standard Journal
Publication dates 10-5¹²-89
Publication approved RB Date 10-18-89
Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by HUT

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

RECORDED

DEC 14 1989

PROOF OF PUBLICATION

RECEIVED

OCT 13 1989

STATE OF IDAHO
County of Bannock

SS.

Department of Water Resources
Eastern District Office

Sandra K. Wann

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

22-07491

FRANK SUMMERS INC.
ROUTE 1
SUGAR CITY, ID 83448
Source: GROUNDWATER
Diversion Pt:
SESW Sec 27 T 06N R 40E
Use: IRRIGATION (7.000 CFS)
Date Filed: 5-20-1985
In: T06N R40E S22 NWNE SWNE
NESW NWSW SWSW SESW NWSE
SWSE
S26 NENW NWNW SWNW SENW
NESW NWSW SWSW SESW
S27 NENE NWNE SWNE SENE
NENW NWNW SWNW SENW NESW
NWSW SWSW SESW NWSE SWSE
S34 NWNE SWNE NENW NWNW
SWNW SENW NWSW SWSW
1313.0 ACRES TOTAL

22-07498

HUSKINSON, RANDY
RT. 1
SUGAR CITY, ID 83448
Source: GROUNDWATER
Diversion Pt:
SESW Sec 24 T 06N R 40E
SWSW Sec 24 T 06N R 40E
Use: IRRIGATION (.940 CFS)
Date Filed: 6-17-1985
In: T06N R40E S13 SESE
S24 NWNE NENW NWNW
47.0 ACRES TOTAL

22-07500

RICKS, DOUGLAS T.
139 BIRCH AVE.
REXBURG, ID 83440
Source: GROUNDWATER
Diversion Pt:
NESE Sec 31 T 06N R 40E
Use: IRRIGATION (1.100 CFS)
Date Filed: 6-24-1985
In: T06N R40E S32 SWSW SESW
80.0 ACRES TOTAL

22-07502

COOK, STEPHEN B.
THOMAS, HELEN
244 WEST FIRST SOUTH
REXBURG, ID 83440
Source: GROUNDWATER
Diversion Pt:
LOT 3 (SESW) Sec 4 T 05N R 40E
SWSW Sec 32 T 06N R 40E
Use: IRRIGATION (.800 CFS)
Date Filed: 6-27-1985
In: T06N R40E S32 SWSE
40.0 ACRES TOTAL

22-07503

FRANK SUMMERS INC.
RT. 1
SKGAR CITY, ID 83448
Source: GROUNDWATER
Diversion Pt:
NWNE Sec 26 T 06N R 40E
SWSW Sec 27 T 06N R 40E
Use: IRRIGATION (1.260 CFS)
Date Filed: 6-26-1985
In: T06N R40E S27 NENE NWNE
SENE
63.0 ACRES TOTAL

being first duly sworn on oath deposes and says: That she
was at all times herein mentioned a citizen of the United States of Ameri-
ca, more than 21 years of age, and the Principal Clerk of THE IDAHO
STATE JOURNAL, a daily newspaper, printed and published at Pocatello,
Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was
published in the said IDAHO STATE JOURNAL, on the following dates,
to-wit:

5 October	19 89	19
12 October	19 89	19
	19	19
	19	19
	19	19
	19	19

That said paper has been continuously and uninterruptedly published
in said County for a period of seventy-eight weeks prior to the publication
of said notice or advertisement and is a newspaper within the meaning
of the laws of Idaho.

Sandra K. Wann

STATE OF IDAHO

COUNTY OF Bannock

On this 12th day of October in the year of 1989, before me,
Sandra K. Wann

Notary Public, personally appeared

SMITH, CRAIG J.
RT. 4 BOX 11
REXBURG, ID 83440
Source: GROUNDWATER
Diversion Pt:
SWSW Sec 16 T 05N R 40E
Use: IRRIGATION (2.200 CFS)
Date Filed: 7-01-1985
In: T05N R40E S16 NESW NWSW
SWSW SESW
S21 NENW NWNW SWNW SENW
NESW NWSW SWSW SESW NWSE
SWSE
S28 NENW NWNW
577.0 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests may be
submitted based on the criteria of
Sec. 42-203A, Idaho Code and/or the
new public interest criteria of Sec.
42-203C, Idaho Code. Protests must
be filed with the Director, Dept. of
Water Resources, 150 Shoup Ave.,
Suite 15, Idaho Falls, Idaho 83402 on
or before OCTOBER 23, 1989.
S/R. Keith Higginson, Director
October 5, 12, 1989
No. 611

whose name subscribed to the within instrument,
and that the statements therein are true, and
the same.

John L. Nelson
Notary Public for Idaho

Residing at Pocatello

My commission expires: July, 1991

OCT 14 1989

January 3, 1991

STEPHEN B. COOK
HELEN THOMAS
244 W. 1ST S.
REXBURG, ID 83440

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 22-07502

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

INDEXED FILMED

JAN 28 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 22-7502

Date 12-24

GENERAL CONSIDERATIONS

X Name same as permit?
X Address same as permit? If no, prepare data entry form.
X Proof timely received? If no, complete priority
advancement below.

SOURCE OF WATER

✓ Surface water source
✓ Ground water source
✓ Drill permit req'd? drilled '65 475
Copy in file? Drill permit no. _____
Well log in file?
Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

X Required?
100 Amount submitted?
✓ Correct amount?

MEASURING DEVICE

_____ Measuring device or access port required?
_____ Installed?
_____ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

- 2 on meas device compliance
- Proof acceptable

PRIORITY CALCULATION

Date proof received 12 _____
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

Amt. of Fee \$ 100.00

Date 11/6/30/20

Receipt No. 0012015

Received by L. A. Adams

RECEIVED
NOV 20 1990

NOV 20 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

RECEIVED

NOV 30 1990

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s), has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 22-07502 Telephone No. (208) 356-5928

Name(s) of Permit Holder(s): Verla R. Cook and Son

Post Office Address: 244 West First South Rexburg, ID 83440

Source of Water: Ground Water

If ground water, well driller's name: Andrew Well Drilling Contr. Date drilled: 5-26-65 & 9-975

Extent of Use:

Domestic	(No. of households)	Irrigation	80	(No. of acres)
----------	---------------------	------------	----	----------------

Stockwater	(No. and type of stock)	Other
------------	-------------------------	-------

Crop rotation of Grain and potatoes

Total rate and/or volume for which proof is submitted	0.80	cfs	acre/feet
---	------	-----	-----------

Show date water was first diverted and beneficially used under this permit: 7-1-65

One of the following may be a condition of approval of your permit:

Measuring device:	Required?	Yes	No	Installed?	Yes	No
-------------------	-----------	-----	----	------------	-----	----

OR

Flow Measurement Port: Required? ☒ Yes No Installed? Yes No

Fee Enclosed: \$ _____ **(See License Examination Fee Schedule)**

Person to contact to accompany the Department representative during the field examination:

Stephen Cook
Name

(208) 356-5928
Telephone No.

244 West First South Rexburg, Idaho 83440
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and relinquish any undeveloped portion of the permit to the state of Idaho.

NOT RECORDED

JAN 28 1991

11-18-90
Date

Stephen B. Cook Major Partner
(Signature (and title if on behalf of a company or organization))

STEPHEN & NANCY COOK
244 West 1st South
Rexburg, Idaho 83440



State of Idaho
Dept. Water Resources
1301 N. Orchard St.
State House Mail
BOISE, Id. 83702

November 20, 1990

Verla R. Cook and Son
244 West First South
Rexburg ID 83440

Dear Permit Holders:

Re: Permit No. 22-7502, A22-10266, A22-07088, A22-02236A

Returned is the proof of beneficial use form and your check No. 738 in the amount of \$175.

The proof of beneficial use form shows four water right numbers on it. The first three are adjudication claims filed in the Snake River Basin Adjudication. The other one is for a permit. The proof of beneficial use form should be submitted for only the permit.

For easy reference, enclosed is a copy of the permit. Note that the usage is for up to 40 acres of irrigation with a maximum diversion rate of 0.80 cfs. Please modify the proof form accordingly and resubmit the appropriate fee.

If you have questions, please feel free to contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager


Enclosures

c: Fiscal Section

MICROFILMED

JAN 26 1991

STEPHEN & NANCY COOK
244 West 1st South
Rexburg, Idaho 83440



State of Idaho
Dept. of Water Resources
1301 N. Orchard St.
Statehouse Mail
Boise, Idaho 83720



130392

September 30, 1990

STEPHEN B. COOK
HELEN THOMAS
244 W. 1ST S.
REXBURG, ID 83440

PROOF DUE NOTICE

RE: PERMIT NO. 22-07502

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JAN 28 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
November 30, 1989

STEPHEN B. COOK
HELEN THOMAS
244 W. 1ST S.
REXBURG, ID 83440

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P22-07502

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

RECEIVED

DEC 14 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED
DEC 14 1989

DEC 14 1989

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

G. F. RAMSEY

22-7502

INITIAL REVIEW BY:

APPLICATION NUMBER:

CHECK:

JUL 1 1985

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by:

Date:

Comments:

- ☒ Yes ☐ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by:

Date:

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.

Final date for protests: 10-23-89

- ☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: _____
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 01-P05
6-27-85 Date of priority recommended.
Special conditions of approval or cover letter. <0167

App. in NON-TRUST area-

By: HWT

Date: 10-19-89

STATE OFFICE REVIEW:

P05, P23, P03, P16

48 49 46 016

RECEIVED

- ☐ See attached sheet for more information.

By: KW

Date: 11/21/89

OCT 25 1989

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

27-Sep-1989

Stephen B. Cook
244 West First South
Rexburg, ID 83440

RE: Application for Permit No. 22-7502

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Rexburg Standard-Journal. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

DEC 11 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

SEPTEMBER 22, 1989

IDAHO STATE JOURNAL
P.O. BOX 431
POCATELLO, ID 83204

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 23, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

DEC 14 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

DEC 14 1989

22-07502

COOK, STEPHEN B.
THOMAS, HELEN
244 WEST FIRST SOUTH
REXBURG, ID 83440

Source: GROUNDWATER

Diversion Pt: LOT 3 (SENW) Sec 4 T 05N R 40E
SWSW Sec 32 T 06N R 40E

Use: IRRIGATION (.800 CFS)

Date Filed: 6/27/1985

In: T06N R40E S32 SWSE

40.0 ACRES TOTAL

MICROFILMED

DEC 14 1983

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before OCTOBER 23, 1989.

R. Keith Higginson, Director

Published 10/05/1989 & 10/12/1989

FILMED

DEC 14 1989

ANDREW WELL DRILLING

Contractors

Pump and Well Drilling Equipment Installed

1360 E. 17th St., Idaho Falls, Idaho

May 26, 1965

Blair Cook
Rexburg, Idaho

Legal Desc: W 1/2 - SW 1/4 Sec 4 - T-5 R 40

Madison County - 20 ft S - 16 ft W from corner W 1/2 SW 1/4
Sec 4

Drilling 425' - 20" Well:

WELL LOG:

0-5	Clay	215-231	Brown lava & cinders
5-12	Broken lava	231-239	Brown lava
12-27	Firm lava cinders	239-245	Brown cinders
27-45	Loose brown cinders	245-247	Brown lava
45-48	Firm brown cinders	247-255	Brown & gray firm lava
48-69	Loose brown cinders	255-265	Brown Cinders (Loose)
69-82	Firm brown cinders	265-268	Cinders
82-86	Loose brown cinders	268-270	Firm green lava
86-95	Hard gray lava	270-285	Cinders
95-100	Gray & Brown broken lava	285-290	Gray firm lava
100-113	Gray & brown firm lava	290-295	Gray firm lava
113-119	Ray & brown lava (rough)	295-299	Brown cinders (firm)
119-125	Gray & brown rough lava	299-306	Gray firm lava
125-129	Gray & brown broken lava	306-308	Brown loose cinders
130-148	Gray & brown rough lava	308-312	Brown hard lava
148-165	Broken lava & cinders	312-315	Brown firm cinders
165-172	Brown hard lava	315-322	Brown loose cinders
172-182	Gray & brown rough lava	322-330	Gray & brown firm lava
182-189	Brown very hard lava	330-335	Gray firm lava
189-202	Brown & gray hard lava	335-340	Gray broken lava
202-212	Brown & gray firm lava	340-345	Gray firm lava
212-225	Brown cinders (loose)	345-355	Green hard lava
		355-360	Gray & Brown broken lava

(CONTINUED)

NOT FILMED

SEP 14 1989

ANDREW WELL DRILLING

Contractors

Pump and Well Drilling Equipment Installed

1380 E. 17th St. Idaho Falls, Idaho

360-369 Gray & brown loose cinders

365-370 Gray & brown firm lava

370-380 Gray & brown firm cinders

380-389 Gray & brown cinders

383-385 Broken lava & cinders

385-390 Cinders & cinders

390-394 Cinders (loose)

394-398 Cinders & cinders

398-401 Hard broken lava

401-404 Loose cinders

404-405 Loose cinders & broken lava


405-420 Gray, Green hard cinders

420-425 Hard gray green cinders

Static water 361

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Blair Cook</u> Address <u>2nd West 1st South Rexburg, Idaho 33</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>339</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ ° F. Quality <u>good</u> Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																																																																																																																																				
2. NATURE OF WORK ☐ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Draw Down</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																																																																																																																	
Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																																																																																																																			
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>20</td><td>0</td><td>5</td><td>Topsoil</td><td> </td><td> </td></tr> <tr><td> </td><td>5</td><td>10</td><td>Gray Basalt</td><td> </td><td> </td></tr> <tr><td> </td><td>10</td><td>30</td><td>Gray Basalt Fractured</td><td> </td><td> </td></tr> <tr><td> </td><td>30</td><td>51</td><td>Red Basalt Fractured</td><td> </td><td> </td></tr> <tr><td> </td><td>51</td><td>57</td><td>Red Loose Rock</td><td> </td><td> </td></tr> <tr><td> </td><td>57</td><td>78</td><td>Loose Rock Firm on one side</td><td> </td><td> </td></tr> <tr><td> </td><td>78</td><td>83</td><td>Broken Red Rock</td><td> </td><td> </td></tr> <tr><td> </td><td>83</td><td>88</td><td>Cinders</td><td> </td><td> </td></tr> <tr><td> </td><td>88</td><td>93</td><td>Red Hard Basalt</td><td> </td><td> </td></tr> <tr><td> </td><td>93</td><td>108</td><td>Red Basalt Large Fractures</td><td> </td><td> </td></tr> <tr><td> </td><td>108</td><td>129</td><td>Cinders Firm on one side</td><td> </td><td> </td></tr> <tr><td> </td><td>129</td><td>135</td><td>Fractured Gray Basalt</td><td> </td><td> </td></tr> <tr><td> </td><td>135</td><td>153</td><td>Gray Basalt Hard one side</td><td> </td><td> </td></tr> <tr><td> </td><td>153</td><td>163</td><td>Red Basalt Firm on one side</td><td> </td><td> </td></tr> <tr><td> </td><td>163</td><td>174</td><td>Red Basalt Hard one side</td><td> </td><td> </td></tr> <tr><td> </td><td>174</td><td>178</td><td>Hard Gray with cracks</td><td> </td><td> </td></tr> <tr><td> </td><td>178</td><td>194</td><td>Green Basalt Hard with cracks</td><td> </td><td> </td></tr> <tr><td> </td><td>194</td><td>207</td><td>Red Cinders</td><td> </td><td> </td></tr> <tr><td> </td><td>207</td><td>238</td><td>Cinders Firm on one side</td><td> </td><td> </td></tr> <tr><td> </td><td>238</td><td>240</td><td>Basalt firm on one side</td><td> </td><td> </td></tr> <tr><td> </td><td>240</td><td>247</td><td>Basalt firm on one side</td><td> </td><td> </td></tr> <tr><td> </td><td>247</td><td>296</td><td>Cinders firm on one side</td><td> </td><td> </td></tr> <tr><td> </td><td>296</td><td>310</td><td>Basalt Hard on one side</td><td> </td><td> </td></tr> <tr><td> </td><td>310</td><td>335</td><td>Cinders firm on one side</td><td> </td><td> </td></tr> <tr><td> </td><td>335</td><td>340</td><td>Cinders firm on one side</td><td> </td><td>x</td></tr> <tr><td> </td><td>340</td><td>355</td><td>Obsidian Gray</td><td> </td><td>x</td></tr> <tr><td> </td><td>355</td><td>365</td><td>Black Obsidian</td><td> </td><td>x</td></tr> <tr><td> </td><td>365</td><td>390</td><td>Obsidian Firm on one side</td><td> </td><td>x</td></tr> <tr><td> </td><td>390</td><td>395</td><td>Gray Obsidian</td><td> </td><td>x</td></tr> <tr><td> </td><td>395</td><td>405</td><td>Firm Gray Obsidian</td><td> </td><td> </td></tr> <tr><td> </td><td>405</td><td>423</td><td>Firm Red Blite</td><td> </td><td> </td></tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	20	0	5	Topsoil				5	10	Gray Basalt				10	30	Gray Basalt Fractured				30	51	Red Basalt Fractured				51	57	Red Loose Rock				57	78	Loose Rock Firm on one side				78	83	Broken Red Rock				83	88	Cinders				88	93	Red Hard Basalt				93	108	Red Basalt Large Fractures				108	129	Cinders Firm on one side				129	135	Fractured Gray Basalt				135	153	Gray Basalt Hard one side				153	163	Red Basalt Firm on one side				163	174	Red Basalt Hard one side				174	178	Hard Gray with cracks				178	194	Green Basalt Hard with cracks				194	207	Red Cinders				207	238	Cinders Firm on one side				238	240	Basalt firm on one side				240	247	Basalt firm on one side				247	296	Cinders firm on one side				296	310	Basalt Hard on one side				310	335	Cinders firm on one side				335	340	Cinders firm on one side		x		340	355	Obsidian Gray		x		355	365	Black Obsidian		x		365	390	Obsidian Firm on one side		x		390	395	Gray Obsidian		x		395	405	Firm Gray Obsidian				405	423	Firm Red Blite		
Hole Diam.	Depth		Material	Water																																																																																																																																																																																																	
	From	To		Yes	No																																																																																																																																																																																																
20	0	5	Topsoil																																																																																																																																																																																																		
	5	10	Gray Basalt																																																																																																																																																																																																		
	10	30	Gray Basalt Fractured																																																																																																																																																																																																		
	30	51	Red Basalt Fractured																																																																																																																																																																																																		
	51	57	Red Loose Rock																																																																																																																																																																																																		
	57	78	Loose Rock Firm on one side																																																																																																																																																																																																		
	78	83	Broken Red Rock																																																																																																																																																																																																		
	83	88	Cinders																																																																																																																																																																																																		
	88	93	Red Hard Basalt																																																																																																																																																																																																		
	93	108	Red Basalt Large Fractures																																																																																																																																																																																																		
	108	129	Cinders Firm on one side																																																																																																																																																																																																		
	129	135	Fractured Gray Basalt																																																																																																																																																																																																		
	135	153	Gray Basalt Hard one side																																																																																																																																																																																																		
	153	163	Red Basalt Firm on one side																																																																																																																																																																																																		
	163	174	Red Basalt Hard one side																																																																																																																																																																																																		
	174	178	Hard Gray with cracks																																																																																																																																																																																																		
	178	194	Green Basalt Hard with cracks																																																																																																																																																																																																		
	194	207	Red Cinders																																																																																																																																																																																																		
	207	238	Cinders Firm on one side																																																																																																																																																																																																		
	238	240	Basalt firm on one side																																																																																																																																																																																																		
	240	247	Basalt firm on one side																																																																																																																																																																																																		
	247	296	Cinders firm on one side																																																																																																																																																																																																		
	296	310	Basalt Hard on one side																																																																																																																																																																																																		
	310	335	Cinders firm on one side																																																																																																																																																																																																		
	335	340	Cinders firm on one side		x																																																																																																																																																																																																
	340	355	Obsidian Gray		x																																																																																																																																																																																																
	355	365	Black Obsidian		x																																																																																																																																																																																																
	365	390	Obsidian Firm on one side		x																																																																																																																																																																																																
	390	395	Gray Obsidian		x																																																																																																																																																																																																
	395	405	Firm Gray Obsidian																																																																																																																																																																																																		
	405	423	Firm Red Blite																																																																																																																																																																																																		
4. METHOD DRILLED ☐ Cable ☐ Rotary ☐ Dug ☐ Other	10. Work started <u>March 13, 1975</u> finished <u>August 20, 1975</u>																																																																																																																																																																																																				
5. WELL CONSTRUCTION Diameter of hole <u>4</u> inches Total depth <u>423</u> feet Casing schedule: ☒ Steel ☐ Concrete <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ inches</td> <td><u>20</u> inches</td> <td>_____ feet</td> <td><u>20'6"</u> feet</td> </tr> <tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr> <tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr> <tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr> <tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr> <tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr> <tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth _____ Material used in seal ☐ Cement grout ☐ Pudding clay ☐ Well cuttings Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☐ Overbore to seal depth	Thickness	Diameter	From	To	_____ inches	<u>20</u> inches	_____ feet	<u>20'6"</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	II. DRILLERS CERTIFICATION Firm Name <u>Andrew Well Drilling Co.</u> Firm No. <u>2</u> Address <u>1268 East 17th Street</u> Date <u>10-7-76</u> <u>Idaho Falls, Idaho 83401</u> Signed by (Firm Official) <u>[Signature]</u> and <u>[Signature]</u> (Operator)																																																																																																																																																																
Thickness	Diameter	From	To																																																																																																																																																																																																		
_____ inches	<u>20</u> inches	_____ feet	<u>20'6"</u> feet																																																																																																																																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																																																																																		
Number	From	To																																																																																																																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																																																																																																																			
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name <u>DEC 14 1989</u> Lot No. _____ Block No. _____ County _____ _____ 1/4 _____ 1/4 Sec. _____ T. _____ N/S, P. _____ E/W	USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT																																																																																																																																																																																																				

R402

57.1

32

A
57.0

B
34.1

I
179.5

B
141

A158

A
102.1

Place of fuse
(pre-1878)
flight

A15

S
100.1

T
6
2

#22-7502

C
120.3

D
36.7

A
35.1

DEC 1/4

A160

NOT TO SCALE

DEC 14 1984

1977 material found

IMPORTANT NOTICE The attention of all persons, who have an interest in the crops shown for this farm, is called to the points set forth below and on the reverse. Read them carefully. Your local ASCS office will gladly answer any questions you may have. **SEE REVERSE FOR OTHER IMPORTANT PROVISIONS.**

	CORN	GRAIN SORGH.	BARLEY	WHEAT	UPLAND COTTON
ment			32.2	233.1	
Yield per acre	bu.	bu.	65 bu.	418 bu.	lbs.

FARM NO.	NAME AND ADDRESS	FARM- LAND	CROP- LAND
116	T BLAIR COOK	642	616
1A	244 W 1 S	E6 F6	
00	REXBURG ID 83440		
519 30 2139 0			

NAME AND ADDRESS OF COUNTY ASC COMMITTEE
HADISON COUNTY COMMITTEE P O BOX 128 REXBURG IDAHO 83440

1977
CROP
YEAR

4477
MAILING DATE

DEC 14 1969

22-7502

COOK, STEPHEN B.
THOMAS, HELEN

244 WEST FIRST SOUTH, REXBURG, ID 83440

Source: GROUNDWATER

Date Filed: 06/27/1985

Diversion Pt: SWSW Sec 32 T 06N R 40E LOT 03 (SENW) Sec 04 T 05N R 40E

Use: IRRIGATION (0.80 CFS)

In: SWSE Sec 32 T 06N R 40E FOR 40 ACRES

FILED

DEC 14 1989

WATER RIGHT
DATA ENTRY LOG

[illegible]