


Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Boise Id., this 25 day of Feb., 1988.

Heather Zollinger
(Signature)

*amended to correct error
in map on original application.*

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$20.00 rec'd Received by dg Date 2-29-88 # 46450
Publication prepared by AB Date _____ Published in Lexburg Standard Trust
Publication dates 6-21, 28-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, _____, Director of the Department of Water Resources hereby


MICROFILMED

SEP 04 1990

Witness my hand this _____ day of _____, 19 _____

Director

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

SEP 04 1990

Harvey Z. Dwyer
(Applicant) (owner)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 08 1994
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 22-7495
Phone No. 334-1335
1. Owner: Zollinger Partnership % Leroy Zollinger
Current Address: 8611 Bryn Wood, Boise Id 83704
2. Accompanied by: Stanley Sutton EXAM. DATE: 7-16-1992
Address: 578 E 7000 S Rexburg Id 83440 Phone No. 356-3562
Relationship to Permit Holder: _____
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: 22-2251/7090/7493/7495/7513
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).

RECEIVED
JUN 09 1994





Sutton Cem

POINT OF DIVERSION #1

POINT OF DIVERSION #2

- 22-2251
- 22-7493
- 22-7495
- 22-7513
- 22-7090
LICENSE

JUN 09 1994
22-7495

SEC 28

T-1390

#874

T R40E
S N

174.6

10

33

30

18.8

POINT OF
DIVERSION #1

SEC 33

PLACE OF USE
22-7495

105.9

3

20

26

124.1

5

2087

2

149.5

2

POINT OF
DIVERSION #2

154.1

40

2084

22-7495

#910

39

191.3

34

34

31

33

38

T-1270

T-1139

ROAD

CANAL

5100

4911

Sutton Cem

POINT OF DIVERSION #1

4950

5075

33

5150

PACIFIC

5200

PLACE OF USE
22-7495

20

33 = 34

28 = 27

I 5 R40E
N

5224

POINT OF DIVERSION #2

5328

34 = 35

27 = 26

5324

22-7495

JUN 09 1994

5363

5340

34


BM 5147

SOURCE
BUGY

5100

4925


4922



FLOW MEASUREMENT PORT

Booster

WELL #1



well
#1

Booster

JUN 09 1994

22-2251

THE STANDARD-JOURNAL
Rexburg, Idaho
AFFIDAVIT OF PUBLICATION

STATE OF IDAHO
County of Madison

I, Terry Weatherston being first duly sworn, depose and say, that I am the printer of THE STANDARD-JOURNAL, a semi-weekly newspaper printed and published semi-weekly at Rexburg, Madison County, Idaho; and I do solemnly swear that the

Notice Of Application a copy of which notice appears attached hereto, was published in the regular and entire issue of said newspaper, and not in any supplement issue thereof for

Two consecutive issues, the first publication having been made on June 21, 1990 and the last publication having been made on June 28, 1990

Further, that said newspaper is one of general circulation in said county; that it is a legal newspaper, conforming to legal specifications under the Idaho Statutes; that it has at least two hundred bona fide subscribers living within the county of publication; and that it has been continuously and uninterruptedly published in said county during a period of seventy eight consecutive weeks prior to the first publication of the said notice.

Terry Weatherston

STATE OF IDAHO)
COUNTY OF MADISON)

On this 29th day of June in the year of 1990, before me, a Notary Public, personally appeared Terry Weatherston, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Geoffrey L. Jorda
Notary Public for Idaho

Residing at Rexburg, Idaho
My commission expires: June 8, 1993.

RECEIVED

JUL - 2 1990

Department of Water Resources
Eastern District Office

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

22-07495

ZOLLINGER PARTNERSHIP
8611 BRYNWOOD

BOISE, ID 83704

Source: GROUNDWATER

Diversion Pt: NWNW Sec 33 T 05N R 40E

Use: IRRIGATION (.400 CFS) Total
Diversion: (.400 CFS)

Date filed: 5/24/1985

In: T05N R40E S33 NENW 20.0
ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before July 9, 1990.


R. KEITH HIGGINSON
Director

Publ. June 21 and 28, 1990J.

MICROFILMED

SEP 04 1990

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Harvey Zilinger
(Applicant)

RECEIVED
 OCT 15 1985
 Department of Water Resources
 Eastern District Office

SCALE 1" = 1320'




MICROFILMED
 SEP 04 1990

160
 220
 60

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

IGNED TO ZOLLINGER FARMS



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 22-07495

Priority: May 24, 1985

Maximum Diversion Rate:

0.17 CFS

This is to certify, that ZOLLINGER PARTNERSHIP

8611 BRYNWOOD

BOISE ID 83704

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 24, 1985; and has submitted Proof of Beneficial Use on July 8, 1991. An examination indicates that the works have a diversion capacity of 9.110 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.17 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 27, Township 05N, Range 40E
NWNW , Sec. 33, Township 05N, Range 40E
MADISON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	40E	33	NWNE	20		20

Total number of acres irrigated: 20

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The issuance of this right in no way grants any right-of-way or easement across the land of another.
5. Use of this right with the rights listed below is limited to a total combined diversion rate of 9.11 cfs, a total combined annual diversion volume of 3324.8 af, and to the irrigation of a combined total of 1081 acres in a single irrigation season.
6. The combined rights include: 22-02251, 22-07493, 22-07513, and 22-07090.
7. The following rights are also diverted through the point(s) of diversion described above: 22-02251, 22-07493, 22-07513, and 22-07090.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 30TH day of APRIL, 1994.

JUN 09 1994

Acting for

R. Keith Higginson, Director

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 22-07495

RECEIVED
APR 21 1994
Department of Water Resources

Date of Priority: May 24, 1985 Maximum Diversion Rate: 0.17 CFS
Comes now ZOLLINGER PARTNERSHIP
8611 BRYNWOOD
BOISE ID 83704 and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 22-07495, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.17 CFS	

LOCATION OF POINT(S) OF DIVERSION: SESW , Sec. 27, Township 05N, Range 40E
NWNW , Sec. 33, Township 05N, Range 40E
MADISON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	40E	33	NWNE	20		20

Total number of acres irrigated: 20

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, this 20 day of ap, 1994.

RECEIVED

Michael Zollinger
(Signature)

JUN 09 1994

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 22-07495

FOR DEPARTMENT USE ONLY

Preliminary check by df Fee = 20⁰⁰ Receipted by dw # C030124 Date 4/21/94 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 22-07495 with the following;

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The issuance of this right in no way grants any right-of-way or easement across the land of another.
5. Use of this right with the rights listed below is limited to a total combined diversion rate of 9.11 cfs, a total combined annual diversion volume of 3324.8 af, and to the irrigation of a combined total of 1081 acres in a single irrigation season.
6. The combined rights include: 22-02251, 22-07493, 22-07513, and 22-07090.
7. The following rights are also diverted through the point(s) of diversion described above: 22-02251, 22-07493, 22-07513, and 22-07090.

Witness my hand this 30th day of April, 1994.

Acting for R. Keith Higginson, Director

RECEIVED
APR 21 1994

09 1994

RECEIVED
JUL 08 1991

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 100.00
Date 7-9-91
Receipt No. 0021098
Received by [Signature]

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 22-07495 Telephone No. 208-376-8285 HOME
334-1335 WORK
2. Name(s) of Permit Holder(s): ZOLLINGER PARTNERSHIP
3. Post Office Address: 8611 BRYNWOOD BOISE ID 83704
4. Source of Water: Well
- a. If ground water, well driller's name: HOPKINS Date drilled: 1970
- b. Pump horsepower: 450 Pressure (psi): _____ Dynamic pumping level (ft.): 7 400'-450
5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 20 (No. of acres)

Stockwater _____ (No. and type of stock)

Other THIS 20 AC. IS JUST PART
of a bigger acreage.6. Total rate and/or volume for which proof is submitted 0.4 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No8. Fee Enclosed: \$ 100 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

STAN SUTTON

Name

356-3562

Telephone No.

Route 3, Rexburg ID 83440 (ARCHER ID)

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

7/3/91

Signature (and title if on behalf of a company or organization)

[Signature]President**RECORDED**

DEC 09 1991

NOTE - 20a. west of R.R..
PART of Jackson Piece

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 22-07495

Proposed Priority: May 24, 1985 Maximum Diversion Rate: 0.40 CFS
This is to certify, that ZOLLINGER PARTNERSHIP

8611 BRYNWOOD
BOISE, ID 83704

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

04/01 to 10/15

0.40 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWNW Sec. 33, Township 05N, Range 40E
MADISON County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

05N 40E 33

NENW 20

20

Total number of acres irrigated:

20

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
6. The maximum rate of diversion for irrigation purposes under this permit shall not exceed 0.40 cfs.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21st day of August, 1990

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

SEP 04 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

application for
~~AN INTERIM~~
APPLICATION FOR AMENDMENT OF ~~X~~ PERMIT

FEB 26 1988

To change the point of diversion and/or the place of use.

Department of Water Resources
Eastern District Office

HLZ
Comes now Zollinger Farms Inc. Partnership (6-5-90) PHONE: 334-1335

of (address) 8611 Brynwood, Boise, Idaho 83704, and represents to the

Director of the Idaho Department of Water Resources:

That he is the owner and holder of ^{application} ~~Permit~~ to Appropriate the Public Waters of the State of Idaho
No. 22-7494, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NW 1/4 NW 1/4, Section 33, Township 5N, Range 40E, B.M.,
County of Madison. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

HLZ 0.40 6590
Amount 24 for irrigation purposes from 4/1 to 10/15 (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
5N	40E	<u>34</u>		<u>20</u>	<u>20</u>		<u>40</u>	<u>40</u>	<u>40</u>	<u>40</u>									<u>-200-</u>
		<u>33</u>	<u>40</u>	<u>40</u>	<u>30</u>	<u>40</u>	<u>20</u>												<u>170 20</u>

Total number of acres to be irrigated = 370 20


4. a. Who owns the property at the point of diversion? Stan Sutton HLZ 6-5-90
b. Who owns the land to be irrigated or the place of use? Zollinger Farms Inc.
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: Property irrigated is leased to Stan Sutton and Zollinger Farm has easement to well.

MICROFILMED

SEP 04 1990

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Boice Rd., this 25 day of Feb., 1988.

Walter Zollinger
(Signature)
*amended to correct error
in map on original application.*

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee \$20.00 Receipted by dx Date 2-29-88 # 46450
Publication prepared by LB Date _____ Published in Lexburg Standard Trust
Publication dates 6-21, 28-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, _____, Director of the Department of Water Resources hereby

MICROFILMED

SEP 04 1990

Witness my hand this _____ day of _____, 19 _____

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Zollingers Farm Inc. Phone 376-8285

Post office address 8611 Brynwood, Boise, Idaho 83704

2. Source of water supply Deep well Groundwater which is a tributary of Snake Aquifer N/A

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 33 Township 5N

Range 40E B.M. Madison County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 7.4 for irrigation purposes from April 1 to October 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 7.4 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. deep well, pump, and
pipeline to sprinklers

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____ or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

SEP 04 1990

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5N	40E	34	20	40	40	20	40	40	40	40									280
		33	40	20		30													90

Total number of acres to be irrigated 370


c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Stan Sutton
- b. Who owns the land to be irrigated or place of use Zollingers Farm Inc.
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Property irrigated is leased to Stan Sutton and
Zollingers Farm has easement to well.

10. Remarks This does not preclude our rights
to establish prior priority rights since
the well has been in use since
1970.

MicroFILMED
SEP 04 1990

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

SEP 04 1990

Harvey Zoller

(Applicant) (owner)

Received by PW Date 5-28-85 Time 11:31
Preliminary check by Jim GA Fee \$ 185.00
Receipted by KW Date 5/24/85 # 36534
Publication prepared by _____ Date _____
Published in _____
Publication dates _____
Publication approved _____ Date _____
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED

SEP 04 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 2, 1994

ZOLLINGER PARTNERSHIP
8611 BRYNWOOD
BOISE ID 83704

RE: WATER RIGHT NO. 22-07495

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal flourish extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

Handwritten initials or a signature in the bottom right corner of the page.

JUN 09 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 15, 1994

ZOLLINGER PARTNERSHIP
8611 BRYNWOOD
BOISE ID 83704

RE: WATER RIGHT NO. 22-07495

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur or have any questions with this information, please contact me as soon as possible. My telephone number is (208) 327-7947.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED
JUN 09 1994

WR0749NP
No. L22-07495

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 04/14/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ZOLLINGER PARTNERSHIP 8611 BRYNWOOD BOISE ID 83704 (208) 334-1335	05/24/1985	IRRIGATION	04-15 10-15	0.17 CFS	
TOTAL DIVERSION:					0.17 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 9.11 CFS

Point(s) of Diversion: T05N R40E S27 SESW MADISON County
S33 NWNW MADISON County

Place of use Legal Description for: IRRIGATION

NE												NW				SW				SE					
T	R	S	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	Lt	Ac	: SUM
05N	40E	33	:								:								:						: 20.0
TOTAL ACRES																							20.0		

Pou County: MADISON

Other Water Rights with Same Point(s) of Diversion and Source:
22-07090 22-07493 22-07495 22-07513 L22-02251 L22-07493 L22-07513

Other Water Rights Listing Overlapping Place(s) of use:
22-02251 L22-02251 L22-07513

Conditions of Approval:

004 - The issuance of this right in no way grants any right-of-way
- or easement across the land of another.

Remarks: Use of this right with the rights listed below is limited to a total combined diversion rate of 9.11 cfs, a total combined annual diversion volume of 3324.8 af, and to the irrigation of a combined total of 1081 acres in a single irrigation season. The combined rights include: 22-02251, 22-07493, 22-07513, and 22-07090. The following rights are also diverted through the point(s) of diversion described above: 22-02251, 22-07493, 22-07513, and 22-07090.

Dates: App. Received: 05/24/1985 Priority Date: 05/24/1985
Proof Due Date: 09/01/1991 Proof Made Date: 07/08/1991
Exam Made Date: 07/16/1992 Exam Sent to S.O.: 04/01/1994
Licensed Date:

Misc: Water District Number: Field Exam Fee:

WR0749NP
No. L22-07495

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 04/14/94
PAGE: 2

=====
Comments: Date: 11/29/1991 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 04/14/94 CHAPMAN 04/14/94 CHAPMAN

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L2207495	T05N R40E S33 GROUNDWATER																	
	:																	20
0100180	SNAKE RIVE :																	
A0110013	SNAKE RIVE :																	
2202251	GROUNDWATE :	40	40	40	40													160
A2202251	GROUNDWATE :	40	40	30	40	20												170
L2202251	GROUNDWATE :	40	03	24	40													107
A2204064	GROUNDWATE :					02												2
2207495	GROUNDWATE :					20												20
2207513	GROUNDWATE :						40									25	30	95
L2207513	GROUNDWATE :			12	02		08	30								18	23	93

POU COMPARISON

LICENSE REVIEW CHECKLIST



PERMIT NO. 22-7495 DATE 4-14-94

NAME Yes No ✓ Or Address Change?

PRIORITY DATE ✓ Advance? Advanced to:
 Order to reinstate needed?
 Incorrect fee for rate recommended? NO

SOURCE ✓ Changes or just clarification of originally intended source?
 Notice of Intent to Void necessary?

POINT OF DIV ✓ Amendment needed? Add SESW SEC 27
✓ Overlaps? 22-2251/22-7090/22-7493/22-7513

PLACE OF USE ✓ Amendment needed? CHANGE to NWNE OF 33
 ✓ Overlaps?

DIV RATE ✓ Measurement done? ✓ Theoretical only?
Q FOR WELL #1 IN SEC 33 = 4.73
Q FOR WELL #2 IN SEC 27 = 4.38
20 X NEW RATE = .17 CFS
Capacity: 9.11 Combined rates exceed capacity YES -
All combined = 10.42 Allowable amount: 20 X .02 = .40 CFS CONDITION

ANNUAL VOLUME ✓ Season of use: B/3.5 (4-15 to 10-15)
Calculations: 10.41 ACRES X 3.5 = 37.835
Flow limit: 9.11 cfs x 184 x 1.9835 = 3324.8
Combined volumes exceed capacity/allowable YES -
CONDITION

USES ✓ Change(s) in Nature of Use?
 Amendment necessary?

REMARKS ✓ Multiple p/d(s) in ¼ ¼?
w28 w29 Other RATE @ 9.11 VOL @ 3324.8

CONDITIONS ✓ Measuring/Locking Devices
 ✓ Watermaster control - District
 ✓ Irrigation Overlap
004 ✓ Water Quality
 Other

COMMENTS: Reduce rate

Amend P/D + P/U

RECOMMENDED	CFS	VOLUME	LICENSE
<u>Irrigation</u>	<u>.17</u>	<u>DONT</u>	
<u> </u>	<u> </u>	<u>LIST</u>	
<u> </u>	<u> </u>	<u> </u>	
<u> </u>	<u> </u>	<u> </u>	
			1ST AMENDMENT LETTER <u>P37 + P38</u>
			FINAL AMENDMENT LETTER <u>P47</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

APR 08 1994

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Zollinger Partnership % Leroy Zollinger Permit No. 22-7495
Current Address: 8611 Bryn Wood, Boise Id 83704 Phone No. 334-1335
2. Accompanied by: Stanley Sutton EXAM. DATE: 7-16-1992
Address: 578 E 7000 S Rexburg Id 83440 Phone No. 356-3562
Relationship to Permit Holder: _____
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: 22-2251/7090/7493/7495/7513 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED
JUN 09 1994

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Two wells, pumps mainline to 7 center pivots and laterals with sprinklers. Corners of circles are done with corner catcher from the pivots and laterals with sprinklers portable mainline from the mainline delivers water to NW $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$ & SW $\frac{1}{4}$ SE $\frac{1}{4}$ (1/2 ac) Sec 33, T5N, R40E.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1	US Motors Holloshaft	300	HC1029564	Poerless	219596
#1 Boute	GE	100	DFJ408134	Johnston	GC-1410
#2 Well	GE	600	MMJ1222020	Layne & Boculer	12"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#1			NW	NW	33	5N	40E	Madison	Map / on site inspection
#2			SE	SW	27	5N	40E	Madison	" "

6. Place(s) of Use:

Indicate Method of Determination ON SITE INSPECTION

Twp.	Rge.	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
5N	40E	33				20													20

SEE ATTACHED LAND LIST ATTACHMENT FOR COMPLETE SYSTEM PLACE OF USE LAND LIST

Do not use this space

JUN 09 1994

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flow Meter Station	Annubar	Dieterich	7517-316-ss	191166	13.25	
Flow indicator	Monometer	IDWR			60"	
Pressure gage		Rainbird			0-160	

2. Measurements:

System #1 Use Measurements Permit # 22-7090 (7-1-1981) Pump # 2 $Q = 4.38$ cfs
 PSI = 145 psi 22-2251 (6-15-1989) Pump # 1 $Q = 4.73$ cfs
 Monometer = $28.6 - 20.4 = 8.2$ "
 $Q_{TOTAL} = 9.11$ cfs
 System # 2 Field Exam $Q = 4.38$ cfs

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

$$Q = 9.11 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
 Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)
 Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
 Meter Input HP: (6) x 1.34 = _____ (7)
 Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)
 Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (20 \text{ ac})(3.5) = 70 \text{ af}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.17 \text{ cfs})(183)(1.9835) = 61.7$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 61.7$

2. Volume Calculations for Other Uses:

APPROVED
 JUN 09 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

SEE ATTACHED "POINT OF DIVERSION OVERLAP REVIEW"

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/1	0.17 cfs	61.7 afa *
Totals:			0.17 cfs	61.7 afa *

2. Recommended Amendments

☐ Change P.D. as reflected above

☒ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

KEITH C. WILSON

Signature

Keith C. Wilson

Certification Date

Field Report Preparation Date

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee, on a computer printout attached hereto.

* Volume not reg'd when combined w/ overlapping wtr. rts. of 4-30-94

JUN 09 1994

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Frank J. Natus

Date 6-15-89

Owner: _____

Permit No. 22-2251

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

Item E, pump #1 NWNW, Sec 33, T5N, R40E

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = _____

T = Pipe Thickness in Inches = _____

ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots 13.625 "$

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 13.25 "

State ID No. 191166

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14" - 16"	4.01
18" - 24"	4.02
30" or larger	4.03

C selected 3.99

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 28.6 "

Low Reading = 20.4 "

High - Low = H = 8.2 "

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(13.625)^2 \cdot (\sqrt{8.2}) \cdot (3.99)}{448.8} = 4.726 \text{ cfs} \approx 4.73 \text{ cfs}$$

SKETCH (If not shown on Field Report)

ALSO FOR:

22-07493

22-07495

22-07090

22-07513

BC

JUN 09 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
POINT OF DIVERSION OVERLAP REVIEW

22-7495
Permit Number

1. Analysis of Entire System, Current Application Rate per Acre (Qc):
Limit to 0.02 cfs/ac, Permitted Amount, or System Capacity, Whichever is Less.

A. Total Diversion Rate (Qt) =

$$\frac{4.38 \text{ cfs}(22-7090) + 4.73 \text{ cfs}(22-2251/7493/7495/7513)}{Qt = 9.11 \text{ cfs}}$$

B. Total Number of Acres irrigated = 1081 acres

Qc = Total Diversion rate [1.A]/Total irrigated acres [1.B]

$$= \frac{9.11 \text{ cfs}}{1081 \text{ acres}} = 0.0084273 \text{ cfs/ac}$$

2. Old Application Rate per Acre (Qo) from Licensed Flow Rates:

License # 22-07090 @ 4.38 cfs / 406 ac = 0.0107881 cfs/ac
 Qc = 0.0107881 cfs/ac

3. Comparison of Application Rates:

Old Application Rate(Qo) > New Application Rate(Qc)

$$Qo(\#2) = 0.0107881 \text{ cfs/ac} > Qc(\#1) = 0.0084273 : \text{EXCLUDE Licensed Lands.}$$

4. Calculate Flow Rate to be licensed excluding licensed land.

Total Acres(#1.B) - Lic. Acres(#2) = New Acres (<u>1081 ac</u>) - (<u>406 ac</u>) = <u>675 ac</u>	22-02251 = 280 acres 22-07493 = 280 acres 22-07495 = 20 acres 22-07513 = 95 acres <u>675 acres</u>
--	--

Qt for 22-2251 = Qc(#1) x (# New Acres 22-2251) = 0.0084273 cfs/ac x 280 ac

Qt 22-2251 = 2.359 cfs = 2.36 cfs

Qt for 22-7493 = Qc(#1) x (# New Acres 22-7495) = 0.0084273 cfs/ac x 280 ac

Qt 22-7493 = 2.359 cfs = 2.36 cfs

Qt for 22-7495 = Qc(#1) x (# New Acres 22-7495) = 0.0084273 cfs/ac x 20 ac

Qt 22-7495 = 0.1685 cfs = 0.17 cfs

Qt for 22-7513 = Qc(#1) x (# New Acres 22-7513) = 0.0084273 cfs/ac x 95 ac

Qt 22-7513 = 0.8006 cfs = 0.80 cfs

CONDITIONS/REMARKS:

THIS RIGHT IN COMBINATION WITH 22-7090, 22-2251, 22-7493,
 & 22-7513, SHALL NOT EXCEED 9.11 cfs.

APPROVED
JUN 09 1994

22-7495

PERMIT NUMBER

ALTERNATE COMPUTATION SHEET:

WELL LOGS: WELL #1 (Static level = 52 ft) drilled 1970
WELL #2 (Static level = 451 ft) drilled 1975

ELEVATIONS DIFFERENCE BETWEEN WELL #1 & #2 = 375 ft.
ELEVATION OF WELL #2 - ELEVATION OF WELL #1 =
(5300 ft - 4925 ft) = 375 ft

ASSUMPTIONS:

1. Wells #1 & #2, are in the same aquifer
2. The static water level of the wells 1 & 2 differs only by the elevation difference.
3. The current static water level will be determined by the well drilled last (i.e. well #2).
4. The efficiency of both wells is 70%
5. Dynamic pumping level well #1 will be an additional 65 ft. or 141 ft total dynamic pumping level.
6. Well #1 psi = 165 psi
7. Well #2 (600 hp) will have a proportional change in the dynamic pumping level as well #1 (400 hp).

STATIC WATER LEVEL: (Assumptions #1 - #3)

WELL #2 = 451 ft.

WELL #1 = STATIC LEVEL WELL #2 - ELEVATION DIFFERENCE =
= (451 ft - 375 ft) = 76 ft

FLOW CALCULATIONS: (Assumptions #4 - #7)

WELL #1 (hp = 300 motor + 100 booster = 400 hp)
pumping depth = 65 ft + 76 ft = 141 ft


$$Q = \frac{(HP)(8.814)(EFF)}{(LIFT) + (2.308 \times PSI)} = \frac{(400)(8.814)(0.70)}{(141) + (2.308 \times 165 \text{ psi})} = \underline{4.73 \text{ cfs}}$$

WELL #2 (Note: If 400 hp well has a 141 ft pumping depth a 600 hp well would have 661 ft pumping depth.)
(141 ft/400 hp = X ft/600 hp, X = 211.5 ft. = 210 ft
210 ft + static level (451 ft) = 661 ft)


$$Q = \frac{(HP)(8.814)(EFF)}{(LIFT) + (2.308 \times PSI)} = \frac{(600)(8.814)(0.70)}{(661) + (2.308 \times 80 \text{ psi})} = \underline{4.38 \text{ cfs}}$$

TOTAL DIVERSION RATE = Q1 + Q2 = 4.73 cfs + 4.38 cfs = 9.11 cfs

JUN 09 1994



22-7495
JUN 09 1994



LAND LIST ATTACHMENT

Description and location of place of use:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS	
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4		
< 22-2251 >																			< 22-2251 >	
5N	40E	33	40	3	24	40												107	} 280 _{ac}	
		34		12	12		37	39	39	34								173		
< 22-7493 >																			< 22-7493 >	
5N	40E	27															8	8	} 280 _{ac}	
		34	38	23	19	33				5		5	39	36	36	38	272			
< 22-7495 >																			< 22-7495 >	
5N	40E	33		20														20	} 20 _{ac}	
< 22-7513 >																			< 22-7513 >	
5N	40E	28									2							2	} 95 _{ac}	
		33		12	2		8	30					18	23				93		

Total number of acres irrigated 675 acres

22-7495

JUN 09 1994

T-1390

T R40E

4874

zu

174.6
10

PLACE OF USE
22-7495

40
149.5
2

POINT OF
DIVERSION #2

157

12


POINT OF
DIVERSION #

510

22-7495




ROAD



22-7495


JUN 09 1994



FLOW MEASUREMENT PORT

WELL #1

Booster



well
#1

Booster

JUN 09 1994

22-2251

July 12, 1991

ZOLLINGER PARTNERSHIP
8611 BRYNWOOD
BOISE, ID 83704

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 22-07495

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

DEC 09 1991

/38761

June 30, 1991

ZOLLINGER PARTNERSHIP
8611 BRYNWOOD
BOISE, ID 83704

PROOF DUE NOTICE

RE: PERMIT NO. 22-07495

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

DEC 09 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 21, 1990

ZOLLINGER PARTNERSHIP
8611 BRYNWOOD
BOISE, ID 83704

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 22-07495

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water.

MICROFILMED

SEP 04 1990

Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 04 1990

THE STANDARD-JOURNAL
Rexburg, Idaho
AFFIDAVIT OF PUBLICATION

STATE OF IDAHO
County of Madison

I, Terry Weatherston being first duly sworn, depose and say, that I am the printer of THE STANDARD-JOURNAL, a semi-weekly newspaper printed and published semi-weekly at Rexburg, Madison County, Idaho; and I do solemnly swear that the

Notice Of Application a copy of which notice appears attached hereto, was published in the regular and entire issue of said newspaper, and not in any supplement issue thereof for

Two consecutive issues, the first publication having been made on June 21, 1990 and the last publication having been made on June 28, 1990

Further, that said newspaper is one of general circulation in said county; that it is a legal newspaper, conforming to legal specifications under the Idaho Statutes; that it has at least two hundred bona fide subscribers living within the county of publication; and that it has been continuously and uninterruptedly published in said county during a period of seventy eight consecutive weeks prior to the first publication of the said notice.

Terry Weatherston

STATE OF IDAHO)
COUNTY OF MADISON)

On this 29th day of June in the year of 1990, before me, a Notary Public, personally appeared Terry Weatherston, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Joseph B. Judd
Notary Public for Idaho

Residing at Rexburg, Idaho
My commission expires: June 8, 1993.

RECEIVED

JUL - 2, 1990

Department of Water Resources
Eastern District Office

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

22-07495

ZOLLINGER PARTNERSHIP
8611 BRYNWOOD

BOISE, ID. 83704

Source: GROUNDWATER

Diversion Pt: NWNW Sec 33 T 05N R 40E

Use: IRRIGATION (.400 CFS) Total
Diversion: (.400 CFS)

Date filed: 5/24/1985

In: T05N R40E S33 NENW 20.0
ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before July 9, 1990.

R. KEITH HIGGINSON
Director

Publ. June 21 and 28, 1990J.

MICROFILMED

SEP 04 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

JUNE 13, 1990

THE REXBURG STANDARD-JOURNAL
P.O. BOX 10
REXBURG, ID 83440

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 9, 1990.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

SEP 04 1990

Diversion Pt: NWNW Sec 33 T 05N R 40E

Date Filed: 5/24/ 1985

20.0 ACRES TOTAL

SEP 04 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JULY 9, 1990.

R. Keith Higginson, Director

Published 6/21/1990 & 6/28/1990

MICROFILMED

SEP 04 1990

MEMORANDUM

TO: FILE/APPLICATION NO. 22-7495
FROM: TIM LUKE *TJL*
RE: SWAN FALLS PROCESSING/AMENDMENTS
DATE: 6-5-90

=====

This application, as originally filed, covered lands under permit no. 22-2251 which had lapsed for some time and was recently reinstated with a 1988 priority.

The attached overlap analysis shows that all but 20 acres under this application are covered by the reinstated permit. The applicant, Leroy Zollinger, visited the office today and agreed that the application could be amended to the 20 acres not covered by the reinstated permit.

With the information submitted by Zollinger in reinstating permit 22-2251, there is sufficient evidence concerning pre-1984 development of the 20 acres under this amended application. The application therefore is exempt from the review requirements of section 42-203C and will be returned to the region for routine advertising. Trust conditions are not applicable.

MICROFILMED

SEP 04 1990

PAGE: 1

PLACE OF USE 1/4 1/4 OVERLAP REPORT

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE	NW	SW	SE	NE	NW	SW	SE	SUM
2207495	SUNNIDELL IRRIGATION C D		SNAKE RIVER,												
0100180	ZOLLINGER	-P	GROUNDWATER	05N	40E	33									
2202251	ZOLLINGERS FARM INC.	A	GROUNDWATER	05N	40E	33	40	40	40						
2207495	STANLEY SUTTON	A	GROUNDWATER	05N	40E	33	40	40	40						160
2207513	BYRNE	A	GROUNDWATER	05N	40E	33	40	40	40						170
2207654	NO MAPPING INFO AVAILABLE			05N	40E	33									275
															22
															22
2207495	ZOLLINGER	-P	GROUNDWATER	05N	40E	34	40	40	40						
2202251	ZOLLINGERS FARM INC.	P	GROUNDWATER	05N	40E	34	40	40	40						280
2207493	ZOLLINGERS FARM INC.	A	GROUNDWATER	05N	40E	34	40	40	40						440
2207495	STANLEY SUTTON	A	GROUNDWATER	05N	40E	34	40	40	40						200
2207513	NO MAPPING INFO AVAILABLE			05N	40E	34	40	40	40						280

Updated average - portions of present assignment from Linton & B. H. H. H. H.

MICROFILMED

SEP 14 1990

1006
 2207495 NE NW Sec 34 T4N40E → NW NW Sec 32
 2207495 SE NW Sec 27
 2207513 NW NW Sec 33



State of Idaho

DEPARTMENT OF WATER RESOURCES

Eastern Region

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

Mailing Address:
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

February 16, 1988

Mr. H. Leroy Zollinger
8611 Brynwood Dr.
Boise, Idaho 83704

Dear Mr. Zollinger:

Pursuant to your correspondence, I have prepared an application to amend ~~Permit~~ ^{App.} #22-7494 ⁷⁴⁹⁵ as you requested.

Please review the Application for Amendment for correctness and, if you find everything in order, return the signed form along with the appropriate fee (\$20.00) to our office.

Your cooperation is appreciated. If you have any more questions please feel free to contact our office.

Sincerely,

Eric S. Verner
Sr. Water Resource Agent

Enclosure

MICROFILMED

SEP 04 1990

RES.: BRYNWOOD DR.
BOISE, IDAHO 83704
(208) 376-8285

334-1335
OFF.: (208) 376-1443

MICROFILMED

H. LEROY ZOLLINGER P.E.

STATE CONSERVATION ENGINEER

SEP 04 1990

SOIL CONSERVATION SERVICE
U.S. DEPARTMENT OF AGRICULTURE
ROOM 345, 304 NO. 8TH STREET
BOISE, IDAHO 83702

Earnest Carlsson
Asst. Regional Manager
IDWR.

2-88

RECEIVED

FEB 12 1988

Department of Water Resources
Eastern District Office

Ref. Water application Permit no
22-7495

Dear Earnest

In reviewing my water-right applications, I have found an error in the map for application no. 22-7495

I have redone the map for correctness (see enclosure)

You will find that 80 ac. in Sec. 34 is covered under water-rights application no. 22-7493 and also no. 22-7495.


Application no. 22-7495 should have been $\frac{1}{4}$ mile further to the west. There is no change in total acres.

MICROFILMED

SEP 04 1990

Thank you
Whitney Zollinger

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Hubert J. Dilling
(Applicant)

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5	40E	34	20	40	40	20	40	40	40	40									280
5	40E	33	40	20		30													90
		34		20	20		40	40	40	40	} CORRECTED 288								200
		33	40	40	30	40	20												170

Total number of acres to be irrigated 370

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Stan Sutton

b. Who owns the land to be irrigated or place of use Jollinger Farm Inc.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

Property irrigated is leased to Stan Sutton and Jollinger Farm has easement to well.

10. Remarks

MICROFILMED

SEP 04 1990


150 SHOP - suite 15
Ed. F. 83402

RECEIVED

OCT 15 1985

Department of Water Resources
Eastern District Office

SCALE 1" = 1320'



MICROFILMED


SEP 04 1990

1-2-0
220
60

ZOLLINGER
(H.L.E.)
2ND Night
FING →
CITY
LIMITS

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

DESIGNED TO ZOLLINGER FARMS



Scale: 2 inches equal 1 mile.

22-2495

ZOLLINGERS FARM INC.

8611 BRYNWOOD, BOISE, ID 83704

Source: GROUNDWATER

Date Filed: 05/24/1985

Diversion Pt: NWNW Sec 33 T 05N R 40E

Use: IRRIGATION (7.40 CFS)

SWNE

In: ~~NENE~~ NWNE SWNE ~~SENE~~ NENW NWNW SWNW SENW Sec 34 T 05N R 40E NENE NWNE [↑]SENE NENW
Sec 33 T 05N R 40E FOR 370 ACRES

MICROFILMED

SEP 04 1990