


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

JUN 01 1990

David Wood (Sec Beth Wood for ch
(Applicant)

THE STANDARD-JOURNAL
Rexburg, Idaho
AFFIDAVIT OF PUBLICATION

STATE OF IDAHO
County of Madison

I, Terry Weatherston being first duly sworn, depose and say, that I am the printer of THE STANDARD-JOURNAL, a semi-weekly newspaper printed and published semi-weekly at Rexburg, Madison County, Idaho; and I do solemnly swear that the

Notice Of Water Rights a copy of which notice appears attached hereto, was published in the regular and entire issue of said newspaper, and not in any supplement issue thereof for

Two consecutive issues, the first publication having been made on September 7, 1989 and the last publication having been made on September 14, 1989.

Further, that said newspaper is one of general circulation in said county; that it is a legal newspaper, conforming to legal specifications under the Idaho Statutes; that it has at least two hundred bona fide subscribers living within the county of publication; and that it has been continuously and uninterruptedly published in said county during a period of seventy eight consecutive weeks prior to the first publication of the said notice.

Terry Weatherston

STATE OF IDAHO)
COUNTY OF MADISON)

On this 15th day of September in the year of 1989, before me, a Notary Public, personally appeared Terry Weatherston, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Raymond H. [Signature]
Notary Public for Idaho

Residing at Rexburg, Idaho
My commission expires: June 8, 1993.

RECEIVED

OCT - 2 1989

Department of Water Resources
Eastern District Office

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

22-07472

GARTH SUTTON FARMS INC.
RT. 3 BOX 216
REXBURG, ID 83440
Source: GROUNDWATER
Diversion Pt. SESW Sec 31 T 05N R

41E

Use: IRRIGATION (2.800 CFS)
Date Filed: 11/30/1983
In: T04N R41E S06 NESW NWSE,
T05N R41E S32 NWSW SWSW SESW
SWSE 140.0 ACRES TOTAL

22-07476

ARLENCO INC.
RT. 4 BOX 139
REXBURG, ID 83440
Source: GROUNDWATER
Diversion Pt. SENE Sec 17 T 05N R

40E

Use: IRRIGATION (3.140 CFS)
Date Filed: 2/10/1984
In: T05N R40E S20 NENE NWNE
NENW NWNW 157.0 ACRES TOTAL

22-07481

SUMMERS, DANNY
ROUTE 1
SUGAR CITY, ID 83448
Source: GROUNDWATER
Diversion Pt: NWNW Sec 15 T 05N R

41E

Use: IRRIGATION (3.200 CFS)
Date Filed: 9/25/1984
In: T05N R41E S15 NWSW SWSW,
S16 NESE SESE 160.0 ACRES TOTAL

22-07485

SETH WOODS FARMS
262 EAST 1ST SOUTH
REXBURG, IDAHO 83440
Source: GROUNDWATER
Diversion Pt: SENE Sec 12 T 05N R

40E

Use: IRRIGATION (7.800 CFS)
Date Filed: 1/11/1985
In: T05N R40E S01 SWSE SESE, S12
NENE NWNE SWNE SENE NENW
SENW, T06N R40E S36 NESE NWSE
SWSE SESE 390.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria fo Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before SEPTEMBER 25, 1989.

R. KEITH HIGGINSON
Director

Publ. Sept. 7 and 14, 1989SJ.

MICROFILMED

JUN 01 1990

Sec. 35
29.25

Sec. 36
29.50

etruce 26.34

T6N

20.49

2 1 3 4 3 T5N 2

0.3 42.68 43.15 44.60 46.06 47.51

Sec. 1.

501.32

160

160

160

N 89° 42' W

N 88° 07' W

79.56

R40E

R41E

Sec. 12.

640

22-07485

T6N 35 36

T6N

T6N

TSN

TSN

T6

TSN

L-4

L-3

L-2

L-1

R40E

FSA AERIAL USED FOR
REFERENCE ACRES WERE
CALCULATED IN ARCVIEW

PLACE OF USE

TSN

T5N

POINT OF
DIVERSION

T-295
NW

2.5

T-2101

24.0

39.0

13.8

36.0

39.0

2.8

17.4

39

38.7

22-07485

R40E R41E

22-07485

$\frac{146.9}{10}$

$\frac{20.6}{4}$


$\frac{153.2}{5}$

$\frac{5.5}{6}$

$\frac{7.9}{1}$

$\frac{45.07}{3.0}$


$\frac{12}{7}$



-  Posnpnt.dbf
-  T05n40e.shp
-  Pu227485.shp
-  S05n40e.shp
-  S05n41e.shp

22-07485

T06N



T
5
N

R40E

R41E




Posnpnt.dbf Point of Diversion



T05n40e.shp



Inters1.shp




S05n40e.shp




S05n41e.shp

22-07485



-  Posnpnt.dbf
-  T05n40e.shp
-  Inters1.shp
-  S05n40e.shp
-  S05n41e.shp

22-07485



● Posnpnt.dbf


□ S05n40e.shp

□ T05n40e.shp


□ S05n41e.shp

□ T05n41e.shp

22-07485




POD # 22-07485



POD # 22-07485

22-07485



State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 22-07485

Proposed Priority: January 11, 1985 Maximum Diversion Rate: 7.80 CFS

This is to certify, that **SETH WOODS FARMS**
262 E. 1ST S.
REXBURG, ID 83440

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/15	7.80 CFS

LOCATION OF POINT(S) OF DIVERSION: SENE Sec. 12, Township 05N, Range 40E
MADISON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	40E	1	SWSE 15	SESE 40		55
		12	NENE 40	NWNE 36	SWNE 40	
			SENE 40	NENW 4	SENE 15	175
06N	40E	36	NESE 40	NWSE 40	SWSE 40	
			SESE 40			160

Total number of acres irrigated: 390

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1994**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

RECEIVED
JUN 01 1990

State of Idaho
Department of Water Resources**Permit To Appropriate Water**

NO. 22-07485

CONDITIONS/REMARKS:

8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

4th day of January, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

RECORDED

JUN 01 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant SETH WOOD FARMS Phone 208-356-7103

Post office address 262 East 1st South Rexburg, ID 83440

2. Source of water supply Well which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 12 Township 5N

Range 40E B.M. MADISON CO. County, additional points of diversion if any: _____

NONE

4. Water will be used for the following purposes:

Amount 7.8 cfs for Irrigation purposes from April 1 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 7.8 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works: Well, Pump, Motor, Mainline and Handlines

a. Description of ditches, flumes, pumps, headgates, etc. _____

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 20 inches; proposed depth of well is 1000 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

JUN 01 1990

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5N	40E	1															15	40	55
5N	40E	12	40	36	40	40	4			15									175
6N	40E	36													40	40	40	40	160

Total number of acres to be irrigated 390

c. Describe any other water rights used for the same purposes as described above. _____

NONE

9. a. Who owns the property at the point of diversion SETH WOOD FARMS

b. Who owns the land to be irrigated or place of use SETH WOOD FARMS

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____


10. Remarks _____

Map is correct as
Section 36 + 1 + 12
Do not line up
AWJ

MICROFILMED

JUN 01 1990

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

JUN 01 1990

David Wood (Sec Seth Wood face it
(Applicant)

Received by OW Date 1-11-85 Time 1:03
Preliminary check by HWS Fee \$ \$185.00 #34384
Receipted by OW Date 1-16-85
Publication prepared by RB Date _____
Published in Rexburg Standard-Journal
Publication dates 9-7-14-89
Publication approved RB Date 10-5-89
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by HWS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED

JUN 01 1990

THE STANDARD-JOURNAL
Rexburg, Idaho
AFFIDAVIT OF PUBLICATION

RECEIVED

OCT - 2 1989

Department of Water Resources
Eastern District Office

STATE OF IDAHO
County of Madison

I, Terry Weatherston being first duly sworn, depose and say, that I am the printer of THE STANDARD-JOURNAL, a semi-weekly newspaper printed and published semi-weekly at Rexburg, Madison County, Idaho; and I do solemnly swear that the

Notice Of Water Rights a copy of which notice appears attached hereto, was published in the regular and entire issue of said newspaper, and not in any supplement issue thereof for

Two consecutive issues, the first publication having been made on September 7, 1989 and the last publication having been made on September 14, 1989.

Further, that said newspaper is one of general circulation in said county; that it is a legal newspaper, conforming to legal specifications under the Idaho Statutes; that it has at least two hundred bona fide subscribers living within the county of publication; and that it has been continuously and uninterruptedly published in said county during a period of seventy eight consecutive weeks prior to the first publication of the said notice.

Terry Weatherston

STATE OF IDAHO)
COUNTY OF MADISON)

On this 15th day of September in the year of 1989, before me, a Notary Public, personally appeared Terry Weatherston, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Raymond R. Ridd
Notary Public for Idaho

Residing at Rexburg, Idaho
My commission expires: June 8, 1993.

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

22-07472

GARTH SUTTON FARMS INC.
RT. 3 BOX 216
REXBURG, ID 83440
Source: GROUNDWATER
Diversion-Pt: SESW-Sec-31-T-05N-R

41E

Use: IRRIGATION (2.800 CFS)
Date Filed: 11/30/1983
In: T04N R41E S06 NESW NWSE,
T05N R41E S32 NWSW SWSW SESW
SWSE 140.0 ACRES TOTAL

22-07476

ARLENCO INC.
RT. 4 BOX 139
REXBURG, ID 83440
Source: GROUNDWATER
Diversion Pt: SENE Sec 17 T 05N R

40E

Use: IRRIGATION (3.140 CFS)
Date Filed: 2/10/1984
In: T05N R40E S20 NENE NWNE
NENW NWNW 157.0 ACRES TOTAL

22-07481

SUMMERS, DANNY
ROUTE 1
SUGAR CITY, ID 83448
Source: GROUNDWATER
Diversion Pt: NWNW Sec 15 T 05N R

41E

Use: IRRIGATION (3.200 CFS)
Date Filed: 9/25/1984
In: T05N-R41E-S15 NWSW SWSW,
S16 NESE SESE 160.0 ACRES TOTAL

22-07485

SETH WOODS FARMS
262 EAST 1ST SOUTH
REXBURG, IDAHO 83440
Source: GROUNDWATER
Diversion Pt: SENE Sec 12 T 05N R

40E

Use: IRRIGATION (7.800 CFS)
Date Filed: 1/11/1985
In: T05N R40E S01 SWSE SESE, S12
NENE NWNE SWNE SENE NENW
SENE, T06N R40E S36 NESE NWSE
SWSE SESE 390.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria to Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before SEPTEMBER 25, 1989.

R. KEITH HIGGINSON
Director

Publ. Sept. 7 and 14, 1989SJ.

MICROFILMED

JUN 01 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 23 2001

KW

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 22-074851. Owner: Seth Wood Farms Inc. Phone No. _____Current Address: 280 Shoshone Ave, Rexburg, ID 834402. Accompanied by: David Wood EXAM DATE: 6-27-01

Address: _____ Phone No. _____

Relationship to Permit Holder: President of Corp.3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NW	NE	12	5N	40E	Madison	On site ; GPS R062721A

2. Place(s) of Use:

Indicate Method of Determination ArcView/PSA Aerial

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5N	40E	1				2.5									24		13.8	39	79.3
						1.1													
		12	39	36	39	38.7	2.8			17.4									178.9
																			252.2

22-7485

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

SEE ATTACHED PHOTOS

Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Westinghouse	400	3577	Johnston	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
	Sonite	Fuji	FLC-S1011	7K 008918 R 24 0333		

2. Measurements: _____

22-7485

E. NARRATIVE/REMARKS/COMMENTS

Well Pump - 2 pivots + handlines

Due to a lack of suitable mounting location at the pump, it was necessary to measure each pivot & obtain size and pressure info from handlines

Northern Pivot

Thickness .107 Dia 8.01

5 min = 2651 gallons = 530.2 gpm

Western Pivot

Thickness .116 Dia 8.01

5 min = 5173 gallons = 1034.6 gpm

Small Southwest Pivot

Thickness .104 Dia 8.00

5 min = 514 gallons = 102.8

Handlines 39 birds $\rightarrow$ $4\frac{1}{2}$ gallon per minute according to Mr. Wood

40 psi

$\frac{5}{32}$ - $\frac{9}{64}$ birds $Q = 39 (4.61 \text{ gpm}) = 179.79 \text{ gpm}$

No measuring device

Have conditions of permit approval been met? ☐ yes ☒ no

22-7485

F. FLOW CALCULATIONS

Measured Method:

☒ Additional Computation Sheets Attached

$$Q_{TOTAL} = Q_{NORTH PIVOT} + Q_{WESTERN PIVOT} + Q_{SW PIVOT} + \text{handlines}$$

$$= 530.2 \text{ gpm} + 1034.6 \text{ gpm} + 102.8 \text{ gpm} + 179.7 \text{ gpm} = 1847.3 \text{ gpm}$$

$$= 1847.3 \text{ gpm} / 448.8 = 4.116 \text{ cfs} = 4.12 \text{ cfs}$$

$$Q_{THEORETICAL} = 4.01 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 252.2 (3.5) = 882.7 \text{ af}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 4.12 (214) 1.9835 = 1748.8$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 882.7$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	10/31	4.12 cfs	882.7 af
Totals:			4.12 cfs	882.7 afa

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

KETHA C. WILSON 10/29/2001

Date 6/27/2001

Reviewer

Date

SEAL

22-7485

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp)(8.814)(Eff)] \div [Lift + (psi \times 2.308)]$$

$$\begin{aligned} Hp &= \text{Horsepower} = \underline{400} \\ Eff &= \text{Efficiency} = \underline{70\%} \quad (\text{Usually } 70\%) \\ \text{Lift: } &(\text{Static Level} + \text{Assumed Draw down}) \\ &\text{Static Water Level} = \underline{454} \text{ ft.} \\ &\text{Assumed Draw down} = + \underline{46} \text{ ft.} \\ &\text{Lift} = \underline{500} \end{aligned}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$psi = \text{Operating Pressure} = \underline{50} \text{ psi}$$

$$Q_{cfs} = \left[\frac{400}{Hp} \times 8.814 \times \frac{0.70}{Eff} \right] \div \left[\frac{500}{Lift} + \left(\frac{50}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{2467.92} \right] \div \left[\underline{615.4} \right]$$

$$Q_{cfs} = \underline{4.01} \text{ cfs}$$

PERMIT NO. 22-07485

Sec. 35
79.25

Sec. 36
79.50

etruice 26.34

T6N

20.40

2

1

3

4

3

T5N

2

1

42.60

42.60

142.4

43.15

44.60

46.06

47.51

Sec. 1.

501.32

160

160

160

6150

6440

T5N

N 89° 42' W

N 88° 07' W

Y

79.56

R40E

R41E

Sec. 12.

640

79.70

x

22-07485

TU 36 36

TSN

TSN

T6

TSN

L-4

L-3

L-2

L-1

$\frac{7.9}{1}$

R40E

FSA AERIAL USED FOR
REFERENCE ACRES WERE
CALCULATED IN ARCVIEW

PLACE OF USE

TSN

T-2101

24.0

T5

T-295

13.8

39.0

POINT OF
DIVERSION

36.0

39.0

12 6
7

2.8

R40E R41E

$\frac{146.9}{10}$

22-07485


17.4

39

38.7

$\frac{5.5}{6}$


22-07485



Point of Diversion


-  Posnpnt.dbf
-  T05n40e.shp
-  Pu227485.shp
-  S05n40e.shp
-  S05n41e.shp

22-07485



- ⊕ Posnpnt.dbf
- T05n40e.shp
- Inters1.shp
- S05n40e.shp
- S05n41e.shp

22-07485



S05n40e.shp



T05n40e.shp



Posnpnt.dbf




S05n41e.shp



T05n41e.shp

**P/D SE1/4NW1/4NE1/4
Sec 12, T05N, R40E**

22-07485




- Posnpnt.dbf
- S05n40e.shp
- T05n40e.shp
- S05n41e.shp
- T05n41e.shp

22-07485



POD # 22-07485



POD # 22-07485

22-07485

December 20, 1991

SETH WOODS FARMS
262 E. 1ST S.
REXBURG ID 83440

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 22-07485

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

DEC 23 1991

RECEIVED

DEC - 6 1991

Department of Water Resources
Eastern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

For Office Use Only
Amt. of Fee \$ 225⁰⁰
Date 6 Dec 1991
Receipt No. E 016783
Received by KCM

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 22-7485 Telephone No. 356-7103

Name(s) of Permit Holder(s): SETH WOODS FARMS

Post Office Address: 262 E 1st S Rexburg Id 83440

Source of Water: Groundwater

If ground water, well driller's name: Volmer Date drilled: June 1990

Extent of Use:
Domestic _____ (No. of households) Irrigation 260 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 520 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: June 91

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☒ No ☐

OR

Flow Measurement Port: Required? ☒ Yes ☐ No ☒ Installed? ☒ Yes ☐ No ☐

Fee Enclosed: \$ 225⁰⁰ (See License Examination Fee Schedule)
Ktg 12/17/91

Person to contact to accompany the Department representative during the field examination:

David Wood 356-7103
Name Telephone No.

Same
Address

RECORDED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6 Dec 1991
Date

David Wood
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00 -
5.01 - 6.0	501 - 600	225.00 -
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single ownership
domestic use or stockwater use of
less than 13,000 gallons per day.

Permit No. 22-07485 Reviewed by Klg Date 12/17/91

Yes Name same as permit?
Yes Address same as permit?
Yes Proof timely received? If not, complete calculation below.

Surface water source _____
yes Ground water source _____
yes Drilling permit required? _____
yes Copy in the file? Drilling Permit No. 22-89-Z-005
100 Amount paid for permit yes Correct? _____
 Well log in the file? _____

Yes Required?
225 Amount Submitted
Yes Correct?

yes Required?
yes Installed?
NA Waiver requested?

Date proof received	<u>NA</u>	
Date proof due	<u> </u>	-
No. of days late	<u> </u>	=
Priority Date	<u> </u>	+
New Priority Date	<u> </u>	

driller 383

REFILMED

proof acceptable DEC 23 1991

New Address

Proof Made 12/6/91
KLG 12/20/91

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

JUL 26 1991

Department of Water Resources requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name DAVID WOOD SETHWOOD FARMS
Address 262 E 1st SOUTH REXBURG
Owner's Permit No. 22-89-Z-005
07483

7. WATER LEVEL

Static water level 454 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>2400</u>	<u>475</u>	<u>3</u>

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
20"	0	12'	DIRT		✓
20"	12'	22'	LAUA BROKEN		✓
18"	22'	32'	SOLID LAUA		✓
18"	32'	65'	BROKEN LAUA CEMENTED		✓
18"	65'	78'	SOLID BLACK LAUA		✓
18"	78'	116'	FRACTURED LAUA		✓
18"	116'	132'	SOLID LAUA		✓
18"	132'	148'	FRACTURED LAUA		✓
18"	148'	280'	SOLID LAUA		✓
15"	280'	291'	BROKEN LAUA		✓
18"	291'	318'	SOLID LAUA		✓
18"	318'	332'	BROKEN LAUA		✓
18"	332'	365'	SOLID LAUA		✓
18"	365'	408'	BROKEN LAUA	✓	
18"	408'	506'	BROWN CLAY		✓
16"	506'	575'	BLACK HARD LAUA	✓	
16"	575'	620'	BROWN CLAY		✓
16"	620'	635'	BLACK LAUA		✓
16"	635'	715'	BROWN CLAY		✓
16"	715'	745'	BLACK BROKEN LAUA		✓
16"	745'	770'	BROWN CLAY		✓
16"	770'	815'	CLAY & SAND		✓
16"	815'	835'	TAN SAND STONE		✓
16"	835'	845'	BROKEN ROCK RHYOLITE		✓
16"	845'	891'	HARD ROCK		✓
16"	891'	900'	BROWN RHYOLITE		✓
16"	900'	905'	BROWN SAND STONE		✓
16"	905'	915'	LAUANER SAND STONE		✓
16"	915'	925'	CLAY		✓
14"	925'	990'	GRAY LAUA		✓
14"	990'	1030'	RHYOLITE		✓
14"	1030'	1060'	BROKEN RHYOLITE		✓

4. METHOD DRILLED

☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>1.250</u> inches	<u>18"</u> inches	<u>+1</u> feet	<u>22'</u> feet
<u>1.250</u> inches	<u>16"</u> inches	<u>+1</u> feet	<u>858'</u> feet
<u>1.250</u> inches	<u>14"</u> inches	<u>-785'</u> feet	<u>925'</u> feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☒ Torch
Size of perforation 1/2 inches by 6 inches

Number 300 perforations 838' feet 925' feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 22' Material used in seal: ☒ Cement grout

☐ Puddling clay ☐ Well cuttings

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strata

Describe access port 2" ACCESS

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____
Lot No. _____ Block No. _____
County MADISON
S.E. 1/4 NE 1/4 Sec. 12, T. 5 N. R. 40 E.

10.

Work started 08/10/90 finished 03/08/91

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name VOLLMEYER WELL DRILLING Firm No. 383

Address 407 E. CUSTAL Date 8/31/90

Signed by (Firm Official) Kenneth Hollen

and
(Operator) Kenneth Hollen

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No.

P22-07485

Name(s) of Permit Holder(s):

Seth Wood Farms Inc.

Post Office Address:

262 E. 1st So.

Rehburg, Idaho 83440

Tel. No. 356-7103

☐ I hereby certify that construction of diversion works for the above referenced permit began on Sept 17, 1990

and I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

Sept 17-90
Date

Daniel Wood Jones
Signature of Permit Holder



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 12, 1990

David Wood
262 E. 1st S.
Rexburg, ID 83440

RE: Permit No. 22-7485

Dear Mr. Wood:

Please find enclosed the Assignment of Permit form you submitted for the above referenced permit. The Department of Water Resources cannot accept this assignment.

The diversion location listed on the assignment is not covered by Permit No. 22-7485. If a new well location is proposed, then an amendment will be needed. An amendment form is enclosed for your use in this matter.

If you have any questions concerning this matter, please feel free to contact this office.

Respectfully,

A handwritten signature in cursive script that reads 'Jennifer Seifert'.

JENNIFER SEIFERT
Clerical Assistant

Enclosure

RECEIVED

JUN 01 1990

RECEIVED
JUN 1 1989

State of Idaho
Department of Water Resources

Department of Water Resources
Eastern District Office

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant SETH WOOD FARMS C/O DAVID WOOD
2. Address 262 E. 1st South Reubens, ID 83440

☒ Well Owner ☐ Well Operator ☐ Other, specify _____

3. Water right permit no. 22-7485; Injection well permit no. _____

4. Proposed well location 1/4 SE 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 12, Twp. 5N, Rge. 40E, County MADISON,
Lot, block and subdivision _____

5. Proposed use of well: (Check all that apply)

☐ Domestic ☐ Stockwater ☐ Monitoring
☒ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____

6. Well construction information:

☒ New well ☐ Deepen ☐ Replace

Proposed surface diameter 16" Proposed depth 700"

Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)

7. Anticipated construction start date NOVEMBER 1, 1989

8. Well Driller (if known) _____

Address _____

Date _____

Applicant's signature David Wood

Title president

MICROFILMED

JUN 01 1990

* After other pre-requisite approvals have been obtained.

Approved

() Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

Dated this 9th day of January, 1990.

Signed

Title

J. Glen Sartor
Chief, Water Alloc. Bur.

Received by Eastern Fee \$100. Date 9-14-1989

Receipt No. E010439

Construction start date

JUN 01 1990

Construction start extension to

Extension approved by

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
January 4, 1990

SETH WOODS FARMS
262 E. 1ST S.
REXBURG, ID 83440

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P22-07485

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Also enclosed is a copy of the approved drilling permit submitted in connection with this water right.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of a flow measurement port.

RECEIVED
JUN 01 1990

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

JUN 01 1990

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: HWJ

APPLICATION NUMBER: 22-7485

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 9-25-89

- ☐ Yes ☐ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: _____
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

- ☐ Yes ☒ No Measuring device required.

- ☒ Yes ☐ No Access port required.

- ☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 01-P05

1-11-85 Date of priority recommended.

Special conditions of approval or cover letter.

Rule 4, 5, 1 request sent 9-14-89 HWJ

Allow 4 yrs. for B/U development
App. in NON-TRUST area-
Process drilling permit too!

By: HWJ

Date: 10-6-89

STATE OFFICE REVIEW:

P05, P23, P99, P03, P17

46 26 48 49 016

- ☐ See attached sheet for more information.

By: KW
KW

Date: 11-14-89
12-27-89

OCT 10 1989

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

MEMORANDUM

TO: File No. 22-7485
FROM: Gary Spackman *Gary*
DATE: December ~~28~~²⁷, 1989

I have reviewed the information submitted under Rule 4,5,3. of the Water Appropriation Rules and Regulations and find that the applicant has submitted sufficient information to satisfy the rules.

MICROFILMED

JUN 01 1990

RECEIPT
For Monies Paid
to the
IDAHO DEPARTMENT OF WATER RESOURCES

Receipt No: E010439

Date: 09/14/89
Time: 15:30:07

Received

From: SETH WOOD FARMS

Type of Payment	Program Acct Class	Amount
DRILLING PERMIT	0630350 1238 6390	\$100.00
Total		\$100.00

CHECK 1304

Idaho Department of Water Resources

Region: EASTERN

Signature: _____

MICROFILMED

JUN 01 1990

*Copy -
for drilling
permit - kw*

RECEIVED

OCT 6 1989

Department of Water Resources
Eastern District Office

September 22, 1989

Mr. Harold Jones
Water Resource Supervisor
Idaho Department of Water Resources
150 Shoup Ave.
Idaho Falls, ID 83402

Dear Mr. Jones,

Following is the additional information you requested pertaining to water permit No. 22-07485:

1. Par 4,5,3,1,2. There is one existing well in the SW 1/4 Sec 12, 5N, R40E within one-half mile of the proposed well. See attached map.
2. Par 4,5,3,1,3. There is no evidence of any interference of existing wells on one another probably because the regional aquifer is so large.
3. Par 4,5,3,2,1. The required diversion rate during the peak use period and the average use period is 7.8 cfs. The volume of water to be diverted per year would be approximately 1100 acre-feet. The period that the water is required is from April 1 to October 15. The volume of water consumptively used each year would be 550 acre-feet.
4. Par 4,5,3,2,2. There is no surface water available for the project. U.S. Geological Survey studies indicate that the Rexburg Bench is underlain by rhyolite and that the water table is at approximately 4800' elevation. Some wells have been drilled over 1000' before sufficient water can be obtained.

I hope this provides the additional information you need.


Sincerely Yours,

David Wood

David Wood, President
Seth Wood Farms

MICROFILMED

JUN 01 1990



August 29, 1989


Ron Carlson
District Engineer
Idaho Dept. of Water Resources
150 Shoup
Idaho Falls, Idaho 83401

Dear Mr. Carlson,

Enclosed are an application for a well, drilling permit
and the \$100.00 permit fee.

This application is for water right permit No. 22-7485
which is pending. I understand it is due to be advertised in
September. The reason for applying now for the well drilling
permit is to avoid any delay in proceeding with well drilling
after the water right permit is granted.

Sincerely,



David Wood,
President
Seth Wood Farms

MICROFILMED

JUN 01 1990

RECEIVED

SEP 11 1989

Department of Water Resources
Eastern District Office

30-Aug-1989

Seth Wood Farms
262 East 1st South
Rexburg,, ID 83440

RE: Application for Permit No. 22-7485

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Rexburg Standard-Journal. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

JUN 01 1990

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

AUGUST 29, 1989

THE REXBURG STANDARD-JOURNAL
P.O. BOX 10
REXBURG, ID 83440

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 25, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.



NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

JUN 01 1990

22-07485

SETH WOODS FARMS
262 EAST 1ST SOUTH
REXBURG, ID 83440

Source: GROUNDWATER

Diversion Pt: SENE Sec 12 T 05N R 40E

Use: IRRIGATION (7.800 CFS)

Date Filed: 1/11/1985

In: T05N R40E S01	SWSE	SESE		
S12	NENE	NWNE	SWNE	SENE
	NENW	SENW		
T06N R40E S36	NESE	NWSE	SWSE	SESE

390.0 ACRES TOTAL


MICROFILMED

JUN 01 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before SEPTEMBER 25, 1989.

R. Keith Higginson, Director

Published 9/07/1989 & 9/14/1989



July 22, 1987

Seth Wood
c/o Seth Wood Farms, Inc.
262 East 1st South
Rexburg, Idaho 83440

RE: Interim Approval of Application for Permit 22-7485

Dear Mr. Wood:

The Department has received your request for interim approval of the above captioned application for the 1988 irrigation season.

The Department is currently processing applications where interim approval has been requested when the applicant can demonstrate that the diversion works and irrigation system had been installed and diverted water prior to July 1, 1985. A review of the file for your application indicates the water was not being diverted as of October 1, 1984. There is no documentation in the file to indicate that the diversion of water may have commenced after October, 1984, but prior to July, 1985. Consequently, we do not have sufficient documentation to initiate processing your application for interim approval.

The application will continue to be held in this office for future administrative consideration. I suggest you inquire with this office during the first part of 1988 to find out if the criteria for interim approval have been modified.

If you have questions concerning the above matter, please feel free to contact me.

Respectfully submitted,

Ernest Carlsen
Water Rights Supervisor

EC/dg

MICROFILMED

JUN 01 1990

7-17-87

Idaho Department of Water Resources
Eastern District Office
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402

Mr. Ron Carlson:

Would you please commence required processing of my application
for permit # 22-7485.

I understand the interim approval nature of this permit and agree
to abide by the interim conditions imposed by the Department of
Water Resources. I also ask for permanent conversion of this
permit when interim conditions end.

Thank you for your help in this matter.

Respectfully yours,

*Don't Wood sec.
Beth Wood Farm Inc.*

MICROFILMED

JUN 01 1990

DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE SURVEY

22-7485

RECEIVED

AUG 19 1985

Department of Water Resources
Eastern District Office

BETH WOODS FARMS

282 EAST 1ST SOUTH, REXBURG, ID 83440

Source: GROUNDWATER

Date Filed: 01/11/1985

Diversion PL: SESE Sec 12 T 05N R 40E

Use: IRRIGATION (7.80 CFS)

In: SMSE SESE Sec 01 T 05N R 40E NENE NWNE SWNE SESE NENW SENW
Sec 12 T 05N R 40E NESE NWSE SMSE SESE Sec 05 T 05N R 40E
FOR 290 ACRES

Check the box to the left of the paragraph which accurately describes the status of the project described by the application and then sign on the line at the bottom of the page.

- A. ☒ Prior to October 1, 1984, the source of water listed on application for permit No. 22-7485 was not being diverted and put to beneficial use as represented by the application.
- B. ☐ Prior to October 1, 1984, the source of water listed on application for permit No. 22-7485 was being diverted and put to beneficial use as represented by the application.

If paragraph "B" was selected return the form with documentation confirming beneficial use occurred prior to October 1, 1984. This documentation should include a sworn statement from you as applicant, plus other evidence that will substantiate beneficial use.

MICROFILMED

Additional information is not required for paragraph "A".

JUN 01 1990

David Wood re Beth Woods Farms Inc.
(Signature)



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

August 13, 1985

RE: Application for Permit No. 22-7485

Seth Wood Farms
262 East First South
Rexburg, Idaho 83440

Gentlemen:

In October of 1984, Idaho Power Company and the State of Idaho signed an agreement stating the Company's water rights would be subordinated to those persons who beneficially used water prior to October 1, 1984, and who filed an application or claim for said use by June 30, 1985.

To insure proper consideration of your application pursuant to the above agreement, follow the directions on the enclosed form and return it to this office when completed. For your benefit in identifying the point of diversion and place of use, included on the form is a description of the major items contained on the application.

Your cooperation in returning the completed form and supplemental documentation will expedite future administrative action on your application when processing of applications above Swan Falls resumes.

Respectfully submitted,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:cw

Enclosure

MICROFILMED

JUN 01 1990

22-7485-

SETH WOODS FARMS

262 EAST 1ST SOUTH, REXBURG, ID 83440

Source: GROUNDWATER

Date Filed: 01/11/1985

Diversion Pt: SENE Sec 12 T 05N R 40E

Use: IRRIGATION (7.80 CFS)

In: SWSE SESE Sec 01 T 05N R 40E NENE NWNE SWNE SENE NENW SENW
Sec 12 T 05N R 40E NESE NWSE SWSE SESE Sec 36 T 06N R 40E
FOR 390 ACRES

MICROFILMED

JUN 01 1990