


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Donald Stokes

Melvin Schwendeman
(Applicant)

RECORDED

JUN 12 1989

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
—	U.S. Motors Hollowshaft	160	1277585	Johnston	10"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic						
Theoretical/Pressure Gage					0-60	

2. Measurements:

$Q_{meas} = 1.85 \text{ CFS}$
 Operating PSI = 50 PSI

MICROFILMED

APR 22 1987



22-7430

MICROFILMED
APR 22 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 22-07430

Priority: March 28, 1983

Maximum Diversion Rate:

1.22 CFS

This is to certify, that MELVIN SCHWENDIMAN
DONALD STAKER

PO BOX 74

NEWDALE ID 83436

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 28, 1983; and has submitted Proof of Beneficial Use on August 21, 1990. An examination indicates that the works have a diversion capacity of 2.600 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	1.22 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SESW, Sec. 35, Township 07N, Range 41E
FREMONT County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	41E	34	NESE 21	SESE 10		31
		35	NESW 40	NWSW 40	SWSW 40	160
			SESW 40			

Total number of acres irrigated: 191

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. This right when combined with all other rights shall provide no more than 3.5 afa per acre for the lands above.

MICROFILMED
APR 22 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 22-07430

CONDITIONS OF APPROVAL AND REMARKS

7. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
8. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use.
9. Rights 22-02131 and 22-07430 in combination shall not exceed a total diversion rate of 2.60 cfs.
10. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 668.5 af for the lands above.
11. This right is limited to the irrigation of 61 acres within the place of use described above in a single irrigation season. Right 22-02131 is also diverted through the point(s) of diversion described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14TH day of APRIL, 1997.


KARL J. DREHER, Director

12080-11125
APR 22 1997

RECEIVED

AUG 21 1990

For Office Use Only
Amt. of Fee \$ 125.00
Date 5/1/90
Receipt No. 6016701
Received by _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 22-7430 Telephone No. 458-4387

Name(s) of Permit Holder(s): Donald Stah & Kurla Schwenker

Post Office Address: Keydab

Source of Water: Ground Water

If ground water, well driller's name: Tom Knouren Date drilled: 1970

Extent of Use:
Domestic _____ (No. of households) Irrigation 66 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 1.32 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 1975

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☒ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ 125.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Donald Stah 458-4387
Name Telephone No.
Kurla Schwenker
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

OCT 16 1990

8/20/1990 Donald Stah
Date Signature (and title if on behalf of a company or organization)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Donald Staker & Melvin Schwendiman Phone 458-4376

Post office address Box 74, Newdale, Idaho 83436

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 35 Township 7N

Range 41E B.M. Fremont County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.32 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.32 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump and sprinkler
system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

JUN 12 1989

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7N	41E	35									30								30
		34													26			10	36

Total number of acres to be irrigated 66

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Melvin Schwendiman


b. Who owns the land to be irrigated or place of use Applicants

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks 2.6 cfs is diverted from this well under licnese No. 22-2131

JUN 12 1989

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Donald L. Stoker

Miriam Schwendeman
(Applicant)

RECORDED

JUN 12 1989

Proposed Priority 3/28/83

Received by CW Date 3-28-83 Time 2:55

Preliminary check by HWS Fee \$ 65⁰⁰

Receipted by BP Date 3/29/83 # 25569

Publication prepared by AB Date 4-11-89

Published in Herald-Chronicle

Publication dates 4-20 & 26, 89

Publication approved CW Date 5-03-89

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 22-7430, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.

The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 6th day of June, 1989.

J. Shu Saptor

MICROFILMED

JUN 12 1989

THE FREMONT COUNTY HERALD
St. Anthony, Idaho
Ashton, Idaho

CHRONICLE
RECEIVED

AFFIDAVIT OF PUBLICATION MAY 1 1989

Department of Water Resources
Eastern District Office

STATE OF IDAHO
County of Fremont

I, Terry Weatherston
being first duly sworn, depose and say,
that I am the printer of THE FREMONT
COUNTY HERALD-CHRONICLE, a semi-weekly
newspaper printed and published in
Fremont County, Idaho; and I do solemnly
swear that the Notice Of Application
a copy of which notice appears attached
hereto, was published in the regular and
entire issue of said newspaper, and not
in any supplement issue thereof

for Two consecutive issues, the
first publication having been made on
April 20, 1989

and the last publication having been
made on April 27, 1989

Further, that said newspaper is one
of general circulation in said county;
that it is a legal newspaper, conforming
to legal specifications under Idaho
statutes; that it has at least two
hundred bona fide subscribers living
within the county of publication; and
that it has been continuously and
uninterruptedly published in said county
during a period of seventy-eight
consecutive weeks prior to the first
publication of said notice.

Terry Weatherston

STATE OF IDAHO)
COUNTY OF MADISON)

On this 28th day of April
in the year of 1989, before me, a Notary
Public, personally appeared Terry
Weatherston, known or identified to me to
be the person whose name subscribed to
the within instrument, and being by me
first duly sworn, declared that the
statements therein are true, and
acknowledged to me that he executed the
same.

Stephen L. Ladd
Notary Public for Idaho
Residing at Rexburg, Idaho
My commission expires: June 8, 1993

NO. OF APPLICATION
WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

21-07309
SEELEY BROTHERS
BOX 654
ASHTON, ID 83420
43E SWNE Sec 36 T 14N R 43E
Use: DOMESTIC (.060 CFS)
Date Filed: 3/13/1989
In: T14N R43E S36 NWNE SWNE
21-07419
HAYWARD, JAMES A.
Rt. 1, BOX 197-1
ST. ANTHONY, ID 83445
Source: GROUNDWATER
Diversions Pt: LOT 7 (NW NWNE) Sec 27
T 08N R 41E
Use: COMMERCIAL (.040 CFS)
DOMESTIC (.040 CFS)
Date Filed: 3/09/1989
In: T08N R41E S27 NWNE
21-07420
CALDWELL, ROLLAND T.
HC 66 BOX 46
ISLAND PARK, ID 83429
Source: GROUNDWATER
Diversions Pt: NWSE Sec 17 T 12N R
43E
Use: DOMESTIC (.080 CFS)
Date Filed: 3/10/1989
In: T12N R43E S17 NWSE
21-07421
C & B TIMBER, A PARTNERSHIP OF
R. CARL BATES & ERNEST
CARLSON
P.O. BOX 622
ASHTON, ID 83420
Source: GROUNDWATER
Diversions Pt: SWNWSE Sec 30 T 09N
R 43E
Use: COMMERCIAL (.040 CFS)
Date Filed: 3/20/1989
In: T09N R43E S30 NWSE
21-07422
C & B TIMBER, A PARTNERSHIP OF
R. CARL BATES & ERNEST
CARLSON
P.O. BOX 622
ASHTON, ID 83420
Source: GROUNDWATER
Diversions Pt: NWNWNW Sec 32 T 09N
R 43E
Use: COMMERCIAL (.040 CFS)
Date Filed: 3/20/1989
In: T09N R43E S32 NWNWNW
22-07430
SCHWENDIMAN, MELVIN
STAKER, DONALD
BOX 74
NEWDALE, ID 83436
Source: GROUNDWATER
Diversions Pt: SESW Sec 35 T 07N R
41E
Use: IRRIGATION (1.320 CFS)
Date Filed: 3/28/1989
In: T07N R41E S34 NESE SESE S35
NESW 86.0 ACRES TOTAL
22-07643
SPUDNIK EQUIPMENT CO.
P.O. BOX 1046
BLACKFOOT, ID 83221
Source: GROUNDWATER
Diversions Pt: SESE Sec 11 T 07N R
40E
Use: DOMESTIC (.040 CFS)
Date Filed: 3/29/1989
In: T07N R40E S11 SESE
The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public interest
criteria of Sec. 42-203C, Idaho Code. Pro-
tests must be filed with the Director, Dept.
of Water Resources, 150 Shoup Ave.,
Suite 15, Idaho Falls, Idaho 83402 on or
before MAY 8, 1989.
R. KEITH HIGGINSON
Director
Publ. April 20 and 27, 1989HC.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

April 15, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MELVIN SCHWENDIMAN
DONALD STAKER
PO BOX 74
NEWDALE ID 83436

RE: WATER RIGHT NO. 22-07430

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

APR 15 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be led within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Sincerely,

A handwritten signature in cursive script, reading "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 15th day of April, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 22-07430

MELVIN SCHWENDIMAN
DONALD STAKER
PO BOX 74
NEWDALE ID 83436



Vanessa Roby
Secretary

APR 03 1997

Department of Water Resources

Date of Priority: March 28, 1983 **Maximum Diversion Rate:** 1.22 CFS
Comes now MELVIN SCHWENDIMAN
DONALD STAKER

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 22-07430, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	1.22 CFS	

LOCATION OF POINT(S) OF DIVERSION: SESW , Sec. 35, Township 07N, Range 41E
FREMONT County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
07N	41E	34	NESE	21	SESE	10			31
		35	NESW	40	NWSW	40	SWSW	40	
			SESW	40					160

Total number of acres irrigated: 191

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Melvin Khourdeem, this 31 day of March, 1997.

Melvin Shweardman
(Signature) APR 22 1957

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 22-07430

FOR DEPARTMENT USE ONLY

Preliminary check by Fee = 25.00 Received by # Date

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 22-07430 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. This right when combined with all other rights shall provide no more than 3.5 afa per acre for the lands above.
7. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
8. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use.
9. Rights 22-02131 and 22-07430 in combination shall not exceed a total diversion rate of 2.60 cfs.
10. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 668.5 af for the lands above.
11. This right is limited to the irrigation of 61 acres within the place of use described above in a single irrigation season. Right 22-02131 is also diverted through the point(s) of diversion described above.

APPROVED
APR 27 1978


State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 22-07430

Witness my hand this 14TH day of April, 1997.


KARL J. DREHER, Director

RECEIVED
MAY 12 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 26, 1997

MELVIN SCHWENDIMAN
DONALD STAKER
PO BOX 74
NEWDALE ID 83436

RE: WATER RIGHT NO. 22-07430

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return it with the \$50 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

ENCLOSURE

APR 1 1997

MEMORANDUM

DATE: February 12, 1997

TO: 22-7430

FROM: Cindy Bird

SUBJECT: Surface Water Shares

I telephoned Mr. Donald Staker this morning in regards to surface water shares. He stated that he does have canal shares that he uses to irrigate this property. He wasn't sure how many shares that he actually has though.

MICROFILMED

APR 22 1997

MEMORANDUM

TO: File 22-07430

FROM: Sharla

DATE: December 26, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 22-07430 are based on the following:

H. RECOMMENDATIONS

Irrigation	4/15 - 10/15	1.22 cfs
------------	--------------	----------

The irrigation season of use for this area is 4/15 - 10/15.

The examiner states that the theoretical calculation is unrealistic and the polysonic measurement is below what was allowed on the previous license covering 130 acres. The rate allowed on that license is an inch/acre. The examiner states that the right holder cannot operate center pivot and handlines at the same time. Insufficient detail is given to describe the number of acres under the pivot vs. those irrigated by handlines, but it is reasonable to allow an inch/acre for the new 61 acres and add a remark limiting the two rights to a combined rate of 2.6 cfs.

Examiner: Steven Garrison
Exam Date: August 13, 1996

RECEIVED
APR 22 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 22-07430

DATE 12/24/96

REVIEWER: SHARLA

NAME Change OK Address Change NO
 SOURCE Change OK Is change clarification of originally intended source? NO
 POINT OF DIV Change OK If not, prepare Notice of Intent to Void NO
 PLACE OF USE PPU OK Amendment required NO

Does map agree with written description? yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate 1.32 cfs
 Fee limit 2.0 cfs \$12500
 Measured 1.85 cfs
 Theoretical 4.19 cfs

Recommended Total Div Rate 1.22 cfs

ANNUAL VOLUME/
 NATURE OF USES 4/15-10/15 season

Use IM Volume Calculation
61X3.5 = af
213.5 af
af
af
 SUBTOTAL 213.5 af

Flow rate 1.22 cfs X 183 days X 1.98 = 442.1 af
 Total volume recommended af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W35 (22-02131, 2.6 cfs.)
WB7 (213.5 af) W27 (61 ac)

CONDITIONS Watermaster Control WD#

GW Measurement/Measuring Device

R30 Overlap

Use-specific conditions


Advancement of Priority Date Required yes no

SRBA Claim Filed rate season
 Adjustment Memo

1st Amend Letter P41, P38
 2nd Amend Letter P42

APR 22 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for Irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
—	U.S. Motors Hollowshaft	160	1277585	Johnston	10"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic						
Theoretical/Pressure bag					0-60	

2. Measurements:

$Q_{meas} = 1.85 \text{ CFS}$
 Operating PSI = 50 PSI

MICRO-TECH

APR 22 1987

E. NARRATIVE/REMARKS/COMMENTS

Note: 2.6 CFS is diverted from same point of diversion, under License No. 22-2131.

Well/pump and pipeline to center pivot and handlines for irrigation of grain and potatoes.

Donald Staker states that he cannot operate center pivot and handlines at same time. Therefore, did measurements for theoretical and Polysonic on separate days. * Pump operating at full capacity during both measurements.

* for $Q_{Theoretical}$: $HP = 160$
 $PSI = 50$
 $Eff. = 70\%$

* Deeded water rights on some place of use.

* 0.014 CFS/acre, 0.83 CFS on 61 acres under this Permit, with condition that in combination with existing license and acreage, CFS will not exceed 2.6.

* $Q_{Theoretical}$ at 4.19 CFS, which is unrealistic and Polysonic at 1.85 CFS, which is below 2.6 of original license 22-2131. Therefore, apply 2.6 CFS on old and new acreage, totalling 191 acres. CFS will not exceed 2.6 for all acreage. 0.014 CFS applied to acreage — 0.83 CFS on this permit.

Have conditions of permit approval been met? ☐ yes ☐ no

MICROFILMED
APR 22 1997

F. FLOW CALCULATIONS

Measured Method:

☒ Additional Computation Sheets Attached

$$Q_{Theor} = \frac{160 HP (8.814) \cdot 7 \text{ eff}}{120 \text{ Lift} + (50 \text{ PSI} \times 2.308)} = 4.19 \text{ CFS}$$

$$* Q_{meas} = 1.85 \quad * \text{See Remarks Sec. E.}$$

* Sec. E. Q Limited to 0.83 CFS on 61 acres, ~~appurtenant to License~~
22-2131 or 130 acres at 2.6 CFS. When irrigating total 191
acres CFS will not exceed 2.6 CFS. for all acreage.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 61 \times 3.5 = 213.5 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.85 (183) 1.9835 = 671.5 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 213.5 \text{ AFA}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>4-15</u>	<u>11-15</u>	<u>* 0.83 CFS</u>	<u>213.5 AFA</u>
Totals:			<u>0.83 CFS</u>	<u>213.5 AFA</u>

* See Remarks in Narrative

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

I. AUTHENTICATION

Field Examiner's Name Steve Harrison Date 13 AUG 96

Reviewer [Signature] Date 10-23-96

SEAL

MICROFILMED

APR 22 1997

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp)(8.814)(Eff)] \div [Lift + (psi \times 2.308)]$$

$$\begin{aligned} Hp &= \text{Horsepower} = \underline{160} \\ Eff &= \text{Efficiency} = \underline{.7} \quad (\text{Usually } 70\%) \\ \text{Lift: } &(\text{Static Level} + \text{Assumed Draw down}) \\ \text{Static Water Level} &= \underline{100} \text{ ft.} \\ \text{Assumed Draw down} &= + \underline{20} \text{ ft.} \\ \text{Lift} &= \underline{120} \end{aligned}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$psi = \text{Operating Pressure} = \underline{50} \text{ psi}$$

$$Q_{cfs} = \left[\frac{160}{Hp} \times 8.814 \times \frac{.7}{eff} \right] \div \left[\frac{120}{Lift} + \left(\frac{50}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{987.168} \right] \div \left[\underline{235.4} \right]$$

$$Q_{cfs} = \underline{4.19} \text{ cfs}$$

COPIES FILED
APR 22 1937

PERMIT NO. 22-7430

* 2.6 CFS License 22-2131 @ 130 acres
61 acres on Permit 22-7430

Total acres = 191 acres


Since Theoretical unrealistically high @ 4.19 CFS
and Polysonic at low 1.85 CFS, determined to
divide 2.6 CFS on original License by old & new
acreage totalling 191 acres.

$$2.6 \text{ CFS} \div 191 \text{ acres} = 0.014 \text{ CFS/acre.}$$

0.83 CFS for 61 acres this Permit 22-7430.

RECORDED
APR 22 1957

22-07430



R41E
T7N

Place of Use
22-7430

Place of Use
22-7430

Point
of
Diversion

Place of Use
License
22-02131

22-07430

R41E
N

254

405 #230

802

O.T.

#645

Permit No.
22-7430

Place of Use
License
22-02131

Not to Scale

Min.	Max.	Date
10:11:12		10-09-96
1.762	3.371	
0.9425	0.9425	

[illegible]

FLUID VISCOSITY 1.132 cSt
4863.330 F/°S
STANDPOT

INSIDE ABS ROUGHNESS 0.000 IN
FLUID MATERIAL 0.00015000
UID SOLID

STEEL
SOUND VELOCITY
10597.129 F/S
LINER MATERIAL
LINER SOUND VELOCITY
NONE
0.000

PIPE I.D. 0.105 IN
PIPE MATERIAL 9.790 IN
PIPE SOUND CROWN ST

PIPE NO. 1
PIPE 0.0
PIPE WALL THICKNESS 0.105 IN
PIPE I.D. 10.000 IN

October 3, 1990

MELVIN SCHWENDIMAN
DONALD STAKER
P.O. BOX 74
NEWDALE, ID 83436

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 22-07430

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

OCT 16 1990

1/00

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 22-7430

Date: 5-30-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☒ Surface water
☒ Groundwater
1. well log in file - *Well drilled 1970*
2. drilling permit
A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
Is rate or volume and fee appropriate?
Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- Yes* Is a measuring device or access port required?
Has one been installed?
Waiver or modification of measuring device requested

Remarks:

no signature among other things - *flow measurement*

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

NA

8710-4-90
SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

August 15, 1990

Donald Staker and
Melvin Schwendiman
Box 111
Newdale, ID 83436

Gentlemen:

RE: Permit No. 22-7430

On May 7, 1990, the department received the proof of beneficial use and on June 19, 1990, I returned it for more information and a signature. To date the department has not received that form back.

Enclosed is another proof of beneficial use form. Please complete and return it within ten days to keep the permit in good standing. If it is not received, I will return the fee submitted and lapse the permit pursuant to Sec. 42-218a, Idaho Code.

If you have any question, please feel free to contact.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

OCT 16 1990

June 19, 1990

Donald Staker and
Melvin Schwendiman
Box 111
Newdale, ID 83436

Gentlemen:

Re: Permit No. 22-7430

Returned is the proof of beneficial use form submitted on May 7, 1990. Before the proof is acceptable, several items still need completion. Note the lightlighted areas.

For the total rate and/or volume for which proof is submitted, you should put an estimate of the amount the well produces. If you're not sure what that is, then I suggest you indicate the amount the permit was issued for — 1.32 cfs.

Next, can you indicate an approximate date and year the well was first used.

Please sign the proof form and return it to this office for processing.

If you have questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED
OCT 16 1990

138647
April 30, 1990

MELVIN SCHWENDIMAN
DONALD STAKER
P.O. BOX 74
NEWDALE, ID 83436

PROOF DUE NOTICE

RE: PERMIT NO. 22-07430

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

OCT 16 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
June 7, 1989

MELVIN SCHWENDIMAN
DONALD STAKER
BOX 74
NEWDALE, ID 83436

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 22-07430

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED

JUN 12 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 12 1989

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: HWT

APPLICATION NUMBER: 22 7430

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 5-8-89
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 5-01-89
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 01-705
3-28-83 Date of priority recommended.
Special conditions of approval or cover letter. <0167

App. in NON-TRUST area -
allow 1 yr. for development -

By: HWT Date: 5-11-89

STATE OFFICE REVIEW:

P05, P23, P03, P16 48 49 46 016

- ☐ See attached sheet for more information.

By: kw Date: 6/5/89

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

April 12, 1989

Donald Staker & Melvin Schwendiman
Box 74
Newdale, ID 83436

RE: Applications for Permit No. 22-7430

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. The application has been assigned the above identification No. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the Herald-Chronicle. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

JUN 12 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

APRIL 11, 1989

HERALD CHRONICLE
P.O. BOX 10
REXBURG, ID 83440

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 8, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

JUN 12 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

MICROFILMED

JUN 12 1989

22-07430

SCHWENDIMAN, MELVIN
STAKER, DONALD
BOX 74
NEWDALE, ID 83436

Source: GROUNDWATER

Diversion Pt: SESW Sec 35 T 07N R 41E

Use: IRRIGATION (1.320 CFS)

Date Filed: 3/28/1983

In: T07N R41E S34 NESE SESE
 S35 NESW

66.0 ACRES TOTAL

MICROFILMED

JUN 12 1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before MAY 8, 1989.

R. Keith Higginson, Director

Published 4/20/1989 & 4/27/1989

MICROFILMED

JUN 12 1989

FORM A

STATE OF IDAHO

RECEIVED

MAY 16 1985

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 22-7430

Name(s) of Permit Holder: Donald Staker or Helois Schwendeman

Post Office Address: Hamada Idaho Box 111

Telephone No. 458-4387

Source of Water: Under Ground

Extent of Use: Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 200 (acres)

Other/Remarks We Bought this Farm

Indicate the date water was first diverted and beneficially used under this permit: around 1947 One of the first wells drilled in this area

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Required? ☐ Yes ☒ No

Person to contact to accompany the Department representative during field examination: Donald Staker or Helois Schwendeman

458-4387 Hamada Idaho 458-4387
(Address) (Telephone number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

April 8, 1985 Donald Staker or Helois Schwendeman
Date Signature of Permit
(and Title, if appropriate)

JUN 12 1989

Statement of development for exemption from Swan Falls processing. Not acceptable as proof of beneficial use.

22-7430

STAKER, DONALD
SCHWENDIMAN, MELVIN

BOX 74, NEWDALE, ID 83436

Source: GROUNDWATER

Date Filed: 03/28/1983

Diversion Pt: SESW Sec 35 T 07N R 41E

Use: IRRIGATION (1.32 CFS)

In: NESW Sec 35 T 07N R 41E NESE SESE Sec 34 T 07N R 41E FOR 66 ACRES

RECORDED

JUN 12 1989