


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wallace C. Robinson
(Applicant)

MICROFILMED

The REXBURG STANDARD and
The REXBURG JOURNAL
REXBURG, IDAHO



Affidavit of Publication

STATE OF IDAHO }
County of Madison } ss.

I, Bruce Porter
being first duly sworn, depose and say,
that I am the printer of THE REXBURG

Journal, a newspaper printed and
published weekly at Rexburg, Madison
County, Idaho; and I do solemnly swear
that the

Notice Of Application For Water Right

a copy of which notice appears attached
hereto, was published in the regular and
entire issue of said newspaper, and not in

Two
any supplement issue thereof for
consecutive issues, the first publication hav-

ing been made on Aug. 20, 1981
and the last publication having been made

on Aug. 27, 1981

Further, that said newspaper is one of
general circulation in said county; that it
is a legal newspaper, conforming to legal
specifications under the Idaho Statutes; that
it has at least two hundred bona fide sub-
scribers living within the county of publica-
tion; and that it has been continuously and
uninterruptedly published in said county dur-
a period of seventy-eight consecutive weeks
prior to the first publication of the said not-
ice.



Subscribed to and sworn to before me
this Aug. 28, 1981

Jeri Garner
(SEAL)

Notary Public.

My commission expires Life.

RECEIVED

SEP 1 1981

Department of Water Resources
Eastern District Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following
application(s) have been submitted for permit
to appropriate the public waters of the State
of Idaho:

Application No. 22-7374

Applicant: ROBINSON, WALLACE &/or
BELBA; P.O. BOX 126, NEWDALE, ID
83436

Source: GROUNDWATER

Date Filed: 08/05/1981

Amount: 12.80 CFS

Diversion Point: SWSW Sec 14 T 06N R
41E, MADISON Co.

Use: IRRIGATION (12.80 CFS) from
04/01 to 11/01

Place of Use: NENE NWNE SWNE
SENE NENW NWNW SWNW SENW NESW
NWSW SWSW SESW NESE NWSE SWSE
SESE Sec 23 T 06N R 41E FOR 640
ACRES

Diversion Means: WELL, PUMP &
PIPELINE.

Application No.: 25-7258

Applicant: GUNDERSON, ADEN &/or
AFTON; RT. 1 BOX 117, MENAN, ID 83434

Source: GROUNDWATER

Date Filed: 08/05/1981

Amount: 0.17 CFS

Diversion Point: NWNW NENW Sec 22 T
05N R 38E, MADISON Co.

Use: IRRIGATION (0.17 CFS) from 04/01
to 11/01

Place of Use: NWSW SWSW Sec 15 T
05N R 38E NWNW Sec 22 T 05N R 38E
FOR 8 ACRES

Diversion Means: PUMP & PIPELINE.

If issued, the permit(s) will be subject to all
prior water rights. Protests against the
granting of any permit must be filed with the
Director of the Idaho Department of Water
Resources, 150 Shoup Ave., Idaho Falls,
Idaho 83402 on or before SEPTEMBER 7,
1981.

R. KENNETH DUNN
Director


Publ. Aug. 20 and 27, 1981J

RECEIVED

SEP 11 1981


Department of Water Resources

MICROFILMED



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: Subk. Sec. 14, T. 6N, R. 41E

Place(s) of Use 1

TWP.	RGE.	SEC.	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	TOTALS
6N	41E	23	40	40	40	40	39	39	39	39	599
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Other

Examiner's Signature

Ray Walker

Checked by

Approved by

Date 23 Nov 1984

Date 11-27-84

Date 5-9-86

四

23

~~A-92~~ 23
~~A-12~~



David Jackson

1507

ROAD

A-12

Wallace
Robinson

102.0

10

72-7874

MICROFILMED

PERMIT NO. 22-7374

Wallace Ovelbe Robinson

(Name)

EXAMINATION: DATE: 8-12-83

Accompanied by: Laid

Robinson

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.
US Motors	600	J1426899	Laque & Fowler	J25137
Booster GE	200	L05113146	Laque & Fowler	D25739

Measuring Device Type: McCrometer 75-12-580

Meter # _____ Annubar # _____

Size # _____

Remarks: _____


Measurement calculations:
 $C.O. \text{ of } in = 4.54 \text{ cfs}$
 $1 \text{ min } 36 \text{ sec} = 2.34 \text{ gpm}$

MICROFILMED

SCHEMATIC DIAGRAM OF SYSTEM

Mainline Diameter _____

Length _____



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 22-7374 Priority August 5, 1981 Amount 0.31 cfs

THIS IS TO CERTIFY, that Wallace &/or Belba Robinson
of Newdale, Idaho, has complied with the terms and conditions of Permit
No. 22-7374 issued pursuant to Application for Permit dated August 5, 1981,
and has submitted proof to the Department of Water Resources on November 29, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 4.54 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>0.31</u> cfs and	<u>123.1</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.31 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
123.1 acre feet per year, said waters to be diverted within the SW1/4 Section 14,
Twp 6N, Rge 41E in the County of Madison

Description and location of place of use:

Twp.	Range	Sec.	NE1/4				NW1/4				SW1/4				SE1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
6N	41E	23	40	40	32	39	31	39	38	30	39	38	38	39	39	39	39	39	599

Total number of acres irrigated 599

MICROFILMED

MICROFILMED

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 28TH day of JULY, 19 86.

Acting for the Director



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Wallace &/or Belba Robinson Phone 458-4974

Post office address Box 126, Newdale, Idaho 83436

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 14 Township 6N

Range 41E B.M. Madison County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Allow 8.57 cfs *
Amount 12.8 cfs for irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

Allow 8.57 cfs * RC 10/9/81
a. 12.8 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well pump to 12" mainline and
handline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 20 inches; proposed depth of well is 800 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

RECORDED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED
MAY 10 1960

Wallace C. Robinson
(Applicant)

Proposed Priority 8/5/1981

Received by KW Date 8/5/81 Time 10:45
Preliminary check by KCW Fee \$ 285.00
Receipted by KW Date 8/7/81 # 19030
Publication prepared by KW Date 8/13/81
Published in Standard Journal
Publication dates 8/20 & 8/27/81
Publication approved CW Date 9/04/81
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by EMC RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 22-7374, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1983.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
The maximum allowable rate of diversion under this permit shall not exceed 8.57 cfs for irrigation.

Witness my hand this 3rd day of December, 19 81.

L. Glen Saylor
Chief, Operations Bureau

RECEIVED
DEC 10 1981

The REXBURG STANDARD and
The REXBURG JOURNAL
REXBURG, IDAHO

RECEIVED

SEP 1 1981

Department of Water Resources
Eastern District Office

Affidavit of Publication

STATE OF IDAHO }
County of Madison } ss.

I, Bruce Porter
being first duly sworn, depose and say,
that I am the printer of THE REXBURG

Journal, a newspaper printed and
published weekly at Rexburg, Madison
County, Idaho; and I do solemnly swear
that the

Notice Of Application For Water Right


a copy of which notice appears attached
hereto, was published in the regular and
entire issue of said newspaper, and not in

any supplement issue thereof for Two
consecutive issues, the first publication hav-

ing been made on Aug. 20, 1981
and the last publication having been made


on Aug. 27, 1981.

Further, that said newspaper is one of
general circulation in said county; that it
is a legal newspaper, conforming to legal
specifications under the Idaho Statutes; that
it has at least two hundred bona fide sub-
scribers living within the county of publica-
tion; and that it has been continuously and
uninterruptedly published in said county dur-
a period of seventy-eight consecutive weeks
prior to the first publication of the said not-
ice.




~

Subscribed to and sworn to before me
this Aug. 28, 1981


(SEAL)

Notary Public.

My commission expires Life.



RECEIVED

SEP 11 1981

Department of Water Resources



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 31, 1986

RE: Permit No. 22-7374

Wallace &/or Belva Robinson
Box 126
Newdale, ID 83436

Dear Mr. and Mrs. Robinson:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 3, 1986

RE: Permit No. 22-7374

Wallace &/or Belba Robinson
Box 126
Newdale, ID 83436

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

RECEIVED

DEC 6 1984

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

Department of Water Resources

22-7374

Permit No.

CONTACT WITH PERMIT HOLDER

☐ Appointment letter mailed:☐ Telephone call made

(List Telephone No. used)

☐ Appointment scheduled for:

(Date, time, location)

DATE

INITIALS

REMARKS

EXAMINATION

Date 8-12-1983 Accompanied by Laird Robinson Total Q measured 4.54 cfs ✓Source Groundwater Tributary to _____ Supp. annubar measurement sheet used? _____

If source is surface water, estimate total flow of source _____

Methods of measurement McCrometer # 75-12-380 Meets permit requirements? _____Measurement calculations: 0.06 cfs in 96 sec = 4.54 cfs - Q ✓Q limited By CAPACITYV = 599 ac x 3.5 afa = 2096.5 afa ✓ 2096.5 - 1804 = 292.5V = 0.31 cfs x 1.9835 x 214 days = 131.6 afaV = 4.54 x 1.9835 x 214 = 1927.1 - 1804 = 123.1 AF22-7051 Q = 4.54
- 4.23 = 22-7051
ALLOW. 31 cfs4.54 x 1.9835 x 214 = 1927.1

WELL/DIV. NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
Well	600	U.S. Motors	J1426899	Layne + Bowler	D25637	McCrometer	Good	S/N 75-12-380
Booster	200	GE	LBJ 1113146	Layne + Bowler	D25739			

System Description Well, pump, booster, mainline to laterals with sprinklers

Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE

Irrigation ✓Irrigation requirement = 3.5 ✓ 214 days AFA/Acre

Q (cfs)

0.31 cfs ✓

V (afa)

131.6 afa
123.1 AF

FROM

4/1 ✓

TO

11/1 ✓

Total

0.31 cfs ✓123.1 AF4/111/1Remarks R 16 (3.5) 22-7051 newThis license in combination with 22-7051 shall not exceed 4.54 cfs and
1927.1 afa (4.54 cfs x 1.9835 x 214 = 1927.1 afa)P/D overlap per VAX: 22-7051 - see copy - same system
P/U overlap: 22-7051 only - limit volume.

MICROFILMED

MAP (Attach Aerial Photo)

SCHEMATIC DIAGRAM OF SYSTEM

from pump to measuring device, if applicable.)

[illegible][illegible]

Other _____

Date 23 NOV 1984

Date 11-27-84

Date 5-9-86

Approved by

RECEIVED

State of Idaho

JUN 26 1979

Department of Water Resources

FIELD COPY

Department of Water Resources
Eastern District Office

WATER RIGHT LICENSE

(late proof)

License of Water Right No. 22-7051 Priority December 9, 1971 Amount 4.23 cfs

THIS IS TO CERTIFY, that HOWARD & ROBINSON of Newdale, Idaho, has complied with the terms and conditions of Permit No. 22-7051 issued pursuant to Application for Permit dated November 26, 1971 and has submitted proof to the Department of Water Resources on March 14, 1974 that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity for the diversion of 4.23 cfs of water from a groundwater source tributary to and that the permit holder has applied to a beneficial use and established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from April 1 to November 1	at 4.23 cfs and	1804 acre feet
	from to at cfs and		
	from to at cfs and		

(both dates inclusive)

Subject, however, to the condition that no more than 4.23 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 1804 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 14, Twp. 6N, Rge. 41E, B.M. in the County of Madison

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6N	41E	23	40	39	32	40	31	39	39	30	40	39	38	39	40	40	39	39	604

Total number of acres irrigated 604

MICROFILMED

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 14 day of June, 19 79.

[Signature]
Director

Point of Dispersion
See Photo F-82

R41

FILE

F-9

F-17

NOT TO SCALE

Road

A-12

2044

Station Return

A-12

3012

Station Return

A-12

101

102.0

C

1047

(Name)

Wallace O. Belber Robinson

Accompanied by: Laid
83 1840

Robinson

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.
US Motors Incostrut	600	J1426899	Wagner & Fowler Leathline	J25137
GE	200	LDT 1113146	Loqua & Fowler	D25739

Measuring Device Type: *McCrone 75-12-580*

Meter #	Annubar #	Size #
---------	-----------	--------


Remarks:

Measurement calculations:
 $\frac{1 \text{ min } 36 \text{ sec}}{\text{rotation}} = 4.54 \text{ cps}$ 2.36 rpm

MICROFILMED

SCHEMATIC DIAGRAM OF SYSTEM

Mainline Diameter	<u> </u>	Length	<u> </u>
-------------------	-------------------	--------	-------------------





STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EASTERN REGION

John V. Evans
Governor

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

A. Kenneth Dunn
Director

Mr. [Name] [Address]

Idaho Falls, Idaho
[Address]
[Address]

RE: [Subject]

Dear Mr. [Name]:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

_____ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

_____ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

A. K. Dunn
Director

cc: [Name]

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of permit No. 22-7374.

Name(s) of Permit Holder: Wallace C. Belba Robinson

Post Office Address: Box 126

Newdale, Idaho 83436 Tel. No. 458-4974

Source of Water: groundwater Department of Water Resources Eastern District Office

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 640 (acres)
☐ Other

MICROFILMED


Measuring Device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Nov. 29, 1982

Wallace C. Robinson
 Signature of Permit Holder



PLACE
13 CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138803

ROBINSON, WALLACE & BELBA
P.O. BOX 126
NEWDALE, ID 83436

OCTOBER 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 22-7374 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED

December 16, 1981

Re: Permit No. 22-7374

Wallace &/or Belba Robinson
Box 126
Newdale, ID 83436

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install a measuring device, or an access port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the access port.

We have enclosed a form entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:kw
Enclosure





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 30, 1981

MEMO

TO: Glen Saxton

FROM: Stan Szczepanowski *SS*

SUBJECT: Application #22-7374 for an 800 ft. Irrigation Well
(8.57 cfs) in T6NR41E Section 14 SW1/4SW1/4, Madison County

Around the proposed well site there are 11 wells, two are domestic and the others, irrigation. These wells range in depth from 435 to 1304 feet and the static water levels, when the wells were completed (11/60 to 10/73) ranged from 306 to 670 feet. Materials into which wells have been drilled include rhyolite, sand, gravel, and clay. The water bearing characteristics of the aquifers are variable and moderate yields might be expected from a well. The applicant has a 751 ft. irrigation well in the same 40 acre tract as the proposed well site. He should expect lowered pumping levels in the existing and in the proposed well because of this proximity.

SS:mb



Jim - This has an overlap.
Do we want to
reduce the Permit?

yes

Polyn

191

12.80

- 4.23 License 22-7051

8.57 MAX

Reduce permit to 8.57c/s
be sure to put condition on
the permit.

11/11/11

Jim

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

22 7374

INITIAL REVIEW BY: KC Wilson

APPLICATION NUMBER:

22-7374

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☒ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☒ No Other rights on same place of use. 22-7061 gw license
☒ Yes ☒ No* In form for advertising. Sept. 7
☒ Yes ☒ No Final date for protests: _____
☒ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9-1-81
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☒ No Measuring device required.
☒ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 8-5-81 Date of priority recommended.
Special conditions of approval or cover letter. _____

* The maximum allowable rate of diversion under this permit shall not exceed 8.57 cfs per irrigation.

By: Ernest Carlson Date: Sept. 8, 1981

STATE OFFICE REVIEW:

return receipt w/cover letter

SL/103 OIC & special cond

- ☐ See attached sheet for more information.

By: Religa Date: 10/1/81

RECEIVED
SEP 14 1981

RIGHT NUMBER NAME AND ADDRESS PRIORITY DATE USE FROM TO MAX AMOUNT DIVERSION POINT AND ACREAGE BASIS FOR RIGHT

17-4031 TUBBS, EARL 07-19-1913 STOCKWATER 01-01 12-31 .02 CFS NENE S26 NENE S26 T12S R32E S26 T12S R32E STATRY CLM

RT. 1 ID 83252
MALAD
SOURCE: SPRING
OTHER USES: S/100 RANGE. TRIBUTARY: SINKS

DOMESTIC 01-01 12-31 .04 CFS SAME AS OTHER USE

17-4032 TUBBS, EARL 06-29-1940 STOCKWATER 05-01 10-31 .01 CFS NESW S35 NESW S35 T12S R32E S35 T12S R32E STATRY CLM

KT. 1 ID 83252
MALAD
SOURCE: SPRING
OTHER USES: S/200 RANGE. TRIBUTARY: SINKS

17-4033 TUBBS, EARL 09-01-1915 STOCKWATER 01-01 12-31 .04 CFS SWE S26 SWE S26 T12S R32E S27 T12S R32E STATRY CLM

RT. 1 ID 83252
MALAD
SOURCE: SPRING
OTHER USES: S/300 RANGE. TRIBUTARY: SINKS

22-7374 ROBINSON, WALLACE 08-05-1981 IRRIGATION 04-01 11-01 12.80 CFS SMSW S14 T06N R41E APPLICATION

ROBINSON, BELBA
P.O. BOX 126 ID 83436
NEWDALE
SOURCE: GROUNDWATER
OTHER RIGHTS: 22-7051. TRIBUTARY:

P/U: T06N R41E S23 NENE(40) SENE(40) MENW(40) NWNW(40)
SWMW(40) SENW(40) NESW(40) NWSW(40) SWSW(40) SESW(40)
NESE(40) NSE(40) SWE(40) SESE(40) SESE(40)

* 640 ACRES*

25-7258 GUNDERSON, ADEN 08-05-1981 IRRIGATION 04-01 11-01 .17 CFS NWNW S22 NWSW(03) SWSW(03) APPLICATION
GUNDERSON, AFTON
RT. 1 BOX 117
MENAN ID 83434
SOURCE: GROUNDWATER TRIBUTARY:

25-7259 SOUTHWICK TRUST 08-07-1981 IRRIGATION 04-01 11-01 .14 CFS NENE S29 NENE(07) APPLICATION
C/O ROY L. SOUTHWICK

SEP 9

Department of Water Resources
Eastern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave.
Idaho Falls, Idaho 83402
(208) 525-7161

AUGUST 14, 1981

The Standard Journal
P. O. Box 10
Rexburg, Idaho 83440

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 7, 1981.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 150 Shoup Ave., Idaho Falls, Idaho 83402 on or before SEPTEMBER 7, 1981.

A. KENNETH DUNN

Director

Published 8/20 & 8/27/81.

RECEIVED
AUG 27 1981
IDAHO DEPT. OF WATER RESOURCES

22-2324

ROBINSON, WALLACE &/or BELBA

P.O. BOX 126, NEWDALE, ID 83436

Source: GROUNDWATER

Date Filed: 08/05/1981

Amount: 12.80 CFS

Diversion Point: SWSW Sec 14 T 06N R 41E, MADISON Co.

Use: IRRIGATION (12.80 CFS) from 04/01 to 11/01

Place of Use: NENE NWNE SWNE SENE NENW NWNW SWNW SENW NESW NWSW SWSW SESW NESE
NWSE SWSE SESE Sec 23 T 06N R 41E FOR 640 ACRES

Diversion Means: WELL, PUMP & PIPELINE.

RECORDED