


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Milo J. Bowen

(Applicant)

MICROFILMED

AFFIDAVIT OF PUBLICATION

State of Idaho)
) ss
County of Teton)

Sharon Hastings
being first duly sworn depose and say that I am the Secretary of the Teton Valley News, a newspaper as defined by Idaho Codes Annotated, Section 58-106, as amended, and that said newspaper is a weekly newspaper printed and published at Driggs, in Teton County, Idaho, having a general circulation in said county, and that said newspaper has been printed in said county for more than 78 consecutive weeks prior to the first publication of the attached notice, advertisement or publication of

Application -
Milo Bowen

And affiant further says that said attached notice, advertisement or publication, as per clipping attached, was published in said newspaper, in the regular and entire issue thereof, and not in any supplement issue thereof, for 2 consecutive issues thereof; first publication having been made on the 8 day of Jan, 1981 and last publication on the 15 day of Jan, 1981.

And affiant further says that at the times herein mentioned said newspaper was made up of at least eight pages of at least five columns each, printed from type matter, of at least sixteen inches deep.

Sharon Hastings

Subscribed in my presence and sworn to before me this 22 day of Jan, 1981.

(SEAL) Notary Public for the state of Idaho, residence and postoffice address, Driggs, Idaho.

Mitchell Nibaur
My Commission expires

July 7, 1992

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho.

22-7341 ok kw 2/2/81

Bowen, Milo
Route 2, Box 1224, Driggs, ID 83422.

Source: Groundwater.

Date Filed: 12/17/1980

Amount: 1.13 CFS

Diversion Point: SWNE SENW
Sec 02 T 04N R 44E, Teton Co.

Use: Irrigation — (1.04 CFS) from 04/15 to 10/15; Stockwater — (0.03 CFS) from 01/01 to 12/31; Domestic — (0.06 CFS) from 01/01 to 12/31.

Place of Use: SWNE SENW Sec 02 T 04N R 44E NENW NWNE SENW Sec 02 T 04N R 44E for 52 acres.

Diversion Means: Well, pump & pipeline.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of Idaho Department of Water Resources, 150 Shoup Avenue, Idaho Falls, Idaho 83401 on or before January 26, 1981.

C. Stephen Allred
Director

Published in the Teton Valley News January 8 & 15, 1981.

RECEIVED
JAN 27 1981

Department of Water Resources
Eastern District Office

VERONICA

Microfilm

R144E

2 2

Point of Diversion


IT 4 N

Place of bear

2 2

✓

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: ✓ SW 1/4 NE 1/4, SE 1/4 NW 1/4 Sec 2 T4N R44E

Place(s) of Use ✓ less actage

[illegible]

☒ None
☐ Other

☐ Add P.U. as reflected above

☒ None R 16 (72.6)

☐ Other

Approved by

Date 8-3-1984

PERMIT NO. 22-7341 (Name) Milo Bower
 EXAMINATION: DATE: 12 Aug 82 Accompanied by: _____

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.
Submersible				

Measuring Device Type: Pto take

Meter # _____ Annubar # _____ Size # _____


Remarks: _____

Measurement calculations:

2 - 5/32 @ 34 psi 3 - 5/32 @ 29 psi ~ 0.2 cfr
 1/5/32 @ 32 psi 2 - 5/32 @ 30 psi
 1/5/32 @ 31 psi 2 - 5/32 @ 31 psi
 1/16 @ 29 psi 2 - 5/32 @ 32 psi
 1/32 @ 30 psi 1/5/32 @ 30 psi
 2 - 1/2 @ 28 psi 2 - 5/32 @ 33 psi
 9/16 @ 28 psi
 1/16 @ 28 psi


SCHEMATIC DIAGRAM OF SYSTEM

Mainline Diameter 4" Length _____



RECEIVED

F-10



MICROFILMED

KCW
NOT TO SCALE

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 22-7341 Priority December 17, 1980 Amount 0.20 cfs

THIS IS TO CERTIFY, that Milo Bowen
of Driggs, Idaho, has complied with the terms and conditions of Permit
No. 22-7341 issued pursuant to Application for Permit dated December 17, 1980,
and has submitted proof to the Department of Water Resources on May 11, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.20 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 15</u> to <u>October 15</u> at <u>0.20</u> cfs and	<u>72.6</u> acre feet	
Stockwater	from <u>January 1</u> to <u>December 31</u> at <u>0.03</u> cfs and	<u>1.4</u> acre feet	
Domestic (2 Units)	from <u>January 1</u> to <u>December 31</u> at <u>0.6</u> cfs and (both dates inclusive)	<u>2.4</u> acre feet	

Subject, however, to the condition that no more than 0.20 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
76.4 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 2
Twp 4N, Rge 44E in the County of Teton

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SE $\frac{1}{4}$	SW $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SE $\frac{1}{4}$	SW $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SE $\frac{1}{4}$	SW $\frac{1}{4}$	
4N	44E	2		36					11						47

Total number of acres irrigated 47

This right when combined with all other rights shall provide no more than .02 cfs
per acre nor more than 3.0 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 7TH day of
September, 1984.

MICROFILMED

Acting for the Director

Norman C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant MILO BOWEN Phone 354-2434

Post office address Rt. #2, Box 1224, Driggs, Idaho 83422

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 2 Township 4N

Range 44E B.M. Teton County, additional points of diversion if any: _____

SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 2, T. 4N, R. 44E, Teton

4. Water will be used for the following purposes:

Amount 1.04 cfs for Irrigation purposes from April 15 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .06 for Domestic purposes from Jan 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .03 for Stock purposes from " to " (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.13 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well and Pump to handline, house and
two stock troughs.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 150 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses: NENW, NWNE

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 2 Township 4N.
Range 44E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 100 beef cattle

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 2.

If water is to be used for other purposes describe: _____

RECEIVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	44E	2			40					12									52

Total number of acres to be irrigated 52


c. Describe any other water rights used for the same purposes as described above. 22-0045
for E½SE¼NW¼, Sec. 2, T. 4N, R. 44E B.M. (surface water). See also
Decree no. 22-0015 (surface water).

9. a. Who owns the property at the point of diversion Applicant
b. Who owns the land to be irrigated or place of use Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

RECEIVED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Milo D. Bowen
(Applicant)

RECEIVED
JAN 11 1904

Proposed Priority

RECEIVED

12/17/80

Received by SK Date 17 Dec 80 Time 4.30 PM

Preliminary check by HWS Fee \$ 65.00

Receipted by OW Date 12-17-80 # 16125

Publication prepared by tw Date 12/31/80

Published in Yellow Valley News

Publication dates 1/8 & 1/15/81

Publication approved tw Date 2/3/81

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by KH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 22-7341, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 26th day of February, 19 81.

A. Glen Saxton
Chief

AFFIDAVIT OF PUBLICATION

State of Idaho)
) ss
County of Teton)

Sharon Hastings
being first duly sworn depose and say that I am the Secretary of the Teton Valley News, newspaper as defined by Idaho Codes Annotated, Section 58-106, as amended, and that said newspaper is a weekly newspaper printed and published at Driggs, in Teton County, Idaho, having a general circulation in said county, and that said newspaper has been printed in said county for more than 78 consecutive weeks prior to the first publication of the attached notice, advertisement or publication of

Application -

Milo Bowen

And affiant further says that said attached notice, advertisement or publication, as per clipping attached, was published in said newspaper, in the regular and entire issue thereof, and not in any supplement issue thereof, for 2 consecutive issues thereof; first publication having been made on the 8 day of Jan, 1981 and last publication on the 15 day of Jan, 1981

And affiant further says that at the times herein mentioned said newspaper was made up of at least eight pages of at least five columns each, printed from type matter, of at least sixteen inches deep.

Sharon Hastings

Subscribed in my presence and sworn to before me this 22 day of Jan, 1981

(SEAL) Notary Public for the state of Idaho, residence and postoffice address, Driggs, Idaho.

Mitchell A. Veibauer
My Commission expires

July 7, 1982

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho.

22-7341

Bowen, Milo
Route 2, Box 1224, Driggs, ID 83422.

Source: Groundwater.

Date Filed: 12/17/1980

Amount: 1.13 CFS

Diversion Point: SWNE SENW Sec 02 T 04N R 44E, Teton Co.

Use: Irrigation — (1.04 CFS) from 04/15 to 10/15; Stockwater — (0.03 CFS) from 01/01 to 12/31; Domestic — (0.06 CFS) from 01/01 to 12/31.

Place of Use: SWNE SENW Sec 02 T 04N R 44E, SENW SENW Sec 02 T 04N R 44E for 42 acres.

Diversion Means: Well, pump & pipeline.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of Idaho Department of Water Resources, 150 Shoup Avenue, Idaho Falls, Idaho 83401 on or before January 26, 1981.

C. Stephen Allred
Director

Published in the Teton Valley News January 8 & 15, 1981.

RECEIVED
JAN 27 1981

Department of Water Resources
SPOKANE, IDAHO

September 10, 1984

RE: Permit No. 22-7341

Milo Bowen
Rt. 2, Box 1224
Driggs, ID 83422

Dear Mr. Bowen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

RECEIVED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director
August 21, 1984

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

RE: Permit No. 22-7341

Milo Bowen
Rt. 2, Box 1224
Driggs, ID 83422

Dear Mr. Bowen:

A representative of this Department has made an examination of the works covered by your Permit No. 22-7341, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.20 cfs Source: groundwater

The maximum quantity diverted shall not exceed 76.4 acre feet
per year.

Point(s) of diversion: SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 2, Twp 4N, Rge 44E

Beneficial Use: Domestic use for 2 units, stockwater and irrigation of 47 acres
within SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 2, Twp 4N, Rge 44E

Priority date established: December 17, 1980

Conditions (if any): This right when combined with all other rights shall provide
no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

If you do not concur with these findings, please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

22-7341

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 12 Aug 1982 Accompanied by Mr Bowen Total Q measured 0.20 cfs ✓
If source is surface water, estimate total flow of source _____
Methods of measurement Pitot tube Meets Permit requirements? _____

Measurement calculations: Aug Pressure 31psi
(1) $\frac{5}{32}$ @ 31psi = 4.07 gpm x 19 = 77.33
(2) $\frac{1}{4}$ @ 31psi = 4.9 gpm x 2 = 9.80
(1) $\frac{9}{64}$ @ 31psi = 3.31 gpm x 1 = 3.31
90.44 gpm
Q = 0.20 cfs Capacity ✓
 $47ac \times 0.02 cfs/ac = 0.94 cfs$
 $V = 47ac \times 3.0 cfs = 141 afa$ ✓
 $V = 0.20 cfs \times 1.9135 \times 183 days = 72.6 afa$ ✓

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	5							

System Description Schmersable Pump and Motor

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS


USE	Q (cfs)	V (afa)	FROM	TO
IRRIGATION ✓	0.20 cfs ✓	72.6 ✓	4/15 ✓	10/15 ✓
Stock water ✓	0.03 cfs ✓	1.4 ✓	1/1 ✓	12/71 ✓
Domestic (2 units) ✓	0.06 cfs ✓	2.4 ✓	1/1 ✓	12/51 ✓
Total	0.20 cfs ✓	76.4 afa ✓		

Remarks Rt6 (3.0)


MICROFILMED

permit lists 100 beef cattle using stock water -

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM



Point(s) of diversion: SW 1/4 NE 1/4, SE 1/4 NW 1/4 Sec 2 T4N R44E

Place(s) of Use less acreage

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	44E	2			36					11									47 ✓

Recommended Amendments:

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other R16 (72.6)

Examiner's Signature Keith Walker Date 2 Dec 1983

Checked by Theresa Jones Date 12-06-1983

Approved by Keith Walker Date 8-3-1984

PERMIT NO. 22-7341 ; (Name) Milo Brown
EXAMINATION: DATE: 12 Aug 82 Accompanied by:

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.
Submersible	Pump	and	Motor	

Measuring Device Type: Pitot tube

Meter #	Annubar #	Size #
1	1	1
2	2	2
3	3	3
4	4	4
5	5	5
6	6	6
7	7	7
8	8	8
9	9	9
10	10	10
11	11	11
12	12	12
13	13	13
14	14	14
15	15	15
16	16	16
17	17	17
18	18	18
19	19	19
20	20	20
21	21	21
22	22	22
23	23	23
24	24	24
25	25	25
26	26	26
27	27	27
28	28	28
29	29	29
30	30	30
31	31	31
32	32	32
33	33	33
34	34	34
35	35	35
36	36	36
37	37	37
38	38	38
39	39	39
40	40	40
41	41	41
42	42	42
43	43	43
44	44	44
45	45	45
46	46	46
47	47	47
48	48	48
49	49	49
50	50	50
51	51	51
52	52	52
53	53	53
54	54	54
55	55	55
56	56	56
57	57	57
58	58	58
59	59	59
60	60	60
61	61	61
62	62	62
63	63	63
64	64	64
65	65	65
66	66	66
67	67	67
68	68	68
69	69	69
70	70	70
71	71	71
72	72	72
73	73	73
74	74	74
75	75	75
76	76	76
77	77	77
78	78	78
79	79	79
80	80	80
81	81	81
82	82	82
83	83	83
84	84	84
85	85	85
86	86	86
87	87	87
88	88	88
89	89	89
90	90	90
91	91	91
92	92	92
93	93	93
94	94	94
95	95	95
96	96	96
97	97	97
98	98	98
99	99	99
100	100	100


Remarks:

Measurement calculations:

$2 - \frac{5}{32} \textcircled{a}$ 34 psi
 $\frac{5}{32}$ 32 psi
 $\frac{5}{32}$ 31 psi
 $1\frac{1}{64}$ 29 psi
 $\frac{5}{32}$ 30 psi
 $2 - \frac{5}{32} \textcircled{a}$ 28 psi
 $\frac{5}{32}$ 28 psi
 $1\frac{1}{64}$ 28 psi

SCHEMATIC DIAGRAM OF SYSTEM

Mainline Diameter	4"	Length
-------------------	----	--------



RG E.

			TMP.		

RECOMMENDED AMENDMENTS:

☐ Change P/D

□ Change P/U


☐ ADD P/LD

□ ADD P/U

☐ NONE

☐ Other

F-10



NOT TO SCALE

Overlap Review for 22-7341

per permit: 22-0045
22-0015

per micro-fische 8/3/84:
p/d - none

plu - none

per terminal :

22-0015 - Middle Twin Creek

no plu listed

22-0045 - Twin Creek

no plu' existed

Recommend R16(3.0)

kw

SECRET



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

June 9, 1981

RE: Permit No. 22-7341

Milo Bowen
Rt. #2, Box 1224
Driggs, ID 83422

Dear Mr. Bowen:
We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

COLLEEN WRAY
Adm. Secretary

cc: IDWR - State Office

RECEIVED
JUN 10 1981
IDWR

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 22-7341.

Name(s) of Permit Holder: Milo Bowen

Post Office Address: Rt 2, Box 1224, Driggs, ID
83422 Tel. No. 354-2434

Source of Water: Groundwater

Extent of Use:

☒ Domestic	<u>2</u>	(number of households)
☒ Stockwater	<u>100 beef</u>	(number and type of stock)
☒ Irrigation	<u>52</u>	(acres)
☐ Other		

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No
 Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

May 1981
 Date

Milo Bowen
 Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

MAY 11 1981

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BOWEN, MILO
RT. 2 BOX 1224
DRIGGS, ID 83422

MARCH 03, 1981

RE: PERMIT NO. 22-7341

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
MARCH 10 1981

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

22 7341

INITIAL REVIEW BY: SKip

APPLICATION NUMBER: Bowen

CHECK:

22-7341

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No
☐ Yes ☒ No
☒ Yes ☐ No*
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. No Overlap w/ water rights listed on App

In form for advertising. Jan. 20

Final date for protests: _____

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: Jan 27, 1981
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 12-17-1980 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

By: Ernest Carlson

Date: 2-4-1981

STATE OFFICE REVIEW:

SLW/LO3

OIC

- ☐ See attached sheet for more information.

By: John

Date: 2/20/81

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho.

22-7341

Bowen, Milo
Route 2, Box 1224, Driggs, ID
83422.

Source: Groundwater.

Date Filed: 12/17/1980

Amount: 1.13 CFS

Diversion Point: SWNE SENW

Sec 02 T 04N R 4^{1/2} E Teton Co.

Use: Irrigation (1.04 CFS)
from 04/15 to 10/15; Stockwater
— (0.08 CFS) from 01/01 to 12/31;
Domestic — (0.06 CFS) from 01/01
to 12/31.

Place of Use: SWNE SENW Sec
02 T 04N R 44E NENE NWNE
SENE Sec 02 T 04N R 44E for 42
acres.

Diversion Means: Well, pump &
pipeline.

If issued, the permit will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
Director of Idaho Department of
Water Resources, 150 Shoup Ave-
nue, Idaho Falls, Idaho 83401 on or
before January 26, 1981.

C. Stephen Allred
Director

Published in the Teton Valley
News January 8 & 15, 1981.

354-2242
called
TVN
1/2/81
about
changes.
kw

RECEIVED

JAN 8 1981

Department of Water Resources
Eastern District Office

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave.
Idaho Falls, Idaho 83401
(208) 525-7161

JANUARY 2, 1981

Teton Valley News
Driggs,
Idaho 83422

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 26, 1981.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 150 Shoup Ave., Idaho Falls, Idaho 83401 on or before JANUARY 26, 1981.

C. STEPHEN ALLRED

Director

Published 01/08 & 01/15/81. -

22-7341-

BOWEN, MILO

RT. 2 BOX 1224, DRIGGS, ID 83422

Source: GROUNDWATER

Date Filed: 12/17/1980

Amount: 1.13 CFS

Diversion Point: SWNE SENW Sec 02 T 04N R 44E, TETON Co.

Use: IRRIGATION	(1.04 CFS)	from 04/15 to 10/15
STOCKWATER	(0.03 CFS)	from 01/01 to 12/31
DOMESTIC	(0.06 CFS)	from 01/01 to 12/31

Place of Use: SWNE SENW Sec 02 T 04N R 44E NENW NWNE SENW Sec 02 T 04N R 44E
FOR 52 ACRES

Diversion Means: WELL, PUMP & PIPELINE.

RECEIVED
DEC 17 1980