


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Bob Parkinson
(Applicant)

AFFIDAVIT OF
PUBLICATION

State of Idaho }
County of Fremont }

ss.

Raymond F. Nash

being first duly sworn, upon his
oath, deposes and says:

That he is the Editor
of The Chronicle-News, a news-
paper as defined by Idaho
Codes Annotated, section 58-106,
as amended, and that said
newspaper is a weekly news-
paper printed and published at
St. Anthony, in Fremont County,
Idaho, having a general circula-
tion in said county, and that
said newspaper has been print-
ed and published as a weekly
newspaper in said county for
more than 78 consecutive weeks
prior to the first publication of
the attached notice, advertise-

ment or publication of

Notice of Correction

And affiant further says that
said notice, advertisement or
publication, as per clipping
attached, was published in said
newspaper, in the regular and
entire issue thereof, and not in
any supplement issue thereof,

for 2 consecutive is-
sues thereof; first publication

having been made on the 7

day of February, 1980,

and the last publication on the

14 day of February

19 80

And affiant further says that at
the times herein mentioned said
newspaper was made up of at
least four pages of at least five
columns each, printed from
type matter, of at least seven-
teen and three-fourths inches
deep.

Raymond F. Nash
Subscribed in my presence and

sworn to before me this 15

day of February

19 80

Marilyn R. Lehmann

Notary Public for the
State of Idaho, resi-
(SEAL) dence and post office
address: St. Anthony,
Idaho.

NOTICE OF CORRECTION

Notice is hereby given that Application No.
22-7314 in the name of Bob Parkinson was
advertised incorrectly on Jan. 24 and Jan.
31, 1980. The place of use was advertised
as being within the SESE Sec. 3, T. 7N, R.
42E; NENE, NWNE, SWNE, SENE, NENW,
SENW, NESW, NWSW, NESE, NWSE,
SWSE, SESE, Sec. 10, T. 7N, R. 42E;
NWNW, SWNW, NWSW, SWSW, SESW,
SWSE, SESE, Sec. 11, T. 7N, R. 42E;
SWSW, SWSE, SESE, Sec. 12, T. 7N, R.
42E; NENE, NWNE, SWNE, SENE, NENW,
NWNW, SWNW, SENW, NESW, NWSW,
SWSW, SESW, NESE, NWSE, SWSE,
SESE, Sec. 13, T. 7N, R. 42E; NENE,
NWNE, SWNE, SENE, NENW, NWNW,
SWNW, SENW, NESW, NWSW, SWSW,
SESW, NESE, NWSE, SWSE, SESE, Sec.
14, T. 7N, R. 42E; NENE, SWNE, SENE,
NESE, NWSE, Sec. 15, T. 7N, R. 42E;
NENE, NWNE, SWNE, SENE, Sec. 23, T.
7N, R. 42E; NENE, NWNE, SWNE, SENE,
NENW, NWNW, SWNW, SENW, NESW,
NWSW, NESE, NWSE, Sec. 24, T. 7N, R.
42E; NENE, NWNE, SWNE, SENE, NENW,
NWNW, SWNW, SENW, NESW, NWSW,
NESE, NWSE, SWSE, SESE, Sec. 19, T.
7N, R. 43E for 3055 acres.

WHEREAS, the actual place of use is
within the SESE, Sec. 3, T. 7N, R. 42E;
NENE, NWNE, SWNE, SENE, NENW,
SENW, NESW, NWSW, NESE, NWSE,
SWSE, SESE, Sec. 10, T. 7N, R. 42E;
NWNW, SWNW, NWSW, SWSW, SESW,
SWSE, SESE, Sec. 11, T. 7N, R. 42E;
SWSW, SWSE, SESE, Sec. 12, T. 7N, R.
42E; NENE, NWNE, SWNE, SENE, NENW,
NWNW, SWNW, SENW, NESW, NWSW,
SWSW, SESW, NESE, NWSE, SWSE,
SESE, Sec. 13, T. 7N, R. 42E; NENE,
NWNE, SWNE, SENE, NENW, NWNW,
SWNW, SENW, NESW, NWSW, SWSW,
SESW, NESE, NWSW, SWSE, SESE, Sec.
14, T. 7N, R. 42E; NENE, SWNE, SENE,
NESE, NWSE, Sec. 15, T. 7N, R. 42E;
NENE, NWNE, SWNE, SENE, Sec. 23, T.
7N, R. 42E; NENE, NWNE, SWNE, SENE,
NENW, NWNW, SWNW, SENW, NESW,
NWSW, NESE, NWSE, Sec. 24, T. 7N, R.
42E; NENE, NWNE, SWNE, SENE, NENW,
NWNW, SWNW, SENW, NESW, NWSW,
NESE, NWSE, SWSE, SESE, Sec. 19, T.
7N, R. 43E for 3055 acres.

Any protest against the granting of this
permit as a result of this correction must be
filed with the Idaho Department of Water
Resources, 1515 Lincoln Road, Idaho Falls,
Idaho, 83401 on or before February 25,
1980.

C. STEPHEN ALLRED
Director

Publ. Feb. 7 and 14, 1980CN

RECEIVED

MAR 7 1980

Department of Water Resources
Eastern District Office

- 2006-04-01



- ## 15. Recommended Amendments

CONSULTANT SEAL

MADE IN U.S.A.

AUG 09 1994

REDIVERSION SYSTEM

Owner: Bob PARKINSON

Permit No. 22-7314

Current Address: Rt 1 St. ANTHONY

Phone No. _____

REDIVERSION SYSTEM - PUMPS

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1	GE	600	5K6328XC334	UNK	UNK 14"
#2	Westinghouse	400	3S-78	UNK	UNK 8"
#3	Westinghouse	500	1S-77	UNK	UNK 12"
#4	Westinghouse	600	1S-77	Johnston	4599


REDIVERSION SYSTEM

DESCRIPTION: (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

FOUR PUMP DIVERSION FROM TETON RIVER TO MAINLINE WITH LATERALS WITH SPRINKLERS :

POINT OF REDIVERSION

Ident #	1/4	1/4	1/4	Sec.	Twp.	Rge.	Survey Information from Known Corner	County	Remarks
1-4		NW	SE	23	7N	42E		FREMONT	TETON RIVER DIVERSION



RECORDED
AUG 09 1994

22-7314

REDIVERSION FOR

~~22-7205~~

~~22-7265~~

PERMIT NO. 22-7314

Parkinson
(Name)

Accompanied by:

EXAMINATION: DATE: 7-7-82

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.

Measuring Device Type: McCrometer

Meter # 77-22-1001 Annubar #

Size #


Remarks:

Measurement calculations:

0.01 afm 17.8sec = 24.47cfs

SCHEMATIC DIAGRAM OF SYSTEM

Mainline Diameter 22" Length



AUG 09 1994

22-7314




EXCHANGE WELLS

REC'D
AUG 09 1994

22-7205/7210/7265/7314/7313

22-7314




SCALE: 2 Inches Equal 1 Mile. Draw Plan In Ink.

NOT TO SCALE

TETON RIVER
DIVERSION

11/10/94
09 1994

22-7314



22-7314

PLACE OF USE

Teton River

TIN RAZE
RAZE

3671 NE
(NEWDALE)

RAZE TIN

RECEIVED

AUG 09 1994

ST. ANTHONY 10 MI.

JEFFERSON CO. IOWA
MADISON CO.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 22-07314

Priority: January 15, 1980

Maximum Diversion Rate:

9.00 CFS

Maximum Diversion Volume:

3284.7 AF

This is to certify, that BOB PARKINSON

RT 1

ST ANTHONY ID 83445

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 15, 1980; and has submitted Proof of Beneficial Use on October 14, 1985. An examination indicates that the works have a diversion capacity of 56.360 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	9.00 CFS	3284.7 AF

LOCATION OF POINT(S) OF DIVERSION:

Rediversion

SWNE , Sec. 29, Township 07N, Range 41E

NESE , Sec. 23, Township 07N, Range 42E

FREMONT County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	42E	3	SESE 31			31
		10	NENE 19	NWNE 33	SWNE 31	
			SENE 36	NENW 23	SENE 37	
			NESW 34	NWSW 36	NESE 39	
			NWSE 39	SWSE 26	SESE 36	389
		11	NWNW 34	SWNW 39	NWSW 36	
			SWSW 40	SESW 39	SWSE 39	
			SESE 31			258
		12	SWSW 8	SESW 4	SWSE 9	
			SESE 4			25
		13	NENE 39	NWNE 37	SWNE 31	
			SENE 36	NENW 33	NWNW 39	
			SWNW 34	SENE 29	NESW 40	
			NWSW 40	SWSW 39	SESW 40	
			NESE 35	NWSE 40	SWSE 40	
			SESE 40			592
		14	NENE 36	NWNE 40	SWNE 29	
			SENE 26	NENW 35	NWNW 34	
			SWNW 38	SENE 35	NESW 40	
			NWSW 38	SWSW 5	SESW 29	
			NESE 25	NWSE 39	SWSE 40	
			SESE 40			529
		15	NENE 26	NWNE 1	SWNE 25	
			SENE 39	NESW 1	NESE 23	
			NWSE 20			135
		23	NENE 40	NWNE 26	SWNE 3	
			SENE 29	NENW 5		103

103

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 22-07314

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	42E	24	NENE 40	NWNE 40	SWNE 39	
			SENE 40	NENW 40	NWNW 40	
			SWNW 36	SENE 35	NESW 2	
			NWSW 1	NESE 25	NWSE 9	347
43E	19		NENE 40	NWNE 40	SWNE 40	
			SENE 40	NENW 40	Lot 1(NWNW) 41	
		Lot 2(SWNW)	40	SENE 34	NESW 5	
		Lot 3(NWSW)	23	NESE 29	NWSE 32	
		SWSE 6		SESE 1		411

Total number of acres irrigated: 2820

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 01.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.
7. Unperforated well casing shall be retained above the first confining layer to prevent interference with shallow wells and recharge to the river.
8. No demand on upstream prior rights or existing prior exchanges can be made and no interference with prior rights located between the redirection pump and the exchange wells will be allowed even if the exchange wells are pumping water into the Teton River.
9. Totalizing measuring devices shall be maintained at the exchange wells and redirection pump from the Teton River.

NOT RECORDED

AUG 0 9 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 22-07314

CONDITIONS/REMARKS:

10. The exchange wells must inject water into the Teton River whenever water is being diverted from the river under this license, and the injection must continue after the diversion from the Teton River ceases until the water not diverted reaches the point of injection.
11. The power supply to the exchange wells cannot be contracted under the power company's interruptable rules unless the power company agrees to notify the right holder at least 24 hours prior to the time the power service is terminated.
12. The rate of rediversion from the Teton River shall not exceed the rate of injection into the Teton River from the exchange well.
13. The director retains jurisdiction of this right to adjust the terms of the exchange if necessary to prevent injury to prior rights.
14. Three points of diversion located in SWNE, S29, T7N, R41E.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22nd day of July, 1994.

Acting for


R. Keith Higginson, Director

JUL 29 1994

State of Idaho
Department of Water Resources

RECEIVED

AUG 20 1990

APPROVED

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 22-07314

Department of Water Resources

Date of Priority: January 15, 1980

Maximum Diversion Rate: 9.00 CFS
Maximum Diversion Volume:¹ 3820.2 AF

Comes now BOB PARKINSON
RT. 1
ST. ANTHONY, ID 83445

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 22-07314, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	9.00 CFS	3820.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 29, Township 07N, Range 41E
FREMONT County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	42E	3	SESE 31			31
		10	NENE 19	NWNE 33	SWNE 31	
			SENE 36	NENW 23	SENW 37	
			NESW 34	NWSW 36	NESE 39	
			NWSE 39	SWSE 26	SESE 36	389
		11	NWNW 34	SWNW 39	NWSW 36	
			SWSW 40	SESW 39	SWSE 39	
			SESE 31			258
		12	SWSW 8	SESW 4	SWSE 9	
			SESE 4			25
		13	NENE 39	NWNE 37	SWNE 31	
			SENE 36	NENW 33	NWNW 39	
			SWNW 34	SENW 29	NESW 40	
			NWSW 40	SWSW 39	SESW 40	

APPROVED

AUG 09 1994

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	42E	13	NESE 35	NWSE 40	SWSE 40	592
			SESE 40			
		14	NENE 36	NWNE 40	SWNE 29	
			SENE 26	NENW 35	NWNW 34	529
			SWNW 38	SENE 35	NESW 40	
			NWSW 38	SWSW 5	SESW 29	
			NESE 25	NWSE 39	SWSE 40	135
			SESE 40			
		15	NENE 26	NWNE 1	SWNE 25	
			SENE 39	NESW 1	NESE 23	103
			NWSE 20			
		23	NENE 40	NWNE 26	SWNE 3	
			SENE 29	NENW 5		347
			NENE 40	NWNE 40	SWNE 39	
		24	SENE 40	NENW 40	NWNW 40	
			SWNW 36	SENE 35	NESW 2	411
			NWSW 1	NESE 25	NWSE 9	
			NENE 40	NWNE 40	SWNE 40	
43E	19		(SENE) 40	NENW 40	LOT 1 NWNW 41	411
		LOT 2	(SWNW) 40	SENE 34	NESW 5	
		LOT 3	NWSW 23	NESE 29	NWSE 32	
			SWSE 6	SESE 1		

Total number of acres irrigated: 2820

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at St. Anthony, this 17 day of August, 1980.

Bob Robinson
(Signature)

AUG 09 1980

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 22-07314

FOR DEPARTMENT USE ONLY

#C018071

Preliminary check by SC Fee $\neq$ \$20.00

Received by MGH Date Aug. 20, 1990

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 22-07314 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right is subject to control by the watermaster of State Water District No. 01
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.
7. The combined annual volume of water under this right & Rights 22-7205, 22-7265 & 22-7270 shall not exceed 10,399.5 afa.
8. The maximum combined rate of diversion under this right & Rights 22-7205, 22-7265 & 22-7270 shall not exceed 24.5 cfs.

Witness my hand this 22nd day of July, 1994.

R. Keith Higginson
Acting for R. Keith Higginson, Director

2009 1994

7/92

Ident. No. 3972

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TEMPORARY CHANGE APPLICATION

(To change point of diversion, place of use or purpose of use)

Name of applicant Bob Parkinson + Earl G. Stred Phone 745-8901
Post Office address P.O. Box 326 St. Anthony, ID 83441

A. PURPOSE OF TRANSFER

1. ☐ Change point of diversion ☐ Add diversion point(s) ☒ Change place of use
☐ Change purpose of use ☐ Other

2. Describe the proposed change(s) and the reason(s) therefor Yellowstone canal water is not sufficient. I want to use Mr. Parkinson's recharge wells on the Teton River. Two of those wells are off at this time because 60% of Parkinson's acreage is shut off. Diversion will be on Falls river thru Yellowstone canal to my place of use.

B. DESCRIPTION OF RIGHT(S) OR PORTION THEREOF, AFTER THE REQUESTED CHANGE

1. Right Number	Priority	Amount	Nature	Period of Use
(X) A22-07314 TH	1-15-1980	9.00	Irrig	4-01 to 10-31
(X) A22-07268 TH	11-16-1977	1.09	"	" to "
(X) A22-07265 TH	11-16-1977	3.41	"	" to "
(X) A22-07205 TH	1-18-1977	11.00	"	" to "

2. Total amount of water being transferred 24.50 cubic feet/second and/or _____ acre-feet per annum.

3. Source of water Groundwater tributary to _____

4. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Local name for diversion
		SE	SW	NE	29	7N	41E	Front	Parkinson recharge wells
			NW	NW	35	9N	44E	Front	Rediversion from Yellowstone canal

5. Lands irrigated or Place(s) of Use:

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
9N	44E	27														25	25	25	75
		29					25	25	25		20	20	20		25	21			181

Total acres 256

6. General Information:

- a. Who owns the water right to be changed? Bob Parkinson
- b. Describe the arrangement allowing use of the right Verbal agreement
- c. Describe the affect on the land now irrigated if the change is approved pursuant to this application:
Land that would be normally irrigated are finished with normal irrigation for this year.
- d. Has the water right sought to be transferred been used this year? Yes If yes, explain. _____
- e. Absent the changes, how would the right be used for the remainder of the year? After the grain crop is cut, applicant Parkinson would water the stubble fields.
- f. Describe other water rights used for the same purpose.
Applicant Sted has shares in the Yellowstone Canal system
- g. Remarks: See attachment + * Approx 5.12 cfs (150 acre feet) of this right is needed for irrigation of 256 acres by Mr. Sted. W/D on Records show Parkinson has a credit this year for pumped exchange water.

I hereby assume all risk in accordance with House Bill No. 4 and assert that no one will be injured by such change and that the change does not constitute an enlargement in use of the original right. The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in voiding its approval.

Bob Parkinson
(Signature of applicant)

FOR DEPARTMENT USE ONLY

Received by HWT Date 8-5-92 Fee \$50
 Receipted 8-5-92 # E017685 Recommend: ✓ approve _____ deny _____
 Watermaster recommendation _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Temporary Change Application No. 3972
 And said application is hereby Approved, subject to the following limitations and conditions:

1. This approval expires November 1, 1992 and thereafter the right reverts to the use existing prior to the temporary change.
2. See Attachment

Witness my hand this 5th day of August, 1992.

Ronald J. Carter
AUG 09 1992

MEMORANDUM

FROM: H.W. JONES
TO: PARKINSON-STEED TRANSFER

THE INTENT OF THIS TRANSFER IS TO UTILIZE TWO (2) OF BOB PARKINSON'S RECHARGE WELLS ON THE TETON RIVER TO PROVIDE A FLOW OF AT LEAST 5.12 CFS WHICH WILL BE CREDITED FOR USE BY MR. STEED. MR. STEED WILL THEN REDIVERT THE FLOW FROM THE FALLS RIVER VIA THE YELLOWSTONE CANAL.

THE PARKINSON WELLS ARE INACTIVE AT THIS TIME BECAUSE 60% OF PARKINSON'S 2200 ACRES HAS FINISHED ITS IRRIGATION CYCLE FOR THIS YEAR.

* IF THIS TEMPORARY CHANGE APPLIC. IS APPROVED IS MUST BE CONDITIONED THAT THE FALLS RIVER BE FLOWING WATER THAT IS DELIVERABLE TO DOWNSTREAM USERS WITH CURRENT PRIORITY RIGHTS WITHIN THE FALLS RIVER SYSTEM.

RECEIVED
AUG 09 1994

BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PROTESTS AGAINST APPROVAL)
OF APPLICATION FOR PERMIT NO. 22-7314 IN)
THE NAME OF BOB PARKINSON)

MEMORANDUM DECISION
AND ORDER

On January 15, 1980, Bob Parkinson filed Application for Permit No. 22-7314 to appropriate 9.00 cubic feet per second of groundwater to be diverted in the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 29, Twp. 7N, Rge. 41E B.M., Fremont County, and discharged into the Teton River in exchange for water diverted from the Teton River in the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23, Twp. 7N, Rge. 42E, Fremont County. The water will be used from April 1 to November 1 for the irrigation of 3,055 acres in Sections 3, 10, 11, 12, 13, 14, 15, 23, and 24, Twp. 7N, Rge. 42E and Section 19, Twp. 7N, Rge. 43E.

Notice of the application was advertised on January 24 and 30, 1980 in the Chronicle News at St. Anthony, Idaho and subsequently protested on February 6, 1980 by Wilford Canal Company. On February 7 and 14, 1980, a notice of correction was published in the Chronicle News to correct an error in the legal description for the place of use in the original notice. Clinton H. Peterson then filed a protest on February 19, 1980.

The Department of Water Resources set the matter for conference and/or hearing to be held in St. Anthony on April 22, 1980. The applicant was present and represented himself. The protestant, Wilford Canal Company, was present and represented by J. T. Beech, President. The protestant, Clinton H. Peterson, was present and represented himself.

Following testimony by those present, it was agreed to allow the Department of Water Resources to reach a decision based on the information provided at the conference and the official records of the department, taking into consideration the issue of whether or not the use of exchange wells is lowering the groundwater table and that additional exchange wells would accelerate the decline.

Statements made by Mr. Clinton Peterson and other individuals indicated that as early as 1946 a lowering of the groundwater table forced people to deepen their culinary wells. Mr. Peterson stated his well was located three-fourths of a mile northwest of the existing exchange wells in the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 29, Twp. 7N, Rge. 41E and in 1979, he redrilled his well to 200 feet. When last measured, the static water level in his well was 100 and was providing sufficient water. Two other

22-7314-177

culinary wells have been redrilled to 140 and 152 feet where sufficient water was available to meet their needs.

Mr. Larry Kerbs, a member of the Wilford Canal Company, expressed his concern that the exchange wells constructed in 1978 by the applicant and Val Schwendiman Farms, Inc. were lowering the groundwater table.

The applicant and Mr. Val Schwendiman indicated the static level in their existing exchange wells had not declined since the wells were drilled and even during operating the draw down was insignificant.

The Director of the Department of Water Resources having reviewed the available information and based on his understanding of the law makes the following Findings of Fact, Conclusions of Law, and Order.

FINDINGS OF FACT

1) The elevation of the applicant's proposed well and the Peterson's well is between 4,950 and 4,965 feet.

2) A well driller's report of the applicant's existing exchange well indicates the well was drilled to a depth of 180 feet and cased to a depth of 140 feet.

3) The Peterson's culinary well was redrilled to a depth of 200 feet and is presently producing sufficient water.

4) Wells owned by both the applicant and protestant are diverting water at an elevation of approximately 4,765 feet.

5) Information presented by the applicant indicates there is no significant draw down encountered when this existing exchange well is in operation.

CONCLUSIONS OF LAW

1) Available data indicate there is sufficient groundwater at a depth of 200 feet to meet existing demands in Sections 20 and 29, Twp. 7N, Rge. 41E B.M.

2) The applicant is entitled to an approved permit from the Department of Water Resources.

ORDER

IT IS, THEREFORE, HEREBY ORDERED That Application for Permit No. 22-7314 be and is APPROVED subject to the following conditions:

1) Use of water under this permit is subject to all prior water rights.

- 2) The rate of diversion under this permit when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

- 3) A totalizing meter of a type approved by the Department shall be permanently installed and maintained as part of the diverting works at the point of diversion and at the point of redirection.


- 4) Use of water under this permit is subject to the control of the water-master of State Water District 01.

- 5) The issuance of this permit in no way grants any right-of-way or easement across the lands of another.

6) The applicant's well shall be cased and sealed in such a manner to prevent the withdrawal of water from the strata between land surface and 140 feet below the land surface.

7) Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1985.

Dated this 10 day of September, 1980.


C. STEPHEN ALLRED
Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Bob Parkinson Phone 624-7285

Post office address Route #1, St. Anthony, ID 83445

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 29 Township 7N

Range 41E B.M. Fremont County, additional points of diversion if any: _____

Water diverted from Teton River within NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23, T. 7N, R. 42E

4. Water will be used for the following purposes:

Amount 9.0 for irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 9.0 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. one 600 HP turbine pump diverting from Teton River, 250 HP pump on well.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 26 inches; proposed depth of well is 180 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

SEE LAND LIST ATTACHMENT

Total number of acres to be irrigated 3055

c. Describe any other water rights used for the same purposes as described above. Permit No.

22-7205 (22-7201 was drilled but was unproductive) and exchange well.


9. a. Who owns the property at the point of diversion Department of Power and Water Resources Service

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Applicant has 20 year lease from the Dept. of Power and Water Resources Services.

10. Remarks This application is filed to exchange ground water for Teton River water.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Bob Parkinson
(Applicant)

Received by EMC Date 1/15/80 Time 4:30 P.M.

Preliminary check by JV Fee \$ 15.

Received by kw Date 1/15/80 #15512

Publication prepared by kw Date 1/17/80

Published in Fremont County Chronicle News

Publication dates 1/24 & 1/31/80 2/7 & 2/14/80 read

Publication approved _____ Date _____

Protests filed by: J. Beech, Wyford Canal Co.

Clinton H. Peterson

Copies of protests forwarded by _____

Hearing held by Ron Carlson Date April 22, 1980

Recommended for approval denial by EMC Jim


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 22-7314, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: PURSUANT TO MEMORANDUM DECISION AND ORDER

Witness my hand this 10 day of September, 19 80.


Director

Description and location of place of use:

[illegible]

Total number of acres irrigated 3055

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PROTESTS AGAINST APPROVAL
OF APPLICATION FOR PERMIT NO. 22-7314 IN
THE NAME OF BOB PARKINSON

MEMORANDUM DECISION
AND ORDER

I HEREBY CERTIFY That on the 10th day of October, 1980, true and correct
copies of the foregoing MEMORANDUM DECISION AND ORDER, were mailed, postage prepaid
to:

Bob Parkinson
Route 1
St. Anthony, ID 83445

J. T. Beech, President
Wilford Canal Company
Route 1
St. Anthony, ID 83445

Clinton H. Peterson
Box 97, Route 1
St. Anthony, ID 83445


RITA I. FLECK

MICROFILMED

AFFIDAVIT OF
PUBLICATION

State of Idaho

County of Fremont

ss.

Raymond E. Nash

being first duly sworn, upon his
oath, deposes and says:

That he is the Editor
of The Chronicle-News, a news-
paper as defined by Idaho
Codes Annotated, section 58-106,
as amended, and that said
newspaper is a weekly news-
paper printed and published at
St. Anthony, in Fremont County,
Idaho, having a general circula-
tion in said county, and that
said newspaper has been print-
ed and published as a weekly
newspaper in said county for
more than 78 consecutive weeks
prior to the first publication of
the attached notice, advertise-

ment or publication of

Notice of Correction

And affiant further says that
said notice, advertisement or
publication, as per clipping
attached, was published in said
newspaper, in the regular and
entire issue thereof, and not in
any supplement issue thereof,

for 2 consecutive is-
sues thereof; first publication

having been made on the 7

day of February, 1980,

and the last publication on the

14 day of February

19 80

And affiant further says that at
the times herein mentioned said
newspaper was made up of at
least four pages of at least five
columns each, printed from
type matter, of at least seven-
teen and three-fourths inches
deep.

Raymond E. Nash
Subscribed in my presence and

sworn to before me this 15

day of February

19 80

Marilyn R. Lehman

Notary Public for the
State of Idaho, resi-
(SEAL) dence and post office
address: St. Anthony,
Idaho.

skw
3/2/80

RECEIVED

MAR 7 1980

Department of Water Resources
Eastern District Office

AFFIDAVIT OF
PUBLICATION

State of Idaho

County of Fremont

ss.

Raymond F. Nash

being first duly sworn, upon his
oath, deposes and says:

That he is the Editor
of The Chronicle-News, a news-
paper as defined by Idaho
Codes Annotated, section 58-106,
as amended, and that said
newspaper is a weekly news-
paper printed and published at
St. Anthony, in Fremont County,
Idaho, having a general circula-
tion in said county, and that
said newspaper has been print-
ed and published as a weekly
newspaper in said county for
more than 78 consecutive weeks
prior to the first publication of
the attached notice, advertise-

ment or publication of

Notice of Application

For Water Right

And affiant further says that
said notice, advertisement or
publication, as per clipping
attached, was published in said
newspaper, in the regular and
entire issue thereof, and not in
any supplement issue thereof,

for 2 consecutive is-
sues thereof; first publication

having been made on the 24

day of January, 1980,

and the last publication on the

31 day of January

19 80

And affiant further says that at
the times herein mentioned said
newspaper was made up of at
least four pages of at least five
columns each, printed from
type matter, of at least seven-
teen and three-fourths inches
deep.

Raymond F. Nash
Subscribed in my presence and

sworn to before me this 1

day of February

19 80

Marilyn R. Shannan
Notary Public for the
State of Idaho, resi-
(SEAL) dence and post office
address: St. Anthony,
Idaho.

NOTICE OF APPLK N
FOR WATER RIGHT

Notice is hereby given that the following
application(s) have been submitted for permit
to appropriate the public water of the State of
Idaho:

22-7313

Val Schwendiman Farms, Inc.

Newdale, ID 83436

Source: Groundwater

Date Filed: 01/15/1980

Amount: 9.00 CFS

Diversion Point: SWNE Sec 29 T 07N R 41E

NWSE Sec 23 T 07N R 42E (Rediversion)

Fremont Co.

Use: Irrigation (9.00 CFS) from 04/01 to
11/01

Place of Use: NENE/NWNE SWNE SENE
NENW NWNW SWNW NESW NWSW SWSW
SESW NESE NWSE SWSE SESE Sec 02 T
06N R 42E NWNE SWNE NENW NWNW
SWNW SENW NESW NWSW SWSW SESW
NWSE SWSE Sec 26 T 07N R 42E SWNE
SENE SWNW SENW NESW NWSW SWSW
NESE NWSE SWSE SESE Sec 27 T 07N R
42E SWNE SENE SWSW SESW NESE NWSE
SWSE SESE Sec 28 T 07N R 42E NENE
NWNW NENW Sec 33 T 07N R 42E NENW
NWNW Sec 34 T 07N R 42E NENE NWNE
SWNE SENE NENW NWNW SWNW SENW
NESW NWSW SWSW SESW NESE NWSE
SWSE SESE Sec 35 T 07N R 42E NENE
NWNE SWNE NENW NWNW SWNW SENW
Sec 11 T 06N R 42E NENE NWNE SWNE
SENE NESW NWSW NESE NWSE Sec 10 T
06N R 42E for 3360 acres

Diversion Means: Well, pump, and pipeline;
rediversion pump.

22-7314

Parkinson, Bob

Route 1, St. Anthony, ID 83445

Source: Groundwater

Date Filed: 01/15/1980

Amount: 9.00 CFS

Diversion Point: SWNE Sec 29 T 07N R 41E

NESE Sec 23 T 07N R 42E (Rediversion),

Fremont Co.

Use: Irrigation (9.00 CFS) from 04/01 to
11/01

Place of Use: SESE Sec 03 T 07N R 42 E
NENE NWNE SWNE SENE NENW SENW
NESW NWSW NESE NWSE SWSE SESE Sec
10 T 07N R 42E NWNW SWNW NWSW SWSW
SESW SWSE SESE Sec 11 T 07N R 42E
SWSW SWSE SESE Sec 12 T 07N R 42E
NENE NWNE SWNE SENE NENW NWNW
SWNW SENW NESW NWSW SWSW SESW
NESE NWSE SWSE SESE Sec 13 T 07N R
42E NENE NWNE SWNE SENE NENW NWNW
SWNW SENW NESW NWSW SWSW SESW
NESE NWSE SWSE SESE Sec 14 T 07N R
42E NENE SWNE SENE NESE NWSE Sec 15 T
07N R 42E NENE NWNE SWNE SENE NENW
T 07N R 42E NENE NWNE SWNE SENE NENW
NWNW SWNW SENW NESW NWSW NESE
NWSE Sec 24 T 07N R 42E NENE NWNE
SWNE SENE NENW NWNW SWNE SENW
NESW NWSW NESE NWSE SWSE SESE Sec
19 T 07N R 43E for 3055 acres

c diversion Means: Well and pumps.

If issued, the permit(s) will be subject to all
prior water rights! Protests against the granting
of any permit must be filed with the Director of
the Idaho Department of Water Resources,
1515 Lincoln Road, Idaho Falls, Idaho 83401
on or before February 11, 1980.

/s/ C. STEPHEN ALLRED
Director

Publ 01/24 & 01/31/BOCN

RECEIVED

FEB 19 1980

Department of Water Resources
Eastern District Office

← was
rediverted

← was
rediverted



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 25, 1994

BOB PARKINSON
RT 1
ST ANTHONY ID 83445

RE: WATER RIGHT NO. 22-07314

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

A faint, illegible stamp or mark, possibly a date or office stamp, located at the bottom right of the page.

AUG 09 1994

WR0749NP
No. L22-07314

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 04/27/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	BOB PARKINSON RT 1 ST ANTHONY ID 83445	01/15/1980	IRRIGATION	04-15 10-15	9.00 CFS	3284.70 AFA
TOTAL DIVERSION:					9.00 CFS	3284.70 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 56.36 CFS

Point(s) of Diversion: T07N R41E S29

SWNE

FREMONT County

Point(s) of Re-diversion: T07N R42E S23

NESE

FREMONT County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE																																			
				NENE	NWNE	SWNE	SENE					NENW	NWNW	SWNW	SENW					NESW	NWSW	SWSW	SESW					NESE	NWSE	SWSE	SESE																				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM																			
07N	42E	3	:																												31	31.0																			
07N	42E	10	:	19		33		31		36		23				37		34		36				39		39		26		36		389.0																			
07N	42E	11	:										34		39				36		40		39						39		31	258.0																			
07N	42E	12	:																	08		04						09		04		25.0																			
07N	42E	13	:	39		37		31		36		33		39		34		29		40		40		39		40		35		40		592.0																			
07N	42E	14	:	36		40		29		26		35		34		38		35		40		38		05		29		25		39		40	529.0																		
07N	42E	15	:	26		01		25		39									01						23		20					135.0																			
07N	42E	23	:	40		26		03		29		05																				103.0																			
07N	42E	24	:	40		40		39		40		40		40		36		35		02		01				25		09				347.0																			
07N	43E	19	:	40		40		40		40		40		01-41		02-40		34		05		03-23				29		32		06		01	411.0																		
																													TOTAL ACRES		2820.0																				

Pou County: FREMONT

Other Rights: 22-7205 & UNPRODUCTIVE WELL 22-7201.

Other Water Rights with Same Point(s) of Diversion and Source:

22-07205	22-07210	22-07265	22-07313	22-07314	22-07700	22-07702	L22-07205	L22-07210	L22-07265
L22-07313									

Other Water Rights Listing Overlapping Place(s) of use:

21-00046B	21-00047B	22-07205	22-07265	22-07270	22-07314	22-07702	22-07721	L22-07205	L22-07265
L22-07270									

Conditions of Approval:

- R04 - Use of water under this water right will be regulated by the
- watermaster of State Water District No. 01.
- R30 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 3.5 afa per acre for the
- lands above.

Remarks: Unperforated well casing shall be retained above the first
confining layer to prevent interference with shallow wells and
recharge to the river.
No demand on upstream prior rights or existing prior exchanges

Remarks: can be made and no interference with prior rights located between the redirection pump and the exchange wells will be allowed even if the exchange wells are pumping water into the Teton River.
Totalizing measuring devices shall be maintained at the exchange wells and redirection pump from the Teton River.
The exchange wells must inject water into the Teton River whenever water is being diverted from the river under this license, and the injection must continue after the diversion from the Teton River ceases until the water not diverted reaches the point of injection.
The power supply to the exchange wells cannot be contracted under the power company's interruptable rules unless the power company agrees to notify the right holder at least 24 hours prior to the time the power service is terminated.
The rate of redirection from the Teton River shall not exceed the rate of injection into the Teton River from the exchange well.
Three points of diversion located in SWNE, S29, T7N, R41E.

Dates: App. Received: 01/15/1980 Priority Date: 01/15/1980 (Priority Date Advanced.)
Proof Due Date: 09/01/1985 Proof Made Date: 10/14/1985 (Proof Received Late.)
Exam Made Date: 08/26/1985 Exam Sent to S.O.: 01/28/1987
Licensed Date:

Misc: Water District Number: 01 Field Exam Fee:

Audit: 04/21/94 CURTIS 04/25/94 CURTIS 04/27/94 CURTIS

July 16, 1990

BOB PARKINSON
RT. 1
ST. ANTHONY, ID 83445

RE: PERMIT NO. 22-07314

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MISSOURI MED

AUG 09 1994

MEMORANDUM

To: File
From: Roxanne McCarthy
Re: overlapping rights
Date: April 11, 1990

=====

The following rights share the same three points of diversion. None of the licenses require conditioning because the rates of flow and total volume are not exceeded by these rights.

<u>WR No.</u>	<u>Q(cfs)</u>	<u>V(afa)</u>	<u>Cum. Q(cfs)</u>	<u>Cum. V(afa)</u>
22-7205	11.00	4669.0	11.00	4669.0
22-7210	15.50	6579.3	26.50	11248.5
22-7265	4.50	1910.1	31.00	13158.6
22-7313	9.00	3820.2	40.00	16978.8
22-7314	9.00	3820.2	49.00	20799.0

Total Q/V measured: 56.36 23923.1

Right #22-7270 is a surface right, but the pumps also serve as points of redirection for Rights Nos. 22-7205, -7265 and -7314.


<u>WR No.</u>	<u>Q(cfs)</u>	<u>V(afa)</u>	<u>Cum. Q(cfs)</u>	<u>Cum. V(afa)</u>
22-7205	11.00	4669.0	11.00	4669.0
22-7265	4.50	1910.1	15.50	6579.1
22-7270	18.00	3748.8	33.50	10327.9
22-7314	9.00	3820.2	42.50	14147.9

Total Q/V measured: 24.50 10399.5

Rights Nos. 22-7205 and -7265 can be licensed without condition. Right No. 22-7270 should be conditioned concerning maximum rate of flow. Right No. 22-7314 should be conditioned to limit both rate of flow and volume.

AUG 09 1990

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks TOTAL DIVERSION RATE IS DIVIDED IN HALF WITH
Half going to Val Schwendiman (22-7210 & 22-7313)
AND THE OTHER HALF GOING TO BOB PARKINSON (22-7205, 22-7265
& 22-7314)

15. Recommended Amendments

☒ Change ^{REDIVERSION} P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature Keith C. Wilson

Date 29 July 1985
26 Aug 1985 KWW

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date _____

CONSULTANT SEAL

REGISTERED

AUG 09 1994

22-7314

RECOMMENDED AMOUNTS

Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
22-7314					56.36 cfs

4. Permit Holder: _____

Address: _____

5. Source: GROUNDWATER tributary to _____

6. Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/1	90 cfs	3820.22

Allowable Maximums: 9.0 3820.22

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

[illegible]

9. Recommended Conditions/Remarks: PARKINSON SPLITS HALF DIVERSION RATE WITH
VAL SCHWENDIMAN.

10. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

11. Examiner's Signature Keith C. Wilson

Date 27 JAN 1987

Checked in Regional Office by E.S. Verner


Date _____

Approved in State Office by _____

Date 2/6/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

LICENSING REPORT



JAN 29 1987

22-7314

Permit No.

1. Measurement Calculations

a) Field Measurement Calculations ~~Department of Water Resources~~ (Departmental theoretical capacities and system capacity)

GROUNDWATER EXCHANGE WELLS $[(0.01 \text{ Ac-ft}) (43560 \text{ ft}^2/\text{ac})] \div \text{#Sec} = \text{cfs}$

SYSTEM #1 (Wilford #1) $0.01 \text{ af in } 24.22 \text{ sec} = 17.98 \text{ cfs}$

SYSTEM #2 (Wilford #2) $0.01 \text{ af in } 26.24 \text{ sec} = 16.60 \text{ cfs}$

SYSTEM #3 (Wilford #3) $0.01 \text{ af in } 21.78 \text{ sec} = 21.78 \text{ cfs}$

Total Q = 56.36 cfs

PARKINSON SPLITS DIVERSION RATE IN HALF WITH VAL SCHWENDIMAN (22-7210; 22-7313)

°° PARKINSON'S PERCENT = $56.36 \text{ cfs} / 2 = 28.18 \text{ cfs}$

PARKINSON TETON RIVER REDIVERSION - NW¼ SE¼ Sec 23, T7N, R42E.

$Q_{\text{cfs}} = 0.01 \text{ af in } 17.78 \text{ sec} = 24.499 \text{ cfs} = 24.5 \text{ cfs}$

Acreage under this right overlaps Acreage under 22-7205 (22-7265 A; B). However, combined flow rates do not exceed rediversion capacity of 24.5 cfs

$Q_{\text{LIMITED BY PERMIT}} = 9.0 \text{ cfs}$

b) Volume Calculations for Irrigation:

$V_{\text{I.R.}} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (2820 \text{ ac}) (3.5 \text{ af}) = 9870$

$V_{\text{D.R.}} = [\text{Diversion Rate (cfs)}] \times (\text{Days In Irrigation Season}) \times 1.9835 = (9.0 \text{ cfs}) (214) (1.9835) = 3820.22$

$V = \text{Smaller of } V_{\text{I.R.}} \text{ and } V_{\text{D.R.}} = 3820.22$

c) Volume Calculations for Other Uses:

2. Overlap Review

a) Other water rights with same place of use: 21-0046B/0047B/22-7205/7265A/7265B/7270

b) Other water rights with same point of diversion: 22-7265A/22-7265B/22-7205/22-7210/22-7313/22-7270 (Rediversion)

c) Analysis:

R04

R30

R17 (22-7270) (24.5 cfs)

AUG 09 1994

REDIVERSION SYSTEM

Owner: Bob PARKINSON

Current Address: Rt 1 ST. ANTHONY

Permit No. 22-7314

Phone No. _____

REDIVERSION SYSTEM - PUMPS

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1	GE	600	5K6328XC334	UNK	UNK 14"
#2	Westinghouse	400	3S-78	UNK	UNK 8"
#3	Westinghouse	500	1S-77	UNK	UNK 12"
#4	Westinghouse	600	1S-77	Johnston	4599


REDIVERSION SYSTEM

DESCRIPTION: (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

FOUR PUMP DIVERSION FROM TETON RIVER TO MAINLINE WITH LATERALS WITH SPRINKLERS :

POINT OF REDIVERSION

Ident #	1/4	1/4	1/4	Sec.	Twp.	Rge.	Survey Information from Known Corner	County	Remarks
1-4		NW	SE	23	7N	42E		FREMONT	TETON RIVER DIVERSION



22-7314

REDIVERSION FOR
~~22-7205~~
~~22-7265~~
 22-7314

PERMIT NO. 22-7314 (Name) Parkinson

Accompanied by: _____

EXAMINATION: DATE: 7-7-82

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.

Measuring Device Type: McCrometer


Meter # 77-22-1001 Annubar# _____ Size # _____

Remarks: _____

Measurement calculations:
 0.01 afm 17.8sec = 24.47cfs



SCHEMATIC DIAGRAM OF SYSTEM

Mainline Diameter 22" Length _____



AUG 09 1994

22-7314




EXCHANGE WELLS

AUG 09 1994

22-7314

22-7205/7210/7265/7314/7313






NOT TO SCALE

TETON RIVER
DIVERSION

JUN 09 1994

22-7314

22-7314



RAZE TIN

AUG 09 1994

3671 1 NE
(NEWDALE)

ST. ANTHONY 10 MI.

TERRON DIVISION

TIN RAZE

PLACE OF USE

526
St. Anthony, Idaho
February 19, 1980

C. Stephen Allred, Director
Idaho Department of Water Resources
1515 Lincoln Road
Idaho Falls, Idaho


Dear Sirs:

I emphatically protest the granting of permit application No. 22-7314 in the name of Bob Parkinson, because it would allow him to pump irrigation water out of the Teton River that we need to irrigate our farm in the South half of Section 20 T 7N Range 41E.

It is my understanding we have an old decree right to the water through the Wilford Canal.

Reason two, I also protest the pumping out of our underground water supply with two large pumps less than a half a mile from our farm, which has dropped the water table in our wells more than fifty feet the last few years. Now they are drilling a three foot diameter well which I strenuously object to.

Clinton E. Peterson
Box 97 3 miles southeast of
St. Anthony, Idaho



RECEIVED

FEB 19 1980

Department of Water Resources
Eastern District Office

RECEIVED

AUG 09 1994



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

February 25, 1980

RE: Application for Permit No. 22-7314

Bob Parkinson
Route #1
St. Anthony, ID 83445

Dear Mr. Parkinson:

Enclosed please find a copy of an additional protest against approval of your application for permit.

If you have any questions, please feel free to contact this office.

Sincerely,

RONALD D. CARLSEN
Eastern Regional Supervisor

RDC:kw
Enclosure


AUG 09 1994



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7188

December 8, 1981

RE: Permit No. 22-7270 and 22-7314

Bob Parkinson
Rt. #1
St. Anthony, Idaho 83445

Dear Mr. Parkinson:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office:

Very truly yours,

BOBBIE R. STEPHENS
Principal Clerk

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card statement that the permit holder(s) has completed development to the extent shown below Permit No. 22-7314

Name(s) of Permit Holder: Bob Parkinson

Post Office Address: Rt # 1

St. Anthony, Idaho Tel. No. 624-7285

Source of Water: GW

Extent of Use:

☐ Domestic	(number of households)
☐ Stockwater <u>3055</u>	(number and type of stock)
☒ Irrigation <u>~~2000~~</u>	(acres)
☐ Other	

Measuring Device:	Required?	☒ Yes ☐ No	Installed?	☒ Yes ☐ No
Access Port:	Required?	☐ Yes ☐ No	Installed?	☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

10-14-81
Date

Bob Parkinson
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

RECEIVED

OCT 15 1981



Department of Water Resources
DEPARTMENT OF WATER RESOURCES

RECEIVED

OCT 14 1981

Department of Water Resources
Eastern District Office
IDAHO DEPARTMENT OF WATER RESOURCES
STATE HOUSE
BOISE, IDAHO 83720

IDENT. NO. 22-7314

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JC

APPLICATION NUMBER: 22 7314

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

01# WELL 055043
EXCH. 054420

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other W.D. 01

Copies sent by: _____

Date: _____

PROCESSING:

- ☒ Yes ☐ No Platted by: JC Map No. 22-7N 42E
☒ Yes ☐ No Other rights on same place of use. 22-7225 22-7201
less than 1" per acre
☒ Yes ☐ No* In form for advertising. 25
Final date for protests: Feb. 11, 1980 Re-AD
☒ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3-7-1980
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☐ Yes ☐ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 01
1-15-80 Date of priority recommended.
Special conditions of approval or cover letter. _____

See Memorandum.

By: Ernest Carlson.

Date: 7-18-80.

STATE OFFICE REVIEW:

MINOR REVISIONS

- ☐ See attached sheet for more information.

By: _____

Date: _____

October 10, 1980

Bob Parkinson
Route 1
Mt. Anthony, ID 83445

Dear Mr. Parkinson:

Re: Application for Permit No. 22-7314

Enclosed is a copy of your approved Application for Permit No. 22-7314 along with a copy of the Memorandum Decision and Order. We direct your attention to the conditions of approval as set forth in the order.

Be sure to note the special condition requiring you to install and maintain a measuring device at your point of diversion. We have enclosed a description of the different types of measuring devices accepted by this office.

Any person who does not agree with the decision of the Department may request a rehearing before the Director within twenty (20) days or may appeal directly to the district court within sixty (60) days of the date the decision is mailed.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:rf

Enclosures

Cc: J. T. Beech, President
Clinton H. Peterson

MICROFILMED

INTER-DEPARTMENT MEMO — 1

FROM

Paul

DATE

TO

Gen HSS N4

SUBJECT

22-7314

The drill log of Parkinson's well in NW SE sec. 29, 7N 41E.
and other logs in sec. 29 do not indicate the presence
of a perched aquifer or a really suitable clay or basalt
zone which might provide a perching layer other than
a red clay zone from 82-95 feet below LSD. Casing to 140
feet allows a reasonable degree of protection to shallower
domestic wells.

MICROFILMED

INTER-DEPARTMENT MEMO — 1

FROM

Glen S

DATE

9-3-80

TO

SUBJECT

Steve would like to have geology reviewed in this area to be reasonably sure from a technical standpoint that 140' will case out the perched aquifer system.

VGJ

SIGNATURE

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF APPLICATION FOR)
)
PERMIT NO. 22-7314 IN THE NAME)
)
OF BOB PARKINSON)
)
)
)
)
)

STIPULATION

BY THIS STIPULATION, the undersigned parties to the above-captioned case waive compliance with the requirements of Idaho Code, Section 67-5211, including the right to a proposed decision, to file exceptions to a proposed decision and to present briefs and oral arguments to the Director of the Department of Water Resources and agree that the Director may render a final decision in this case without first submitting a proposed decision.

Dated this 22nd day April, 1980.

J. T. Beech
Bob Parkinson
Clinton H. Peterson

Notary

MICROFILMED

BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PROTESTS AGAINST APPROVAL)	
OF APPLICATION FOR PERMIT NO. 22-7313 IN)	
THE NAME OF VAL SCHWENDIMAN FARMS, INC.)	
AND APPLICATION FOR PERMIT NO. 22-7314 IN)	NOTICE OF COMBINED
THE NAME OF BOB PARKINSON)	CONFERENCE &/OR HEARING
_____)	

On January 15, 1980, Val Schwendiman filed application for permit No. 22-7313, and Bob Parkinson filed application for permit No. 22-7314 with the Department of Water Resources to appropriate the public waters of the State of Idaho. On February 6, 1980, the Department received a protest against approval of said applications from J. T. Beech, President, Wilford Canal Company. On February 19, 1980, an additional protest against said applications was received from Clinton H. Peterson.

The Department has set the matter of protest for conference and/or hearing for Tuesday, April 22, 1980, at 2:00 p.m., in the Courtroom of the Fremont County Courthouse, St. Anthony, Idaho. Because of the issues involved this hearing has been combined. Any hearing will be held in accordance with provisions of Chapter 2, Title 42, and Chapter 52, Title 67, of the Idaho Code and adopted Rules of Practice and Procedure of the Department of Water Resources. Opportunity shall be afforded all parties to respond and present evidence and argument on all issues involved.

In accordance with Idaho Code, Section 42-203, the following issues are involved in the consideration of the application and protest(s):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purpose intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use conflict with the local public interest?

MICROFILMED

Any party may request in writing five (5) days before any hearing that the oral proceedings thereof be taken in the form of stenographic notes at the expense of the requesting party. Any party may have such stenographic notes of the oral proceedings, or part thereof, transcribed at his own expense. A taped record of the proceedings will be maintained for the appeal period.


If the hearing is conducted by a hearing officer appointed by the Director, rather than the Director himself, a proposed decision will be submitted to the parties and the parties will be afforded an opportunity to file exceptions to the proposed decision and present briefs and oral arguments to the Director prior to the issuance of a final decision by the Director. This procedure is required by Idaho Code, Section 67-5211.

By written stipulation, the parties may waive compliance with Idaho Code, Section 57-5211. If the hearing is conducted by a hearing officer, the hearing office will ask the parties at the close of the hearing whether they would like to make such a stipulation.

Failure to waive compliance with Idaho Code, Section 67-5211 will not prejudice the Director's review of the party's evidence and arguments. However, such a waiver will shorten the decision-making process and may expedite substantially the issuance of a final decision. Whether compliance with Section 67-5211 is waived will not affect a party's right to petition for a rehearing of the final decision pursuant to Rule 11 of the Department's Rules of Practice and Procedure or affect a party's right to appeal the final decision to the District Court.

Failure to appear at the time and place set for hearing by the applicant or protestant(s) may allow the Department to dismiss without prejudice the protest(s) or the application. Any and all cost incurred by reason of such non-appearance may be assessed against such non-appearing parties.

Dated this 10th day of April, 1980.



RONALD D. CARLSON
Eastern Region Supervisor



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

Februaury 25, 1980

RE: Application for Permit No. 22-7313

Val Schwendiman Farms, Inc.
Newdale,
Idaho 83436

Dear Mr. Schwendiman:

Enclosed please find a copy of an additional protest against approval of your application for permit.

If you have any questions, please feel free to contact this office.

Sincerely,

RONALD D. CARLSON
Eastern Regional Supervisor

RDC:kw
Enclosure

MICROFILMED

February 21, 1980

RE: Application for Permit No. 22-7313 SCHWENDIMAN
No. 22-7314 PARKINSON

Mr. Clinton H. Peterson
Box 97, Route 1
St. Anthony, Idaho 83445

Dear Mr. Peterson:

Your protest against the approval of the above referenced applications has been received and a copy has been sent to the applicants. The Department suggests you contact the applicants directly in an effort to determine what is proposed by the applications and to attempt to resolve the protest.

If you do not advise us within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying an application for permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purpose intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?

If this office can be of further assistance, please contact us.

Very truly yours,

RONALD D. CARLSON
Eastern Region Supervisor

RDC:cw:kw

cc: IDWR - State Office

MICROFILMED

MICROFILMED

St. Anthony, Idaho
February 19, 1980

C. Stephen Allred, Director
Idaho Department of Water Resources
1515 Lincoln Road
Idaho Fall, Idaho

Dear Sirs:

I emphatically protest the granting of permit application No. 22-7313 in the name of Val Schwendiman, because it would allow him to pump irrigation water out of the Teton River that we need to irrigate our farm in the south half of Section 20 T 7N Range 41E.

It is my understanding we have an old decree right to the water through the Wilford Canal.

Reason two, I also protest the pumping out of our under ground water supply with two large pumps less than a half mile from our farm, which has dropped the water table in our wells more than fifty feet the last few years. Now they are drilling a three foot diameter well which I strenuously object to.

Clinton H. Peterson
Box 97 - Route 1
3 miles southeast of
St. Anthony, Idaho



RECEIVED

FEB 19 1980

Department of Water Resources
Eastern District Office

MICROFILMED

February 14, 1980

RE: Applications for Permit No. 22-7313 and 22-7314
Val Schwendiman and Bob Parkinson

Mr. J. T. Beech, President
Wilford Canal Company
Rt. #1
St. Anthony, Idaho 83445

Gentlement

Your protest against the approval of the above referenced application has been received and a copy has been sent to the applicant. The Department suggests you contact the applicant directly in an effort to determine what is proposed by the application and to attempt to resolve the protest.

If you do not advise us within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying an application for permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purpose intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?

If this office can be of further assistance, please contact us.

Very truly yours,

RONALD D. CARLSON
Eastern Region Supervisor

February 15, 1980

Mr. Bob Parkinson
Rt. #1
St. Anthony, Idaho 83445

Dear Mr. Parkinson:

Enclosed is a copy of a protest filed against the issuance of a permit pursuant to your Application No. 22-7314. The Department suggests you contact the protestant directly in an effort to determine the nature of the protest and to attempt to resolve the protest.

If you do not advise us within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying the application for permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purpose intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?

If this office can be of further assistance, please contact us.

Very truly yours,

RONALD D. CARLSON
Eastern Region Supervisor

RDC:cw:kw

MICROFILMED

The Wilford Corral Company
would like to hereby go on
record as protesting application
Number 22-7313 and 22-7314
for water rights.

Feb. 5, 1980.

J. T. Beech - President

Rt #1

St. Anthony, Idaho 83445

RECEIVED

FEB 6 1980

Department of Water Resources
Eastern District Office

MICROFILMED

NOTICE OF CORRECTION

Notice is hereby given that Application No. 22-7314 in the name of Bob Parkinson was advertised incorrectly on Jan. 24 and Jan. 31, 1980. The place of use was advertised as being within the SESE Sec. 3, T. 7N, R. 42E; NENE, NWNE, SWNE, SENE, NENW, SENW, NESW, NWSW, NESE, NWSE, SWSE, SESE, Sec. 10, T. 7N, R. 42E; NWNW, SWNW, NWSW, SWSW, SESW, SWSE, SESE, Sec. 11, T. 7N, R. 42E; SWSW, SWSE, SESE, Sec. 12, T. 7N, R. 42E; NENE, NWNE, SWNE, SENE, NENW, NWNW, SWNW, SENW, NESW, NWSW, SWSW, SESW, NESE, NWSE, SWSE, SESE, Sec. 13, T. 7N, R. 42E; NENE, NWNE, SWNE, SENE, NENW, NWNW, SWNW, SENW, NESW, NWSW, SWSW, SESW, NESE, NWSE, SWSE, SESE, Sec. 14, T. 7N, R. 42E; NENE, SWNE, SENE, NESE, NWSE, Sec. 15, T. 7N, R. 42E; NENE, NWNE, SWNE, SENE, Sec. 23, T. 7N, R. 42E; NENE, NWNE, SWNE, SENE, NENW, NWNW, SWNW, SENW, NESW, NWSW, NESE, NWSE, Sec. 24, T. 7N, R. 42E; NENE, NWNE, SWNE, SENE, NENW, NWNW, SWNW, SENW, NESW, NWSW, NESE, NWSE, SWSE, SESE, Sec. 19, T. 7N, R. 43E for 3055 acres.

WHEREAS, the actual place of use is within the SESE, Sec. 3, T. 7N, R. 42E; NENE, NWNE, SWNE, SENE, NENW, SENW, NESW, NWSW, NESE, NWSE, SWSE, SESE, Sec. 10, T. 7N, R. 42E; NWNW, SWNW, NWSW, SWSW, SESW, SWSE, SESE, Sec. 11, T. 7N, R. 42E; SWSW, SWSE, SESE, Sec. 12, T. 7N, R. 42E; NENE, NWNE, SWNE, SENE, NENW, NWNW, SWNW, SENW, NESW, NWSW, SWSW, SESW, NESE, NWSE, SWSE, SESE, Sec. 13, T. 7N, R. 42E; NENE, NWNE, SWNE, SENE, NENW, NWNW, SWNW, SENW, NESW, NWSW, SWSW, SESW, NESE, NWSE, SWSE, SESE, Sec. 14, T. 7N, R. 42E; NENE, SWNE, SENE, NESE, NWSE, Sec. 15, T. 7N, R. 42E; NENE, NWNE, SWNE, SENE, Sec. 23, T. 7N, R. 42E; NENE, NWNE, SWNE, SENE, NENW, NWNW, SWNW, SENW, NESW, NWSW, NESE, NWSE, Sec. 24, T. 7N, R. 42E; NENE, NWNE, SWNE, SENE, NENW, NWNW, SWNW, SENW, NESW, NWSW, NESE, NWSE, SWSE, SESE, Sec. 19, T. 7N, R. 43E for 3055 acres.

Any protest against the granting of this permit as a result of this correction must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before February 25, 1980.

C. STEPHEN ALLRED

Director

WATERMASTER COMMENTS

I have reviewed application for permit No. 22-7314 and have

 (1) no objections to the approval of this permit.

✓ (2) the following objections to the approval of this permit:

Recharge systems are difficult to regulate
effectively. w/ Present energy costs
there is great reluctance to inject water
at the same time it is being
diverted

1/17/80
DATE


RONALD D. CARLSON - WATERMASTER

WATER DISTRICT # 01

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho 83401 on or before FEBRUARY 11, 1980.

C. STEPHEN ALLRED

Director

Published 01/24 & 01/31/80.

MICROFILMED

22-7314

Parkinson, Bob
Route 1, St. Anthony, ID 83445

Source: Groundwater

Date Filed: 01/15/1980

Amount: 9.00 CFS

Diversion Point: SWNE Sec 29 T 07N R 41E
NESE Sec 23 T 07N R 42E (Rediversion),
Fremont Co.

Use: Irrigation (9.00 CFS) from 04/01 to
11/01

Place of Use: SESE Sec 03 T 07N R 42 E
NENE NWNE SWNE SENE NENW SENW
NESW NWSW NESE NWSE SWSE SESE Sec
10 T 07N R 42E NWNW SWNW NWSW SWSW
SESW SWSE SESE Sec 11 T 07N R 42E
SWSW SWSE SESE Sec 12 T 07N R 42E
NENE NWNE SWNE SENE NENW NWNW
SWNW SENW NESW NWSW SWSW SESW
NESE NWSE SWSE SESE Sec 13 T 07N R
42E NENE NWNE SWNE SENE NENW NWNW
SWNW SENW NESW NWSW SWSW SESW
NESE NWSE SWSE SESE Sec 14 T 07N R
42E NENE SWNE SENE NESE NWSE Sec 15 T
07N R 42E NENE NWNE SWNE SENE Sec 23
T 07N R 42E NENE NWNE SWNE SENE NENW
NWNW SWNW SENW NESW NWSW NESE
NWSE Sec 24 T 07N R 42E NENE NWNE
SWNE SENE NENW NWNW SWNE SENW
NESW NWSW NESE NWSE SESE Sec
19 T 07N R 43E for 3055 acres *SWNW*
c. diversion Means: Well and pumps.

If issued, the permit(s) will be subject to all
prior water rights. Protests against the granting
of any permit must be filed with the Director of
the Idaho Department of Water Resources,
1515 Lincoln Road, Idaho Falls, Idaho 83401
on or before February 11, 1980.

/s/ C. STEPHEN ALLRED
Director

Publ 01/24 & 01/31/80 CN

*Kari's fault
we pay to read*

PARKINSON, BOB

ROUTE 1, ST. ANTHONY, ID 83445

Source: GROUNDWATER

Date Filed: 01/15/1980

Amount: 9.00 CFS

Diversion Point: SWNE Sec 29 T 07N R 41E NESE Sec 23 T 07N R 42E (REDIVERSION),
FREMONT Co.

Use: IRRIGATION (9.00 CFS) from 04/01 to 11/01

Place of Use: SESE Sec 03 T 07N R 42E NENE NWNE SWNE SENE NENW SENW NESW NWSW
NESE NWSE SWSE SESE Sec 10 T 07N R 42E NWNW SWNW NWSW SWSW SESW
SWSE SESE Sec 11 T 07N R 42E SWSW SWSE SESE Sec 12 T 07N R 42E
NENE NWNE SWNE SENE NENW NWNW SWNW SENW NESW NWSW SWSW SESW NESE
NWSE SWSE SESE Sec 13 T 07N R 42E NENE NWNE SWNE SENE NENW NWNW
SWNW SENW NESW NWSW SWSW SESW NESE NWSE SWSE SESE
Sec 14 T 07N R 42E NENE SWNE SENE NESE NWSE Sec 15 T 07N R 42E
NENE NWNE SWNE SENE Sec 23 T 07N R 42E NENE NWNE SWNE SENE NENW
NWNW SWNW SENW NESW NWSW NESE NWSE Sec 24 T 07N R 42E NENE NWNE
SWNE SENE NENW NWNW SWNE SENW NESW NWSW NESE NWSE SWSE SESE
Sec 19 T 07N R 43E FOR 3055 ACRES

Diversion Means: WELL AND PUMPS.

MICROFILMED