


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Reid B. Sawyer
(Applicant)

AFFIDAVIT OF PUBLICATION

State of Idaho)
) ss
 County of Teton)

RECEIVED
 NOV 24 1975

Department of Water Resources
 Eastern District Office

I, Larissa E. Norton
 being first duly sworn depose and say

that I am the publisher
 of the Teton Valley News, a news-
 paper as defined by Idaho Codes Anno-
 tated, Section 58-106, as amended, and
 that said newspaper is a weekly news-
 paper printed and published at Driggs,
 in Teton County, Idaho, having a gen-
 eral circulation in said county, and that
 said newspaper has been printed in
 said county for more than 78 consecu-
 tive weeks prior to the first publication
 of the attached notice, advertisement
 or publication of

Water permit #1 22-7168
Reid Brewer

And affiant further says that said
 attached notice, advertisement or pub-
 lication, as per clipping attached, was
 published in said newspaper, in the
 regular and entire issue thereof, and
 not in any supplement issue thereof,

for 2 consecutive issues thereof;
 first publication having been made on

the 13 day of November
 19 75

and last publication on the 20
 day of November, 19 75

And affiant further says that at the
 times herein mentioned said newspaper
 was made up of at least eight pages
 of at least five columns each, printed
 from type matter, of at least sixteen
 and one-half inches deep.

Larissa E. Norton
 Subscribed in my presence and sworn

to before me this 21 day of

November, 19 75
Sarah C. Daugherty
 (SEAL) Notary Public for the State of
 Idaho, residence and postoffice
 address, Driggs, Idaho.

My Commission expires

9-20, 19 79

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
 Reid Brewer, Teton, Idaho has
 on 11-03-75 submitted Applica-
 tion No. 22-7168 for a permit to
 appropriate 3.00 cubic feet per
 second of water from a ground-
 water source by means of well
 and pump within the NE1/4NW1/4,
 Sec. 13, T. 6N, R. 44E, B.M., Te-
 ton County; to be used from
 Apr. 1 to Nov. 1 for the irriga-
 tion of 160 acres within the
 NW1/4, Sec. 13, T. 6N, R. 44E,
 B.M.


If issued, this permit will be
 subject to all prior water rights.
 Protests against the granting of
 the permit must be filed with
 the Idaho Department of Water
 Resources, 1515 Lincoln Road,
 Idaho Falls, Idaho, 83401 on or
 before December 1, 1975.

R. KEITH HIGGINSON
 Director

Published in the Teton Valley
 News, Driggs, Idaho on Novemb-
 er 13 and November 20, 1975.


MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NE $\frac{1}{4}$ of NW $\frac{1}{4}$, Sec 13, T 6 N, R 44 E, ✓

Place(s) of Use

TWP.	RGE.	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6N	44E	13					34	33	31	31									129

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature

Checked by

Approved by

Date

Date

Date

8-27-81

8-28-81

10-5-81

08-178503



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 22-7168 Priority November 3, 1975 Amount 1.79 cfs

THIS IS TO CERTIFY, that Reid Brower
of Tetonia, Idaho, has complied with the terms and conditions of Permit
No. 22-7168 issued pursuant to Application for Permit dated November 3, 1975,
and has submitted proof to the Department of Water Resources on October 16, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 1.79 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 15</u> to <u>October 15</u>	at <u>1.79</u> cfs and	<u>387.0</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 1.79 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
387.0 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Section 13, Twp.
6N, Rge. 44E in the County of Teton

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6N	44E	13					34	33	31	31									129

Total number of acres irrigated 129

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31ST day of
October, 19 81.

Acting for the Director

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 22-7168

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No. 22 7168
Application No. _____

APPROVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Reid Brower Phone: 456-6521
post office address Tetonia, Idaho 83452
2. Source of water supply ground-water which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 13 Township 6N
Range 44E B.M. Teton County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 3.00 for Irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 3.00 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, pump and sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; proposed depth of well is 200 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 60,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
6N	44E	13					40	40	40	40									160


Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant and Judd Neeley
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Applicant is in process of buying the west 820 feet of the W 1/2 NW 1/4 from Mr. Neeley.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Reid B. Sawyer
(Applicant)

Proposed Priority 11-03-1975

Received by ME Date 11-03-75 Time 12:30 P.

Preliminary check by ME Fee \$ 45.00

Receipted by ME Date 11-03-75 # 15471

Publication prepared by ME Date 11-03-1975

Published in The Idaho Valley News

Publication dates Nov. 13 + Nov. 20, 1975

Publication approved ME Date 11-24-75

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RDC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 22-7168, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 80.
- c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 5 day of December, 19 75.


Director

AFFIDAVIT OF PUBLICATION

State of Idaho)
) ss
 County of Teton)

RECEIVED
 NOV 24 1975

Department of Water Resources
 Eastern District Office

I, Laurie D. Norton
 being first duly sworn depose and say

that I am the publisher
 of the Teton Valley News, a news-
 paper as defined by Idaho Codes Anno-
 tated, Section 58-106, as amended, and
 that said newspaper is a weekly news-
 paper printed and published at Driggs,
 in Teton County, Idaho, having a gen-
 eral circulation in said county, and that
 said newspaper has been printed in
 said county for more than 78 consecu-
 tive weeks prior to the first publication
 of the attached notice, advertisement
 or publication of

Water permit #1 22-7168

Reid Brower

And affiant further says that said
 attached notice, advertisement or pub-
 lication, as per clipping attached, was
 published in said newspaper, in the
 regular and entire issue thereof, and
 not in any supplement issue thereof,

for 2 consecutive issues thereof;
 first publication having been made on

the 13 day of November

19 75

and last publication on the 21

day of November, 19 75

And affiant further says that at the
 times herein mentioned said newspaper
 was made up of at least eight pages
 of at least five columns each, printed
 from type matter, of at least sixteen
 and one-half inches deep.

Laurie D. Norton

Subscribed in my presence and sworn

to before me this 21 day of

November, 19 75

(SEAL) Notary Public for the State of
 Idaho, residence and postoffice
 address, Driggs, Idaho.

My Commission expires

9 day of July, 19 77

**NOTICE OF APPLICATION
 FOR WATER PERMIT**

Notice is hereby given that
 Reid Brower, Tetonia, Idaho has
 on 11-03-75 submitted Applica-
 tion No. 22-7168 for a permit to
 appropriate 3.00 cubic feet per
 second of water from a ground-
 water source by means of well
 and pump within the NE $\frac{1}{4}$ NW $\frac{1}{4}$,
 Sec. 13, T. 6N, R. 44E, B.M., Te-
 ton County; to be used from
 Apr. 1 to Nov. 1 for the irriga-
 tion of 160 acres within the
 NW $\frac{1}{4}$, Sec. 13, T. 6N, R. 44E,
 B.M.

If issued, this permit will be
 subject to all prior water rights.
 Protests against the granting of
 the permit must be filed with
 the Idaho Department of Water
 Resources, 1515 Lincoln Road,
 Idaho Falls, Idaho, 83401, on or
 before December 1, 1975.

R. KEITH HIGGINSON
 Director

Published in the Teton Valley
 News, Driggs, Idaho on Novemb-
 er 13 and November 20, 1975.

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 19, 1981

RE: Permit No. 22-7168

Reid Brower
Tetonia,
Idaho 83452

Dear Mr. Brower:

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

Enclosure

RECEIVED
NOV 22 1981
BOISE, IDAHO



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

October 13, 1981

RE: Permit No. 22-7168

Reid Brower
Tetonla,
Idaho 83452

Dear Mr. Brower:

A representative of this Department has made an examination of the works covered by your Permit No. 22-7168, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 1.79 cfs Source: a groundwater source

The maximum quantity diverted shall not exceed 387.0 acre feet per year.

Point(s) of diversion: NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 13, Twp. 6N, Rge. 44E, Teton County

Beneficial use: Irrigation of 129 acres within the NW $\frac{1}{4}$, Sec. 13, Twp. 6N,
Rge. 44E

Priority date established: November 3, 1975

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON

Water Distribution Supervisor

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

22-7168
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 8-7-81 Accompanied by Mr Brower Total Q measured 1.79 cfs
If source is surface water, estimate total flow of source _____
Methods of measurement McCrometer Meets Permit requirements? Yes

Measurement calculations: $V = 1.79 \times 1.9835 \times 183 \text{ sec}$ <u>649.70 ft</u>	<u>0.01 af in 243 sec</u> $(0.01 \text{ af}) (43560 \text{ ft}^2/\text{ac}) \div 243 \text{ sec} = \underline{1.79 \text{ cfs}}$ <u>McCrometer #77-8-2952</u>	$V = 129 \text{ sec} \times 3 \text{ af} = \underline{387 \text{ af}}$
--	---	--

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	150	GE	CNS302154	Johnston	NA	McCrometer	Good	

System Description Pump, check valve, to 8" mainline, to center pivot

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS


USE	Irrigation requirement = <u>3.0</u> AFA/Acre			
	Q (cfs)	V (afa)	FROM	TO
<u>Irrigation</u>	<u>1.79 cfs</u>	<u>387 afa</u>	<u>Apr 15</u>	<u>Oct 15</u>
Total	<u>1.79 cfs</u>	<u>387 afa</u>	<u>Apr 15</u>	<u>Oct 15</u>

Remarks

NO OTHER WATER RIGHTS FOUND ON P/4 MICRO FISH


SJ. 10/5/81

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NE 1/4 of NW 1/4, Sec 13, T 6 N, R 44 E, ✓

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6N	44E	13					34	33	31	31									129

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature

Checked by

Approved by

Date

Date

Date

8-27-81

8-28-81

10-5-81

7-8-58





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

C. Stephen Allred
Director

November 3, 1980

RE: Permit No. 22-7168

Reid Brower
Tetonia, Idaho 83452

Dear Mr. Brower:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

JOHN D. CARLSON
Sr. Resource Agent

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 22-7168

Name(s) of Permit Holder: Reid Brower

Post Office Address: Tetonia, Idaho 83452

Tel. No. 456-2327

Source of Water: Ground water or well

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 160 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☒ Yes ☐ No
 Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Oct. 14, 1980
 Date

Reid Brower
 Signature of Permit Holder

Reid Brewer
Teton, Idaho
83452



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

BROWER, REID
TETONIA, ID 83452

138520

SEPTEMBER 30, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 22-7168 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

May 19, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

MICROFILMED

December 8, 1975

Re: Permit No. 22-7168

Reid Brower
Tetonia,
Idaho 83452

Dear Mr. Brower:

Enclosed is a copy of your approved Application for Permit No. 22-7168 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

MICROFILMED

November 3, 1975

RE: Application for Permit No. 22-7168 - BROWER

The Teton Valley News
Driggs
Idaho 83422

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
District Engineer

RDC:ME

Legal Notice (1)

Bill submitted 11-24-1975 by me

RECORDED

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Reid Brower, Teton, Idaho has on 11-03-75 submitted Application No. 22-7168 for a permit to appropriate 3.00 cubic feet per second of water from a ground-water source by means of well and pump within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 13, T. 6N, R. 44E, B.M., Teton County; to be used from Apr. 1 to Nov. 1 for the irrigation of 160 acres within the NW $\frac{1}{4}$, Sec. 13, T. 6N, R. 44E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before December 1, 1975.

R. KETH HIGGINSON
Director

Published in the Teton Valley News, Driggs, Idaho on November 13 and November 20, 1975.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Reid Brower,
Tetonia, Idaho
has on 11-03-75 submitted Application No. 22-7168
for a permit to appropriate 3.00 cubic feet per second ~~acres feet per annum~~
of water from a ground-water source
by means of well and pump
within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 13, T. 6N, R. 44E, B.M., Teton County;

to be used from Apr. 1 to Nov. 1
for the irrigation of 160 acres

within the NW $\frac{1}{4}$, Sec. 13, T. 6N, R. 44E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before December 1, 1975.

R. KEITH HIGGINSON

Director

Published in the Teton Valley News, Driggs, Idaho
on November 13 and November 20, 1975.

MICROFILMED

CW-H
CW-H
me-D.

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Brouwer

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

- (1) KDF 11-3-75 yes In form to receipt
- (2) " " Send Copies to:
NA Idaho State Health Department
Idaho Fish and Game Department
Bureau of Land Management
- (3) " " NA Request Special Use Permit from U.S.F.S.
Request Easement from B.L.M.
Request Information from Applicant
- (4) " " yes In form for advertising
- (5) " " Platted on Map No. 6N-44E
- (6) " " NA Located within Water District No. _____
- (7) " " Critical groundwater area: yes _____ no ✓
- (8) " " Groundwater levels:
_____ Declining, ✓ Stable, _____ Increasing
(comment) Res. obs. well 6N-44E-2200C1
- (9) " " No Other rights on the same place of use
- (10) " " Comments: No other G.W. platted.
- (11) me 11-24-75 Affidavit of Publication received(date) 11-24-75
- (12) me 12-1-75 Final date for protests December 21, 1975
Protests received: yes _____ no ✓
- (13) RDC 12/1/75 All requested information received from agencies or applicant: yes _____ no _____
- (14) IL IL Action recommended:
✓ Approve
12/3/75 Proposed Priority
Reason for Reduction _____
✓ Measuring device required
✓ See ~~attached sheet for~~ other conditions of approval
No special conditions for approval
- (15) District E By RDC Date 12/1/75

RECEIVED

DEC 3

Department of Water Resources

MICROFILMED