


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Claude M. Froidevaux
Frances S. Froidevaux
(Applicant)

AFFIDAVIT OF PUBLICATION

State of Idaho)
) ss
County of Teton)

I, Louisa L. Norton
being first duly sworn depose and say

that I am the publisher.....
of the Teton Valley News, a news-
paper as defined by Idaho Codes Anno-
tated, Section 58-106, as amended, and
that said newspaper is a weekly news-
paper printed and published at Driggs,
in Teton County, Idaho, having a gen-
eral circulation in said county, and that
said newspaper has been printed in
said county for more than 78 consecu-
tive weeks prior to the first publication
of the attached notice, advertisement
or publication of

Water permit #22-7162

Claude M. Frances L. Froidevaux

And affiant further says that said
attached notice, advertisement or pub-
lication, as per clipping attached, was
published in said newspaper, in the
regular and entire issue thereof, and
not in any supplement issue thereof,

for 2 consecutive issues thereof;
first publication having been made on

the 4... day of September

19 75.

and last publication on the 11.....

day of September, 1975.

And affiant further says that at the
times herein mentioned said newspaper
was made up of at least eight pages
of at least five columns each, printed
from type matter, of at least sixteen
and one-half inches deep.

Louisa L. Norton
Subscribed in my presence and sworn

to before me this 12.... day of

September, 1975
(SEAL) Notary Public for the State of
Idaho, residence and postoffice
address, Driggs, Idaho.

My Commission expires

9-30....., 1975.

RECEIVED

SEP 15 1975

Department of Water Resources
Eastern District Office

TETON VALLEY NEWS — Thurs

Public


NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Claude
M. & Frances L. Froidevaux, Bartlesville,
Oklahoma has on 8-26-75 submitted
Application No. 22-7162 for a permit
to appropriate 0.002 cubic feet per sec-
ond of water from a spring tributary
of Fox Creek by means of reservoir and
pump within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 20,
T. 4N. R. 46E, B.M., Teton County; to
be used from Jan. 1 to Dec. 31 for
domestic purposes for one family within
the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 20, T. 4N, R. 46E,
B.M.

If issued, this permit will be subject to
all prior water rights. Protests against
the granting of the permit must be filed
with the Idaho Department of Water
Resources, 1515 Lincoln Road, Idaho
Falls, Idaho, 83401 on or before Sep-
tember 22, 1975.

R. KEITH HIGGINSON
Director

Published in the Teton Valley News,
Driggs, Idaho on September 4 and
September 11, 1975.



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Holding tank underground only overflow pipe visible

Point(s) of diversion: SW 1/4 SW 1/4 SEC 20 T 4 N R 46 E

Place(s) of Use ✓

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4 N	46 E	20											X						

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature

Keith C. Wilson

Date 21 Nov 1983

Checked by

Ray Walker

Date

8-31-84

Approved by

ACTION REQUIRED

8-3-84

FROM: Kay Walker

TO: Skip Jones, Keith Wilson

Department of Water Resources

I pulled Permit 22-7162 for licensing and found that there is no exam in the file. Please add it to your "exam pending" inventory. Thanks & have a happy day.

Kay

PERMIT NO. 22-7162

Troideaux
(Name)

EXAMINATION: DATE: 8-10-82

ACCOMPANIED BY: MRS Troideaux

Meter Make	HP	MOTOR Serial No.	PUMP Make	PUMP Serial No.

MEASURING DEVICE: Yee
Meter # Annubar # Size #

REMARKS:

25cml in 4.5 sec


1.25 L in 4.5 sec

$\frac{0.25L}{3.785412} = 0.0669x$


$\left[\frac{0.0669x \times 60 \text{ sec}}{4.5 \text{ sec}} \right] \div 44.7 \text{ m} = 0.00205$

MAINLINE DIA. Length

System underground only overflow pipe visible



approx. scale: 1 inch = 2 feet



MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 22-7162 Priority August 26, 1975 Amount 0.01 cfs

THIS IS TO CERTIFY, that Claude M. & Frances L. Froidevaux
of Bartlesville, Oklahoma, has complied with the terms and conditions of Permit
No. 22-7162 issued pursuant to Application for Permit dated August 26, 1975,
and has submitted proof to the Department of Water Resources on August 28, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.01 cfs of water from a spring,
tributary to Fox Creek, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> <u>(1 Unit)</u>	from <u>January 1</u> to <u>December 31</u> at <u>0.01</u> cfs and <u>1.2</u> acre feet		
	from _____ to _____ at _____ cfs and _____		
	from _____ to _____ at _____ cfs and _____		
(both dates inclusive)			

Subject, however, to the condition that no more than 0.01 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1.2 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 20,
Twp 4N, Rge 46E in the County of Teton

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
4N	46E	20																	

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 13TH day of
SEPTEMBER, 19 84.

WATER RESOURCES

Acting for the Director

Ron C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REQUEST FOR EXTENSION OF TIME

AUG 21 1980

To provide additional time in which to submit
proof of beneficial use on a water right permit

Department of Water Resources

Claude M. & Frances L. FROIDEVAUX of 2965 Cambridge Court, Bartlesville
(Name) (Address)

State of Oklahoma 74003, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public
Waters of the State of Idaho No. 22 7162.

That under the terms and conditions of said permit, work thereunder was required to be completed on or
before September 1, 1980.

That he has heretofore performed the following work described under said permit:

Opening of an access road to the spring. Digging trenches
in the spring and seep area, to localize the best flow and
improve it prior to building small reservoir.

Costing \$ 507.50

That he is unable to complete the remainder of the work within the required time for the following
reasons, to-wit: My job as a geologist for Philip Petroleum has
prevented me to stay long enough at a time at the land. I have had
several overseas assignments. Most of my time was taken by setting
fences. I plan to do more work this fall.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of
obligations under said permit to September 1st, 1981.

Enclosed: \$15⁰⁰ check #700

Claude M. Froidevaux
Frances L. Froidevaux
(Signature)*

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time
within which to submit the statement of beneficial use is extended to September 1, 1981.

Signed this

28th day of

August, 1980

L. Glen Saxton
L. GLEN SAXTON
Chief, Operations Bureau

* IF OTHER THAN HOLDER, Power of Attorney must be supplied.

\$15 fee received by if Date 8-28-80 Receipt # 15996

from: CFroiderant
2965 Cambridge Ct
Berklenille OK 74003


U.S. POST

ELAS

AUG 20 '80

RETURN RECEIPT
REQUESTED

To: Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720



MICROFILMED

Identification No. 22 7162

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Claude M. and Frances L. FROIDEVAUX Phone: See remark 1)
post office address % Phillips Petroleum Company - International Dept. - Bartlesville Okla. 74004

2. Source of water supply Spring which is a tributary of Fox Creek

3. a. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 20 Township 4 N.
Range 46 E B.M. Teton County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into Fox Creek See remark 2) at a point in NE $\frac{1}{4}$
of NE $\frac{1}{4}$ of Section 30 Township 4 N. Range 46 E B.M. Teton Co.

4. Water will be used for the following purposes:

Amount 0.002 for domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.002 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

Small reservoir for pumping domestic water
after construction of a cabin on the land

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.

b. Estimated construction cost is \$ not known.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 20 Township 4 N.
Range 46 E B.M.

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

APPROVED
JAN 10 1963
IDAHO DEPT. OF WATER RESOURCES

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

1) We presently live outside the United States for professional reasons. In case of necessary communication with us concerning the water rights, it will be practical to call my brother-in-law Charles Love in Rock Spring, Wyoming Tel (307) 382 9573. Address: Kimberley 1335 Rock Springs Wyoming 82901.
By mail, my Company address (under 1) is the surest.

2) The discharge of the spring is not observed at Fox Creek. The water seems to disappear in the soil before the creek, but is probably ultimately part of the Fox Creek drainage system. The spring will have to be developed in order to obtain a localized, concentrated flow. At this time the water just seeps out of the soil.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Claude M. Froidevaux
Frances S. Froidevaux
 (Applicant)

Proposed Priority 8/26/75 10:50 A.M.
Received by C/S Date 8/25/75 Time 10:00 A.M.
Preliminary check by MB Fee \$ 10.00
Receipted by MB Date 8-28-75 # 4396
Publication prepared by MB Date 8-29-75
Published in Leton Valley News
Publication dates Sept 4 & Sept 11, 1975
Publication approved CW Date 9-15-75
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by MB

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 22-7162, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1980.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 29 day of September 19 75

Director

AFFIDAVIT OF PUBLICATION

State of Idaho)
) ss
 County of Teton)

I, James L. Norton
 being first duly sworn depose and say

that I am the publisher.....
 of the Teton Valley News, a news-
 paper as defined by Idaho Codes Anno-
 tated, Section 58-106, as amended, and
 that said newspaper is a weekly news-
 paper printed and published at Driggs,
 in Teton County, Idaho, having a gen-
 eral circulation in said county, and that
 said newspaper has been printed in
 said county for more than 78 consecu-
 tive weeks prior to the first publication
 of the attached notice, advertisement
 or publication of

Water permit # 22-7162

Claude M. Frances L. Froidevaux

And affiant further says that said
 attached notice, advertisement or pub-
 lication, as per clipping attached, was
 published in said newspaper, in the
 regular and entire issue thereof, and
 not in any supplement issue thereof,

for 2 consecutive issues thereof;
 first publication having been made on

the 4... day of September
 19 75.

and last publication on the 11.....
 day of September, 1975.

And affiant further says that at the
 times herein mentioned said newspaper
 was made up of at least eight pages
 of at least five columns each, printed
 from type matter, of at least sixteen
 and one-half inches deep.

James L. Norton
 Subscribed in my presence and sworn

to before me this 12.... day of

September, 1975
 (SEAL) Notary Public for the State of
 Idaho, residence and postoffice
 address, Driggs, Idaho.

My Commission expires

9-20....., 1975.

RECEIVED

SEP 15 1975

Department of Water Resources
 Eastern District Office

TETON VALLEY NEWS — Thurs

Public

**NOTICE OF APPLICATION
 FOR WATER PERMIT**

Notice is hereby given that Claude
 M. & Frances L. Froidevaux, Bartlesville,
 Oklahoma has on 8-26-75 submitted
 Application No. 22-7162 for a permit
 to appropriate 0.002 cubic feet per sec-
 ond of water from a spring tributary
 of Fox Creek by means of reservoir and
 pump within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 20,
 T. 4N. R. 46E, B.M., Teton County; to
 be used from Jan. 1 to Dec. 31 for
 domestic purposes for one family within
 the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 20, T. 4N, R. 46E,
 B.M.

If issued, this permit will be subject to
 all prior water rights. Protests against
 the granting of the permit must be filed
 with the Idaho Department of Water
 Resources, 1515 Lincoln Road, Idaho
 Falls, Idaho, 83401 on or before Sep-
 tember 22, 1975.

R. KEITH HIGGINSON
 Director

Published in the Teton Valley News,
 Driggs, Idaho on September 4 and
 September 11, 1975.

September 19, 1984

RE: Permit No. 22-7162

Claude M. & Frances L. Froidevaux
2965 Cambridge Court
Bartlesville, OK 74003

Dear Mr. and Mrs. Froidevaux:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORTRECEIVED
AUG 15 1984Department of Water Resources
Permit No. 292-716

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date Aug 10, 1982 Accompanied by Frances Froidevaux Total Q measured

If source is surface water, estimate total flow of source

Methods of measurement Stop watch and container Meets Permit requirements?

Measurement calculations: Collected 250 ml in 4.5 sec. (0.25 L in 4.5 sec)

$$0.25 \text{ L} = 3.785412 \times 10^{-1} \text{ gal} \quad \left[\frac{0.066 \text{ gal}}{4.5 \text{ sec}} \times \frac{60 \text{ sec}}{\text{min}} \right] = 446.89 \text{ gpm} \rightarrow 0.002 \text{ cfs} \text{ allow } 0.01$$
$$\therefore \frac{0.25 \text{ L}}{3.785412} = 0.066 \text{ gal}$$
$$V_a = 0.002 \text{ cfs} \times 1.485 \times 365 = 1.45 \text{ afa} \quad V = 1.2 \text{ afa}$$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS

System Description Collection pipe to holding tank

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = AFA/Acre


USE	Q (cfs)	V (afa)	FROM	TO
DOMESTIC ✓ (ONE UNIT)	allow 0.01 0.002 cfs	1.2 ✓	1/1 ✓	12/31
	0.01			
Total	0.002 cfs	1.2 afa ✓	1/1	12/31

Remarks

MICROFILMED

MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Holding tank underground only overflow pipe visible

Point(s) of diversion: V SW 1/4 SW 1/4 Sec 20 T 4 N R 46 E

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature Keith C. Wilson

Date 21 Nov 1983

Checked by _____
Approved by Kay Walker

Date 8-31-84

ACTION REQUIRED

FROM: KEITH WILSON

8-10-84

TO: KAY WALKER

ENCLOSED ARE COPIES OF FIELD EXAM AND ROUGH DRAFT
THAT WERE SENT TO BOISE NOVEMBER 28, 1983. THEREFORE
INCLUDE THIS ON YOUR EXAM COMPLETED FILE. THANKS
AND HAVE A NICE DAY.

Keith

ACTION REQUIRED

FROM

Ray Walker

TO

Skip Jones, Keith Wilson

Department of Water

I pulled Permit 22-7162 for licensing and found that there is no exam in the file. Please add it to your "exam pending" inventory. Thanks & have a happy day.

Ray

PERMIT NO. 22-7162

Troideaux
(Name)

EXAMINATION DATE: 8-10-82

ACCOMPANIED BY: MRS Troideaux

Station Name	HP	Meter	Serial No.	Pump	Serial No.
--------------	----	-------	------------	------	------------

Measuring Device	Type	Annular #	Size #
------------------	------	-----------	--------

Remarks

250ml in 4.5 sec

252 in 4.5 sec

$$\frac{0.252}{3.785412} = 0.06692$$

$$\left[\frac{0.06692 \times 60 \text{ sec}}{4.5 \text{ sec}} \right] \div 44.6 \text{ m} = 0.00205$$

Estimated Discharge of System
Mainline Dia. _____ Length _____

System underground only overflow pipe visible

IDENT. NO. 22-7162

ID AHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT
DATA ENTRY LOG

[illegible]



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

Sept. 29, 1981

RE: Permit No.

22-7162

Claude & Frances Froidevaux
2965 Cambridge Court
Bartlesville, Ok 74003

Dear Mr. & Mrs. Froidevaux

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

BOBBIE R. STEPHENS
Principal Clerk

cc: IDWR - State Office

2021 11 16 10:00 AM

August 26, 1981

RECEIVED

Department of Water Resources
Attention: Mrs Rita Fleck
State House
Boise, Idaho 83720

AUG 28 1981

Department of Water Resources

Re: Water Permit No. 22-7162, Claude & Frances Froidevaux

Dear Mrs Fleck:

Please find enclosed a filled out water permit statement card.

We have completed development of the spring as follows:

After completion of an access road, we have dug the dirt to reach the bedrock at the point of optimum flow. The dirt was then trenched along the bedrock for a distance of 8 ft. and a depth of 5 ft. below the point of spring flow, to allow for the emplacement of a circular concrete tank (1000 gal. capacity). Two truck loads of river gravels were used to fill up the gap between the bedrock and the tank, whereas the opposite side of the tank was dammed with clayish material. This system has greatly improved the collection of water, which flows now ~~at a~~ rate of 1000 gal. per day at the exit pipe, instead of seeping wastefully as before over a wider area of wet dirt. Please see sketch on next page.

The total cost for this improvement is \$1597.66 (see attached bills).

We trust you that you will accept this work as a positive improvement for water use.


Thank you for your services

Sincerely,

End: 3


Claude & Frances Froidevaux
2965 Cambridge Court
Berkeleyville OK 74003
(918) 333-9625

WATER



CMF
8-25-81

Approx. scale: 1 inch = 2 feet



CMF
8-25-81

Aug 16, 1950

FROM T. W. Backlund
Box 242
Victor, Ia 53455 19
TO Francis Frederickson
ADDRESS Jackson, Wyo
CITY Phone 208-287-2788
TERMS _____

Backhoe work			
Aug 4 -	Dig out spring	3 1/2 hrs	
Aug 14 -	Build road		
1980	To house to and		
	spring	11 hrs	
	Total -	14 1/2 hrs	507.50
	Aug 4 paid		200.00
	Balance Due		307.50

Richard Whiting
 House: Road to Swan Lake
 1st on south side after
 railroad tracks

DRIGGS PLUMBING & HEATING

P. O. Box 26
DRIGGS, IDAHO 83422
Phone 354-2562

SOLD BY		DATE	
		August 18 1981	
NAME			
ADDRESS		PHONE	
CITY			
☐ CASH ☐ C.O.D. ☐ CHARGE ☐ PAID OUT ☐ MDSE. RET'D ☐ PD. ON ACCT.			

QUAN.	DESCRIPTION	PRICE	AMOUNT
1	1000 Gal. Tank		450 00
8 yds	Rock		96 00
20'	2" PVC pipe		14 40
1	Roll Plastic		8 00
	Copper screen		2 00
	Thorite		10 00
			580 40
	Tax		17 40
4 Hrs	Fastell Tanks		60 00
			657 80
20 yds	4" Solid pipe	60	12 00
	tax		36
			670 16
Purchaser agrees to pay seller 18% interest within 30 days past due. In default, purchaser agrees to pay a reasonable attorneys fee & cost of suit.			
			TOTAL

RECEIVED BY

No 2683

Thank You

NEW FILM

Aug 17, 1981

STATEMENT

FROM T+W Backhoe - Richard Whiting
 Box 242
 Victor, Idaho 83455 19
 TO Claude Froidevaux
 ADDRESS 2965 Cambridge Court
 CITY Bartlesville, Oklahoma
 TERMS 74003

Backhoe work:			
Aug 17	Install Cement tank in spring* & level ground for house -	8 hrs	\$280.00
* 5 hr = \$175			

STATEMENT

FROM T+W Backhoe - Richard Whiting
 Box 242
 Victor, Idaho 83455 19
 TO Claude Froidevaux
 ADDRESS 2965 Cambridge Court
 CITY Bartlesville, Oklahoma
 TERMS 74003

Backhoe work:			
Aug 10	Building road & 1981 digging out spring	7 hrs	(245.00)
paid in full			

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 22-7162

Name(s) of Permit Holder: Claude & Frances Froidevaux

Post Office Address: 2965 Cambridge Court
Bartlesville OK 74003 Tel. No. (918) 333-9625

Source of Water: Spring-seep

Extent of Use: ☒ Domestic 1 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8-25-81
 Date

Claude & Frances Froidevaux
 Signature of Permit Holder

REGISTERED

PLACE
TEN CENT
STAMP
HERE

AUG 28 1981

Department of Water Resources



UNRECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

from: C. Froidevaux
2965 Cambridge Ct
Bartlesville OK 74003

RETURN RECEIPT
REQUESTED

CERTIFIED

P24 3478475

MAIL



Save Mountain Habitats

Department of Water Resources
Attention: Mrs. Rita Fleck
State House
Boise, Idaho 83720

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

FROIDEVAUX, CALUDE M. & FRANCES L.
2965 CAMBRIDGE COURT
BARTLESVILLE, OK 74003

#138287

JUNE 30, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 22-7162 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 8372
(208) 334-4440

September 3, 1980

Claude M. & Frances Froidevaux
2965 Cambridge Court
Barklesville, OK 74004

Dear Mr. & Mrs. Froidevaux

RE: Permit No. 22-7162

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use is extended to September 1, 1981. Also enclosed is receipt No. 15996 in the amount of \$15.00.

Sincerely,

Rita Fleck

Sr. Secretary

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

June 30, 1980

Claude M. & Frances L. Froidevaux
c/o Phillips Petroleum Co.
International Dept.
Barklesville, OK 74004

138187

Dear Mr. and Mrs. Froidevaux:

One of the conditions of approval of your water Permit No. 22-7162 was that evidence of the extent of development must be submitted to this office on or before September 1, 1980. (See last page of your approved permit). Enclosed is a post card which may be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use post card or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect within 60 days.

Sincerely,

RITA FLECK
Sr. Secretary

Enc: 1

RECEIVED

September 30, 1975

Re: Permit No. 22-7162

Claude M. & Frances L. Froidevaux
c/o Phillips Petroleum Co.
International Dept.
Barklesville, OK 74004

Enclosed is a copy of your approved Application for Permit No. 22-7162 We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosure

11/11/75

August 29, 1975

RE: Application for Permit No. 22-7162 FROIDEVAUX

Teton Valley News
Driggs
Idaho 83422

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
District Engineer

Bill submitted 9-15-75 by me

RDC:MB

Enc: Legal Notice (1)

MB
NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Claude M. & Frances L. Froidevaux, Bartlesville, Oklahoma has on 8-26-75 submitted Application No. 22-7162 for a permit to appropriate 0.002 cubic feet per second of water from a spring, tributary of Fox Creek by means of reservoir and pump within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 20, T. 4N. R. 46E, B.M., Teton County; to be used from Jan. 1 to Dec. 31 for domestic purposes for one family within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 20, T. 4N, R. 46E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before September 22, 1975.

R. KEITH HIGGINSON

Director

Published in the Teton Valley News, Driggs, Idaho on September 4 and September 11, 1975.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Claude M. & Frances L. Froidevaux,

Bartlesville, Oklahoma

has on 8-26-75 submitted Application No. 22-7162

for a permit to appropriate 0.002 cubic feet per second ~~acres feet per annum~~

of water from a spring tributary of Fox Creek

by means of reservoir and pump

within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 20, T. 4N, R. 46E, B.M., Teton County;

to be used from Jan. 1 to Dec. 31

for domestic purposes for one family

within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 20, T. 4N, R. 46E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____

September 22, 1975

R. KEITH HIGGINSON

Director

Published in the Teton Valley News, Driggs, Idaho

on September 4 and September 11, 1975

CW-A
CW-A
EDC-P

C
O
P
Y

August 28, 1975

RE: Application for Permit No. 22-7162

Claude M. and Frances L. Froidevaux
C/O Phillips Petroleum Company
International Department
Bartlesville, Oklahoma 74004

Dear Mr. and Mrs. Froidevaux:

Attached herewith is departmental receipt No. 4396 in the amount of \$10.00 for the above referenced application.

Very truly yours,

RONALD D. CARLSON
District Engineer

RDC:ME

Attachment

RECEIVED
AUG 29 1975
DISTRICT ENGINEER

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

CM & F.L. FROIDEVAUX

Item Initial Date

Application No. _____

- ☒ Source
- ☒ Point of Diversion
- ☒ County
- ☒ Quantity of Water and Period of Use
- ☒ Description of Diverting Works
- ☒ Time required for B/U of water
- ☒ Place of Use or Acres Irrigated
- ☒ Map
- ☒ Signature
- ☒ Fee

(1) JMF 8/28/75

In form to receipt yes

(2) " "

Send Copies to:

- NA Idaho State Health Department
- NA Idaho Fish and Game Department
- NA Bureau of Land Management

(3) " "

- NA Request Special Use Permit from U.S.F.S.
- NA Request Easement from B.L.M.
- NA Request Information from Applicant

(4) " "

In form for advertising yes

(5) " "

Platted on Map No. X-49

(6) " "

Located within Water District No. 01-basin 22

(7) " "

NA Critical groundwater area: yes no

(8) " "

Groundwater levels:

NA Declining, Stable, Increasing

(comment) _____

(9) " "

Other rights on the same place of use None known

(10) " "

Comments: 7

(11) me 9-15-75

Affidavit of Publication received (date) 9-15-75

(12) me 9-22-75

Final date for protests September 22, 1975

Protests received: yes no

(13) RDC 9/22/75

All requested information received from agencies or applicant: yes no

(14) 11 11

Action recommended:

Approve Deny

8/25/75 Proposed Prior

RECEIVED

Reason for Reduction

SEP 23 1975

NO

Measuring device required

Department of Water Resources

See attached sheet for other conditions of approval

No special conditions for approval

(15) District E

By RDC

Date 9/22/75

cc RDC 8/22/75