


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John R. Brown
(Applicant)

AFFIDAVIT OF PUBLICATION

State of Idaho)
) ss
 County of Teton)

I, Louise D. Norton
 being first duly sworn depose and say

that I am the publisher
 of the Teton Valley News, a news-
 paper as defined by Idaho Codes Anno-
 tated, Section 58-106, as amended, and
 that said newspaper is a weekly news-
 paper printed and published at Driggs,
 in Teton County, Idaho, having a gen-
 eral circulation in said county, and that
 said newspaper has been printed in
 said county for more than 78 consecu-
 tive weeks prior to the first publication
 of the attached notice, advertisement
 or publication of

Application for Water
Permit # 22-7134

And affiant further says that said
 attached notice, advertisement or pub-
 lication, as per clipping attached, was
 published in said newspaper, in the
 regular and entire issue thereof, and
 not in any supplement issue thereof,

for 7 consecutive issues thereof;
 first publication having been made on

the 19 day of June
 19 75.

and last publication on the 26

day of June, 19 75.

And affiant further says that at the
 times herein mentioned said newspaper
 was made up of at least eight pages
 of at least five columns each, printed
 from type matter, of at least sixteen
 and one-half inches deep.

Louise D. Norton

Subscribed in my presence and sworn

to before me this 27 day of

June, 19 75
Sarahy Naugle
 (SEAL) Notary Public for the State of
 Idaho, residence and postoffice
 address, Driggs, Idaho.

My Commission expires

9-20, 19 75.

RECEIVED

JUN 30 1975

Department of Water Resources
 Eastern District Office

be used from Apr. 15 to Oct. 15 for
 the irrigation of 140 acres within the
 NW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20, T. 6N, R.
 45E, B.M.

If issued, this permit will be subject
 to all prior water rights. Protests against
 the granting of the permit must be
 filed with the Idaho Department of
 Water Resources, 1515 Lincoln Road,
 Idaho Falls, Idaho, 83401 on or be-
 fore July 7, 1975.


R. KEITH HIGGINSON
 Director

Published in the Teton Valley News,
 Driggs, Idaho on June 19 and June 26,
 1975.

**NOTICE OF APPLICATION
 FOR WATER PERMIT**
 submitted Application No. 22-7134 for
 Notice is hereby given that Dale R.
 Robson, Felt, Idaho has on 6-13-75
 a permit to appropriate 2.0 cubic feet
 per second of water from a ground-
 water source by means of well and
 pump within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 17,
 T. 6N, R. 45E, B.M., Teton County; to


RECEIVED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SE 1/4 SW 1/4 Sec 17 T6N R45E B4

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature

Checked by _____

Approved by _____


Date _____

Date _____

Date

NOT TO SCALE

MICROFILMED



Robson 22-7134

8-3-81

RE-EXAM

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Re-exam

Measured by: Keith C. Wilson

Date: 8-3-81

Owner: Dale Robson

Permit #: 22-7134

Description of well &/or measuring site (give distance to restrictions upstream and downstream): Access port located 3 1/2' from Pump 2 1/2' downstream gate valve 1' upstream of gate valve

Measured inside diameter of pipe in inches 10"

Size of Annubar used in test 10.020

State ID# of ^{Annubar}~~Meter~~ used # 19 11 47

Size Eagle Eye Meter used 10" - 80"

State ID# of Meter used # 091473

Date of Last Calibration of Meter 5-5-81


Observed inches of H2O read on Meter 31"

Adjusted inches of H2O from Last Calibration 31.926"

CALCULATION:
$$\frac{(3.85) \times (A)^2 \times \sqrt{(B)}}{448.8} = 4.85 \text{ cfs measured}$$

Where A and B are measured in inches
and 3.85 is a constant for the model
75 Annubar

SKETCH:



MICROFILMED

R45E

T6N






Diagram of System

31" and 10" Meter 091473



J.D.C.



MICROFILMED

B-31
BAHR
42.3
E

B-87
FOLMER
35.4
A

B-121
RAMMELL
1970
D

B-120
TETONIA WARD
18.2
A

44.4
A

33.2
B

40

39

102.5
C

10

10

A-16
LINDERMAN

308.4
A

A-71
ROBSON

B-121
RAMMELL

148.6
A

291.6
A

R-45

D-10

Robson

22-7134

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 22-7134 Priority June 13, 1975 Amount 2.0 cfs

THIS IS TO CERTIFY, that Dale R. Robson
of Felt, Idaho, has complied with the terms and conditions of Permit
No. 22-7134 issued pursuant to Application for Permit dated June 13, 1975,
and has submitted proof to the Department of Water Resources on July 31, 1978,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 4.85 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 15</u> to <u>October 15</u> at <u>2.0</u> cfs and <u>408.0</u> acre feet		
	from _____ to _____ at _____ cfs and _____		
	from _____ to _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than 2.0 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
408.0 acre feet per-year, said waters to be diverted within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Section 17, Twp.
6N, Rge. 45E in the County of Teton

Description and location of place of use:

Twp.	Range	Sec.	NEW				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6N	45E	20					10	10	39	40							37		136

Total number of acres irrigated 136

This right when combined with Right No. 22-7028 shall not exceed 4.85 cfs.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 6TH day of JUNE, 19 83.

MICROFILMED

Acting for the Director

Roman C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Dale R. Robson Phone: 456-4404
post office address Felt, Idaho
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 17 Township 6N
Range 45E B.M. Teton County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2.0 for Irrigation purpose from Apr. 15 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 20 inches; proposed depth of well is 800 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 3 years.
b. Estimated construction cost is \$ 22,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]


Total number of acres to be irrigated 140

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John R. Brown
(Applicant)

Received by AW Date 6-13-75 Time 12:20 p
Preliminary check by AW Fee \$ 35.00
Receipted by AW Date 6-13-75 # 4288
Publication prepared by MB Date 6-13-75
Published in Sutton Valley News
Publication dates June 19 + 26, 1975
Publication approved AW Date 6-30-75
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by: _____

Hearing held by: _____ Date: _____

Recommended for approval denial by RDC YJS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 22-7134, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 78.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 9 day of July, 19 75.


Director

AFFIDAVIT OF PUBLICATION

State of Idaho)
) ss
 County of Teton)

I, Louise D. Norton
 being first duly sworn depose and say

that I am the publisher
 of the Teton Valley News, a news-
 paper as defined by Idaho Codes Anno-
 tated, Section 58-106, as amended, and
 that said newspaper is a weekly news-
 paper printed and published at Driggs,
 in Teton County, Idaho, having a gen-
 eral circulation in said county, and that
 said newspaper has been printed in
 said county for more than 78 consecu-
 tive weeks prior to the first publication
 of the attached notice, advertisement
 or publication of

Application for Water
Permit # 22-7134

And affiant further says that said
 attached notice, advertisement or pub-
 lication, as per clipping attached, was
 published in said newspaper, in the
 regular and entire issue thereof, and
 not in any supplement issue thereof,

for 2 consecutive issues thereof;
 first publication having been made on

the 29 day of June
 19 75.

and last publication on the 26
 day of June, 19 75.

And affiant further says that at the
 times herein mentioned said newspaper
 was made up of at least eight pages
 of at least five columns each, printed
 from type matter, of at least sixteen
 and one-half inches deep.

Louise D. Norton
 Subscribed in my presence and sworn

to before me this 29 day of

June, 19 75
Donald H. Hunsaker
 (SEAL) Notary Public for the State of
 Idaho, residence and postoffice
 address, Driggs, Idaho.

My Commission expires

9-30, 19 75.

RECEIVED

JUN 30 1975

Department of Water Resources
 Eastern District Office

be used from Apr. 15 to Oct. 15 for
 the irrigation of 140 acres within the
 NW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20, T. 6N, R.
 45E, B.M.

If issued, this permit will be subject
 to all prior water rights. Protests against
 the granting of the permit must be
 filed with the Idaho Department of
 Water Resources, 1515 Lincoln Road,
 Idaho Falls, Idaho, 83401 on or be-
 fore July 7, 1975.

R. KEITH HIGGINSON
 Director

Published in the Teton Valley News,
 Driggs, Idaho on June 19 and June 26,
 1975.

**AB NOTICE OF APPLICATION
 FOR WATER PERMIT**
 submitted Application No. 22-7134 for
 Notice is hereby given that Dale R.
 Robson, Felt, Idaho has on 6-13-75
 a permit to appropriate 2.0 cubic feet
 per second of water from a ground-
 water source by means of well and
 pump within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 17,
 T. 6N, R. 45E, B.M., Teton County; to

RECORDED

June 7, 1983

RE: Permit No. 22-7134

Bale R. Robson
Belt
Idaho 83424

Dear Mr. Robinson

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

May 6, 1983

RE: Permit No. 22-7134

Dale R. Robson
Felt,
Idaho 83424

Dear Mr. Robson:

A representative of this Department has made an examination of the works covered by your Permit No. 22-7134, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 2.0 cfs Source: groundwater

The maximum quantity diverted shall not exceed 408.0 acre feet
per year.

Point(s) of diversion: SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 17, Twp. 6N, Rge. 45E, Teton County

Beneficial use: Irrigation of 136 acres within the NW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20;
Twp. 6N, Rge. 45E

Priority date established: June 13, 1975

Conditions (if any): This right ~~can~~ combined with Right No. 22-7028 shall
not exceed 4.85 cfs.

If you do not concur with these findings please contact us within 10 days, otherwise
a water license will be issued as set forth above.

Sincerely,


JIM JOHNSON
Water Distribution Supervisor

JJ:kw

MICROFILMED

Hand-drawn map on a grid showing a proposed rail line and various land parcels. The map includes labels for 'R45E', 'T6N', 'P/O', 'Rail Road', 'Place of Use', and 'Red areas circled are lands covered by L 22-7028'. Shaded areas represent specific land parcels, and a circle indicates a larger area of interest.

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SE 1/4 SW 1/4 Sec 17 T6N R4E BM

Place(s) of Use

[illegible]

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above

☒ None
☐ Other _____

Date 2-2-82

Date 2-16-82

Date 4-4-83

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Re-exam

Measured by: Keith C. Wilson

Date: 8-3-81

Owner: Dale Robson

Permit #: 22-7134

Description of well &/or measuring site (give distance to restrictions upstream and downstream): Access port located 3 1/2' from Pump 2 1/2' downstream gate valve 1' upstream of gate valve

Measured inside diameter of pipe in inches

10"

Size of Annubar used in test

10.020

State ID# of ^{Annubar}~~Meter~~ used

19 11 47

Size Eagle Eye Meter used

10"-80"

State ID# of Meter used

091473

Date of Last Calibration of Meter

5-5-81

Observed inches of H2O read on Meter

31"

Adjusted inches of H2O from Last Calibration

31.926"

CALCULATION:

$$\frac{(3.85) \times (A)^2 \times \sqrt{(B)}}{448.8}$$


=

4.85

cfs measured

Where A and B are measured in inches
and 3.85 is a constant for the model
75 Annubar

SKETCH:



MICROFILMED

Overlap Review for 22-7134 based on Reexam

License 22-7028 gw P/D SESW Sec 17
(same)

$$\frac{3.52 \text{ ds}}{285 \text{ ac}} = .012 \text{ ds/ac}$$

P/U see attached license copy
(different)

No Overlap in P/U

P/D Overlaps

22-7028	3.52
This right 22-7134	<u>2.0</u>
	5.52

Greater than capacity (4.85d)
ok recommend limiting right
when combined to capacity

RC 4/4/83

Jim
5-6-83

MICROFILMED

DEPARTMENT OF WATER RESOURCES
FIELD REPORT

1. Name of permit holder Dale R. Robson
Post office address Felt, Idaho Phone 456-2861
Person to contact _____ Phone 456-2607

2. Source of water supply: Groundwater ☒ Surface water ☐ _____ (name spring, stream, etc.)

Tributary to _____

3. Water will be used for the following purposes:

Amount 5.8 c.f.s. for irrigation
AF/Annum (nature of use)

Period of Use: from 5-1 to 10-15
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses:

4. Total amount to be appropriated

Max Rate of Diversion 3.8 cubic feet per second and annual volume AF/Annum.

5. Location of Point(s) of Inversion:

Township 6N, Range 15E, B.M., Section 17, Subdivision SE $\frac{1}{4}$ SW $\frac{1}{4}$, 140N County

Township 13, Range 15, B.M., Section 1, Subdivision 1/4 1/4

Township _____ N/S, Range _____ E/W, B.M. _____, Section _____, Subdivision _____ 1/4 _____ 1/4 _____

Other Points of Diversions:

Description of diverting works: Well, pump buried mainline for sprinkler system
350 HP electric line, 20" diameter

Measuring device required: ☒ yes ☐ no

6. Lands to be irrigated or place of use.

[illegible]**TOTAL ACREAGE**

140

MICROFILMED

R45E






Diagram of System

31" and on Meter 091473



J.D.C.



DATE OF EXAM 6/18/79

ACREAGE

Found 136 Ac

Recommended 136 Ac

Irrigation Requirement 3.0 Ac Ft/Ac

USE

Irrigation Q = 2.0 c.f.s. V = 408 AF/Ann. from 5/1 to 10/15

Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no X

Name source exchanged with: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 4.31 cfs Method of measurement Flow Meter

Total Q recommended 2.0 Meter No. 73-10-429 Type McCrometer Condition Std.

Total V recommended 408 AF/Ann.

Recommended Amendments:

P.D. _____

Place of Use _____

Other _____

None

MEASUREMENT CALCULATION:

.01 Act in 101 sec. = 435.6 ÷ 101 sec. = 4.31 cfs capacity Allow 2.0 AS per permit
136 Ac x 3.0 Act/Ac = 408 AF/Ann. < 2.0 cfs x 1.9835 cfs Act/dy x 168 dys = 666 AF/Ann.

SYSTEM DESCRIPTION:

Surface water is diverted from a 30" dia well by a H.E. Tri-Clad Induction 350hp motor Ser# NHU1208014 and a Johnston Vertical Turbine pump #107 class 50NM. Landa irrigated by handline and wheel line.

REMARKS:

System shown and described by Dale Robinson

Examiner's Signature John D. Carlson Date 3/1/80

Checked by Anthony R. Kozlowski Date 3-4-80

Approved by Robinson Date 3/26/81

Overlap Review on Back

MICROFILMED

Overlap Review for 22-7134

Since 22-7028

F/D same

P/O see attached copy

$$\frac{3.52 \text{ cfs}}{285 \text{ ac}} = .012 \text{ cfs/ac}$$

this right 22-7134

F/D same

P/O see field exam

$$\frac{2.0 \text{ cfs}}{136 \text{ ac}} = .014 \text{ cfs/ac}$$

Can safely assume that this right is
supplemental to 22-7028 (Bringing Sec. 20
NENW & NWNW up to 40 ac each)

Limit both rights to system capacity

RB 3/26/81

NG 6/16/81

MICROFILMED

State of Idaho

Department of Water Administration

WATER RIGHT LICENSE

License of Water Right No. 22-7028 Priority Jan. 5, 1970 Amount 3.52 cfs

THIS IS TO CERTIFY, that DALE R. ROBSON
of Felt, Idaho, has complied with the terms and conditions of Permit
No. 22-7028 issued pursuant to Application for Permit dated January 5, 1970,
and has submitted proof to the Department of Water Administration on February 25, 1972,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 3.52 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use &
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>May 1</u> to <u>Oct. 15</u>	at <u>3.52</u> cfs and	<u>855 acre feet or</u>
	from _____ to _____	at _____ cfs and	<u>3.0 af per acre</u>
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 3.52 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
855 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 17,
Twp. 6 N, Rge. 45 E, B.M. in the County of Teton

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6 N	45 E	17									40	39.5	39.5	40		5	13		177
		20		20	28		30	30											108

Total number of acres irrigated 285

A measuring device of a type approved by this Department shall be permanently maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 4 day of
April, 19 74

MICROFILMED

Director

CONVERSATION MEMORANDUM

DATE 4/8/81
FILE 22-7134NAME OF PARTY Dale R. ROBSON
EMPLOYEE Joni JohnsonRE: License of 22-7134

Mr Robson called in regards to prelicense letter sent to him. He felt that the 4.31 cfs measured was not the capacity of his system. His estimates are ~~that~~ that the pump produces about 5.33 cfs. He therefore requested that a reexam be made of his system.

Field Exam returned to region for re-measurement.

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 1, 1981

Dale R. Robson
Felt,
Idaho 83424

Dear Mr. Robson,

A representative of this Department has made an examination of the works covered by your Permit No. 22-7134, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 2.0 cfs Source: groundwater

The maximum quantity diverted shall not exceed 408 acre feet per year.

Point(s) of diversion: SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 17, Twp. 6N, Rge. 45E, B.M.

Beneficial use: Irrigation of 136 acres within the NW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20, Twp. 6N,
Rge. 45E.

Priority date established: June 13, 1975

Conditions (if any): This right when combined with Right No. 22-7028 shall provide
no more of a total diversion than 4.31 cfs.

If you do not concur with these findings please contact us within 10 days, otherwise
a water license will be issued as set forth above.

Sincerely,

MICROFILMED
JIM JOHNSON
Water Distribution Supervisor



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Storehouse

Boise, Idaho 83720

(208) 384-2215

September 20, 1978

Dale R. Robson
Felt,
Idaho 83424

Dear Mr. Robson:

Re: Permit No. 22-7134

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in Idaho Falls.

Sincerely,

RITA FLECK
Water Rights

MICROFILMED

Identification No.

Permit No. 22-7134

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water Resources
Eastern District Office

1. a) Name of Permit Holder DALE R. ROBSON 456-2861
b) Post Office Address FELT, IDAHO 83424
2. Permit Number 22-7134
3. Date of Priority that you are prepared to establish 6-13-75
4. a) Source from which water was appropriated Ground Water
b) Location of the point of diversion: SE 1/4 SW 1/4, Section 17
Township 6 N, Range N 45 East Boise Meridian, Other points of diversion:

5. a) The amount of water and use to which the water has been applied:
Amount 3.8 for Irrigation purposes from MAY 1 to October 15 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 3.8 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement:

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:
b) Describe the agreement or understanding by which you take water from the works:

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) pumped from well into lateral main line
For sprinkler irrigation. 350 HP. electric motor 20" well diameter

- b) Describe the type and size of measuring device which you have installed at your point of diversion:

over flow meter

- c) Give well driller's name and address and the date the well was completed:

Andrew's Well Drilling Idaho Falls

well completed in 1970

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:

MICROFILMED

Exam typed 9/5/78 by AK

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30
days after the completion or abandonment of the well.

JUN 28 1977

Department of Water Resources

1. WELL OWNER

Name Dough Sorenson
Address SWAN LAKE, ID
Owner's Permit No. 13-7134

7. WATER LEVEL

Static water level 100 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☒ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
<u>2000</u>	<u>4 FT.</u>	<u>16</u>

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
20	0	15	5' Shale Rock & clay		
1	15	147	Hard Shale, Rock		
	147	225	Shale Rock & gravel	✓	
	225	270	Hard Shale Rock		
	270	310	Shale gravel	✓	
20	310	357	Hard Shale & clay		

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 20 inches Total depth 357 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>250</u> inches	<u>20</u> inches	<u>1</u> feet	<u>331</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☒ Yes ☐ No
How perforated? ☒ Factory ☐ Knife ☐ TorchSize of perforation 250 inches by 4 inches

Number	From	To
<u>4-862</u> perforations	<u>110</u> feet	<u>331</u> feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ NoManufacturer's name _____
Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feetSurface seal depth 20 Material used in seal ☐ Cement grout
☒ Pudding clay ☐ Well cuttingsSealing procedure used ☐ Sherry pit ☐ Temporary surface casing
☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.

N				
W				
S				

Subdivision Name CEMETERY
Block No. 15
County BANNOCK

NE 1/4 NW 1/4 Sec. 8 T. 13 S. R. 38 E/W

10.

Work started NOV 21, 76 finished JAN 10, 77

11. DRILLERS CERTIFICATION

Firm Name CALLITSON Firm No. 140Address DOWNNEY, IDA Date Feb 7, 77Signed by (Firm Official) F. W. Cagleand
(Operator) R. F. Cagle



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

May 31, 1978

CERTIFIED MAIL

128016

Re: Permit No. 22-7134

Dale R. Robson
Felt,
Idaho 83424

Dear Mr. Robson:

One of the conditions of approval of the above referenced water right permit was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before August 1, 1978. The enclosed affidavit form is the document you must complete and submit as the proof of application of water to beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

JANICE RENK
Water Rights

Encl: Proof affidavit

MICROFILMED

July 10, 1975

Re: Permit No. 22-7134

Dale R. Robson
Felt,
Idaho 83424

Dear Mr. Robson:

Enclosed is a copy of your approved Application for Permit No. 22-7134 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

RECEIVED
JUL 11 1975
WATER RIGHTS

June 13, 1975

RE: Application for Permit No. 22-7133 - PHILLIPS FARMS
" " " No. 22-7134 - ROBSON

Teton Valley News
Driggs,
Idaho 83422

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
District Engineer

RDC:CW

Bill submitted 6-30-75 by MB

Enc: Legal Notice (2)

MICROFILMED

MB NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Dale R. Robson, Felt, Idaho has on 6-13-75 submitted Application No. 22-7134 for a permit to appropriate 2.0 cubic feet per second of water from a ground-water source by means of well and pump within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 17, T. 6N, R. 45E, B.M., Teton County; to be used from Apr. 15 to Oct. 15 for the irrigation of 140 acres within the NW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20, T. 6N, R. 45E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before July 7, 1975.

R. KEITH HIGGINSON
Director

Published in the Teton Valley News,
Driggs, Idaho on June 19 and June 26,
1975.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Dale R. Robson,

Felt, Idaho

has on 6-13-75 submitted Application No. 22-7134
for a permit to appropriate 2.0 cubic feet per second ~~acre feet per annum~~
of water from a ground-water source
by means of well and pump
within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 17, T. 6N, R. 45E, B.M., Teton County;

to be used from Apr. 15 to Oct. 15
for the irrigation of 140 acres

within the NW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20, T. 6N, R. 45E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before July 7, 1975

R. KEITH HIGGINSON
Director

Published in the Teton Valley News

on June 19 and June 26, 1975

RECORDED

aw-R
MB-P
aw-A

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 82-7134

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) JRJ 6/13/75

In form to receipt yes

(2)

Send Copies to:

NA Idaho State Health Department
NA Idaho Fish and Game Department
NA Bureau of Land Management

(3)

NA Request Special Use Permit from U.S.F.S.
NA Request Easement from B.L.M.
NA Request Information from Applicant

(4)

In form for advertising yes

(5)

Platted on Map No. 6N 4SE

(6)

Located within Water District No. No organized w/Dist

(7)

Critical groundwater area: yes no ☒

(8)

Groundwater levels:

Declining, Stable, Increasing

(comment) No near by obs wells

(9)

Other rights on the same place of use None

(10)

Comments: No conflicting water rights

(11) MB 6-30-75

Affidavit of Publication received(date) 6-30

(12) OW 7-07-75

Final date for protests July 7, 1975
Protests received: yes no

(13) RDC 7/7/75

All requested information received from agencies or applicant: yes no

(14)

Action recommended:

☒ Approve Deny

6/13/75 Proposed Priority

NA Reason for Reduction

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District E

By RDC Date 7/7/75

RECEIVED

RECEIVED

JUL 8 1975

Department of Water Resources