

ges, and
North

Well
→ SE 1/4 SW 1/4 Sec 35 T6N R41E

A 10x10 grid with dashed lines. The grid contains the following handwritten content:

- Row 2, Column 4: 26
- Row 2, Column 6: 25
- Row 4, Column 1: 34
- Row 4, Column 4: 35
- Row 4, Column 6: 36
- Row 5, Column 4: Well

South

Signed at Rexburg, Idaho, this 1 day of August, 1970

George R Brown
(signature)

Feb

August 19, 1970

Stephen W. Bruce

~~State Reclamation Engineer~~

~~State Reclamation Engineer~~

The REXBURG STANDARD and
The REXBURG JOURNAL
REXBURG, IDAHO

Affidavit of Publication

STATE OF IDAHO }
County of Madison } ss.

Annette Porter

I, _____,
being first duly sworn, depose and say,
that I am the printer of THE REXBURG

Journal _____, a newspaper printed and
published weekly at Rexburg, Madison
County, Idaho; and I do solemnly swear
that the

Notice of Existing Water Permit

a copy of which notice appears attached
hereto, was published in the regular and
entire issue of said newspaper, and not in

any supplement issue thereof for two
consecutive issues, the first publication hav-

ing been made on June 11, 1970
and the last publication having been made

on June 18, 1970

Further, that said newspaper is one of
general circulation in said county; that it
is a legal newspaper, conforming to legal
specifications under the Idaho Statutes; that
it has at least two hundred bona fide sub-
scribers living within the county of publica-
tion; and that it has been continuously and
uninterruptedly published in said county dur-
a period of seventy-eight consecutive weeks
prior to the first publication of the said not-
ice.

Annette Porter



Subscribed to and sworn to before me

this 18th day of June, 1970.

John C. Porter
Notary Public.

(SEAL)

My commission expires 5-24-72

**NOTICE OF EXISTING
WATER PERMIT**

Notice is hereby given that
George R. Brown & the Estate
of Jennie W. Brown, Rexburg,
Idaho, have received an approv-
ed permit No. G-32473/22-2254
issued by the Idaho State Rec-
lamation Department authoriz-
ing the diversion of 24.96 cubic
feet per second of water from
a ground water source subject
to all prior rights. The priority
to be established under this per-
mit is August 9, 1965 and the
permit was approved August 13,
1965. Water is to be diverted by
a well, pump and sprinkling
system from a point within the
SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 2; NW $\frac{1}{4}$ SW $\frac{1}{4}$
Sec. 1, T. 5 N, R. 41 E, B.M.,
and the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 35, T
6 N, R. 41 E, B.M., Madison
County to be used for irrigation
in the W $\frac{1}{2}$ NW $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$, Sec.
1; all of Sec. 2; E $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$
SE $\frac{1}{4}$, Sec. 3, T. 5 N, R. 41 E,
B. M. and the S $\frac{1}{2}$ NE $\frac{1}{4}$, S $\frac{1}{2}$ -
NW $\frac{1}{4}$, S $\frac{1}{2}$, Sec. 35; S $\frac{1}{2}$ NE $\frac{1}{4}$,
SE $\frac{1}{4}$, Sec. 34, T. 6 N, R. 41 E,
B.M. Proof of the application of
the water to beneficial use is to
be submitted to the Department
on or before August 13, 1970.
Any protests against the issu-
ance of a license for the above
referenced permit should be
filed with the Department of
Reclamation within ten (10)
days of the last date of publi-
cation of this notice or prior to
the licensing of the permit. Li-
censing may commence prior
to the date beneficial use proof
is due without further notice.

R KEITH HIGGINSON

State Reclamation Engineer
Published in the Rexburg
Journal, Rexburg, Idaho on
June 11 and June 18, 1970.


do
OK
7-23-70

22-2254
32473

R 41E

150
72
118
440
468

1248 - Total



Q measured 5.32 cfs

Q recommended 5.32 cfs

Volume 2276.96 AF/ANN

Acreage -

Found 1248

recommended 1248

Subdv. 41

Amendments

☒ None

☐ P.D.

☐ Place of use

☐

$5.32 \times 20 \times 214 = 2276.96$

A
42.0

SEC 34 →
150 ACRES

34

35

14

A 129

1-2

25

28

K

155.5

25

23

32

29

23

20


SEC 3 →
72 ACRES

A
10.1

22 2253

B
13.5

1532



A129

1-2

D39
259.0

35

38

14

17.5

15.5

35

34

28

J
648.4

38

35

33

26

29

25

36

36

28

E
16.3

G
35.5

H
87.4

I
50.1

J
22.3

SEC 1

118 acres

SEC. 2

SEE MAP D-5

3.2
10.11

2
11.12

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

July 29, 1970

Re: Permit No. G-32473/22-2254

Mr. George R. Brown
1439 Cambridge Drive
Idaho Falls, Idaho 83401

Dear Mr. Brown:

Please find enclosed our application for amendment, amending the point of diversion to be in the NEWSW, of Section 35, Township 6 N, Range 41 E.

As per his letter

If you are in agreement with this, please sign the form, and return it to this department with the \$5.00 filing fee, and we shall continue with the processing of your application.

Very truly yours,

Dorian Clay
Dorian Clay
Appropriation Examiner

DC/cr

Enclosure: application for amendment

RECEIVED

AUG 5 1970


ke Carfield
Department of Water Administration

8/1/70

Please note that the correct point of diversion is SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 35, T. 6N., R. 41 EBM.

Sincerely yours,
George R. Brown
George R. Brown, M. D.

22-2254
32473



State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 32473/22-2254 Priority August 9, 1965 Amount 5.32 cfs

THIS IS TO CERTIFY, that George R. Brown & Estate of Jennie W. Brown
of Idaho Falls, Idaho, has complied with the terms and conditions of Permit
No. 32473/22-2254 issued pursuant to Application for Permit dated August 9, 1965,
and has submitted proof to the Department of Water Administration on July 23, 1970,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 5.32 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:

Amount 5.32 cfs for Irrigation from April 1 to Nov. 1 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 5.32 cfs of water be diverted at
any one time, said waters to be diverted within the _____

SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 35, Twp. 6 N, Rge. 41 E, B. M.

in the county of Madison; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 2,258.2 acre feet per year or
3.5 acre feet per acre.


Description and location of place of use: See Land List Attachment

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	

Total number of acres irrigated 1,248

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 10 day of
April, 19 72.


Director

22 2254

LAND LIST ATTACHMENT

[illegible]

22 225\$

of diversion as proposed by this amendment. Show Well
 ↳ SE 1/4 SW 1/4 Sec 35 T6N R41E

A 10x10 grid with dashed lines. The grid contains the following handwritten content:

- Row 2, Column 4: 26
- Row 2, Column 6: 25
- Row 4, Column 1: 34
- Row 4, Column 4: 35
- Row 4, Column 6: 36
- Row 5, Column 3: Well

South

Signed at Rexburg, Idaho, this 1 day of August, 1970

George R Brown
(signature)

7th

Chase

hereby _____

approve the above application for amendment for permit No. 22-2254.

Witness my hand this 7th day of August, 1971

August 1979

Stephen W. Reed

State Department Engineer

Jennie W. Brown
Rexburg, Idaho

APPLICATION FOR PERMIT

To appropriate the Subterranean Waters of The State of Idaho

22-2-1

Application No. G- 40627
Permit No. G- 32473
District No.

1. Name of Applicant: **Jennie W. Brown and George R. Brown**
Postoffice address: **Rexburg** County: **Madison** State: **Idaho**
2. Quantity of water claimed: **24.96 cfs**
 - (a) Rate of withdrawal in cubic feet per second or Idaho
Miners' inches or gallons per minute
 - (b) Annual withdrawal in acre feet per annum
3. Source of water supply: **Subterranean**
4. Location of point of diversion or well is in the **NE 1/4 SW 1/4 Sec. 35, Twp. 6 N., Rge. 41 E.**
NW 1/4 SW 1/4, Section 1
Twp. **5 N**, Rge. **41 E.**, B.M., County of **Madison**
5. Water is to be used for: **Irrigation**
6. If for municipal, industrial or recreational purposes, give:
 - (a) Point of use of water is in the $\frac{1}{4}$ of the $\frac{1}{4}$ of Section , Twp.
Rge. , B.M.
 - (b) Waste water or sewage effluent is to be returned to
at a point in the $\frac{1}{4}$ of the $\frac{1}{4}$ of Section , Twp. , Rge. , B.M.
7. Kind of works: **Well, pump, and sprinkling system**
8. Estimated cost of works: **\$75,000.00**
9. (a) Is reservoir to be used?
(b) Capacity of reservoir:
10. The time required for the completion of such work and complete application of the water to the proposed use is **five** years.
11. If applicant is a corporation, give:
 - I. (a) Date and place of incorporation:
(b) Amount of capital stock: \$ (c) Amount paid in: \$
(d) Names and addresses of directors:
 - II. The financial resources of the applicant are (a) Cash on hand: \$
(b) Treasury stock: (c) Bonds to be issued:
(d) Other resources:
12. The land to be irrigated is described in the following tabulation:
13. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are: **None**
 - (a) (cubic feet per second, inches or gallons per minute) of the water herein applied for is to be supplemental to the existing water rights.
 - (b) **24.96** (cubic feet per second, ~~inches or gallons per minute~~) is for new lands.

Remarks:

BE IT KNOWN THAT The undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

s/ Jennie W. Brown
s/ George R. Brown

Applicant.

By

Agent.

Date of first receipt at Department of Reclamation: 9:30 A.M. August 9, 1965

Returned to applicant for correction:

Corrected application received:

Approval of State Reclamation Engineer

The number of this permit is G— 32473

Recorded in Book 113 Page 32473 Approved August 13, 1965

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Idaho, and hereby approve the same, subject to the following limitations and conditions:

Bond in the sum of \$ to be filed on or before

Work to begin on or before and to continue diligently and uninterruptedly to completion, unless temporarily interrupted by circumstances over which the permit holder has no control.

One-fifth of the work above specified to be completed on or before February 13, 1968

The whole of said work to be completed and beneficial use of water appropriated in accordance herewith, to be made and proofs offered on or before August 13, 1970

Witness my hand this 13th day of August, 1965

s/ CARL E. TAPPAN
STATE RECLAMATION ENGINEER.

IN TESTIMONY WHEREOF, We, ROBERT E. SMYLLIE, Governor of the State of Idaho, and ARNOLD WILLIAMS, Secretary of State of the State of Idaho, have caused this instrument to be executed in the name of the State of Idaho, and caused the Great Seal of the State of Idaho to be hereunto affixed, this 13th day of August, 1965.

Countersigned: STATE OF IDAHO

(SEAL)

By s/ ARNOLD WILLIAMS

Secretary of State.

By s/ ROBERT E. SMYLLIE
Governor

12.

Twp.	Range	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6 N.	41 E.	34			4	38									35	15	20	40	152
6 N	41 E	35			38	40		40	40		35	40	40	40	40	40	40	35	468
5 N.	41 E	3	8			30									35				73
5 N	41 E	2	10	10	30	30	12	12	18	20	35	35	40	35	40	40	30	40	437
5 N	41 E	1						8	30			40	40						118
TOTAL																			1248

LICENSE ISSUED FOR 5.32 SEC. P1.
LICENSE PAGE NO. _____

BEFORE THE STATE RECLAMATION ENGINEER

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. G-32473)

in the name of Jennie W. Brown and George)

R. Brown, Rexburg, Idaho)

ORDER MODIFYING REQUIREMENTS
FOR COMPLETION OF PERMIT TO
APPROPRIATE WATER

WHEREAS, the 39th Idaho Legislature made certain amendments to the Idaho Water Law;
and,

WHEREAS, these changes raised questions as to the procedures to be followed by
holders of permits issued prior to the effective date of the amendments, May 31, 1967;
and,

WHEREAS, on August 1, 1968, the Department of Reclamation adopted Rules of Practice
and Procedures for the processing of such permits issued prior to May 31, 1967; and,

WHEREAS, Permit No. G-32473 was issued previous to that date;

NOW THEREFORE, the requirements for completion of the above-numbered permit are
hereby modified to conform to the adopted Rules of Practice and Procedures as follows:

1. The above-numbered permit will be completed under the terms of Title 42,
Chapter 2, Idaho Code, as amended by the 39th Idaho Legislature.
2. The conditions of the above-numbered permit are modified as follows:
 - a. Notice of the issuance of the permit will be published at the permit
holders expense for two weekly issues in the official newspaper of
the county in which the point of diversion lies.

Dated this 26th day of JUNE, 1969.


R. KEITH HIGGINSON
State Reclamation Engineer

32473

Identification No. _____
Permit No. ~~XXXXXX~~ G-32473/22-2254
G-32473/22-2254

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED

JUL 7 1970 ✓

1. a) Name of Permit Holder George R. Brown and Estate of Jennie W. Brown
b) Post Office Address 1439 Cambridge Drive, Idaho Falls, Idaho 83401
2. Permit Number G-32473/22-2254
3. Date of Priority that you are prepared to establish _____
4. a) Source from which water was appropriated Deep well system.
b) Location of the point of diversion: SE 1/4 SW 1/4, Section 35
Township 6 N, Range 41 East Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
amount 24.96 cfs for irrigation purposes from April 15 to Nov. 1 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 24.96 cfs cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Orifice. Dan Orr & Mel Brown--engineers.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 9 stage 16 EHM Bowl Assembly. 600 HP electric motor with 300 HP booster motor. 20 inch inside diameter of casing.
Total well depth 1227 feet. Static water level 665 feet in 1967. Water pumped into 14 inch mainlines.
b) Describe the type and size of measuring device which you have installed at your point of diversion: None installed. An orifice can be installed if Mel Brown's measurements are not adequate. See 5c above.
c) Give well drillers name and address and date the well was completed Lois R. Grindrod working for Hopkins Brothers well Drilling.
Rexburg, Idaho
Oct. 2, 1967.

22-2254

32473

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6 N	41 E	34			4	38									35	15	20	40	152
6 N.	41 E	35			38	40			40	40	35	40	40	40	40	40	40	35	468
5 N	41 E	3	8			30									35				73
5 N	41 E	2	10	10	30	30	12	12	18	20	35	35	40	35	40	40	30	40	437
5 N	41 E	1						8	30			40	40						118

Total number of acres irrigated 1248 ✓

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

July 1, 1970
(Date)

George R Brown ✓
(Signature)

State of Idaho)
County of Madison) ss.

On this 1st day of July, 19 70, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Mary Smith ✓
Notary Public residing at Rexburg, Idaho

My commission expires June 25, 1971

The REXBURG STANDARD and
The REXBURG JOURNAL
REXBURG, IDAHO

Affidavit of Publication

STATE OF IDAHO }
County of Madison } ss.

Annette Porter

I, _____,
being first duly sworn, depose and say,
that I am the printer of THE REXBURG

Journal _____, a newspaper printed and
published weekly at Rexburg, Madison
County, Idaho; and I do solemnly swear
that the

Notice of Existing Water Permit

a copy of which notice appears attached
hereto, was published in the regular and
entire issue of said newspaper, and not in

any supplement issue thereof for two
consecutive issues, the first publication hav-

ing been made on June 11, 1970
and the last publication having been made

on June 18, 1970

Further, that said newspaper is one of
general circulation in said county; that it
is a legal newspaper, conforming to legal
specifications under the Idaho Statutes; that
it has at least two hundred bona fide sub-
scribers living within the county of publica-
tion; and that it has been continuously and
uninterruptedly published in said county dur-
a period of seventy-eight consecutive weeks
prior to the first publication of the said not-
ice.

Annette Porter

~~~~~

Subscribed to and sworn to before me

this 18th day of June, 1970

*John C. Porter*  
Notary Public.  
(SEAL)

My commission expires 5-24-72

**NOTICE OF EXISTING  
WATER PERMIT**

Notice is hereby given that  
George R. Brown & the Estate  
of Jennie W. Brown, Rexburg,  
Idaho, have received an approv-  
ed permit No. G-32473/22-2254  
issued by the Idaho State Rec-  
lamation Department authoriz-  
ing the diversion of 24.96 cubic  
feet per second of water from  
a ground water source subject  
to all prior rights. The priority  
to be established under this per-  
mit is August 9, 1965 and the  
permit was approved August 13,  
1965. Water is to be diverted by  
a well, pump and sprinkling  
system from a point within the  
SW $\frac{1}{4}$ NE $\frac{1}{4}$ , Sec. 2; NW $\frac{1}{4}$ SW $\frac{1}{4}$   
Sec. 1, T. 5 N, R. 41 E, B.M.,  
and the NE $\frac{1}{4}$ SW $\frac{1}{4}$ , Sec. 35, T  
6 N, R. 41 E, B.M., Madison  
County to be used for irrigation  
in the W $\frac{1}{2}$ NW $\frac{1}{4}$ , W $\frac{1}{2}$ SW $\frac{1}{4}$ , Sec.  
1; all of Sec. 2; E $\frac{1}{2}$ NE $\frac{1}{4}$ , NE $\frac{1}{4}$   
SE $\frac{1}{4}$ , Sec. 3, T. 5 N, R. 41 E,  
B. M. and the S $\frac{1}{2}$ NE $\frac{1}{4}$ , S $\frac{1}{2}$   
NW $\frac{1}{4}$ , S $\frac{1}{2}$ , Sec. 35; S $\frac{1}{2}$ NE $\frac{1}{4}$ ,  
SE $\frac{1}{4}$ , Sec. 34, T. 6 N, R. 41 E,  
B.M. Proof of the application of  
the water to beneficial use is to  
be submitted to the Department  
on or before August 13, 1970.  
Any protests against the issu-  
ance of a license for the above  
referenced permit should be  
filed with the Department of  
Reclamation within ten (10)  
days of the last date of publi-  
cation of this notice or prior to  
the licensing of the permit. Li-  
censing may commence prior  
to the date beneficial use proof  
is due without further notice.

R KEITH HIGGINSON  
State Reclamation Engineer  
Published in the Rexburg  
Journal, Rexburg, Idaho on  
June 11 and June 18, 1970.

OK  
7-23-70

22-2254  
32473

April 11, 1972

C  
Re: Permit No. 32473/22-2254 - George R. Brown & Estate  
of Jennie W. Brown

O  
Mr. George R. Brown  
1425 Cambridge Dr.  
Idaho Falls, Idaho 83401

Dear Mr. Brown:

P  
Enclosed herewith is the Water License issued on the above referenced permit.

Sincerely,

Y  
BOBBY D. FLEENOR  
Assistant Director

BDF:DR  
Enc: License

bc: Eastern District Office

22 2254

March 31, 1972

Mr. George R. Brown  
1425 Cambridge Dr.  
Idaho Falls, Idaho 83401

Re: Permit No. 32473/22-2254  
George R. Brown & Estate of  
Jennie W. Brown

Dear Mr. Brown:

A representative of this Department has made an examination of the works covered by the above referenced permit and has found the following:

Quantity of water diverted: 5.32 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 5.32 cfs

The maximum quantity of water diverted shall not exceed 2,258.2 acre feet per year.

Beneficial use: Irrigation of 1,248 acres within the S $\frac{1}{2}$ NE $\frac{1}{4}$  (49), SE $\frac{1}{4}$  (101), Sec. 34; S $\frac{1}{2}$ NE $\frac{1}{4}$  (79), S $\frac{1}{2}$ NW $\frac{1}{4}$  (80), SW $\frac{1}{4}$  (153), SE $\frac{1}{4}$  (156), Sec. 35; Twp. 6 N, Rge. 41 E, B.M. and W $\frac{1}{2}$ NW $\frac{1}{4}$  (64), W $\frac{1}{2}$ SW $\frac{1}{4}$  (54), Sec. 1; all of Sec. 2 (440); E $\frac{1}{2}$ NE $\frac{1}{4}$  (52), NE $\frac{1}{4}$ SE $\frac{1}{4}$  (20), Sec. 3; Twp. 5 N, Rge. 41 E, B.M.

Point of diversion: SE $\frac{1}{4}$ SW $\frac{1}{4}$ , Sec. 35, Twp. 6 N, Rge. 41 E, B.M.

The priority date established: August 9, 1965

If you do not concur with these findings, please advise us within 10 days; otherwise a license will be issued as set forth above.

Sincerely,

BOBBY D. FLEENOR  
Assistant Director

BDF:DR

22-2254

STATE OF IDAHO  
DEPARTMENT OF RECLAMATION  
BOISE, IDAHO  
REPORT OF EXAMINER

Permit No. G-32473/22-2254

This proof is for Beneficial Use In Water District No. \_\_\_\_\_

1. Name of applicant George R. Brown and Estate of Jennie W. Brown, 1439 Cambridge Dr.,

2. Source of water supply: ground water Idaho Falls, Idaho 83401

3. Location of point of diversion: Is in the SE $\frac{1}{4}$ SW $\frac{1}{4}$  of Section 35

T. 6N R. 41 E County of Madison

4. Describe works as they exist, giving dimensions and capacities of same: \_\_\_\_\_

9 stage 16 EHM Bowl Assembly. 600 HP electric motor with 300 HP booster motor.  
20 inch inside diameter of casing. Total well depth 1227 feet. Static water  
level 665 feet in 1967. Water pumped into 14 inch mainlines

5. Water is used for: irrigation

6. State whether or not water has been turned into works of diversion: \_\_\_\_\_

7. List legal subdivisions of lands to be irrigated: If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

Sec. 34, T. 6N, R. 41 E S $\frac{1}{2}$ NE $\frac{1}{4}$ , SE $\frac{1}{4}$  152 acres

Sec. 35, T. 6N, R. 41 E S $\frac{1}{2}$ NE $\frac{1}{4}$ , S $\frac{1}{2}$ NW $\frac{1}{4}$ , SW $\frac{1}{4}$ , SE $\frac{1}{4}$  468

Sec. 3, T. 5N, R. 41 E E $\frac{1}{2}$ NE $\frac{1}{4}$ , NE $\frac{1}{4}$ SE $\frac{1}{4}$  73

Sec. 2, T. 5N, R. 41 E ALL OF SECTION #2 437

Sec. 1, T. 5N, R. 41 E W $\frac{1}{2}$ NW $\frac{1}{4}$ , W $\frac{1}{2}$ SW $\frac{1}{4}$  118

1248 TOTAL

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach? \_\_\_\_\_

(#1) DESCRIPTION - GE motor - 600 hp - 3 ph - 460 Volts - 1770 RPM  
# BC 7222018 - Layne, Bowler Vert. line - 2350 gpm - 1770 RPM - Model 16EHM  
# D19037 (#2) booster GE - 250 hp - 600 Volts - 1780 RPM  
# KD 11030125 - Layne, Bowler Vert. line pump - 2800 gpm - 1770 RPM  
Model 14RH # D2375 10 12" discharge, permit #1 East 20' to N-S  
buried mainline (gate valve on both North & South mainline) - 12" pipe runs  
from #1 discharge SE through 12" gate and on to booster  
12" booster discharge back into #1 discharge 4' from mainline

This examination was made on the 27 day of July, 1971

(Signed) R. J. Chapman Examiner.

---

---

INSTRUCTIONS TO EXAMINERS

---

1. Always carefully note the location of the point of diversion and accurately plat same.
  2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
  3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
  4. If any unusual conditions are discovered, make plain statement of them under remarks.
  5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
  6. Give general characteristics of soils, topography, and crops raised.
- 
- 

ASCS: Rexburg  
SCS: Rexburg

Permit No. G32473/22-2254

Examination for B/U Jennie W. Brown and George R. Brown

County Madison

Sec. 35 T. 6N R. 41E

Quantity:

(permit) 24.96 cfs (proof) same

Source:

ground water

P.D.:

SE $\frac{1}{4}$ SW $\frac{1}{4}$

Use:

irrigation

Extension:

Protest:

Completion of Works:

Other Rights:

Filed: August 9, 1965


Made: July 23, 1970

Due: August 13, 1970

Priority: August 9, 1965

R 41E

150  
72  
118  
440  
468  
1248 - Total



Q measured 5.32 cfs  
 Q recommended 5.32 cfs  
 Volume 2276.96 AF/ANN  
 Acreage -  
   Found 1248  
   recommended 1248  
 Subdv. 41  
 Amendments  
☒ None  
☐ P.D.  
☐ Place of use  
☐

$5.32 \times 2 \times 214 = 2276.96$

STATE OF IDAHO  
DEPARTMENT OF RECLAMATION  
BOISE

REPORT OF EXAMINER

PERMIT NO. G-32473/22-2254

REPORT ON PROOF OF B/U Mr. George R. Brown

22 2254

A  
12.0  
**SEC 34** →  
150 ACRES

35

14

A 12.9

1-2

25

28

K

12.55

25

23

34

32

29

23

20

**SEC 3** →  
72 ACRES

A


10.1


22

25.9


B  
13.5

1532





22-2254



Department of Water Administration

R. Keith Higginson  
Director  
Dept. of Water Administration  
Statehouse--Annex 2  
Boise, Idaho

Dear Mr. Higginson,

Brown Inc. wishes to apply to drill wells in the following three locations: ~~MMX5BX5X8X2XX5MXRX~~

NW $\frac{1}{4}$ SE $\frac{1}{4}$  Sec 2 T5N R 41 EBM (Madison County)  
NW $\frac{1}{4}$ SW $\frac{1}{4}$  Sec 1 T 5N R 41 EBM  
NE $\frac{1}{4}$ NW $\frac{1}{4}$  Sec 8 T 5N R 41 EBM

If required, please mail the appropriate forms for application.

Regarding Permit No. G-32473/22-2254, if the functionability of the well was not verified by your department last year as requested, we will be pumping from June to mid-September.

Sincerely yours,

George R. Brown

George R. Brown, President

22 2256

August 10, 1970

Re: Permit No. 22-2254

Mr. George R. Brown  
1439 Cambridge Drive  
Idaho Falls, Idaho 83401

Dear Mr. Brown:

Enclosed please find a copy of the APPROVED application for amendment in connection with the above referenced permit. Also enclosed is departmental receipt No. 5005 in the amount of \$5.00 covering the filing fee for the amendment.

We acknowledge receipt of your affidavit submitted as proof of beneficial use for permit 22-2254. Before a license can be issued, a field examination must be made by a representative from this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If someone other than you should be contacted by the examiner, please advise.

Very truly yours,

Donald W. McEldowney  
Appropriation Supervisor

DWM:DR

Enc: Copy of amendment  
Receipt #5005

22-2254

32473

**STATE OF IDAHO**

**DEPARTMENT OF WATER ADMINISTRATION**

Statehouse - Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson  
Director

Water Rights Administration  
Water Resource Investigations  
Dam and Reservoir Safety  
Water Well Drilling  
Flood Plain Management  
Irrigation and  
Flood Control Districts

July 29, 1970

Re: Permit No. G-32473/22-2254

Mr. George R. Brown  
1439 Cambridge Drive  
Idaho Falls, Idaho 83401

Dear Mr. Brown:

Please find enclosed our application for amendment, amending the point of diversion to be in the NE $\frac{1}{4}$ SW $\frac{1}{4}$ , of Section 35, Township 6 N, Range 41 E.

If you are in agreement with this, please sign the form, and return it to this department with the \$5.00 filing fee, and we shall continue with the processing of your application.

Very truly yours,

*Deorian Clay*  
Deorian Clay  
Appropriation Examiner

DC/cr

Enclosure: application for amendment

8/1/70

Please note that the correct point of diversion is SE $\frac{1}{4}$ SW $\frac{1}{4}$ , Sec. 35, T. 6N., R. 41 EBM.

Sincerely yours,  
*George R. Brown*  
George R. Brown, M. D.

22-2254  
32473

July 29, 1970

Re: Permit No. G-32473/22-2254

C Mr. George R. Brown  
1439 Cambridge Drive  
Idaho Falls, Idaho 83401

Dear Mr. Brown:

O Please find enclosed our application for amendment, amending the point of diversion to be in the NE1/4SW1/4, of Section 35, Township 6 N, Range 41 E.

P If you are in agreement with this, please sign the form, and return it to this department with the \$5.00 filing fee, and we shall continue with the processing of your application.

Y Very truly yours,

Dorian Clay  
Appropriation Examiner

DC/cm

Enclosure: application for amendment

22-2254

32473

BROWN INC.  
1439 CAMBRIDGE DRIVE  
IDAHO FALLS, IDAHO 83401  
TELEPHONE 522-9552

RECEIVED  
JUL 28 1970  
Department of Water Administration

July 25, 1970

Re: Permit No. G-32473/22-2254

Mr. Donald W. McElDowney  
Dept. of Water Administration  
Statehouse-Annex 2  
Boise, Idaho 83707

Dear Sir;

By now you should have received the needed affidavit from my lawyer, Mary Smith. If everything is not in order I would appreciate hearing from you right away.

Thank you for your recent letter concerning this matter. I had assumed that the affidavit had been sent.

Sincerely yours,

*George Brown*  
George Brown

22-2254

32473

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson  
Director

Water Rights Administration  
Water Resource Investigations  
Dam and Reservoir Safety  
Water Well Drilling  
Flood Plain Management  
Irrigation and  
Flood Control Districts

July 24, 1970

Re: Permit No. G-32473/22-2254

Mr. George R. Brown  
1439 Cambridge Drive  
Idaho Falls, Idaho 83401

Dear Mr. Brown:

We are in receipt of the affidavit of publication and the affidavit of beneficial use submitted in connection with the above referenced permit.

In reviewing your file, we find that there is a discrepancy on the affidavit of beneficial use. Under item 4b, you have listed the point of diversion as being in the SE $\frac{1}{4}$ SW $\frac{1}{4}$ , Sec. 35, T. 6, R. 41 E, B. M. However, the permit lists the point of diversion as being in the SW $\frac{1}{4}$ NE $\frac{1}{4}$ , Sec. 2; NW $\frac{1}{4}$ SW $\frac{1}{4}$ , Sec. 1, T. 5 N, R. 41 E; NE $\frac{1}{4}$ SW $\frac{1}{4}$ , Sec. 35, T. 6 N, R. 41 E, B. M. If the point of diversion is indeed in the SE $\frac{1}{4}$ SW $\frac{1}{4}$  of Section 35, you will need to file for an amendment to the permit.

Please advise us on this matter, and we will send you the necessary forms or make any necessary corrections. We are withholding further processing of your permit until we have a response.

Very truly yours,

  
Donald W. McEldowney  
Appropriation Supervisor


DWM/DG

7/25/70

X Dear Mr. McEldowney,

Please correct the above circled description to read SE $\frac{1}{4}$ SW $\frac{1}{4}$ , Sec. 35, T. 6N. R. 41, E.B.M.

Sincerely yours,

  
George Brown

22-2254  
32473

**STATE OF IDAHO**

**DEPARTMENT OF WATER ADMINISTRATION**

Statehouse — Annex 2

Boise, Idaho 83707

(208) 384-2215



**R. Keith Higginson**  
Director

Water Rights Administration  
Water Resource Investigations  
Dam and Reservoir Safety  
Water Well Drilling  
Flood Plain Management  
Irrigation and  
Flood Control Districts

July 24, 1970

Re: Permit No. G-32473/22-2254

Mr. George R. Brown  
1439 Cambridge Drive  
Idaho Falls, Idaho 83401

Dear Mr. Brown:

We are in receipt of the affidavit of publication and the affidavit of beneficial use submitted in connection with the above referenced permit.

In reviewing your file, we find that there is a discrepancy on the affidavit of beneficial use. Under item 4b, you have listed the point of diversion as being in the  $SE\frac{1}{4}SW\frac{1}{4}$ , Sec. 35, T. 6, R. 41 E, B. M. However, the permit lists the point of diversion as being in the  $SW\frac{1}{4}NE\frac{1}{4}$ , Sec. 2;  $NW\frac{1}{4}SW\frac{1}{4}$ , Sec. 1, T. 5 N, R. 41 E;  $NE\frac{1}{4}SW\frac{1}{4}$ , Sec. 35, T. 6 N, R. 41 E, B. M. If the point of diversion is indeed in the  $SE\frac{1}{4}SW\frac{1}{4}$  of Section 35, you will need to file for an amendment to the permit.

Please advise us on this matter, and we will send you the necessary forms or make any necessary corrections. We are withholding further processing of your permit until we have a response.

Very truly yours,

Donald W. McEldowney  
Appropriation Supervisor

DWM/DG

22-2254  
32473

July 20, 1970

Re: Permit No. G-32473/22-2254

Mr. George R. Brown  
1425 Cambridge Dr.  
Idaho Falls, Idaho 83401

Dear Mr. Brown:

As of this date we have not yet received the affidavit of publication to be submitted in connection with the above referenced permit. Proof of beneficial use is not required until August 13, 1970; however, many newspapers do not keep copies of these advertisements in their files. We, therefore, recommend that you obtain this affidavit from the Rexburg Journal, Rexburg, Idaho and submit it to the Department as soon as possible. This insures that when you are ready to submit proof of beneficial use there will be no unnecessary delay or added expense.

Very truly yours,

Donald W. McEldowney  
Appropriation Supervisor

DWM/DG

22-2254  
32473

June 4, 1970

Re: Permit No. G-32473/22-2254

Rexburg Journal  
23 South 1st East  
Rexburg, Idaho 83440

Gentlemen:

Enclosed is a legal notice which we wish to have published for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact the Department of Reclamation immediately.

The expense of the publication is to be paid by George R.

Brown, 1425 Cambridge Dr., Idaho Falls, Idaho 83401,  
to whom you should furnish an affidavit of publication.

Very truly yours,

Donald W. McEldowney  
Appropriation Supervisor

DWM/DG  
Enc: legal notice

32473  
22-2254

June 4, 1970

Re: Permit No. G-32473/22-2254

Mr. George R. Brown  
1425 Cambridge Dr.  
Idaho Falls, Idaho 83401

Dear Mr. Brown:

The legal notice for the above referenced permit is being published in the Rexburg Journal, Rexburg, Idaho on June 11 and June 18, 1970.

You will be required to submit an affidavit of publication to this department. The affidavit may be obtained from the above mentioned newspaper upon payment of the bill of publication.

Thanking you for your cooperation in this matter.

Very truly yours,

Donald W. McEldowney  
Appropriation Supervisor

DWM/DG

32473  
22-2254

DON SAMUELSON  
GOVERNOR



STATE OF IDAHO

DEPARTMENT OF RECLAMATION  
STATEHOUSE - ANNEX 2  
BOISE, IDAHO 83707

R. KEITH HIGGINSON  
State Reclamation Engineer

RECEIVED

JUN 1 1970

Department of Reclamation

May 21, 1970

Re: Permit No. G-32473/22-2254

Mr. George R. Brown  
~~Reedburg, x~~ 1439 Cambridge Drive  
Idaho Falls, ~~83400~~ 83401

Dear Mr. Brown:

Please find enclosed a copy of the May 20, 1970 letter from Mary Smith, Attorney at Law.

Please be advised that in order for the notice of existing water right to be advertised in the name of George R. Brown and the Estate of Jennie W. Brown, we will need a letter from yourself, as the executor of Mrs. Brown's estate, stating the name change.

We are withholding advertisement of the notice until further notice.

Very truly yours,

A handwritten signature in dark ink, appearing to read "Donald W. McEldowney".  
Donald W. McEldowney  
Appropriation Supervisor

DWM/DG

ENCLOSURE

cc: Mary Smith

5/29/70.

Please change the Permit above to be issued to George R. Brown and the Estate of Jennie W. Brown.

Sincerely yours,

A handwritten signature in dark ink, appearing to read "George R. Brown".

George R. Brown  
Executor, Estate of Jennie W. Brown

32473  
22-2254

RECEIVED

George R. Brown & the  
Estate of Jennie W. Brown  
see listing of 5-21-70, 5-29-70  
MAY 21 1970  
Department of Reclamation  
NOTICE OF EXISTING WATER PERMIT

Notice is hereby given that

~~George R. Brown & the Estate of Jennie W. Brown~~  
~~Jennie W. Brown and George R. Brown,~~  
Rexburg, Idaho, have ~~has~~ received an approved permit No.

G-32473 issued by the Idaho State Reclamation Department authorizing the diversion ~~1970/1970/1970/1970/1970~~ of 24.96 cubic feet per second ~~1970/1970/1970/1970/1970~~ of water from a ground water source, subject to all prior rights. The priority to be established under this permit is August 9, 1965 and the permit was approved August 13, 1965. Water is to be diverted by a well, pump and sprinkling system from a point within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ , Sec. 2; NW $\frac{1}{4}$ SW $\frac{1}{4}$ , Sec. 1, T. 5 N, R. 41 E, B.M., and the NE $\frac{1}{4}$ SW $\frac{1}{4}$ , Sec. 35, T. 6 N, R. 41 E, B.M., Madison County to be used for irrigation in the W $\frac{1}{2}$ NW $\frac{1}{4}$ , W $\frac{1}{2}$ SW $\frac{1}{4}$ , Sec. 1; all of Sec. 2; E $\frac{1}{2}$ NE $\frac{1}{4}$ , NE $\frac{1}{4}$ SE $\frac{1}{4}$ , Sec. 3, T. 5 N, R. 41 E, B.M. and the S $\frac{1}{2}$ NE $\frac{1}{4}$ , S $\frac{1}{2}$ NW $\frac{1}{4}$ , S $\frac{1}{2}$ , Sec. 35; S $\frac{1}{2}$ NE $\frac{1}{4}$ , SE $\frac{1}{4}$ , Sec. 34, T. 6 N, R. 41 E, B.M.

Proof of the application of the water to beneficial use is to be submitted to the Department on or before August 13, 1970. Any protests against the issuance of a license for the above referenced permit should be filed with the Department of Reclamation within ten (10) days of the last date of publication of this notice or prior to the licensing of the permit. Licensing may commence prior to the date beneficial use proof is due without further notice.

R. KEITH HIGGINSON  
State Reclamation Engineer

Published in the Rexburg Journal, Rexburg, Idaho on June 11 and June 18, 1970.

State Reclamation Engineer:

Permit No. G-32473

You are hereby authorized to have the attached notice published at may expense in the Rexburg Journal of Rexburg, Idaho; published in the county in which the works are situated.

George R Brown  
(Signature)

1425 Cambridge Dr.,  
(Address) Idaho Falls, Idaho  
May 19, 1970  
(Date)

32473  
22-2254

# INSTRUCTIONS TO DELIVERING EMPLOYEE

☐ Show to whom, date, and  
address where delivered ☐ Deliver ONLY  
to addressee  
(Additional charges required for these services)

## RECEIPT

*Received the numbered article described below.*

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

CERTIFIED NO.

21914

INSURED NO.

DATE DELIVERED

6-2-78

1

George R Brown

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

3

SHOW WHERE DELIVERED (only if requested)

22-2254

POST OFFICE DEPARTMENT  
OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE TO AVOID  
PAYMENT OF POSTAGE, \$300

POSTMARK OF  
DELIVERING OFFICE

INSTRUCTIONS: Show name and address below and complete instructions on other side, where applicable. Moisten gummed ends, attach and hold firmly to back of article. Print on front of article *RETURN RECEIPT REQUESTED*.

 **RETURN  
TO**

NAME OF SENDER

Department of Reclamation

STREET AND NO. OR P.O. BOX

Annex #2 Statehouse

Boise, Idaho 83707

POST OFFICE, STATE, AND ZIP CODE

POD Form 3811 Apr. 1967 c55-16-71548-10

June 1, 1970

Re: Permit No. G-32473/22-2254

Mr. George R. Brown  
1439 Cambridge Drive  
Idaho Falls, Idaho 83401

Dear Mr. Brown:

One of the conditions of the approval of your permit no. G-32473/22-2254 was that proof of application of the water to beneficial use be submitted to this office on or before August 13, 1970.

Enclosed is an affidavit form which must be used to submit this proof. You may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code Amended.

Either the proof or a request for extension of time must be received by this department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

  
\_\_\_\_\_  
State Reclamation Engineer

Enc: Proof form  
dr

CERTIFIED MAIL

#21914

32473  
22-2254

May 21, 1970

Re: Permit No. G-32473/22-2254

Mr. George R. Brown  
Rexburg,  
Idaho 83440

Dear Mr. Brown:

Please find enclosed a copy of the May 20, 1970 letter from Mary Smith, Attorney at Law.

Please be advised that in order for the notice of existing water right to be advertised in the name of George R. Brown and the Estate of Jennie W. Brown, we will need a letter from yourself, as the executor of Mrs. Brown's estate, stating the name change.

We are withholding advertisement of the notice until further notice.

Very truly yours,

Donald W. McEldowney  
Appropriation Supervisor

DWM/DG

ENCLOSURE

cc: Mary Smith

32473  
22-2254

BROWN INC.  
1439 CAMBRIDGE DRIVE  
IDAHO FALLS, IDAHO 83401

TELEPHONE 522-9552

May 13, 1970

State Dept. of Reclamation  
State House  
Boise, Idaho

Dear Sir;

Although Mary Smith, my attorney in Rexburg, Idaho, has written for you to verify the existence of a deep well system in S.E.  $\frac{1}{4}$  S.W.  $\frac{1}{4}$  Sec. 35 TWP 6 Range 41 Madison County, no word has been received from your office. As far as I know, all applications and procedures have been completed except this verification. If this is not so, please contact me immediately.

The last measured water level stood at 670 feet. Using 900 h.p. electrical pumps, it is estimated that over 2400 gallon per minute output is obtained. Crops have been watered since 1968.

If I could know when you will be coming, I'll try to have the system operational for your inspection, if still required.

Sincerely yours,

*George R Brown*

George R. Brown, [REDACTED]

32473 22-2254  
32542 22-2260

*Check with  
R. Smith*  
32473  
22-2254

MARY SMITH  
W. LLOYD ADAMS

RECEIVED

MAY 21 1970

*Attorneys at Law*

30 SOUTH SECOND WEST  
BOISE, IDAHO 83720  
PHONE: 208 - 356-5493  
Department of Reclamation

May 20, 1970

Mr. Donald W. McEldowney  
Appropriation Examiner  
Department of Reclamation  
State House, Annex 2  
Boise, Idaho 83797

Dear Mr. McEldowney:

Re: Permit No. G-32473, Jennie W.  
Brown and George R. Brown

I am enclosing herewith Notice of Existing Water Permit, together with signed publication authorization.

Jennie W. Brown, who was the mother of George R. Brown, passed away October 13, 1968. George R. Brown was appointed the executor of her estate and the estate has not yet been closed. Portions of the property included in the application belong to George R. Brown and portions to his mother, Jennie W. Brown. I am wondering if you would like to show that this is George R. Brown and the Estate of Jennie W. Brown. It may not make any difference as the Decree will make distribution of the property.

Yours very truly,

*Mary Smith*  
Mary Smith

rs

Enclosures

32473  
22-2254

RECEIVED

REPORT OF WELL DRILLER  
State of Idaho

APR 12 1968

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name J.W. and G.R. Brown  
Address 1380 Benton or 1052 Gramer Ave

Idaho Falls, Idaho

Owner's Permit No. 32473 - date Aug 13, 1965

NATURE OF WORK (check): Replacement well ☐

New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: irrigation

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒  
Dug ☐ Other ☐

(explain)

CASING SCHEDULE: Threaded ☐ Welded ☒

30 "Diam. from 0 ft. to 46 ft.

20 "Diam. from 0 ft. to 760 ft.

"Diam. from        ft. to        ft.

"Diam. from        ft. to        ft.

Thickness of casing: .250 Material:

Steel ☒ concrete ☐ wood ☐ other ☐

(explain)

PERFORATED? Yes ☐ No ☐ Type of perforator used:       

Size of perforations: " by "

perforations from        ft. to        ft.

perforations from        ft. to        ft.

perforations from        ft. to        ft.

perforations from        ft. to        ft.

WAS SCREEN INSTALLED? Yes ☐ No ☒

Manufacturer's name       

Type        Model No.       

Diam.        Slot size        Set from        ft. to        ft.

Diam.        Slot size        Set from        ft. to        ft.

CONSTRUCTION: Well gravel packed? Yes ☐

No. ☒ size of gravel        Gravel

placed from        ft. to        ft. Surface seal

provided? Yes ☐ No ☐ To what depth?

       ft. Material used in seal:       

Did any strata contain unusable water? Yes ☐

No. ☒ Type of water:       

Depth of strata 665 ft. Method of sealing

strata off:       

Surface casing used? Yes ☒ No. ☐

Cemented in place? Yes ☐ No ☒

Locate well in section

|  |      |  |
|--|------|--|
|  |      |  |
|  |      |  |
|  | Sec. |  |
|  |      |  |
|  | *    |  |

LOCATION OF WELL: County Madison

S.E.S.W. 4 Sec. 35 T. 6 N/S R. 41 E/W

Use other side for additional remarks

Size of drilled hole: 20" Total  
depth of well: 1227' Standing water  
level below ground: 665' Temp.  
Fahr. 60 ° Test delivery: 2175 gpm  
or        cfs Pump? ☒ Bail ☐

Size of pump and motor used to make test:  
see Irrigation Service, Idaho Falls, Idaho

Length of time of test:        Hrs.        Min.

Drawdown: 95 ft. Artesian pressure:        ft.

above land surface        Give flow        cfs

or        gpm. Shutoff pressure:

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☒

| DEPTH |    | MATERIAL | WATER     |
|-------|----|----------|-----------|
| FROM  | TO |          | YES OR NO |

| FEET | FEET |  |  |
|------|------|--|--|
|------|------|--|--|

|   |   |                |    |
|---|---|----------------|----|
| 0 | 5 | soil and rocks | no |
|---|---|----------------|----|

|   |    |      |    |
|---|----|------|----|
| 5 | 17 | lava | no |
|---|----|------|----|

|    |    |                 |    |
|----|----|-----------------|----|
| 17 | 25 | brown soft rock | no |
|----|----|-----------------|----|

|    |    |                  |    |
|----|----|------------------|----|
| 25 | 76 | grey welded tuft | no |
|----|----|------------------|----|

|    |     |                     |    |
|----|-----|---------------------|----|
| 76 | 116 | soft and hard brown | no |
|----|-----|---------------------|----|

|  |  |             |    |
|--|--|-------------|----|
|  |  | welded tuft | no |
|--|--|-------------|----|

|     |     |                  |    |
|-----|-----|------------------|----|
| 116 | 152 | grey welded tuft | no |
|-----|-----|------------------|----|

|     |     |             |    |
|-----|-----|-------------|----|
| 152 | 178 | brown " " " | no |
|-----|-----|-------------|----|

|     |     |            |    |
|-----|-----|------------|----|
| 178 | 184 | grey " " " | no |
|-----|-----|------------|----|

|     |     |                         |    |
|-----|-----|-------------------------|----|
| 184 | 258 | brown " " " caving some | no |
|-----|-----|-------------------------|----|

|     |     |                       |    |
|-----|-----|-----------------------|----|
| 258 | 260 | hard grey welded tuft | no |
|-----|-----|-----------------------|----|

|     |     |                   |    |
|-----|-----|-------------------|----|
| 260 | 318 | brown tuft caving | no |
|-----|-----|-------------------|----|

|     |     |                  |    |
|-----|-----|------------------|----|
| 318 | 362 | grey welded tuft | no |
|-----|-----|------------------|----|

|     |     |                          |    |
|-----|-----|--------------------------|----|
| 362 | 374 | brown " " " still caving | no |
|-----|-----|--------------------------|----|

|     |     |                |    |
|-----|-----|----------------|----|
| 374 | 386 | soft blue clay | no |
|-----|-----|----------------|----|

|     |     |                  |  |
|-----|-----|------------------|--|
| 386 | 401 | grey welded tuft |  |
|-----|-----|------------------|--|

|     |     |                   |    |
|-----|-----|-------------------|----|
| 401 | 589 | brown welded tuft | no |
|-----|-----|-------------------|----|

|     |     |                       |    |
|-----|-----|-----------------------|----|
| 589 | 612 | loose cinders, caving | no |
|-----|-----|-----------------------|----|

|     |     |                      |    |
|-----|-----|----------------------|----|
| 612 | 661 | brown soft and sandy | no |
|-----|-----|----------------------|----|

|     |     |                               |     |
|-----|-----|-------------------------------|-----|
| 661 | 672 | brown welded tuft, some water | yes |
|-----|-----|-------------------------------|-----|

|     |     |                         |     |
|-----|-----|-------------------------|-----|
| 672 | 683 | hard bright orange tuft | yes |
|-----|-----|-------------------------|-----|

|     |     |            |     |
|-----|-----|------------|-----|
| 683 | 736 | brown tuft | yes |
|-----|-----|------------|-----|

|     |     |                  |     |
|-----|-----|------------------|-----|
| 736 | 774 | grey welded tuft | yes |
|-----|-----|------------------|-----|

|     |     |               |     |
|-----|-----|---------------|-----|
| 774 | 828 | brown " " " " | yes |
|-----|-----|---------------|-----|

|     |     |                            |     |
|-----|-----|----------------------------|-----|
| 828 | 972 | grey " " " " lost cuttings | yes |
|-----|-----|----------------------------|-----|

|     |      |                   |     |
|-----|------|-------------------|-----|
| 972 | 1079 | brown welded tuft | yes |
|-----|------|-------------------|-----|

|      |      |              |     |
|------|------|--------------|-----|
| 1079 | 1110 | grey " " " " | yes |
|------|------|--------------|-----|

|      |      |               |     |
|------|------|---------------|-----|
| 1110 | 1142 | brown " " " " | yes |
|------|------|---------------|-----|

|      |      |              |     |
|------|------|--------------|-----|
| 1142 | 1171 | grey " " " " | yes |
|------|------|--------------|-----|

|      |      |                           |     |
|------|------|---------------------------|-----|
| 1171 | 1227 | brown " " " " some caving | yes |
|------|------|---------------------------|-----|

Work started: July 5, 1966

Work finished: Oct. 2, 1967

Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.

Name: G.L. Hopkins

Address: Thornton, Idaho

Signed by: Glen L. Hopkins Jr

License No. 32 Date: April 10, 1968

June 24, 1969

Re: Permit No. G-32473

Jennie W. Brown and George R. Brown  
Rexburg,  
Idaho

Dear Mr. & Mrs. Brown:

During the 1967 session of the Idaho Legislature, certain amendments were made in the law pertaining to the procedures for making proof of beneficial use of water. In order for the Department to comply with these changes, Rules of Practice and Procedure were adopted on August 1, 1968. Generally, these procedures and the amended law make it simpler for a person to make proof and relieve the permit holder from making separate proofs of completion of works and beneficial use of water.

The enclosed order modifies your permit to comply with these rules and regulations. As a part of the new procedure, you will be required to publish a notice at your expense for two consecutive weeks in a paper as prescribed by the Department, stating that you have been issued a permit and are now submitting proof of beneficial use. Previously, a permit holder had to publish a notice for four weeks when he submitted proof under his permit.

If you will complete the enclosed forms, we will cause the notice to be published. Should you require additional forms or information, we will be glad to supply it upon request at any time.

Very truly yours,

Donald W. McEldowney  
Appropriation Examiner

DWM:DR

Enc: Order  
Advertising package  
Proof package

Mailed to:  
Mary Smith, Attorney  
30 South 2nd West  
Rexburg, Idaho 83440

32473

MARY SMITH  
W. LLOYD ADAMS

*Attorneys at Law*

30 SOUTH SECOND WEST  
REXBURG, IDAHO 83440  
PHONE: 208 - 356-5493

RECEIVED

JUN 20 1969

June 19, 1969

Department of Reclamation

Department of Reclamation  
State House  
Boise, Idaho 83701

Gentlemen:

Re: Permit No. G 32473  
Jennie W. & George R. Brown

It is my understanding that the applicants in the above matter are ready to submit their proof. I would appreciate it very much if you would send me the necessary blanks.

Yours very truly,,

*Mary Smith*  
Mary Smith

rs

32473

Sept. 3, 1965

Re: Permit No. G-32473

Jennie W. Brown  
Rexburg, Idaho

Dear Mrs. Brown:

The only map we have is on a form supplied by this office. There are two blanks with each application form, one for this office and one for the applicant. Possibly Mary Smith has your copy of the map.

We can send you a copy of our map upon receipt \$0.75 fee.

Very truly yours,

RALPH W. THOMAS, Deputy  
State Reclamation Engineer

RT:ew

132473

Reynolds, Idaho  
Sept - 2 - 1965

Dept. of Reclamation  
Boise, Idaho,

Re: Application for Permit # 40627  
Permit # 32473 Aug. 9-1965.  
Jennie W. Brown & George R. Brown.

Gentlemen:

The land map which I loaned  
my attorney, Mary Smith, and  
which she said you had kept  
for your records, was my  
personal map. Its important  
to me, and would you  
please make a copy of it for  
your records, and return mine.

Thanking you very much,  
I am,

Yours truly,  
Jennie W. Brown

RECEIVED

SEP 3 1965

Department of Reclamation

B 32473

August 23, 1965

Re: Permit No. **G-32473**  
**Jennie W. & George H. Brown**

**Mary Smith,  
Attorney at Law,  
Rexburg, Idaho.**

**Dear Miss Smith:**

We enclose Permit No. **G-32473** in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

We also enclose Departmental Receipt No. **G-9539** which was issued covering payment in the amount of \$ **11.00** for the filing fee of the above mentioned permit.


Very truly yours,

CARL E. TAPPAN  
State Reclamation Engineer  
By

(MRS.) EDNA P. RULE  
Chief Clerk

Encl.  
EPR:pmk  
cc: **Jennie W. Brown**  
**Rexburg, Idaho**

*B 32473*



LAW OFFICES  
W. LLOYD ADAMS  
AND  
MARY SMITH  
REXBURG, IDAHO 83440

RECEIVED  
AUG 12 1965  
Department of Reclamation

August 11, 1965

Mr. Ralph W. Thomas  
Deputy State Reclamation Engineer  
107 State House  
Boise, Idaho

Dear Mr. Thomas:

I did appreciate receiving your letter of August 9th regarding the application for permit of Jennie W. Brown and George R. Brown.

They suggest that Well No. 2 be located in the NE $\frac{1}{4}$  of the SW $\frac{1}{4}$  of Section 35, Township 6 North, Range 41 E.B.M., and that Well No. 3 be located in the NW $\frac{1}{4}$  of the SW $\frac{1}{4}$  of Section 1, Township 5 North, Range 41 E.B.M.

I would appreciate it if you would change the application to show these two additional wells.

Kindest regards,

*Mary Smith*  
Mary Smith

rs

B 32473

August 9, 1965

RE: Application for Permit  
Jennie W. & George R. Brown

W. Lloyd Adams and Mary Smith  
Attorneys at Law  
Rexburg, Idaho

Attn: Mary Smith

Dear Miss Smith:

The application for permit to divert 24.96 c.f.s., fee \$11.00,  
from one well can be approved.

That is considerable water from one well in that area. Possibly  
it would be wise to show two or more wells. Amendment to the  
point of diversion may not be approved at a later date.

We could change the application if you could give us the location  
of the additional well or wells by Friday morning, August 13.

Very truly yours,

RALPH W. THOMAS  
Deputy State Reclamation Engineer

RWT:mr

232473

LAW OFFICES  
W. LLOYD ADAMS  
AND  
MARY SMITH  
REXBURG, IDAHO 83440

100 8 1965  
Department of Reclamation

August 6, 1965

Mrs. Edna P. Rule, Chief Clerk  
Department of Reclamation  
State House  
Boise, Idaho

Dear Mrs. Rule:

I am enclosing herewith Application for Permit  
signed by Jennie W. Brown and George R. Brown,  
together with my check in blank for your fees.  
If everything is in order I would appreciate it  
if you would have the permit approved.

Kindest regards,

*Mary Smith*  
Mary Smith

s

8 32473