




632
MICROFILMED

JAN 29 2001

THE FREMONT COUNTY HERALD-CHRONICLE
St Anthony, Idaho
Ashton, Idaho

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO
County of Fremont

I, TERRY T. WEATHERSTON, being first duly sworn, depose and say, that I am the printer of the FREMONT COUNTY HERALD-CHRONICLE, a 3 times a week newspaper printed and published 3 times a week in Fremont County, Idaho; and I do solemnly swear that the NOTICE APPLICATION WATER RIGHT 21-07593 a copy of which notice appears attached hereto, was published in the regular and entire issue of said newspaper, and not in any supplement issue thereof for TWO consecutive issues, the first publication having been made on OCTOBER 4, 2000 and the last publication having been made on OCTOBER 11, 2000. Further, that said newspaper is one of general circulation in said county; that it is a legal newspaper, conforming to legal specifications under the Idaho Statutes; that it has at least two hundred bona fide subscribers living within the county of publication; and that it has been continuously and uninterruptedly published in said county during a period of seventy-eight consecutive weeks prior to the first publication of the said notice.

Terry Weatherston

STATE OF IDAHO)
COUNTY OF MADISON)

On this 12TH day of OCTOBER in the year of 2000 before me, a Notary Public, personally appeared Terry Weatherston, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statement therein are true, and acknowledged to me that he executed the same.

Notary Public for Idaho
Residing at Rexburg, Idaho
My commission expires April 30, 2005



NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

21-07593
Centennial Mountain Properties LLC
HOLDEN, KIDWELL, HAHN & CRAPO
P.O. BOX 50130
IDAHO FALLS, ID 83405
Source: Ground Water
Diversion Pt: SWSWNW Sec 24 T 13N R 42E in Fremont County.
SWSWSW Sec 24 T 13N R 42E in Fremont County. NESENW Sec 26 T 13N R 42E in Fremont County.
Use: Domestic (1.250 CFS) Total
Diversion: (1.250 CFS)
Date Filed: 9/10/2000
In: Fremont County T13N R42E S23 SESE
S24 SWNW NESW NWSW SWSW
SESW
S25 NWNW
S26 NENE NWNE SWNE SWNW
SENW NWSW

Any protests against the proposed application must be filed with the Dept. of Water Resources, 900 N Skyline Dr., Ste A., Idaho Falls, ID 83402, together with a protest fee of \$25 on or before October 23, 2000, to be considered by the Department in its decision to grant or deny any part of the proposed application. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER,
Director

Publ. Oct. 4 and 11, 2000HC.

RECEIVED

NOV 02 2000

Department of Water Resources
Eastern Region

MICROFILMED

JAN 29 2001

MICROFILMED

JAN 25 2001

*Original maps too large to be microfilmed on
our microfilm equipment.*

MAPS FOR APPL. FOR PERMIT ... 21-07593

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 21-07593

Priority: September 10, 2000

Maximum Diversion Rate:

1.25 CFS

This is to certify, that CENTENNIAL MOUNTAIN PROPERTIES LLC
HOLDEN KIDWELL HAHN & CRAPO
PO BOX 50130
IDAHO FALLS ID 83405

has applied for a permit to appropriate water from: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

DOMESTIC	01/01 to 12/31	1.25 CFS
----------	----------------	----------

<u>LOCATION OF POINT(S) OF DIVERSION:</u>	
SWSWNW , Sec. 24, Township 13N, Range 42E	
SWSWSW , Sec. 24, Township 13N, Range 42E	
NESENW , Sec. 26, Township 13N, Range 42E	
FREMONT County	

PLACE OF USE: DOMESTIC

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>			
13N	42E	23	SESE		
		24	SWNW	NESW	NWSW
			SWSW	SESW	
		25	NWNW		
		26	NENE	NWNE	SWNE
			SWNW	SENW	NWSW

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of application of water to beneficial use shall be submitted on or before December 1, 2005.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.

MICROFILMED

JAN 29 2001

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 21-07593

CONDITIONS OF APPROVAL AND REMARKS

6. The irrigation occurring under this domestic use shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed. This right does not provide for irrigation of common areas or for irrigation of lots upon which homes have not been constructed.
7. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
8. Domestic use is for 83 homes.
9. Place of use is located within Lots 1-41, Centennial Shores, Lots 1-32, Jacobs' Lakeside Homesites and 10 lots in Centennial North Parcels A & B.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

27th day of November, 2000

Karl J. Dreher
Karl J. Dreher, Director

for

MICROFILMED
JAN 29 2001

RECEIVED

NOV - 8 2000

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public water of the State of Idaho

1. Name of applicant Centennial Mountain Properties, LLC Phone (208) 523-0620
Post office address In Care of HOLDEN, KIDWELL, HAHN & CRAPO, P.O. Box
50130, Idaho Falls, Idaho 83405.
2. Source of water supply ground water which is a tributary of _____
3. Location of point of diversion is SW 1/4 of SW 1/4 of SW 1/4, Govt. Lot
Sec. 24 Township 13 N. Range 42 E. B.M. Fremont County, additional
points of diversion if any: SW SW NW, § 24 and NE SE NW, § 26, T.13 N., R. 42 E
4. Water will be used for the following purposes:
Amount 1.25 CFS for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.25 CFS and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. ⁽³⁾ Wells and pumps

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet;
total reservoir capacity _____ acre-feet; period of year when water will be
diverted to storage: _____ to _____ inclusive.

MICROFILMED

JAN 29 2001

c. Proposed well diameter is 12 inches; proposed depth of well is 150 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (*minimum 1 year*).

8. Description of proposed uses (*if irrigation only, go to item 9*):

a. Hydropower; show total feet of head and proposed capacity of KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipal. _____

d. Domestic; show number of households. 41 households in Centennial Shores
Subdivision, 32 households in Jacobs Lakefront Homesites Subdivision and 10 house-
holds for Jacobs family members

e. Other; describe fully. _____

9. Description of place of use: See attached maps.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RNG	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TLS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
<u>13N</u>	<u>42E</u>	<u>23</u>																<u>D</u>	
		<u>24</u>							<u>D</u>		<u>D</u>	<u>D</u>	<u>D</u>	<u>D</u>					
		<u>25</u>						<u>D</u>											
		<u>26</u>	<u>D</u>	<u>D</u>	<u>D</u>				<u>D</u>	<u>D</u>		<u>D</u>							

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant


b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

MICROFILMED


JAN 29 2001

3. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



SCALE: 2 inches equal 1 mile. Draw plan in ink.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public water of the State of Idaho as herein set forth.


(Applicant)

MICROFILMED

JAN 29 2001

Received by Dennis Dunn Date 11/11/2000 Time 10:20 Preliminary check by _____
Fee \$ 290.⁰⁰ Received by AMD # E025606 Date 11/11/2000
Publication prepared by SC Date 9/27/00 Published on Oct 4 & 11, 2000
Publication approved _____ Date _____
Herald Chronicle

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 2000.
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
 - e. Other:

G:\WPDATA\KWF\5264\APPLIC.4.wpd

MICROFILMED

JAN 29 2001

COPY

Shotgun

T 13 N
Valley

R 42 E

MICROFILMED

JAN 29 2001


3672 1 NE
RICEHOUSE CREEK

4919

25

4918

33



Law Offices
HOLDEN, KIDWELL, HAHN & CRAPO, P.L.L.C.

FRED J. HAHN
KENT W. FOSTER
ROBERT E. FARNAM
WILLIAM D. FALER
CHARLES A. HOMER
GARY L. MEIKLE
DONALD L. HARRIS
DALE W. STORER
MARIE T. TYLER
ROBERT M. FOLLETT
FREDERICK J. HAHN, III
THEL W. CASPER
SHAN B. PERRY
AMELIA A. CANEGALY

U.S. BANK BUILDING
330 SHOUP AVENUE, THIRD FLOOR
P.O. BOX 50130
IDAHO FALLS, IDAHO 83405

TELEPHONE (208) 523-0620
FACSIMILE (208) 523-9518
E-MAIL KFOSTER@HOLDENLEGAL.COM

Arthur W. Holden
(1877-1967)
Robert B. Holden
(1911-1971)
Terry L. Crapo
(1939-1982)
William S. Holden
(1907-1988)

September 1, 2000

Dennis Dunn
IDAHO DEPARTMENT OF
WATER RESOURCES
900 North Skyline Drive
Idaho Falls, ID 83402

Re: Mitch Jacobs Applications

Dear Dennis:

Pursuant to our discussions, we are enclosing with this letter a new application for the permits for three subdivisions and up to three wells on the Jacobs' land in Island Park.

Also enclosed is a copy of the receipt for the money we paid last spring in the amount of \$250.00, and our check in the amount of \$40.00 for the extra part of the fee.

Finally, we have enclosed a number of maps. The first set is a set of four maps for the plat of the Centennial Shores Subdivision where the first well is proposed to be drilled. The second map shows a Tract A and Tract B. Tract B is approximately 28 acres which will become the Jacobs family compound with up to ten houses. We do not yet have a more final map. The third map is for the Jacobs Lakefront Home Sites Subdivision which is anticipated to be the last of the three pieces to be developed.

Mitch has indicated they expect the final plat on the Centennial Shores Subdivision about the 10th of this month.

If there is anything else we need to provide or any help we can render please feel free to call upon us at your convenience.

Very truly yours,



Kent W. Foster

Enclosures

MICROFILMED

JAN 29 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

November 28, 2000

CENTENNIAL MOUNTAIN PROPERTIES LLC
HOLDEN KIDWELL HAHN & CRAPO
PO BOX 50130
IDAHO FALLS ID 83405

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 21-07593

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this right were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Groundwater Protection Section located here at this office or our regional office nearest you.


MICROFILMED

NOV 29 2001

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

MICROFILMED


JAN 29 2001

CERTIFICATE OF MAILING

I hereby certify that on the 28th day of November, 2000, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 21-07593

CENTENNIAL MOUNTAIN PROPERTIES LLC
HOLDEN KIDWELL HAHN & CRAPO
PO BOX 50130
IDAHO FALLS ID 83405


Kari Lynn Townsend
Secretary

MICROFILMED
JAN 29 2001

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

APR 29 2001

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

Reviewed by Sharla Curtis on 11/18/00

No. 21-07593 Name: CMP Corp. Officers ck Ad ok ☒ Govt Lots _____

— AREA OF CONCERN: No/Yes SR Moratorium _____ GWMA _____ TRUST/NON-TRUST _____

— GROUNDWATER: (✓Flow Chart)

— DRILLING PERMIT

- All wells - 046(P23)
- Basin 34 - 084 (if necessary)
- Irr. w/in WD - P05
- WMD - North/East/West
- ≤ 0.24 cfs/5 acres - No MD
- > 0.24 cfs/5 acres - 067
- WMD
- Supp irr (irr = only use) - 065-104
- Supp irr (+ other uses) - 100-105
- ≤ 0.24 cfs/5 acres - No MD
- ? > 0.24 cfs/5 acres - 01M

LOCATION:

- Boise Front LoGeo - 058 (<85 GW)
- Mitigation - 121
- 42-248 Area - P84
- Swan Falls Flag
- Trust - 051(P74) (consumptive uses)
- Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

- STORAGE - 18A-01H(P01), 01P-18B(P09)-NA
- IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
- > 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
- STOCKWATER - R37 (BLM/USFS)
- MINING - 054-106(P10)
- FISH/PROP - 029(70's only)-007-042-106 (P10)
- HEAT/COOL - R07(injection well)
- FIRE/PROT. - 077

— BENEFICIAL USE DUE: 12 / 01 / 2005

— MISC CONDITIONS/REMARKS:

- Protested - 020-W19
- Development Period
- ≤ 1 yr - P16
- > 1 yr - 26A(P17)
- Ownership - 004
- Non-consumptive - 027
- Water Quality - 106-R07

SURFACE WATER: (✓Flow Chart)

- F&G contacted - Yes/No Response _____
- In/Above MSF - WB9

PLANNING REVIEW/RESPONSE _____

- In-stream development - P52
- WD - R04 (WD# _____)
- ≤ 0.20 cfs/others - 01H(P01), 01P or No MD
- > 0.20 cfs - 01J(P08)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

- ≤ 0.24 cfs/5 acres - No MD
- > 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

- Snake R (01) - W22(P04), N/A
- (02,03) - 007 (w/ remark WB9 if above Weiser)
- Payette R (65) - 047(P04) (Payette Lake)
- Salmon R (70's) - 029 (fish screens)
- Weiser R (67) - 086-087

USES:

- POWER - 17H-17K (+uses)-08A-025(P18)-01N-106 (P10)
- MUNICIPAL
- Restricted area - 022,075
- Irr., GW supp to SW - 102
- DOMESTIC W01 (83)
- Surface water - WB5 (Big Wood or Boise above Star Bridge)
- 27A (Payette R)
- > 1 in restricted area ? - 070-071-075(no parks/common areas, etc)
- Irr use listed separate - WB5
- Moratorium approvable - W03 (2500 gpd - meets domestic definition i.e. D/convenience store)

- Multiple pd's per ¼ - W32
- Subd lot desc (pd) - W59
- Subd lot desc (pu) - W60 - Centennial Shores 1-41
- Use definitions - W02 example - S/50 range Lake Park
- Pre-1987 development - 068-074 (allow 120 days for proof due) Home
- Single p/d intended - 076

IRRIGATION SEASON _____ - _____ (Per updated map)

IRR VOLUME/ACRE _____

OTHER CONDITIONS/REMARKS ck Subd plat maps

COMMENTS _____

RECEIVED

NOV - 8 2000

Department of Water Resources

Dist for Staffing _____
Submitted for advertising 9-26-00

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT ANALYSIS PERMIT

Centennial Mt
Properties

INITIAL REVIEW BY HWT DATE 9-26-00 APPLICATION NO. 21-07593

REQUIRED INFORMATION:

- ☒ Name (if applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivision, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee
☒ Yes _____ No* In form to receipt

ADDITIONAL INFORMATION:

- _____ Overlapping place of use (Describe source & relationship to present application on the back)
_____ Overlapping point of diversion
_____ Yes _____ No Critical groundwater area
_____ Yes _____ No Groundwater management area
_____ Yes _____ No Send dam safety information
_____ Yes _____ No Send fish farm requirement letter
_____ Yes _____ No Power residency affidavit
_____ Yes _____ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet)
☒ Yes _____ No Public Water System
_____ Yes _____ No Planning section review
_____ Yes _____ No Moratorium Hold file
_____ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

_____ Date Requested _____

PROCESSING:

- ☒ Yes _____ No In form for advertising
_____ Yes ☒ No Statewide advertising
☒ Yes _____ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO:

- ☒ Id Dept of Health & Welfare DEQ-IR _____ U.S. BLM
_____ Id Dept of Fish & Game _____ U.S. Forest Service
_____ Id Dept of Lands _____ Water District
_____ Adjudication Bureau Unit _____ Other _____

FINAL REGIONAL PROCESSING REVIEW:

☒ Yes	☐ No	Affidavit of publication received
☒ Yes	☐ No	Application published correctly. If not, record action taken
☒ Yes	☐ No	Publication dates & paper, recorded on application
☐ Yes	☒ No	Protests received
		Final date for protest _____
☐ Yes	☐ No	Protests, dates, resolution of protest, recorded on application
☐ Yes	☐ No	Recommendations attached
☐ Yes	☐ No	Measuring device required
☐ Yes	☐ No	Access port required
☐ Yes	☐ No	Will water be delivered by watermaster? If yes, what District _____
☒ Yes	☐ No	Special conditions of approval or cover letter below.

Date of priority recommend _____

By: [Signature]

Date: Sept 11, 2000 11-6-2000

STATE OFFICE REVIEW: _____

By: _____ Date: _____

ADDITIONAL INFORMATION: _____

LOCAL PUBLIC INTEREST:

Comments received from:

☐ City	☐ Id Fish & Game	☐ Irrigation District
☐ County	☐ Id Health & Welfare	☐ Canal Company
☐ Reservations	☐ Div. Of Environment	☐ Other _____

Project impacts/implications report

COMMENTS

* DEQ well construction requirements must be met!

[Signature]

THE FREMONT COUNTY HERALD-CHRONICLE
St Anthony, Idaho
Ashton, Idaho

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO
County of Fremont

I, TERRY T. WEATHERSTON, being first duly sworn, depose and say, that I am the printer of the FREMONT COUNTY HERALD-CHRONICLE, a 3 times a week newspaper printed and published 3 times a week in Fremont County, Idaho; and I do solemnly swear that the NOTICE APPLICATION WATER RIGHT 21-07593 a copy of which notice appears attached hereto, was published in the regular and entire issue of said newspaper, and not in any supplement issue thereof for TWO consecutive issues, the first publication having been made on OCTOBER 4, 2000 and the last publication having been made on OCTOBER 11, 2000. Further, that said newspaper is one of general circulation in said county; that it is a legal newspaper, conforming to legal specifications under the Idaho Statutes; that it has at least two hundred bona fide subscribers living within the county of publication; and that it has been continuously and uninterruptedly published in said county during a period of seventy-eight consecutive weeks prior to the first publication of the said notice.

Terry Weatherston

STATE OF IDAHO)
COUNTY OF MADISON)

On this 12TH day of OCTOBER in the year of 2000 before me, a Notary Public, personally appeared Terry Weatherston, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statement therein are true, and acknowledged to me that he executed the same.

Notary Public for Idaho
Residing at Rexburg, Idaho
My commission expires April 30, 2005

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

21-07593
Centennial Mountain Properties LLC
HOLDEN, KIDWELL, HAHN & CRAPO
P.O. BOX 50130
IDAHO FALLS, ID 83405
Source: Ground Water
Diversion Pt: SWSWNW Sec 24 T 13N R 42E in Fremont County.
SWSWSW Sec 24 T 13N R 42E in Fremont County. NESENE Sec 26 T 13N R 42E in Fremont County.
Use: Domestic (1.250 CFS) Total Diversion: (1.250 CFS)
Date Filed: 9/10/2000
In: Fremont County T13N R42E S23 SESE
S24 SWNW NESW NWSW SWSW SESW
S25 NWNW
S26 NENE NWNE SWNE SWNW SENW NWSW

Any protests against the proposed application must be filed with the Dept. of Water Resources, 900 N Skyline Dr., Ste A., Idaho Falls, ID 83402, together with a protest fee of \$25 on or before October 23, 2000, to be considered by the Department in its decision to grant or deny any part of the proposed application. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER,
Director
Publ. Oct. 4 and 11, 2000HC.

RECEIVED

NOV 02 2000

Department of Water Resources
Eastern Region

MICROFILMED

JAN 29 2001



STATE OF IDAHO
DEPARTMENT OF
ENVIRONMENTAL QUALITY

900 North Skyline, Suite B • Idaho Falls, Idaho 83402-1718 • (208) 528-2650

Dirk Kempthorne, Governor
C. Stephen Allred, Director
August 15, 2000

Mitch Jacobs
Centennial Mountain Properties, LLC
2496 North 2375 East
Hammer, ID 83425

**Re: Centennial Shores Water and Wastewater Improvements
Island Park, Fremont County. DEQ No. 00-4-22**

Dear Mr. Jacobs;

We have reviewed the plans and specifications for the proposed water and wastewater improvements for Centennial Shores. The specifications appear to meet State standards and are hereby approved with the following conditions:

- 1). A groundwater under the direct influence of surface water determination (GWUDI) for the well is required to be completed and approved before the initial well is placed into domestic service. The procedure for this determination is outlined in the enclosed attachment.
- 2). A water quality analysis that includes coliform bacteria and nitrate constituents produced by the well must be in compliance with public drinking water standards. These drinking water monitoring requirements must be approved by this office before the well is placed in service.
- 3). The following list of items will be required to be submitted and approved prior to the existence of fifteen (15) service connections or occupancy of twenty five persons greater than sixty (60) days:
 - a). A complete water quality analysis including general mineral, general physical, inorganic and organic constituents produced by the well must be in compliance with the public drinking water standards. The drinking water monitoring requirements are attached for your convenience.
 - b). Capacity Development for the proposed project will be required. This demonstration is required to ensure that all new public drinking water systems demonstrate adequate technical, financial, managerial capacity before commencing operations as a public drinking water system. For further information on this topic please read the attached enclosure.
 - c). A certified drinking water operator will be required for this project.
- 3). Prior to the existence of twenty five (25) service connections an additional well will be required to be approved and installed. Prior to drilling, the well design and well site must be approved by this office. Item number (a) from condition number (2) listed above will also required to be completed before the well is placed into domestic service.


Our approval is for the design only. We will give final project approval after it is established that the system is operating properly. Deviations from the approved plans that might result in violations of Idaho Regulations, must be reviewed by this office before field installation. This office must be kept informed of the scheduling of construction phases so that we can make spot inspections as necessary. This approval will expire on August 15, 2001. If construction is not complete by the expiration date, plans will need to be resubmitted for approval before further construction proceeds.

RECEIVED
AUG 23 2000

Mr. Mitch Jacobs
August 15, 2000
Page 2

A copy of the approved plans and specifications will be kept on file at this office. Please reference DEQ No. 00-4-22 when submitting any future correspondence related to this project. If you have any questions regarding this letter or if we can be of further assistance, please call me at (208) 528-2650 or E-mail at jkirkpat@deq.state.id.us.

Sincerely,



John Kirkpatrick
Water Quality Engineer

Attachments (3)

cc: Greg Eager, Regional Engineering Manager, DEQ-Idaho Falls
Paul Scoresby, Project Engineer, Schiess and Associates
Craig Hammond, State Plumbing Inspector



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

September 27, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

ID DEPT OF ENVIRONMENTAL QUALITY
900 N SKYLINE DR STE B
IDAHO FALLS ID 83402

RE: Application for Permit #21-07593

Dear Sir:

We are enclosing a copy of the application (s) that may be of interest to your department. Please review the application (s) and submit any comments you may have to our Department as soon as possible. The last date of protest is October 23, 2000, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Respectfully submitted,

Harold W. Jones
Water Right Supervisor

HWJ: sc

Enc.

MICROFILMED

JAN 29 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

September 27, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

CENTENNIAL MOUNTAIN PROPERTIES
C/O HOLDEN, KIDWELL HAHN & CRAPO
PO BOX 50130
IDAHO FALLS ID 83405

RE: Applications for Permit #21-07593

Dear Applicant:

This office is currently in the process of advertising the application in the Herald Chronicle on October 4 and 11, 2000. The advertisement will be published once a week for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,


Harold W. Jones
Water Right Supervisor

HWJ::sc

MICROFILMED

JAN 29 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

SEPTEMBER 27, 2000

Legal Notices Department
HERALD CHRONICLE
P.O. BOX 10
REXBURG, ID 83440

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.


An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 23, 2000.

Yours truly,

Sharla Cox
Senior Secretary

Encl.



MICROFILMED

JAN 29 2001

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

21-07593

CENTENNIAL MOUNTAIN PROPERTIES LLC
HOLDEN KIDWELL HAHN & CRAPO
PO BOX 50130
IDAHO FALLS, ID 83405

Source: GROUND WATER

Diversion Pt: SWSWNW Sec 24 T 13N R 42E in FREMONT County.
 SWSWSW Sec 24 T 13N R 42E in FREMONT County.
 NESENW Sec 26 T 13N R 42E in FREMONT County.

```
Use: DOMESTIC      (      1.250 CFS)
      Total Diversion: (      1.250 CFS)
```

Date Filed: 9/10/2000

In: FREMONT County				
T13N R42E S23	SESE			
S24	SWNW	NESW	NWSW	SWSW
	SESW			
S25	NWNW			
S26	NENE	NWNE	SWNE	SWNW
	SENW	NWSW		

Any protests against the proposed application must be filed with the Dept. of Water Resources, 900 N Skyline Dr., Ste A, Idaho Falls ID 83402, together with a protest fee of \$25.00 on or before OCTOBER 23, 2000. to be considered by the Department in its decision to grant or deny any part of the proposed application. The protestant must also send a copy of the protest to the applicant.

Published: 10/ 4/2000 & 10/11/2000

KARL J. DREHER, Director

MICROFILMED

JAN 29 2001