


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth. United States of America-Forest Service.

for Adrian Dalton
(Applicant)
L. KENT MAYS, JR., Deputy Regional Forester, Resources

RECEIVED

(Include distance from pump to measuring device, if applicable.)

Place(s) of Use

[illegible]

☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

☒ None
☐ Other

Examiner's Signature

Checked by

Approved by _____

Date 07/18/1986

Date 9-18-86

Date 11-19-86

Department of Water Resources

MAILED

State of Idaho
Department of Water Resources



WATER RIGHT LICENSE

License No. 21-7223 Priority December 11, 1980 Amount n/a CFS 0.2 AF

THIS IS TO CERTIFY that U.S. DEPT. OF AGRI., FOREST SERVICE of OGDEN, UTAH, has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated December 11, 1980, and has submitted proof to the Department of Water Resources on June 27, 1983, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a capacity of 0.2 af for storage of water from an unnamed stream tributary to sinks and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Storage for Stockwater	01/01 - 12/31	n/a	0.2 af
Stockwater from Storage	01/01 - 12/31	n/a	0.2 af

Location of point of diversion: NWSE, Sec. 21, Twp 9N, Rge 45E, Fremont Co.

Place of use:

			NE				NW				SW				SE				
TWP	RGE	SEC	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	TOTAL
9N	45E	21	:	:	:	:	:	:	:	:	:	:	:	:	:	X	:	:	:
			:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
			:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
			:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
			:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
			:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
			:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
			:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
			:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
			:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:

Total number of acres irrigated:

Use of water under this license is subject to control by the watermaster of State Water District No. 01, Snake River.

NOTE: The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right is subject to all prior water rights and may be forfeited by five years of non-use.

Witness the seal and signature of the Director, affixed at Boise, this 26TH day of NOVEMBER, 19 86.

Acting for the Director

Norman C. Young

MICROFILMED
DEC 15 1986
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT **APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant United States of America Forest Service Phone (801) 626-3561

Post office address 324 25th Street, Ogden, Utah 84401

2. Source of water supply Unnamed stream 2-10-81 RH which is a tributary of Sinks

3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 21 Township 09N

Range 45E B.M. Fremont County, additional points of diversion if any: _____

PW 12 MAP # 23

4. Water will be used for the following purposes:

Amount 0.2 for Stock purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.2 for stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum) storage

Amount 0.2 for stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum) from storage

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

Changes made 1/12/81 kw

a. _____ cubic feet per second and/or b. 0.2 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Reservoir

b. Height of storage dam 5 feet, active reservoir capacity 0.2 acre-feet; total reservoir capacity 0.2 acre-feet, materials used in storage dam: EARTH FILL COMPACTED

Period of year when water will be diverted to storage 5-1 to 10-31 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 21 Township 09N

Range 45E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered 300 Cattle on the
Fall River Allotment

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____


APPROVED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth. United States of America-Forest Service.

for 
(Applicant)
L. KENT MAYS, JR., Deputy Regional Forester, Resources

Proposed Priority 12/11/80

Received by kw Date 12/11/80 Time 12:30
Preliminary check by HWS Fee \$ U \$1200. 30⁰⁰
Receipted by kw Date 1-30-81 # 17008
Publication prepared by kw Date 12/15/80
Published in Ashton Herald
Publication dates 12/20 & 1/02/81
Publication approved kw Date 1/12/81
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by EMC. RA

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 21-7223, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Use of water under this permit is subject to control by the watermaster of State Water District # 01, Upper Snake River.

Witness my hand this 11th day of February, 19 81.

A. Glen Sayton

Amount: 0.2
 Diversion Point: 43E, FREMONT
 Use: STOCK
 01/01 to 12/31
 STOCKWATER
 from 01/01 to 12/31
 STOCKWATER
 AC-FT) from 01/01
 Place of Use: S
 Diversion Means: SINKS

Application No.:
 Applicant: U.S. SERVICE, FEDERAL
 OGDEN, UT 84400
 Source: UNNA
 SINKS
 Date Filed: 12/31/78
 Amount: 0.2 AC
 Diversion Point: 43E, FREMONT
 Use: STOCK
 01/01 to 12/31
 STOCKWATER
 from 01/01 to 12/31
 STOCKWATER
 AC-FT) from 01/01
 Place of Use: S
 Diversion Means: SINKS

Application No.:
 Applicant: U.S. SERVICE, FEDERAL
 OGDEN, UT 84400
 Source: UNNA
 SINKS
 Date Filed: 12/31/78
 Amount: 0.2 AC
 Diversion Point: 43E, FREMONT
 Use: STOCK
 01/01 to 12/31
 STOCKWATER
 from 01/01 to 12/31
 STOCKWATER
 AC-FT) from 01/01
 Place of Use: S
 Diversion Means: SINKS

Application No.:
 Applicant: U.S. SERVICE, FEDERAL
 OGDEN, UT 84400
 Source: UNNA
 SINKS
 Date Filed: 12/31/78
 Amount: 0.2 AC
 Diversion Point: 43E, FREMONT
 Use: STOCK
 01/01 to 12/31
 STOCKWATER
 from 01/01 to 12/31
 STOCKWATER
 AC-FT) from 01/01
 Place of Use: N
 Diversion Means: SINKS

Application No.:
 Applicant: U.S. SERVICE, FEDERAL
 OGDEN, UT 84400
 Source: UNNA
 SINKS
 Date Filed: 12/31/78
 Amount: 0.2 AC
 Diversion Point: 43E, FREMONT
 Use: STOCK
 01/01 to 12/31
 STOCKWATER
 from 01/01 to 12/31
 STOCKWATER
 AC-FT) from 01/01
 Place of Use: N
 Diversion Means: SINKS

Application No.:
 Applicant: U.S. SERVICE, FEDERAL
 OGDEN, UT 84400
 Source: UNNA
 SINKS
 Date Filed: 12/31/78
 Amount: 0.2 AC
 Diversion Point: 43E, FREMONT
 Use: STOCK
 01/01 to 12/31
 STOCKWATER
 from 01/01 to 12/31
 STOCKWATER
 AC-FT) from 01/01
 Place of Use: N
 Diversion Means: SINKS



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 2, 1986

RE: Permit Nos. 21-7186/7217, 21-7219 thru 21-7226, 21-7232/7233
7236/7237/7239/7241/7242, 21-7244 thru 21-7248,
21-7251/7253/7254/7260/7261/7262/7265/7266/7267/
7269, 23-7077, 24-7075/7085/7114/7126/7153, 27-7239/
7295/7313, 33-7080/7081

U.S. Dept. of Agri.
Forest Service
Federal Bldg.
324 25th St.
Ogden, UT 84401

Gentlemen:

Enclosed herewith are copies of the Water Right Licenses issued on the
above referenced permits.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc


Enclosures

Department of Water Resources

DEC 15 1986

MICROFILMED

RECEIVED
DEC 15 1986
Department of Water Resources



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NW 1/4 Sec. 21 T9N R45E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9 N	45 E	21													3				

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature

Checked by

Approved by

[Signature]
[Signature]
[Signature]

Department of Water Resources

DEC 15 1986

MICROFILMED

Date 07/18/1986

Date 9-18-86

Date 11-19-86



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

**150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161**

July 28, 1983

United States of America- Forest Service
Federal Building
324 25th Street
Ogden, UT 84401

RE: Permit#s##21-7216 thru 21-7255 21-7257 thru 21-7269
21-7271/7272, 22-7345, and 31-7348/7349/7350/7352/7353/7354/7355

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

_____ A field examination of your system has been scheduled for _____

If this time and date is not convenient for you, please contact this office as soon as possible.

X A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

KEITH C. WILSON
Sr. Resource Agent

KCW:JK

012-023

DEPARTMENT OF WATER RESOURCES

X The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 21-72223.

Name(s) of Permit Holder: United States of America-Forest Service.

Post Office Address: Federal Building, 324 25th Street

Ogden, Utah 84401

Tel. No. (801) 625-5360

Source of Water: Snowmelt

Extent of Use:

☐ Domestic

(number of households)

☒ Stockwater 580 cattle

(number and type of stock)

Larkspur pond * 3

☐ Irrigation

(acres)

☐ Other

Measuring Device: Required?

☐ Yes

☒ No

Installed?

☐ Yes

☒ No

Access Port:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed. (for) Deputy Regional Forester, Resources

June 23, 1983

2-1-86

Date

Rebecca Handers
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED
JUN 22 1977
JUN 22 1977



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

February 20, 1981

U.S. Forest Service
Federal Building
324 25th Street
Ogden, Utah 84401

Dear Sirs,

RE: Permit No's 21-7216 thru 21-7254, 63-9657

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

Department of Health and Human Services

CONVERSATION MEMORANDUM

DATE 12/12/1980

FILE _____

NAME OF PARTY John Osborn (U.S.F.S.)EMPLOYEE Ernest Carlsen *ENC*

RE: In reviewing those applications received from the USFS on 12/11/1980, it appeared the intent was to file for storage of snow melt. In discussing this matter with Mr. Osborn it was apparent these would be off stream storage reservoirs, but there was no diversion from an active stream making it impossible to define a diversion to storage parameter. It was therefore agreed the applications would be modified as follows using the designations for on-stream storage with no direct flow:

<u>0.20 AF storage for stockwater</u>	<u>Jan. 1 to Dec. 31</u>
---------------------------------------	--------------------------

<u>0.20 AF stockwater from storage</u>	<u>Jan. 1 to Dec. 31</u>
--	--------------------------

NOTE: These changes are in compliance with Administrative Memorandum dated June 1, 1978.

RECEIVED
DEC 15 1980

21-2223-

U.S. DEPT. OF AGRI.

FOREST SERVICE, FEDERAL BLDG., 324 25TH ST., OGDEN, UT 84401

Source: UNNAMED STREAM tributary to SINKS

Date Filed: 12/11/1980

Amount: 0.2 AC-FT

Diversion Point: NWSE Sec 21 T 09N R 45E, FREMONT Co.

Use: STOCKWATER	(0.2 AC-FT)	from 01/01 to 12/31
STOCKWATER STORAGE	(0.2 AC-FT)	from 01/01 to 12/31
STOCKWATER FROM STORAGE	(0.2 AC-FT)	from 01/01 to 12/31

Place of Use: NWSE Sec 21 T 09N R 45E

Diversion Means: RESERVOIR.

MICROFILMED