


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Seeley Bros by
Duck Seeley
(Applicant)

AFFIDAVIT OF
PUBLICATION

State of Idaho

County of Fremont

SS.

Carol Bessey

being first duly sworn, upon ~~the~~^{her} oath, deposes and says:

That she is the editor of The Ashton Herald, a newspaper as defined by Idaho Codes Annotated, section 58-106, as amended, and that said newspaper is a weekly newspaper printed and published at St. Anthony, in Fremont County, Idaho, having a general circulation in said county, and that said newspaper has been printed and published as a weekly newspaper in said county for more than 78 consecutive weeks prior to the first publication of the attached notice, advertisement or publication of

Notice of Application for Water Right #21-7210 (Seeley)

And affiant further says that said notice, advertisement of publication, as per clipping attached, was published in said newspaper, in the regular and entire issue thereof, and not in any supplement issue thereof, for 2 consecutive issues thereof; first publication

having been made on the 28

day of August, 1980

and the last publication on the

4 day of September

1980.

And affiant further says that at the times herein mentioned said newspaper was made up of at least four pages of at least five columns each, printed from type matter, of at least seventeen and three-fourths inches deep.

Carol Bessey
Subscribed in my presence and

sworn to before me this

day of Sept

1980

James E. Holcomb

Notary Public for the
[SEAL] State of Idaho, residence
and post office address:
St. Anthony, Idaho.
Ashton

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

Application No.: 21-7210

Applicant: SEELEY BROTHERS, C/O DICK SEELEY, P.O. BOX 654, ASHTON, ID 83420

Source: WILLOW CREEK tributary to SNAKE RIVER

Date Filed: 08/20/1980

Amount: 49.0 AC-FT

Diversion Point: NENW Sec 14 T 09N R 42E, FREMONT Co.

Use: IRRIGATION STORAGE (49.0 AC-FT) from 01/01 to 12/31, IRRIGATION FROM STORAGE (49.0 AC-FT) from 04/01 to 11/01

Place of Use: SESW NESE NWSE SWSE SESE Sec 11 T 09N R 42E NWNE NENW NWNW SWNW Sec 14 T 09N R 42E SENE NESE SESE Sec 15 T 09N R 42E FOR 440 ACRES

Diversion Means: DAM and RESERVOIR.

If Issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho 83401 on or before SEPTEMBER 15, 1980.

C. STEPHEN ALLRED
Director

Publ. Aug. 28 and Sept 4, 1980AH

ok kw
9/10/80

RECEIVED

SEP 10 1980

Department of Water Resources
Eastern District Office

MICROFILMED

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

(OIR)

111°30'

°07'30"

461000m E.

462


463

27'30"

464

WEST YELLOWSTONE 5
LAST CHANCE 2


4885000m N.




21-07210

CHARLES
BAKER

ES
INTERIOR
RVEY





T-1861

T 9 N

R42E

1
9.8
HEL

2
20.2
HEL

3
3.6
HEL

21

4

10

16

5

LOWER RESERVOIR

UPPER RESERVOIR

REDIVERSION
PUMP

7.7

POINT OF
DIVERSION

23

34

AERIAL #1

21-07210

↓ SEE AERIAL # 2

POINT OF DIVERSION

LOWER RESERVOIR

REDIVERSION PUMP

UPPER RE

10 11

15 14

14

14

20

2

14

5

12.9 HEL

28.3

R42E

40.4 T

#1229

T 9 N

4

31.7

14

T-734

11

7.9

14

5

32.7

13

20.0

#1230

12 2.3

15

6

28.4 HEL

16

28.4 HEL

AERIAL #2

21-07210




REDIVERSION PUMP
FLOW METER



UPPER RESERVOIR

INTAKE FOR DITCH
TO REDIVERSION PUMP



← RESERVOIR Upper

← DAM

21-07210

RE-DIVERSION PUMP
FROM UPPER RESERVOIR

LOWER RESERVOIR



VIEW DOWN STREAM

UPPER
RESERVOIR

21-07210

Re-Diversion Pump From Upper Reservoir



VIEW UPSTREAM

21-07210




DIVERSION FROM
UPPER RESERVOIR
TO RE-DIVERSION
PUMP

21-07210

VIEW UPSTREAM


UPPER RESERVOIR



RE-DIVERSION PUMP @ UPPER RESERVOIR


IRRIGATION MAINLINE

21-07210



LOWER RESERVOIR

21-07210



UNCLASSIFIED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant SEELEY BROTHERS c/o Dick Seeley Phone 652-3262

Post office address Box 654, Ashton, ID 83420

2. Source of water supply Willow Creek which is a tributary of Snake River

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 14 Township 9N

Range 42E B.M. Fremont County, additional points of diversion if any: _____

Re-diversion SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 11, Twp. 9N, Rge. 42E RH 12-10-80

4. Water will be used for the following purposes:

Amount <u>49 AF</u> for <u>storage for irrigation</u>	Jan. 1 <u>Nov. 1</u> to Dec. 31 <u>May 1</u>	EMC (both dates inclusive)
(cfs or acre-feet per annum)		
Amount <u>49 AF</u> for <u>irrigation purposes from</u>	<u>April 1</u> to <u>Nov. 1</u>	(both dates inclusive)
(cfs or acre-feet per annum)		
Amount _____ for _____ purposes from _____ to _____		(both dates inclusive)
(cfs or acre-feet per annum)		
Amount _____ for _____ purposes from _____ to _____		(both dates inclusive)
(cfs or acre-feet per annum)		

5. Total quantity to be appropriated:

a. _____ cubic feet per second and/or b. 49 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Dam and reservoir.

b. Height of storage dam 9.5 feet, active reservoir capacity 49 acre-feet; total reservoir capacity 49 acre-feet, materials used in storage dam: earth

Period of year when water will be diverted to storage Nov. 1 to May 1 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

RECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9N	42E	11												30	40	40	40	40	190
		14		40			40	40	40										160
		15				40									30			20	90

Total number of acres to be irrigated 440

c. Describe any other water rights used for the same purposes as described above. Decreed Rights
1893 - 5.5 cfs
Priority: 1947 - 2.5 cfs Place of Use: See above land list.


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks This filing is intended as supplemental storage water for decreed rights.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Seeley Bros by
Duck Seeley
(Applicant)

Proposed Priority 8-26-1980
Received by kw Date 8/20/80 Time 1:10
8-20-1980
Preliminary check by EMC Fee \$ 45.00
Receipted by kw Date 8/20/80 #14976
Publication prepared by kw Date 8/21/80
Published in Ashton Herald
Publication dates 8/28 & 9/04/80
Publication approved kw Date 9/10/80
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by EMC TH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 21-7210, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) Use of water under this permit is subject to control by the water-
master of State Water District # 01, Upper Snake River. (2) Permanent measuring
devices must be installed in such a manner that the amount of water entering
the reservoir and the amount of water released from the reservoir can be
measured.

Witness my hand this 11 th day of December, 19 80.

A. Glen Saylor
Chief, Operations Bureau.

AFFIDAVIT OF
PUBLICATION

State of Idaho

County of Fremont

ss.

Carol Bessy

being first duly sworn, upon ~~the~~
oath, deposes and says:

That he is the editor
of The Ashton Herald, a newspaper
as defined by Idaho Codes Anno-
tated, section 58-106, as amended,
and that said newspaper is a
weekly newspaper printed and
published at St. Anthony, in Fre-
mont County, Idaho, having a
general circulation in said county,
and that said newspaper has been
printed and published as a weekly
newspaper in said county for more
than 78 consecutive weeks prior to
the first publication of the attached
notice, advertisement or publica-
tion of

Notice of Application
for Water Right
21-7210 (Seeley)

And affiant further says that said
notice, advertisement of publica-
tion, as per clipping attached, was
published in said newspaper, in the
regular and entire issue thereof,
and not in any supplement issue
thereof, for 2 consecutive
issues thereof; first publication

having been made on the 28

day of August, 1980

and the last publication on the

4 day of September

1980.

And affiant further says that at the
times herein mentioned said news-
paper was made up of at least four
pages of at least five columns each,
printed from type matter, of at
least seventeen and three-fourths
inches deep.

Carol Bessy
Subscribed in my presence and

sworn to before me this 9

day of Sept

1980

James E. Holcomb

Notary Public for the
[SEAL] State of Idaho, residence
and post office address:
St. Anthony, Idaho.
Ashton

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following
application(s) have been submitted for permit
to appropriate the public waters of the State
of Idaho:

Application No.: 21-7210

Applicant: SEELEY BROTHERS, C/O
DICK SEELEY, P.O. BOX 654, ASHTON, ID
83420

Source: WILLOW CREEK tributary to
SNAKE RIVER

Date Filed: 08/20/1980

Amount: 49.0 AC-FT

Diversion Point: NENW Sec 14 T 09N R
42E, FREMONT Co.

Use: IRRIGATION STORAGE (49.0 AC-
FT) from 01/01 to 12/31, IRRIGATION
FROM STORAGE (49.0 AC-FT) from 04/01
to 11/01

Place of Use: SESW NESE NWSE SWSE
SESE Sec 11 T 09N R 42E NWNE NENW
NWNW SWNW, Sec 14 T 09N R 42E SENE
NESE SESE Sec 15 T 09N R 42E FOR 440
ACRES

Diversion Means: DAM and RESERVOIR.

If issued, the permit(s) will be subject to all
prior water rights. Protests against the
granting of any permit must be filed with the
Director of the Idaho Department of Water
Resources, 1515 Lincoln Road, Idaho Falls,
Idaho 83401 on or before SEPTEMBER 15,
1980.

C. STEPHEN ALLRED
Director

Publ. Aug. 28 and Sept 4, 1980AH

ok kw
9/10/80
RECEIVED

SEP 10 1980

Department of Water Resources
Eastern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 18 2000

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 21-07210

1. Owner: SEELEY BROTHERS % ALVIN SEELEY

208
Phone No. 652-3262

Current Address: P.O. Box 654, Ashton ID 83420

2. Accompanied by: ALVIN SEELEY EXAM DATE: 10-8-1998

Address: - Phone No. -

Relationship to Permit Holder: -

3. Source: WILLOW CREEK tributary to HENRYS FORK

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 21-00170 / 21-00171

2. Other water rights with the same point of diversion: 21-00170 / 21-00171

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion: No Gov Lots at Point of Diversion

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
Lower		NW	NE	NW	14	9N	42E	FREMONT	USGS Quad / On site


2. Place(s) of Use: No Gov Lots on place of use

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
9N	42E	11												5	21	4	10	6	56.0
		14		34			23	20	28.3										105.3
		15	2			14									15			16	47.0
																			208.3

21-07210

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

SEE ATTACHED PHOTOS

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
RE-DIVERSION		50		Layne	B3JPCM

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Upper Reservoir (21-07309) Max depth = 8' Surface area = 7.0ac = 22.4af
Lower Reservoir (21-07210) Max depth = 8' Surface area = 13.2ac = 58.2af
Total Volume = 22.4af + 58.2 = 80.6afa

21-07210

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp)(8.814)(Eff)] \div [Lift + (psi \times 2.308)]$$

$$Hp = \text{Horsepower} = \underline{50}$$

$$Eff = \text{Efficiency} = \underline{70\%} \quad (\text{Usually } 70\%)$$

Lift: (Static Level + Assumed Draw down)

$$\text{Static Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$\text{Assumed Draw down} = + \underline{\hspace{2cm}} \text{ ft.}$$

$$\text{Lift} = \underline{4}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{4} \text{ ft.}$$

$$psi = \text{Operating Pressure} = \underline{65} \text{ psi}$$

$$Q_{cfs} = \left[\frac{50}{Hp} \times 8.814 \times \frac{0.70}{Eff} \right] \div \left[\frac{4}{Lift} + \left(\frac{65}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{308.49} \right] \div \left[\underline{154.02} \right]$$

$$Q_{cfs} = \underline{2.00} \text{ cfs}$$

PERMIT NO. 21-07210

Water District 01 Records

06-27-1996 553,000 gal

07-27-1996 32,238,000 gal

> 31,685,000 gal w/in 30 days

Determine Flow Rate

$$31,685,000 \text{ gal} / 30 \text{ days} = 1,056,166.667 \text{ gal/day}$$

#1 Assume 20 hr/day operation

$$1,056,166.667 \text{ gal/day} \left(\frac{\text{day}}{20 \text{ hrs}} \right) \left(\frac{\text{hr}}{60 \text{ min}} \right) = 880.138 \text{ gpm}$$
$$= 1.96 \text{ cfs}$$

#2 Assume 19 hr/day operation

$$1,056,166.667 \text{ gal/day} \left(\frac{\text{day}}{19 \text{ hr}} \right) \left(\frac{\text{hr}}{60 \text{ min}} \right) = 926.46 \text{ gpm}$$
$$= 2.06 \text{ cfs}$$

Pump THEORETICAL Q = 2.00 cfs WHICH IS CONSISTENT WITH
THE CALCULATIONS ABOVE.

PERMIT # 21-07210

Water Dist. 01 RECORDS

PUMP DATA SHEET

VOLUME IN GALLONS X 1000

Dick Seeley # 13045849

93

June - 85

~~13045849~~

DATE 1993	IN-LINE METER READING		POWER METER READING		VOLUME DIVERTED TO DATE (AF)
	RATE (cfs) CARRY over	VOLUME (AF) 83 00'11 gal	DEMAND KW (HOURS) Digital		
6-30-93					0
7-28-93		846712 gal =	16641 gal =		5.1 A/F
8-26-93		856305 gal =	26234 gal =		80.4 A/F
10-14-93		859444 gal =	29373 gal =		90.1 A/F
	1994				
6-23-94	26338 Diff	885782 gal	36162 KW hrs.		80.1 A/F (fight)
7-5-94					
7-27-94	65744 Diff	925188 gal =	40372 KW hrs		201. A/F
8-30-94	79357 Diff	938801 gal =	91772 KW hrs.		243.5 A/F
10-10-94	83664 Diff	943108 gal =	93872 KW hrs		256.7 A/F
		CALL DICK	177 storage		used
	1995				
7-26-95	26716 Diff	969824 =	28636 K/W hrs.		81.9 A/F
8-29-95	46273 Diff	989381 =	29204 K/W hrs.		141.9 A/F
10-11-95	SAME	989381 (10617 Diff)	29204 K/W hrs		141.9 A/F
	1996				
6-27-96		000533 gal =			16.9 A/F
7-27-96	32791000	032238 gal =	29699 K/W		100.6 A/F
8-29-96		048084 gal =			180.1 A/F
10-9-96		049276 gal =	35038 K/W		183.2 A/F
	1997				
6-30-97		049276 gal	(Just turning ON)		-0-
7-28-97	used - 30661	079943 gal =	30028 K/W		24.5 A/F
8-28-97		104818 gal =	30236 K/W		170.4 A/F
10-20-97		104868 gal =	30236 K/W		170.6 A/F

(Gallons X 1000)

Phone 652-3262

21-07210


0125


4885000m.N



ILHAR
9KER

INTERIOR SURVEY





T-186

T-9N

R-42E

9.8
HEL

2
20.2
HEL

3
3.6
HEL

21

4

10

16

5

REDIVERSION
PUMP

11 12

14 13

7.7

LOWER RESERVOIR

UPPER RESERVOIR

POINT OF
DIVERSION

34


23

AERIAL #1

21-07210

↓ SEE AERIAL #2

↑ SEE AERIAL #1 ↑



21-07210



UPPER RE-GRADING

REDIVERSION PUMP
FLOW METER

INTAKE FOR DITCH
TO REDIVERSION PUMP



REDIVERSION PUMP

← RE-GRADING Upper

← DAM

21-07210

RE-DIVERSION PUMP
FROM UPPER RESERVOIR

LOWER RESERVOIR

VIEW DOWN STREAM

UPPER
RESERVOIR

21-07210

RE-DIVERSION PUMP FROM UPPER RESERVOIR



VIEW UPSTREAM

21-07210




DIVERSION FROM
UPPER RESERVOIR
TO RE-DIVERSION
PUMP

21-07210

VIEW UPSTREAM

UPPER RESERVOIR



RE-DIVERSION PUMP @ UPPER RESERVOIR

IRRIGATION MAINLINE

21-07210



21-07210

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern District Office
900 N. Skyline Dr.
Idaho Falls, ID 83402-1718

NEGATIVES

E. NARRATIVE/REMARKS/COMMENTS

Two reservoirs (80.6af) with re-diversion pump to mainline to laterals
with sprinklers.

Have conditions of permit approval been met? ☒ yes ☐ no

21-07210

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

Upper Reservoir (21-07309) Max depth = 8', Surface Area = 7.0 ac
 $Vol = (8)(7.0ac)(0.4) = 22.4af$
 Lower Reservoir (21-07210) Max depth 8', Surface Area = 18.2 ac
 $Vol = (8)(18.2ac)(0.4) = 58.2af$
 $Vol = 22.4af + 58.2ac = 80.6af$
 VOLUME LIMITED BY PERMIT = 49af

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION STORAGE	1/1	12/31		49af
IRRIGATION FROM STORAGE	4/1	11/1		49af
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:				49af

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Keith C Wilson Date 10-8-1998

Reviewer _____ Date _____

SEAL

21-07210

4/86

RECEIVED
FEB 18 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Eastern District Office

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 100.00
Date 2-18-87
Receipt # 4105-1
Receipt by MMJ
Sent to S.O. _____

1. Permit No. 21-7210

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Seeley Brothers c/o Dick Seeley

3. Post Office Address: Box 654 Ashton Idaho

Telephone No. 208 652-3262

4. Source of Water: Willow Creek 208 652-7468 (bus.)

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 440 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted _____ cfs 49 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

Aug 20, 1980

8. Person to contact to accompany the department representative during the field examination:

Dick Seeley

(Name)

Box 654 Ashton Idaho

(Address)

208 652-7468 (bus.)

208 652-3262

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date 2/17/87

Seeley Bros by Dick Seeley
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor


A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

January 26, 1987

21-7210
SEFLEY BROTHERS
C/O DICK SEFLEY
P.O. BOX 654
ASHTON, ID 83420

EXAMINATION FEE NOTICE



Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the Department, but you must within sixty (60) days of the date of this letter return to the Department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the Department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the Department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing of certified water right examiners will be available from this Department when examiners have been certified.

If your permitted use, in fact, has already been examined by the Department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the Department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.


FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following Department office:

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83401
Phone: 525-7161

Very Truly Yours,



Ronald D. Carlson
Eastern Regional Manager

Enclosures



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

RE: Permit 10-10-10-10

Dear Mr. [Name]:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

_____ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

_____ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

[Signature]
A. Kenneth Dunn
Director

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 21-7210

Name(s) of Permit Holder: SEELEY BROS c/o DICK SEELEY

Post Office Address: Box 654, Ashton, Idaho 83420

Tel. No. (208) 652-3262

Source of Water: Willow Creek

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

400

(acres)

☐ Other

Measuring Device:

Required?

☒ Yes

☐ No

Installed?

☒ Yes

☐ No

Access Road:

Required?

☐ Yes

☐ No

Installed?

☐ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

May 19, 83
Date

Seeley Bros by Alvin H. Seeley
Signature of Permit Holder

Dick S. Eley

Box 654

Ashton, Idaho



RECEIVED
MAY 23 1963
IDaho DEPT. OF WATER RES.

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

INTER-DEPARTMENT MEMO — 1

DATE Jan. 13, 1983

FROM Dave Tuthill *DTA*

TO Jim Johnson

SUBJECT 21-7210 - Measuring Device Requirement

I would not recommend modification of m.d. requirement at this time.

The question is - will the totalizing meter on the pump satisfy the requirement? The totalizing meter should be adequate, if a staff gauge is installed on each reservoir to determine the amount of fill each year.

Dave

SIGNATURE

FROM Jim

DATE 1-11-83

TO Dave

SUBJECT M.D. requirement

I believe we need a watermasters recommendation before can removed the M.D. requirement.

I don't feel the situation in Steve's memo allows knowledge of storage use, however, because of the fact Mr. Seeley is the only user on the stream the M.D. may not be necessary.

SIGNATURE

INTER-DEPARTMENT MEMO — 1

FROM Steve McCormick


DATE 12-30-1982

TO Jim Johnson

SUBJECT Permit #21-7210- Dick Seeley was in today to explain a problem associated with the measuring device condition. The approved permit is for the lower reservoir shown below. Mr. Seeley has just made application for the upper reservoir. The area above the upper reservoir is unsuitable for a measuring device because the channel spreads out and has no collection point. Mr. Seeley has a pump in the upper reservoir to divert his decreed rights and storage water. This is the only point of diversion from the stream and Mr. Seeley is the only water user. The pump is equipped with a totalizing meter. Mr. Seeley proposes to use the valve of the totalizing meter to arrive at the total amount of water used for the year. When his decreed rights are cut he would pump storage water.

Is this adequate to meet the conditions of the permit?

SIGNATURE



S T A E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SEELEY BROTHERS
C/O DICK SEELEY
P.O. BOX 654
ASHTON, ID 83420

DECEMBER 31, 1980

RE: PERMIT NO. 21-7210

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL AND MAINTAIN A MEASURING DEVICE AT YOUR POINT OF DIVERSION. WE HAVE ENCLOSED A DESCRIPTION OF THE DIFFERENT TYPES OF MEASURING DEVICES ACCEPTED BY THIS OFFICE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TOTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

INTER-DEPARTMENT MEMO — 1

DATE 12/9

FROM Pdeyn per Tele/Steve-Eastern
TO File

SUBJECT 21-7210

P/D

Dam is in NENW of S14

R/P/D

pump is in SWSE of S11

will let water loose from dam will
pumping up stream.

~~UNRECORDED~~

SIGNATURE

FROM Robyn

DATE 10/22 8:45am

TO Jim

SUBJECT 21-7210

I called Mr Seeley today. He said he plans on pumping water from the stream at a point above the Reservoir. He will then cut loose the water from Storage by a culvert to ^(Exchange) replace water taken by the pump.
(Storage is on stream)

MICROFILMED

SIGNATURE

1) P/4 for storage water
should also be shown
in each tract receiving
stored water

2) Stored water is being used
for exchange of natural flow
water being diverted up stream
from the reservoir.

3)

10/20/80

TO: ~~DAVE~~ TO
FROM: Jim
RE: STORAGE APPLICATIONS / LICENSE

RECENT UNDERSTANDING OF DATA ENTRY
INSTRUCTIONS HAVE RAISED A QUESTION CONCERNING
PROPER RECORDING OF APPLICATIONS FOR STORAGE.

for on stream:
Describe
only the
1/4 where
the stream
is intercepted
by the dam
for off stream:
show p/d of canal

1.) ARE ALL storage applications required
to show as p/d the TRACT IN WHICH THE
DAM IS LOCATED? IF the dam appears to be
in more than one tract are all tracts included
in P/D description? ARE ALL tracts required to
be advertized?

redirection
should be
shown if
water is redirected
from a source

2.) Are all storage applications required
to show ~~the~~ tract which storage water
is redirected for irrigation, stock water, etc?

3.) Some applications show area supplied
above storage site. Should description
be required on application showing how
water is to be supplied to these lands?

yes
yes - see std.
remarks. Let's

discuss if you wish. above be required?

4.) when ^{the} water right (storage) is being
prepared for license should item #2
above be required?

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Ernest Carlson

APPLICATION NUMBER: 21 7210

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other WD-01

Copies sent by: _____

Date: _____

PROCESSING:

- ☒ Yes ☐ No Platted by: Ernest Map No. V-97
☒ Yes ☐ No Other rights on same place of use. Basin, 21
☒ Yes ☐ No* Decreed natural flow rights.
☐ Yes ☒ No In form for advertising.
☐ Yes ☒ No Final date for protests: Sept. 15
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9-10-1980
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required. Code 18 A.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 01
☒ 8-20-1980 Date of priority recommended.
Special conditions of approval or cover letter. 12 A measuring device of a type approved by the Dept. shall be permanently installed and maintained as part of the outlet & inlet.

By: Ernest Carlson

Date: 9-23-1980

STATE OFFICE REVIEW:

SLW/L02

Cor Item 3

18A, 05 (Upper Snake River)

☐ See attached sheet for more information.

By: Robyn

Date: 10/3/80

MICROFILMED

RECEIVED
SEP 23 1980

Department of Water Resources


WATERMASTER COMMENTS

I have reviewed Application for Permit No. 21-7240 and
have the following comments/objections to the approval of this
application for permit:

Use should be permitted
subject to the usual conditions

8/28/80

Date



RONALD D. CARLSON, WATERMASTER
Water District No. 01

MICROFILMED

August 22, 1980

RE: Application for Permit No. 21-7210

Seeley Brothers
c/o Dick Seeley
Box 654
Ashton, ID 83420

Dear Mr. Seeley:

Attached herewith is Departmental Receipt No. 14976 in the amount of \$45.00 for the above referenced application.

Sincerely,

KAY WALKER
Secretary

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

AUGUST 21, 1980

The Ashton Herald
P. O. Box 258
Ashton, Idaho 83420

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 15, 1980.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho 83401 on or before SEPTEMBER 15, 1980.

C. STEPHEN ALLRED

Director

Published 8/28 & 9/04/80.

MICROFILMED

21-7210-

SEELEY BROTHERS

C/O DICK SEELEY, P.O. BOX 654, ASHTON, ID 83420

Source: WILLOW CREEK tributary to SNAKE RIVER

Date Filed: 08/20/1980

Amount: 49.0 AC-FT

Diversion Point: NENW Sec 14 T 09N R 42E, FREMONT Co.

Use: IRRIGATION STORAGE (49.0 AC-FT) from 01/01 to 12/31
IRRIGATION FROM STORAGE (49.0 AC-FT) from 04/01 to 11/01

Place of Use: SESW NESE NWSE SWSE SESE Sec 11 T 09N R 42E NWNE NENW NWNW SWNW
Sec 14 T 09N R 42E SENE NESE SESE Sec 15 T 09N R 42E
FOR 440 ACRES

Diversion Means: DAM & RESERVOIR.

MICROFILMED