

AFFIDAVIT OF
PUBLICATION

State of Idaho }
County of Fremont }

ss.

L. B. Hunsaker

being first duly sworn, upon his
oath, deposes and says:

That he is the owner
of The Chronicle-News, a news-
paper as defined by Idaho
Codes Annotated, section 58-106,
as amended, and that said
newspaper is a weekly news-
paper printed and published at
St. Anthony, in Fremont County,
Idaho, having a general circula-
tion in said county, and that
said newspaper has been print-
ed and published as a weekly
newspaper in said county for
more than 78 consecutive weeks
prior to the first publication of
the attached notice, advertise-

ment or publication of

Notice of Application

for Water

And affiant further says that
said notice, advertisement or
publication, as per clipping
attached, was published in said
newspaper, in the regular and
entire issue thereof, and not in
any supplement issue thereof,

for two consecutive is-
sues thereof; first publication

having been made on the 4.....

day of April....., 1968,

and the last publication on the

11 day of April

1968....

And affiant further says that at
the times herein mentioned said
newspaper was made up of at
least four pages of at least five
columns each, printed from
type matter, of at least seven-
teen and three-fourths inches
deep.

[Signature]
Subscribed in my presence and

sworn to before me this 25th

day of April,

1968

[Signature]
Notary Public for the

State of Idaho, resi-
(SEAL) dence and post office
address: St. Anthony,
Idaho.

RECEIVED

MAY 13 1968

Department of Reclamation

NOTICE
OF APPLICATION
FOR WATER

Notice is hereby given that
Dyle B. Peterson, Route #1, Box
167, St. Anthony, Idaho has on
March 12, 1968 applied for per-
mit to divert .5 cubic feet per
second of water from a spring,
tributary of Fall River under
application No. 21-7002. Water
will be diverted by a cement
box, pipes and troughs within
the NE1/4SE1/4, sec. 7, T. 9
N, R. 43 E.B.M., Fremont Coun-
ty and is to be used from Janu-
ary 1 to December 31 for do-

mestic use and from June 1
to September 30 for stock water
in the NE1/4SE1/4, sec. 7, T.
9 N, R. 43 E.B.M.


Any protest against this appli-
cation must be filed with the
Department of Reclamation with-
in ten days from the last date
of publication of this notice.

R. KEITH HIGGINSON
State Reclamation
Engineer

(C.N. APRIL 4, 11, '68)

21-7002

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	USElectric	150	C2688-01-807 85-20501	Layne/Boula Vertiline	D166224


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


2. Measurements: Observed 2100 gpm (had problems w/pump shutting off)



POINT OF DIVERSION
&
PLACE OF USE


-  Sections.shp
-  27-07002 pd.shp
-  T02s37e.shp
-  277002inters1.shp
-  27-07002 pu.shp

27-070002



- Sections.shp
- 27-07002 pd.shp
- T02s37e.shp
- 277002inters1.shp
- 27-07002 pu.shp

27-07002



Permit # 27-07002
T2S R37E Sec 17

T
2
S R37E

PLACE OF
USE

POINT OF
DIVERSION

27-7002

5700
FEET

ans Ferred to
Bonnevillle

AA13

144.1

718
1817

R37E

PLACE
OF
USE

Lot 1
T
2
S

Lot 2

77.0

3
10.0

3
MAINLINE
8.2

Lot 3

POINT OF
DIVERSION

Lot 5

65.2

27-07002

1817

1920



Point of Diversion

27-07002

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 21-7002 Priority March 12, 1968 Amount 0.03 cfs

THIS IS TO CERTIFY, that DYLE B. PETERSON
of St. Anthony, Idaho, has complied with the terms and conditions of Permit
No. 21-7002 issued pursuant to Application for Permit dated March 12, 1968,
and has submitted proof to the Department of Water Resources on July 24, 1973,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.03 cfs of water from an unnamed spring,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u>	from <u>Jan. 1</u> to <u>Dec. 31</u>	at <u>0.03</u> cfs and	<u>1.2 acre feet</u>
<u>Stockwater</u>	from <u>June 1</u> to <u>Sept. 30</u>	at <u>0.03</u> cfs and	<u>2.7 acre feet</u>
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.03 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
3.9 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 7,
Twp. 9 N, Rge. 43 E, B. M. in the County of Fremont

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
9 N	43 E	7													X				

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 7 day of
January, 19 75.

MICROFILMED


Director

Identification No. 21-7002
Application No. 42354

LICENSE ISSUED FOR .03 SEC. FT.
LICENSE PAGE NO. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant DYLE B. PETERSON
post office address ROUTE 1, Box 167, ST. ANTHONY, IDAHO
2. Source of water supply SPRING which is a tributary of FALL RIVER
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 7 Township 9N
Range 43E B.M. FREMONT County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M.
4. Quantity to be appropriated:
a. 0.03 (allow 0.03 c.f.s.) cubic feet per second and/or
b. _____ acre feet per annum will be stored.
5. Water will be used for the following purposes:
DOMESTIC purpose from JAN 1 to DEC 31 (both dates inclusive)
STOCK WATER purpose from JUN 1 to SEP 30 (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. CEMENT BOX, PIPES & TROUGHS

b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet; materials used in storage dam: _____

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ 1,000⁰⁰.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 7 Township 9N
Range 43E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered 150 RANGE STOCK

(4) Name of municipality to be served N.A., or number of families to be supplied with domestic water 1.
(5) If water is to be used for other purposes describe: _____

21-7002

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes NONE


9. a. Who owns the property at the point of diversion APPLICANT OWNS

b. Who owns the land to be irrigated or place of use N.A.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N.A.

10. Remarks _____

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dyle B Peterson
(Applicant)

21-7002

Received by ef Date 3-12-68 Time 8:20 am
Preliminary check by B Fee \$ 10⁰⁰
Receipted by ef Date 3-12-68 Permit # 626 given
Publication prepared by BS Date 3-29-68
Published in Fremont City Chronicle News
Publication dates 4-4 & 11-68
Publication approved BS Date none
Priority reduced to _____ Reason _____

Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by SA/PM

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 21-7002, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 73.
- c. Other: Maximum rate of diversion shall not exceed 0.03 c.f.s. Subject to regulation by the watermaster.

2. Denial of said application is for the following reasons: _____

Witness my hand this 19 day of August 19 68.

R. Keith Higgins
State Reclamation Engineer

ST. ANTHONY, IDAHO

Date: April 5 1968

State Reclamation Dept.

G. P. Keith Higgins

GS-46-V

ALL claims and returned goods MUST be accompanied by this bill.

29323

Rec'd by

FREMONT COUNTY CHRONICLE-NEWS, ST. ANTHONY, IDAHO

Q-63280-

21-2002

AFFIDAVIT OF
PUBLICATION

State of Idaho
County of Fremont

ss.

L. B. Hunsaker

being first duly sworn, upon his
oath, deposes and says:

That he is the owner
of The Chronicle-News, a news-
paper as defined by Idaho
Codes Annotated, section 58-106,
as amended, and that said
newspaper is a weekly news-
paper printed and published at
St. Anthony, in Fremont County,
Idaho, having a general circula-
tion in said county, and that
said newspaper has been print-
ed and published as a weekly
newspaper in said county for
more than 78 consecutive weeks
prior to the first publication of
the attached notice, advertise-

ment or publication of

Notice of Application

for water

And affiant further says that
said notice, advertisement or
publication, as per clipping
attached, was published in said
newspaper, in the regular and
entire issue thereof, and not in
any supplement issue thereof,

for two consecutive is-
sues thereof; first publication

having been made on the 4

day of April, 1968,

and the last publication on the

11 day of April

1968.

And affiant further says that at
the times herein mentioned said
newspaper was made up of at
least four pages of at least five
columns each, printed from
type matter, of at least seven-
teen and three-fourths inches
deep.

Subscribed in my presence and

sworn to before me this

day of April

1968

Notary Public for the
State of Idaho, resi-
(SEAL) dence and post office
address: St. Anthony,
Idaho.

RECEIVED

MAY 10 1968

Department of Reclamation

NOTICE
OF APPLICATION
FOR WATER

Notice is hereby given that
Dyle B. Peterson, Route 1, Box
167, St. Anthony, Idaho, has on
March 12, 1968, for per-
mit to divert 5 cfs per
second of water from a spring,
tributary of Fall River under
application No. 21-7002. Water
will be diverted by a cement
box, pipes and troughs within
the NE1/4SE1/4, sec. 7, T. 8
N, R. 42 E.B.M., Fremont Coun-
ty and is to be used from Janu-
ary 1 to December 31 for do-
mestic use and from June 1
to September 30 for stock water
in the NE1/4SE1/4, sec. 7, T.
9 N, R. 41 E.B.M.


Any protest against this appli-
cation must be filed with the
Department of Reclamation with-
in ten days from the last date
of publication of this notice.

R. KEITH HIGGINSON
State Reclamation
Engineer

(C.N. April 4, 11, '68)

21-7002

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

_____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). _____ Aerial Photo Attached (required for irrigation of 10+ acres) _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US Electric	150	C2688-01-807 25-20501	Loynes/Bosch Vertiline	D166224


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Observed 2100 gpm (had problem w/ pump starting so)




**POINT OF DIVERSION
&
PLACE OF USE**


- ☐ Sections.shp
- ☒ 27-07002 pd.shp
- ☐ T02s37e.shp
- ☐ 277002inters1.shp
- ☐ 27-07002 pu.shp

27-07002



-  Sections.shp
-  27-07002 pd.shp
-  T02s37e.shp
-  277002inters1.shp
-  27-07002 pu.shp

27-07002



Permit # 27-07002
T2S R37E Sec 17

T
2
S R37E

PLACE OF
USE

POINT OF
DIVERSION


27-7002

5700
FEET

Transferred to
Bonneyville

144.1

AA13





Point of Diversion

27-07002

E. NARRATIVE/REMARKS/COMMENTS

Well pump mainline to two center pivot & hand lines.

No Dispersal Into or out of Rooted Pore

Note: When attempting a measurement the pump would only run for short periods; it would shut down. the observed 2100gpm could have well been as high as 2124 gpm or 0.02 cfs/acre for 236.7 ac

Recommend Licensing system @ 0.02 cfs/ac or $Q=4.73$ cfs

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$Q = 2100 \text{ gpm} = 4.679 \text{ cfs} = 4.68 \text{ cfs (observed)}$$

$$Q @ 0.02 \text{ cfs/acre} = 236.7 \times 0.02 = 4.73 \text{ cfs}$$

Observed flow could have been as high as 2124 gpm or 4.73 cfs

Recommend licensing $Q = 4.73 \text{ cfs}$ **G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 236.7(4) = 946.8 \text{ cfs}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 4.73(214)1.9835 = 2007.7 \text{ cfs}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 946.1$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	10/31	4.73 cfs	946.8 cfs
Totals:			4.73 cfs	946.8 cfs

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Keith C. White Date 7-31-2000

Reviewer _____ Date _____

SEAL



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

January 8, 1975

Re: Permit No. 21-7002

Mr. Dyle B. Peterson
Route 1, Box 167
St. Anthony, Idaho 83445

Dear Mr. Peterson:

Enclosed herewith is a copy of the water license issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosure

MICROFILMED

WATER RESOURCE BOARD:

John F. Straiff
Chairman
Franklin Jones
Member

George L. Yost
Vice-Chairman
M. Reed Hansen
Member

Donald R. Kramer
Secretary
Scott W. Reed
Member

Edwin C. Schlender
Member
Joseph H. Nettleton
Member

December 23, 1974

Mr. Dyle B. Peterson
Route 1, Box 167
St. Anthony, Idaho 83445

Dear Mr. Peterson:

A representative of this Department has made an examination of the works covered by your Permit No. 21-7002 and has found the following:

Quantity of water diverted: 0.03 cfs Source: unnamed spring

Amount of water that can be recognized as beneficially used under Idaho law: 0.03 cfs

The maximum quantity diverted shall not exceed 3.9 acre feet per year.

Beneficial use: For domestic & stockwater purposes within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, Twp. 9N, Rge. 43E

Point of diversion: NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 7, Twp. 9N, Rge. 43E, R.M.

Priority date established: March 12, 1968

If you do not concur with these findings, please advise us within 10 days; otherwise a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jr

MICROFILMED




Diagram of System

DATE OF EXAM June 20, 1974

ACREAGE
Found N/A
Recommended N/A

Irrigation Requirement N/A Ac Ft/Ac

USE

Irrigation Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
 Domestic Q = .03 c.f.s. V = 1.2 AF/Ann. from Jan 1 to Dec 31
 Livestock Q = .13 c.f.s. V = 1.4 AF/Ann. from June 1 to Sept 30
3.1 x 1.4 = 4.34

Article 2.7 of

Is water co-mingled? yes_____ no_____ ✓

Name source: _____
 twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
 _____ County

Exchange? yes _____ no ✓

Name source exchanged with: N/A
 twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
 County _____

Point of injection: twp. _____ N/S, Rge _____ E/W, B.M., Sec. N/A, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured .06 CFS Method of measurement 2 1/2 gal bucket

Total Q recommended 1.06 CFS Meter No. _____ Type _____ Condition _____

Total V recommended 2.6 AF/ANN

Recommended Amendments: .03 limits of permit per

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

Filled $2\frac{1}{2}$ gal bucket in 6 seconds equivalent to $\frac{25}{60}$ gal/min
 $\div 448.8 = .06$ CFS
 Viewstock { $600 \text{ sheep} \times 2 \text{ gal/day/hd} \times 122 \text{ days} = 146,400 \text{ gal}$
 $200 \text{ cattle} \times 12 \text{ gal/day/hd} \times 122 \text{ days} = 292,800 \text{ gal}$
 $146,400 \text{ gal} + 292,800 \text{ gal} = 439,200 \div 325,829 \text{ gal/AF} = 1.4 \text{ AF}$

SYSTEM DESCRIPTION:

Diverted by lumber headbox 9' x 6' x 4' depth with
6" x 6" wooden spillway into thence into canyon bottom.

REMARKS:

REMARKS: Conferred with Dyle Peterson at St. Anthony before making Idam. Location of P.D. confirmed using his aerial photos. Development water. 600 head of sheep & 200 head of beef cattle. Domestic use is for herdsman and permit holder - equiv to 1 family - appears from quad sheet to be tributary to Henry's Cr. - Snake River rather than Fall R.

Examiner's Signature John F. Schaefer Date June 20, 1974

Checked by J. C. Palmer Date Sept 6, 1974

Approved by _____ Date _____

August 8, 1973

Re: Permit No. 21-7002

Dyle B. Peterson
Route #1, Box 167
St. Anthony, Idaho 83445

Dear Mr. Peterson:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field exam, please contact our Eastern District Office at 1515 Lincoln Road, Idaho Falls, Idaho.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

Identification No. _____

Permit No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

RECEIVED

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

JUL 24 1973

Department of Water Administration

1. a) Name of Permit Holder Dyle B. Peterson

b) Post Office Address Route 1 Box 167 St. Anthony. Idaho 83445

2. Permit Number 21-7002

3. Date of Priority that you are prepared to establish March 12. 1968

4. a) Source from which water was appropriated a spring

b) Location of the point of diversion: NE 1/4 SE 1/4, Section 7

Township 9N, Range 43E Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

amount .03 c.f.s. for domestic purposes from Jan 1 to Dec. 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for stockwater purposes from June 1 to Sept. 30 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated .03 cfs and/or acre feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Use of measured container and watch

± 30 g.p.m. = 4.30 = .06 c.f.s. --- Carrol L. Tyler, Dist. Cons. SCS St. Anthony

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean

source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) We housed the spring with a lumber box. The water leaves the box through an 8" X 8" flume.

b) Describe the type and size of measuring device which you have installed at your point of diversion: _____

c) Give well drillers name and address and date the well was completed _____

Exam typed 8/8/73 by jce

7002

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use. We use the water for domestic purposes and for watering the livestock.

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres irrigated _____

10. Remarks: We had originally planned to "box in" the spring with a cement structure but since we have been unable to construct a dugway that could be travelled with vehicles, we constructed our box of wood.


The above information is a true statement of the extent to which the above numbered permit has been developed.

July 23-73
(Date)

Dyle B. Petersen
(Signature)

State of Idaho
County of Blaine ss.

On this 23rd day of July, 1973, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.



Rupette Rose
Notary Public residing at St. Anthony, Ida

My commission expires 6-30-76

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)
(Additional charges required for these services)

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

①

Dyle B Peterson

INSURED NO.

24518

②

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

by Mrs. D. B. Peterson

DATE DELIVERED

SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*

③

6-2-73

138 74428

PS Form 3811 Nov. 1970 c55-18-81277-1

U.S. POSTAL SERVICE
OFFICIAL BUSINESS



PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



Postmark of Delivering Office

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.

- If special services are desired, check block(s) on other side.
- Moisten gummed ends and attach to back of article.

**RETURN
TO**

DEPARTMENT OF WATER ADMINISTRATION

STATEHOUSE - ANNEX #2
BOISE, IDAHO 83707

7002

June 1, 1973

CERTIFIED MAIL

24518

Re: Permit No. 21-7002


Dyle B. Peterson
Route #1, Box 167
St. Anthony, Idaho 83445

Dear Mr. Peterson:

One of the conditions of approval of your water Permit No. 21-7002 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before August 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

21 7002

August 22, 1968

Re: Permit No. 21-7002

Dyle B. Peterson
Route 1, Box 167
St. Anthony, Idaho 83445

Dear Mr. Peterson:

We enclose a copy of your approved application for permit 21-7002
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

Enclosure: Copy of application

21-7002

RECEIVED
AUG 5 1968
Department of Reclamation

August 3, 1968
Route One, Box 167
St. Anthony, Idaho

Donald W. McEldowney
Appropriation Examiner
Department of Reclamation
Statehouse - Annex 2
Boise, Idaho 83707


Dear Sir:

Thank you for your letter of July 24 with regard to our application for a water permit.

You indicate that we request an excessive amount of water. We do not know enough about water to say whether this is an excessive amount or not. Our neighbors told us if we did not file on the spring the government would take our right to use it, consequently we got in touch with the soil conservation service. They came out and studied our farm after which they recommended the amount we requested. We also talked with the gentleman in the office that took our filing and he approved the amount.

Considering the recommendation of these two men, if you still feel the said amount is too much we will be happy to accept your recommendation on the matter.

Sincerely,


Dyle B. Peterson

21-7002

July 26, 1968

Re: Application No. 21-7002

Dyle B. Peterson
Route #1, Box 167
St. Anthony, Idaho

Dear Mr. Peterson:

The Department of Reclamation is ready for final action on your application to appropriate the public waters of the State of Idaho. You should be advised that the quantity of 0.50 cubic feet per second that you have requested for domestic and stock watering purposes has been found to be excessive. The department is ready to approve the application on the bases of .02 cubic feet per second for domestic purposes and .01 cubic feet per second for stock watering purposes. If the total of .03 cubic feet per second is sufficient for your needs please advise the department. If no, and you can supply justification for the quantity of water you have requested, then please do so by return mail. In order to expedite the processing of this application, you are requested to reply within 10 days of the date of this letter.

Thank you for your assistance in this matter.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

21-7002

July 24, 1968

Re: Application No. 21-7002

Dyle B. Peterson
Route #1, Box 167
St. Anthony, Idaho

Dear Mr. Peterson:

As of this date we have not received a reply to our June 24, 1968 letter, a copy of which is enclosed.

Until we are in receipt of the additional information requested we are unable to continue processing; however, if we do not have an answer from you within 20 days of the date of this letter we will process the application for a lesser amount.

Please contact us if we may be of further assistance.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

Enclosure

21-7002

June 24, 1968

Re: Application for Permit No. 21-7002

C
O
P
Y

Dyle E. Peterson
Route #1, Box 167
St. Anthony, Idaho

Dear Mr. Peterson:

We are ready to take final action on your application for permit; however, it is noted that you have requested an excessive amount of water.

The department normally processes an application for permit for domestic purposes at a rate of a maximum of .02 cubic feet per second per family unit. We also note that you have listed stock totalling 150 to be watered. The department uses a guideline of approximately 15 to 20 gallons per day for beef stock. Therefore, the maximum rate of diversion that the department could possibly consider would be .03 cubic feet per second.

If you can supply any information concerning your method of delivery and other requirements to justify the excessive quantity we could possibly allow a larger amount. If, however, our suggestion of .03 cubic feet per second would be adequate, please advise us to change the application. Your prompt attention to this matter is appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

21-7002

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

June 14, 1968

cc in "H"

RECEIVED

JUL 1 1968

Department of Reclamation

Chronicle-News
St. Anthony,
Idaho 83445

Gentlemen:

Returned herewith are bills of publication and an affidavit of publication. Please be advised that the department requests you to submit the affidavit of publication with the bills for our department. We are unable to submit the bills for payment until we are in receipt of the affidavit.

Also, if you will note the affidavit of publication which accompanies the bills is not for our department.

If you could please take care of these matters and forward the requested information as soon as possible it would be mostly appreciated.

Very truly yours,

A handwritten signature in cursive script, reading "Donald W. McEldowney".

Donald W. McEldowney
Appropriation Examiner

DWM:ks

Enclosure: Bills and affidavits of publication

Sorry - affidavits were sent to you in a different envelope -

31-7002

May 16, 1968

Re: Application No. 21-7002
Dyle B. Peterson

Fremont County Chronicle News
St. Anthony,
Idaho

Gentlemen:

Returned herewith is the bill of publication for the above referenced application. We are also enclosing a copy of our transmittal letter. Please note that the bill must be certified before our department is able to submit it for payment.

Your prompt attention to this matter is appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

Enclosure: Copy of transmittal letter
Bill of publication

21-7002

May 8, 1968

Re: Application for Water No. 21-7002
Dyle B. Peterson

Fremont County Chronicle News
St. Anthony,
Idaho

Gentlemen:

As of this date we have not received the bill or the affidavit
of publication for the above referenced application. We are enclosing
a copy of our transmittal letter to clarify our previous instructions.

Your prompt attention to this matter is appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

Enclosure: Copy of transmittal letter

21-7002

March 29, 1968

Re: Application No. 21-7002
Dyle E. Peterson

Fremont County Chronicle News
St. Anthony,
Idaho 83445

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

(Do not sign letter)

Signature of claimant

Very truly yours,

Donald W. McElldowney
Appropriation Examiner

DAM:ks

Enclosure: legal notice

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Dyla B. Peterson, Route #1, Box 167, St. Anthony, Idaho has on March 12, 1968 applied for permit to divert ~~some~~ .5 cubic feet per second ~~some feet~~ of water from a spring, tributary of Fall River under application No. 21-7002. Water will be diverted by a cement box, pipes and drains within the NW1/4, sec. 7, T. 9 N. R. 43 E., E. ., Fremont County and is to be used from January 1 to December 31 for ^{domestic use} ~~stock water~~ and from June 1 to September 30 for stock water in the NW1/4, sec. 7, T. 9 N. R. 43 E. B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Fremont County Chronicle News, St. Anthony, Idaho on April 4 and April 11.

21-7002
81