


Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at 4:30 P.M., this 15 day of JUNE, 19 78.

J. L. Terteling
(signature)
J. L. Terteling
President, Gowen Industrial Park, Inc.


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

I, L. GLEN SAXTON, Chief, Operations Bureau, Resources
Director of the Department of Water Administration,
hereby APPROVE this application for amendment on Permit No. 63-9029.

Witness my hand this 20 day of June, 19 78.

L. Glen Saxton
Chief, Operations Bureau

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 4 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Terteling Operations Co. Ltd.

by


(Applicant)

pres.

Diagram No 2 East Base Meridian



MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

(LOT 3)
Point(s) of diversion: NENW, S. 1, T. 2N, R. 2E.

Place(s) of Use Within the city limits of Boise, ID

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Recommended Amendments:

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

Nature of use

Examiner's Signature

Checked by

Approved by

Jan Shute
6HS / DRF 3/25/87

Date

Date

Date

12/4/85

3/19/86

White file E 12/22/87

JAN 31 1996

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Melise Madarieta, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

Two insertions, beginning with the issue of October 27, 1977, and ending with the issue of November 3, 1977.

Melise Madarieta

Subscribed and sworn to before me this 3rd day of November, 1977.

Nancy Eugene

Notary Public for Idaho, Residing at Boise, Idaho

NOTICE OF CORRECTION

Notice is hereby given that notice of Application for Permit No. 63-9029 in the name of TERTELING OPERATIONS CO. of P.O. Box 1428, Boise, Idaho was advertised in error on September 29 and October 6, 1977.

The place of use was advertised as being within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, W $\frac{1}{2}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 1 T2N-R2E B.M., Ada County. WHEREAS, the actual place of use is within the W $\frac{1}{2}$, W $\frac{1}{2}$ E $\frac{1}{2}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 1 T2N-R2E.

Any protests against the approval of this application must be filed with the Director of the Idaho Department of Water Resources 92-S. Cole Road, Boise, Idaho 83705 on or before November 14, 1977.

C. STEPHEN ALLRED
Director
Pub. Oct. 27, Nov. 3, 1977

8728

OK
11-14-77
M

MICROFILMED

RECEIVED

NOV 4 1977

Department of Water Resources

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Melusi Madarieta, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

Two insertions, beginning with the issue of September 29, 1977, and ending with the issue of October 6, 1977.

Melusi Madarieta

Subscribed and sworn to before me this 6th

day of October, 1977.

Donald E. Eguen
Notary Public for Idaho, Residing at Boise, Idaho

RECEIVED
OCT 7 1977
Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Terteling Operations Co. Ltd., Box 1428, Boise, ID., has on 9-12-77, submitted Application No. 63-9029 for a permit to appropriate 4.0 cubic feet per second of water from groundwater by means of electric pump and pipeline within the SE 1/4 NW 1/4 Sec. 1 T2N R2E B.M. County of Ada, to be used from Jan. 1 to Dec. 31 for industrial and commercial purposes and from April 1 to Nov. 1 for irrigation of 369 acres from Jan. 1 to Dec. 31 for fire protection purposes within the SENW, W2, N2SE, SW4SE4 Sec. 1 T2N R2E.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705, on or before October 17, 1977.

C. STEPHEN ALLRED,

Director

Pub. Sept. 29; Oct. 6, 1977

8498

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRANSFER OF WATER RIGHT
TRANSFER NO. 68944

This is to certify that: MICRON TECHNOLOGY INC
8000 S FEDERAL WY
PO BOX 6
BOISE ID 837070006
(208)368-4545

has requested a change to the water right(s) listed below. This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code. The authorized change for each affected water right, including conditions of approval, is shown on the following pages of this document.

Summary of Water Rights Before the Proposed Change

<u>Right</u>	<u>Origin/Basis</u>	<u>Priority</u>	<u>Rate</u>	<u>Volume</u>	<u>Acres</u>	<u>Total</u>	<u>Source</u>
63-8992	AJC/License	07/25/1977	2.09 cfs			N/A	GROUND WATER
63-9029	AJC/License	09/09/1977	4.00 cfs			N/A	GROUND WATER

Purpose of Transfer (Changes Proposed)

<u>Current Number</u>	<u>Split</u>	<u>POD</u>	<u>POU</u>	<u>Add POD</u>	<u>Period of Use</u>	<u>Nature of Use</u>
63-8992	NO	NO	YES	YES	NO	YES
63-9029	NO	NO	YES	YES	NO	YES

Summary of Water Rights After the Approved Change

<u>Existing Right</u>	<u>New No. (changed portion)</u>	<u>Transfer Rate</u>	<u>Transfer Volume</u>	<u>Acre Limit</u>	<u>Total Acres</u>	<u>New No. (remaining portion)</u>	<u>Remaining Rate</u>	<u>Remaining Volume</u>	<u>Remaining Acre Limit</u>	<u>Remaining Total Acres</u>
63-8992	63-8992	2.09 cfs	1267.9 af	N/A	100.0		N/A	N/A		N/A
63-9029	63-9029	4 cfs	806.3 af	N/A	N/A		N/A	N/A		N/A
TOTALS		6.09 cfs	2074.2 af	100	100		N/A	N/A	N/A	N/A

Detailed Water Right Description(s) attached

Dated this 14TH day of FEBRUARY, 2002


Administrator

MICROFILMED

MAR 27 2002

WATER RIGHT NO. 63-8992
As Modified by Transfer No. 68944

In accordance with the approval of Transfer No. 68944, Water Right No. 63-8992 is now described as follows.

Right Holder: MICRON TECHNOLOGY INC
 8000 S FEDERAL WY
 PO BOX 6
 BOISE ID 837070006

Priority Date: 07/25/1977

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
INDUSTRIAL	01/01 to	12/31	2.09 CFS	1,267.9 AF
IRRIGATION	03/01 to	11/15	1.50 CFS	450.0 AF
			2.09 CFS	1,267.9 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	Lot 3	NENW	Sec. 1	Twp 02N	Rge 02E	ADA County
GROUND WATER		SESW	Sec. 6	Twp 02N	Rge 03E	ADA County
GROUND WATER		SWNE	Sec. 7	Twp 02N	Rge 03E	ADA County
GROUND WATER	Lot 2	SWNW	Sec. 7	Twp 02N	Rge 03E	ADA County
GROUND WATER		NESW	Sec. 7	Twp 02N	Rge 03E	ADA County
GROUND WATER		SENW	Sec. 31	Twp 03N	Rge 03E	ADA County

PLACE OF USE: INDUSTRIAL

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N 03E 6									X	X	X	X	X	X	X	X	
02N 03E 7	X	X	X	X	X	X	X	X	X	L6	L7	X	X	X	X	X	
02N 03E 8						L1	L2				X						
02N 03E 18		X	X		X												

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N 03E 6									3.0	3.0	8.0	6.0	3.0	3.0	10.0	3.0	39.0
02N 03E 7	4.0	10.0	3.0	4.0	3.0	5.0	2.0	5.0	3.0	L6	L7	4.0	4.0	3.0	3.0	4.0	57.0
02N 03E 18		3.0	1.0			L1	L2										4.0

Total Acres: 100

MICROFILMED

MAR 27 2002


WATER RIGHT NO. 63-8992
As Modified by Transfer No. 68944

CONDITIONS OF APPROVAL

1. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
2. The total instantaneous diversion of water from all points of diversion under Rights 63-8992 and 63-9029 shall not exceed 6.09 cfs, nor total combined annual volume of 2074.2 af.
3. The water right holder must comply with the measuring and reporting requirements of the Southeast Boise Groundwater Management Area and any management plan adopted by the director.
4. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
5. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted for irrigation purposes under this right and shall only divert groundwater under this right for irrigation purposes when water from the appurtenant surface water rights cannot be delivered to the right holder.
6. If the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use, this right to divert groundwater shall not be used for irrigation purposes without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
7. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
8. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
9. Administration of water distribution to this right during times of scarcity shall recognize the provisions of the letter dated February 6, 2002 from the right holder to the department.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 14TH day of FEBRUARY, 2002


Administrator

MICROFILMED

MAR 27 2002

WATER RIGHT NO. 63-9029
As Modified by Transfer No. 68944

In accordance with the approval of Transfer No. 68944, Water Right No. 63-9029 is now described as follows.

Right Holder: MICRON TECHNOLOGY INC
 8000 S FEDERAL WY
 PO BOX 6
 BOISE ID 837070006

Priority Date: 09/09/1977

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
INDUSTRIAL	01/01 to 12/31	4.00 CFS	806.3 AF
		4.00 CFS	806.3 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	Lot 3 NENW	Sec. 1 Twp 02N Rge 02E	ADA County
GROUND WATER	SESW	Sec. 6 Twp 02N Rge 03E	ADA County
GROUND WATER	SWNE	Sec. 7 Twp 02N Rge 03E	ADA County
GROUND WATER	Lot 2 SWNW	Sec. 7 Twp 02N Rge 03E	ADA County
GROUND WATER	NESW	Sec. 7 Twp 02N Rge 03E	ADA County
GROUND WATER	SENW	Sec. 31 Twp 03N Rge 03E	ADA County

PLACE OF USE: INDUSTRIAL

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02N 03E 6									X	X	X	X	X	X	X	X	
02N 03E 7	X	X	X	X	X	X	X	X	X	L6	L7	X	X	X	X	X	
02N 03E 8											X						
02N 03E 18		X	X		X												

CONDITIONS OF APPROVAL

1. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
2. The total instantaneous diversion of water from all points of diversion under Rights 63-8992 and 63-9029 shall not exceed 6.09 cfs, nor total combined annual volume of 2074.2 af.
3. The water right holder must comply with the measuring and reporting requirements of the Southeast Boise Groundwater Management Area and any management plan adopted by the director.
4. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
5. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

MICROFILMED

MAR 3 / 2002

WATER RIGHT NO. 63-8992
As Modified by Transfer No. 68944

CONDITIONS OF APPROVAL

6. Administration of water distribution to this right during times of scarcity shall recognize the provisions of the letter dated February 6, 2002 from the right holder to the department.

This water right is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources.

Dated this 14TH day of FEBRUARY, 2002


Administrator

MICROFILMED
MAR 27 2002

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09029

Priority: September 9, 1977

Maximum Diversion Rate:

4.00 CFS

Maximum Diversion Volume:

806.3 AF

This is to certify, that BOISE WATER CORP
8243 W VICTORY RD
BOISE ID 83709

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 9, 1977; and has submitted Proof of Beneficial Use on October 12, 1982. An examination indicates that the works have a diversion capacity of 4.010 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	4.00 CFS	806.3 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NENW), Sec. 1, Township 02N, Range 02E
ADA County

PLACE OF USE: See Remarks

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Place of use is located within the city limits of Boise and the surrounding service area.
6. Point of diversion is known as the Cowen Well.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 21ST day of DECEMBER, 1975.

Acting for KARL J. DREHER Director

1986

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-09029

RECEIVED

DEC 20 1995

Department of Water Resources

APPROVED

Date of Priority: September 9, 1977

Maximum Diversion Rate:

4.00 CFS

Maximum Diversion Volume:

806.3 AF

Comes now
8248 W VICTORY RD
BOISE ID 83709

BOISE WATER CORP

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-09029, and requests that the permit be changed as follows:

Source: **GROUNDWATER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	4.00 CFS	806.3 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NENW), Sec. 1, Township 02N, Range 02E
ADA County

PLACE OF USE: See Remarks

JAN 21 1996

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at BOISE, IDAHO, this 19TH day of DECEMBER, 1995.

Benjamin M. Kepler
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-09029

FOR DEPARTMENT USE ONLY

Preliminary check by ____ Fee = 50.00 Receipted by JW # C034195 Date 12-20-95

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 63-09029 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Place of use is located within the city limits of Boise and the surrounding service area.
6. Point of diversion is known as the Gowen Well.

Witness my hand this 21st day of DECEMBER, 1995.


Acting for KARL J. DREHER, Director

JAN 8 1996

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 63-9029)

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,


WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.



GLEN SAXTON
Chief, Operations Bureau

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

RECEIVED
JUL 5 1979
OK
Department of Water Resources

I, Gowen Industrial Park, Inc., hereby assign to Boise Water Corporation
of 500 W. Idaho, Boise, Idaho 53101
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 63-9029
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this _____ day of _____, 19 _____.

GOWEN INDUSTRIAL PARK, INC.

GEOLOGIST

[Signature]

LEGAL _____

ENGINEER MCS

DEPT. HEAD [Signature]

[Signature]
Permit Holder J. L. Terteling, President

Spouse of Permit Holder _____

State of Idaho)

County of Ada) SS.

On this 31 day of May, 19 79, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Lela E. Lawer
Notary Public residing at

Boise, Idaho


My commission expires:

MICROFILMED

CL # 92-6

UNPROFILMED

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at 4:30 P.M., this 15 day of JUNE, 19 78.

J. L. Terteling
(signature)

J. L. Terteling
President, Gowen Industrial Park, Inc.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

I, L. GLEN SAXTON, Chief, Operations Bureau, Resources
Director of the Department of Water Administration,

hereby APPROVE this applicatn for amendment on Permit No. 63-9029.

Witness my hand this 20th day of June, 19 78.

L. Glen Saxton
Chief, Operations Bureau

RECEIVED

STATE OF IDAHO

DEPARTMENT OF RECLAMATION

ASSIGNMENT OF PERMIT

Department of Water Resources

JUN 19 1978 *AK*

I, TERTELING OPERATIONS CO. LTD., hereby assign to GOWEN INDUSTRIAL PARK, INC.,
of P. O. Box 4127, Boise, Idaho 83704 Name
Address

CHECK ONE

- ☒ All my right, title, and interest, in and to Permit No. 63-9029
to appropriate the public waters of the State of Idaho.
- ☐ The following described portion of my right, title, and interest in and
to Permit No. _____ to appropriate the public waters of the State
of Idaho. (Give that portion of the permit being assigned by describing
the land list and the point of diversion - describe by acreage within
each 40-acre subdivision.)

Made this 15 day of June, 19 78.

J. L. Terteling
Permit Holder
J. L. Terteling
General Partner
TERTELING OPERATIONS CO. LTD.
Wife of Permit Holder

State of Idaho)
County of Ada) ss.

On this 15 day of June, 19 78, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

Lula E. Lowe
Notary Public residing at
Boise, Idaho

My commission expires 5-26-79

RECEIVED

n

Assigned to Gowen Industrial Park, Inc

Identification No. _____

Application No. 63-9029

P.O. Box 4127
Boise, Id. 83704
June 19, 1978

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT **APPROVED**

ASSIGNED TO:
Boise Water Corp.
6/5/79

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Terteling Operations Co. Ltd.
post office address P. O. Box 1428, Boise, Idaho
2. Source of water supply Well which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 1 Township 2N
Range 2E B.M. Ada County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 4.0 cfs for Industrial & Commercial purpose from Jan. 1st to Dec. 31st (both dates inclusive)
(cfs or acre-feet per annum)
Amount 4.0 cfs for Irrigation purpose from Apr. 1st to Nov. 1st (both dates inclusive)
(cfs or acre-feet per annum)
Amount 4.0 cfs for Fire Protection purpose from Jan. 1st to Dec. 31st (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 4.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Electric pump and pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 24" inches; proposed depth of well is 600 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 120,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation: W $\frac{1}{2}$ & Part of W $\frac{1}{2}$ of E $\frac{1}{2}$
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 1 Township 2N
Range 2E B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: Industrial & Commercial Development and Fire Sprinkler
protection for same.

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
2N	2E	1			15		15	35	35	40	35	40	40	35	4	35	40		369

Total number of acres to be irrigated. 369

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 4 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Terteling Operations Co. Ltd.

by J. Terteling (Applicant) pres.

Proposed Priority 09/09/77

Received by KW Date 9-9-77 Time 9:45 a m
Preliminary check by WJ Fee \$ 55⁰⁰
Receipted by WJ Date 9-12-77
Publication prepared by WJ Date 9-14-77
Published in Slatter
Publication dates 9-29 + 10-6-77
Publication approved WJ Date 11-14-77
Priority reduced to WJ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by WJ WJW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9029, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 82.
- c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.

2. Denial of said application is for the following reasons: _____

Witness my hand this 27 day of December 1977.


Deputy Director

MEMORANDUM

TO: FILE 63-09029
FROM: VAULT
RE: TRANSFER # 68944
DATE: 2.14.02

=====

**Original Transfer Application, Form and correspondence regarding the above
referenced Transfer is located within:**

FILE # 63-08992

MICROFILMED
MAR 27 2003

MEMORANDUM

TO: FILE 63-09029

FROM: VAULT

RE: TRANSFER # 4816

DATE: 09-11-2000

=====

**Original Transfer Application, Form and correspondence regarding the above
referenced Transfer is located within:**

FILE # 63-07577

MICROFILMED
SEP 13 2000



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

March 22, 2000

RECEIVED

To: Distribution List

MAR 23 2000

Re: 1999 Water Measurement Reports and Ownership Changes Department of Water Resources

Dear Interested Party:

I am pleased to say that most of the 1999 measurement reports and related details were received for wells in the Southeast Boise Ground Water Management Area (GWMA). Reports for several wells are incomplete at this time. Please review the following information and respond in writing. Note that 1999 measurement reports were due by March 1, 2000. Additionally, ownership changes to water rights and associated records are the responsibility of new owners within 120 days of purchases of property (*I. C. § 42-248*).

Water Right No. 63-03416 and associated Snake River Basin Adjudication (SRBA) Claim No. A63-03416 are recorded in the name of Security Industries (water right) and Trus Joist Corp. (claim). The 1999 measurement report was received on 3-8-2000 without the \$25 filing fee. I recently had a conversation with the new owner about the required fee and ownership change that should be filed. These two items have not been completed yet.

Water Right no. 63-08006 and SRBA Claim No. A63-08006 are recorded in the name of Granger. I understand that the Simplot Company bought the property associated with these records. Recently I had some telephone and email exchanges with a Simplot representative regarding this well. A 1999 measurement report and change in ownership have not been filed to date. A report and \$25 fee should be filed, and the report might include an explanation of why data are not available and what steps the new owner will take to correct that scenario if that is the case. The ownership change should also be documented.

Water Right Nos. 63-08992 and 63-09029 and SRBA Claim Nos. A63-08992 and A63-09029 are recorded in the name of Boise Water Corp./United Water Idaho. These records concern the "Oregon Trail" and "Gowen" wells. Micron Technology Inc. filed the 1999 measurement reports for these wells, and it is my understanding that Micron purchased these rights and claims. The new owner must file a change in ownership for these records.

MICROFILMED

APR 18 2000

March 22, 2000

Page 2 of 2

The well owners must file properly completed measurement reports, including fees. New owners must also file documentation of ownership changes for water rights and SRBA claims. Both of these actions are required by Idaho law and associated Orders issued in recent years by the Idaho Department of Water Resources Director. Well owners can provide valuable and greatly appreciated contributions to the management of the GWMA by taking care of these administrative details.

Enclosed are "change in ownership" forms for your use. It is advisable to list the water right *and* SRBA claim numbers on the form instead of just one or the other. No payment is needed to complete the ownership change step. To fully protect the use and status of these water rights and to avoid more cumbersome regulatory actions required of IDWR in such circumstances, please direct your written response to me within fifteen (15) days of the date of this letter. I will be glad to help you in any way that I can in these matters. Thank you for your efforts in these detailed but important items.

Sincerely,



Steve Lester
Water Rights Supervisor

Enclosure

Distribution: Rick Thomas, Wild Shamrock Partnership

Vic Conrad, J. R. Simplot Co.

Mike McIntyre, Micron Technology Inc.

MICROFILMED

APR 18 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 21, 1995

BOISE WATER CORP
8248 W VICTORY RD
BOISE ID 83709

RE: WATER RIGHT NO. 63-09029

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECORDED

JAN 31 1996

United Water



RECEIVED

DEC 20 1995

Department of Water Resources

United Water Idaho
8248 West Victory Road
PO Box 7488
Boise, ID 83707-1488
telephone 208-362-1300
facsimile 208-362-1479

December 19, 1995

Mr. Shelley W. Keen
Water Rights Supervisor
Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, ID 83720-9000

Dear Shelley:

Enclosed are the signed Applications for Amendments for **Water Rights 63-08992 (Oregon Trail Well) and 63-09029 (Gowen Well)** along with a check for the balance of the filing fees. Thank-you for your patience and assistance with the licensing of these rights in what has been a rather long drawn out process. We feel that the issues raised during this procedure have contributed greatly to our understanding of what is needed to put the United Water Idaho, Inc's water rights portfolio in order. Next year promises to be an interesting one for water-rights in the Boise River Valley and we look forward to a continued working relationship with you.

Sincerely,

Ed Squires

DEC 31 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 11, 1995

UNITED WATER IDAHO
PO BOX 7488
BOISE ID 83707

RE: WATER RIGHT NO. 63-08992 and 63-09029

Dear Water Right Holder(s):

I previously forwarded to you Applications for Amendment so that you could amend your permits to depict your water rights as they have actually been developed.

As of this date, I have not received these amendments. If I do not receive the amendments within fourteen (14) days, Water Right Licenses will be issued for less than could have been allowed. In case the amendment forms I sent you have been misplaced, new ones are enclosed. Please note in our correspondence of November 6, 1995, that \$20.00 toward amendment 63-08992 has been credited, leaving a balance of \$80.00 to be sent in with the signed amendments.

If you have any questions, please call me at (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 6, 1995

UNITED WATER IDAHO
C/O ED SQUIRES
PO BOX 7488
BOISE ID 83707-1488

RE: Water Rights 63-08992 and 63-09029

Dear Ed:

Thank you for sending the information about water rights 63-08992 and 63-09029, your Oregon Trail well and your Gowen well, respectively. Before the rights can be licensed, the permits must be amended to correct the nature of use and place of use descriptions. I have prepared the enclosed applications for amendment, which are based in part upon the information you supplied.

I have also enclosed the application for amendment of permit 63-08992 that you submitted in 1991. It was never approved, apparently because the information on it does not appear to be supported by the information in the file. It should be replaced by the new version.

The fee for each amendment is \$50.00. You paid \$20.00 toward the amendment for 63-08992 in 1991 (receipt #C021932). That amount will be credited to the new version. Therefore, the total fee necessary to amend both 63-08992 and 63-09029 is \$80.00.

Please review the applications for amendment carefully. If you agree with the information presented, please sign the forms and return them with the fee within fourteen (14) days.

If you have any questions, please contact me at 208-327-7946.
Sincerely,

Shelley Walter Keen
Water Rights Supervisor

SWK
Enclosures

MEMORANDUM

DATE: November 1, 1995

TO: File 63-09029

FROM: Shelley W. Keen *SWK*

RE: Diversion Rate and Volume

=====

Right 63-09029 for municipal purposes was originally permitted for other uses. Therefore, unlike many other municipal water rights, it requires an annual diversion volume limit based on actual beneficial use. Proof of Beneficial Use was submitted on October 6, 1982. Pumping records submitted to me by United Water Idaho show that 262,730,000 gallons, or 806.3 AF, were pumped from this well from 1/1/81 to 12/31/81. Those same records show that in 1981 the well was being pumped at a maximum rate of 1800 gpm, or 4.01 cfs. Therefore, I recommend that right 63-09029 be licensed showing a capacity of 4.01 cfs, a diversion rate limitation of 4.00 cfs (the permitted rate), and an annual diversion volume limit of 806.3 AF.

[Faint stamp]
JAN 31 1996

63-09029

Gowen

123

Date	Prod.	GPM	DD	DP	Time	
JAN. 1.	650,000,000			67	9:10 A	
2	650,640			66	11:10	1
3	651,370			65	11:30	2
4	652,050			67	8:15	3
5	652,750			67	11:20	4
6	653,440			66	11:40	5
7	654,090			65	11:40	6
8	654,790			67	10:50	7
9	655,480			66	11:25	8
10	656,140			65	10:45	9
11	656,810			67	9:00	10
12	657,480			66	11:20	11
13	658,030			64	11:00	12
14	658,710			63	—	13
15	659,390			65	—	14
16	660,160			67	11:30	15
17	660,810			66	9:20	16
18	661,440			67	10:20	17
19	662,090			67	8:45	18
20	662,790			68	10:45	19
21	663,450			67	11:00	20
22	664,120			65	11:30	21
23	664,790			67	11:25	22
24	665,430			57	9:25	23
25	666,050			66	10:40	24
26	666,690			66	11:15	25
27	667,340			66	11:15	26
28	667,960			66	11:30	27
29	668,610			67	11:30	28
30	669,240			65	11:30	29
31	669,880			68	9:30	30
Feb 1	670,510			67	9:10	31
" 2	671,140			68	9:15	32
" 3	671,780			68	9:00	33
" 4	672,410			66	11:20	34

RECEIVED

NOV 01 1995

Department of Water Resources

JAN 5 1996

GOWEN

	Date	PROD	GPM	Q20	MP	TIME
	FEB 5	673050,000			66	1100 A
	" 6	673710			68	1150 "
1	" 7	674330			66	1145 "
2	" 8	675040	1800	380	64	1135 "
3	" 9	675710			64	1030 "
4	" 10	676410 ⁶⁷⁷⁰⁸⁵			62	1130 "
5	" 12	677760			64	1135 "
6	" 13	678440			65	1140 "
7	" 14	679110			65	1130 "
8	" 15	679710			66	1130 "
9	" 16	680730			72	8:30 "
10	" 17	680880	1600	390	66	8:25 "
11	" 18	681580	1800	161'	64	11:20 "
12	" 19	682140	1800	57'	66	11:20 "
13	" 20	682880	1800	61'	66	11:30 "
14	" 21	683590	1800	61"	68	12:15 P
15	" 22	684350		68"	67	11:10 A
16	" 23	684790	1760	397	65	1045 "
17	" 24	685430			62	1010 "
18	" 25	686180			65	11:15 "
19	" 26	686800	1800		67	11:00 "
20	" 27	687400			64	1140 "
21	" 28	688100			66	12:15 P
22	march I	688760			65	1150 A
23	" 2	689430			66	8:10 "
24	" 3	690180			66	11:40 "
25	" 4	690900			67	11:20 "
26	" 5	691620			70	11:50 "
27	" 6	692280			66	12:00 D
28	" 7	692950			67	10:30 "
29	" 8	693650			66	10:00 "
30	" 9	694330			66	11:30 "
31	" 10	695,050			66	11:15 "
32	" 11	695,750		JAN 31 1996	68	11:15 "
33	" 12	696,490			66	11:40 "

		Date		Howen	ALM	MD	NP	Time	
A		March	13	697190,000			67	11:45 A	
"		"	14	697930			68	9:55 "	
"		"	15	698680			68	9:15 "	1
"		"	16	699430			69	8:45 "	2
"		"	17	700090			68	9:10 "	3
"		"	18	700740			68	10:35 "	4
"		"	19	701380			71	8:30 "	5
"		"	20	702020			68	9:30 "	6
"		"	21	702690			68	12:20 "	7
"		"	22	703330			70	9:00 "	8
"		"	23	703960			68	11:40 "	9
"		"	24	704620			68	11:30 "	10
"		"	25	705290			68	11:40 "	11
"		"	26	706000			68	11:05 "	12
"		"	27	706700			68	11:30 "	13
P		"	28	707540			71	10:00 "	14
A		"	29	708250	1600	408	83	73 12:01 P	15
"		"	30	708440	1800			65 11:00 A	16
"		"	31	709150				62	17
"		Apr.	01	709880				68 11:30 "	18
"		"	02	710190	1700			65 11:30 "	19
"		"	03	710680				64 8:55 "	20
P		"	04	711530				64 10:55 "	21
A		"	05	712270				64 11:20 "	22
"		"	06	713170	1600	400		67 12:00 "	23
"		"	07	714080	1600	375		70 11:00 "	24
"		"	08	714700	1600	375		68 9:00 "	25
"		"	09	715410	1650	370		66 9:15 "	26
"		"	10	716080				64 9:20 "	27
"		"	11	716900				64 12:30 P	28
"		"	12	717760				65 12:20 "	29
"		"	13	718600				67 9:00 H	30
"		"	14	719450				65 12:00 P	31
"		"	15	720340				67 10:20 A	32
"		"	16	721260				65 11:30 "	33

JAN 31 1996

Gowen

	Date	Prod	GPM	DD	DP	Time
5 P	May 23	753,820,000			67	9:40 A
5 "	" 24	754,830			65	11:15 A
5 "	" 25	755,830			67	9:10 A
5 A	" 26	756920	1600	340	78	12:00 P
	" 27	757650			62	8:20 "
	" 28	759060			64	12:10 P
5 P	" 29	759860			64	3:45 P
2 "	" 30	760490			68	8:10 A
5 A	" 31	761120			68	12:05 P
5 "	June 1	761540	1600	345	79	8:20 A
2 "	" 2	762220	1700	345	68	10:45 A
5 "	" 3	762800		285	65	9:00 "
2 N	" 4	763650			70	8:45 "
2 P	" 5	764310			66	12:40 P
2 A	" 6	765070			66	1:00 "
5 "	" 7	765760			70	11:05 A
2 "	" 8	766110	1600	290	78	11:00 A
1 N	" 9	766500			66	9:20 "
1 A	" 10	767220			70	8:30 "
	" 11	767960		STATIC 285	66	12:10 P
5 "	" 12	768710			67	12:05 "
5 N	" 13	769360			62	10:50 A
5 P	" 14	769780	1800	362	71	12:05 P
2 A	" 15	770090	1670	333	65	11:45 A
5 "	" 16	770990			68	10:00 A
5 "	" 17	771630			68	9:45 "
5 "	" 18	772240			66	11:05 "
5 "	" 19	773040			67	9:45 "
5 "	" 20	773880			67	10:00 "
5 "	" 21	774570			68	10:20 "
5 A	" 22	775270			66	11:15 "
5 A	" 23	776070		282	66	11:00 "
5 "	" 24	776780		282	67	8:35 "
5 "	" 25	777720		JAN 31 1996 289	66	8:50 "
5 "	" 26	778580			64	1:00 P

Date			Prod. Lower	LPM 22		2P Time		
	Apr. 17		722,160,000			64	12:35 P	N
	" 18		723120			63	12:45 "	
1	" 19		723980			64	2:25 "	
2	" 20		724690			67	11:35 A	
3	" 21		725430					
4	" 22		726290					
5	" 24		727640			63	3:05 P	
6	" 25		728380			66	12:30 "	
7	" 26		729090			68	11:55 A	
8	" 27		729760			68	11:45 "	J
9	" 28		730480			68	11:40 "	
10	" 29		731300			67	11:05 "	
11	" 30		732190			65	12:00 N	
12	May 01		733190			65	12:20 P	
13	" 2		733970			68	10:30 P	
14	" 3		734760			68	9:25 "	
15	" 04		735690			68	11:50 "	
16	" 05		736560			65	12:00 N	
17	" 6		737550			66	11:45 A	
18	" 7		738450			65	11:50 "	
19	" 8		739460			68	8:45 "	
20	" 9		740560			68	7:45 "	
21	" 10		741680			63	12:25 P	
22	" 11		742630			65	11:50 A	
23	" 12		743690			65	11:45 "	
24	" 13		744730			66	9:05 "	
25	" 14		745820			65	9:55 "	
26	" 15		746880	355		66	9:10 "	
27	" 16		747680	305		64	3:00 "	
28	" 17		748610	1750	360	65	3:55 "	
29	" 18		749650		310	65	11:35 A	
30	" 19		750500			65	11:55 A	
31	" 20		751320	STATIC 393		65	12:00 P	
32	" 21		752140	JAN 31 1996			11:10 "	
33	" 22		752100			66	10:10 "	

Gowen Well

	Date	Prod	gpm	DD	DP	Time
	June 27	779,490,000		345	67	3:30 P
	28	779,940			63	7:50 W
1	" 29	780670		385	64	12:40 P
2	" 30	781510			64	12:00 N
3	July 1	782500		287	66	8:30 A
4	2	783680			64	12:50 P
5	3	785100			75	10:30 A
6	4	785680		323	70	3:10 P
7	5	786370		346	70	12:25 P
8	6	787120		390	70	12:00 N
9	7	787530	1700	349	74	11:35 A
10	8	787730	1700	355	69	11:30 A
11	9	788600	1750	350	70	11:30 A
12	10	789840			72	12:00 N
13	11	790340			69	10:15 A
14	12	791050			65	11:50 A
15	13	791980			68	12:15 P
16	14	792730			68	12:05 "
17	15	793560	1700	355	68	11:35 A
18	16	794360		290	65	9:00 A
19	17	795700	1700	355	72	12:15 A
20	18	796520			68	2:25 P
21	19	797190		345	67	2:30 P
22	20	798080	1700	350	68	1:05 P
23	21	799060	1650	350	70	12:20 P
24	22	800160	1600	355	73	9:10 A
25	23	800900			68	10:10 A
26	24	802180	1700	355	70	12:25 P
27	25	802990		295 S	69	9:40
28	26	804020			68	2:25 P
29	27	805140	1525	356	72	11:20 A
30	28	806040	1575	354	70	11:00 A
31	29	807010			67	10:35 A
32	30	808260			70	9:55 A
33	31	809500	1600	357	73	11:00 A

JAN 31 1996

Gowen Well

	Date	Prod	GPM	DP	DP	Time	
P	Aug 1	810,510,000	1570	357	81	72	1:15P
H	2	811,610	1570	357	82	71	3:30P
P	3	812,200				67	10:45 A
N	4	813,400				71	10:15 A
A	5	814,600	1700	358		74	10:15A
P	6	815,310	1600	352		69	8:45A
A	7	816,820	1700	358		72	100P
P	8	817,820	1570	357		74	2:45P
P	9	818,690	1530	357		73	2:50P
N	10	819,410				70	11:35 A
A	11	820,450	1700	355		70	11:40 A
A	12	821,570	1600	357		72	11:35A
A	13	822,770	1650	357		73	1:25A
N	14	823,760	1600	355		71	11:55A
A	15	825,010	1570	358		74	3:10P
A	16	825,960		308		71	3:20P
P	11 17	826,600	1550	355		70	10:25 A
"	11 18	827,610	1550	357		72	11:20 "
A	" 19	828,610	1625	350		71	10:10 "
A	20	829,520	1800	345		70	1:00 P
A	21	830,530	1600	352		72	12:25 "
P	22	831,700	1650	355		72	
P	23	832,570				66	2:15 P
P	11 24	833,520	1600	356		72	8:30 A
P	11 25	835,380				72	3:15 P
A	26	836,500				71	3:40 "
A	27	837,780	1575	360		73	12:45P
P	28	838,120	1300	352		70	10:40 A
	29	839,230				68	3:15 P
	30	840,120				70	2:15 P
A	11 31	840,490				65	8:20 A
Sept	I	841,520				69	10:20 A
	2	842,570				72	8:35 "
A	3	843,110				70	11:00 "
	5	844,810	JAN 2/1600	345		70	5:30 P

Lower Well

Date	Prod	HPM	RD	AP	Time	
Sept 6	845640,000			70	2:20 P	01
7	846,530			70	2:55 P	
1	8	847400	1550 353	73	12:30 "	1
2	9	848240	1580 353	73	12:50 "	"
3	10	849070	1530 352	73	12:55 P	"
4	11	849760		70	1:30 P	"
5	12	850630		70	2:00 P	
6	13	851,520				
7	14	852570		72	2:35 P	700
8	15	853160	1650 354	73	12:10 P	
	16	853910		68	11:55 A	
	17	854860		72	11:15 A	
	18	855810		72	12:50 P	
	19	856760		69	12:35 P	
	20	857120		70	1:25 P	
	21	857890	1600 355	74	12:40 "	
	22	857920		74	11:55 A	"
	27	858280		69	12:35 P	"
	28	858650		70	11:30 A	"
	29	859040	800 390	67	11:40 A	"
	30	859430		69	11:25 A	"
Oct	1	859840		70	11:45 A	"
	2	860220		69	11:45 A	"
	3	860590		69	10:55 A	"
	4	860910		70	11:00 A	"
	5	861220		70	9:00 A	"
	6	861520		70	12:55 P	"
	7	861910		75	10:15 R	"
	8	861910		75	11:35 A	"
	9	862140	1800 339	73	11:30 A	"
	10	862500		70		"
	20	862900		67	9:45 "	"
	21	863190	JAN 31 1980	65	9:10 "	"
	22	864950	1450 345	70	11:50 "	"
	23	865810	1425 345	69	9:20 A	"
						28

Lower Well

	DATE	PROD	YPM	DD	DP	TIME
P	OCT 24	867,290,000	1530	350	74	11:35 A
P	25	867990			65	11:25 A
"	" 26	868990	1600	340	67	11:40 " 1
"	" 27	869940	1700	337	66	9:15 " 2
P	" 28	871010	1600	343	68	8:20 " 3
P	" 29	872250	1600	350	71	9:15 " 4
P	30	873280			66	11:05 A 5
	31	874110	1620	337	67	11:25 A 6
P	NOV 1	875010	1650	340	67	10:45 A 7
P	2	875960	1600	342	67	9:35 A 8
A	3	877230	1650	350	72	11:30 A 9
A	4	878190			70	10:15 A 10
P	5	878890			67	11:15 A 11
P	6	878900	1780	325	56	8:35 A 12
P	7	880720			66	11:20 A 13
"	8	881600	1600	340	68	11:15 A 14
A	" 9	882610	1600	344	69	10:45 " 15
P	" 10	883480	1625	346	68	8:35 " 16
A	" 11	884920			70	2:20 " 17
A	" 12	885580			68	11:25 " 18
A	" 13	886480	1750	356	69	12:40 P 19
A	" 14	887450	1600	355	70	12:15 " 20
A	" 15	888300	1650	355	70	11:35 A 21
A	" 16	889290	1400	347	72	1:15 P 22
A	17	890370			73	11:20 A 23
A	18	891010			68	12:15 P 24
P	19	892030	1700	355	70	3:15 P 25
A	" 20	892920	1650	355	70	1:45 P 26
A	" 21	893870	1700	355	70	11:25 A 27
A	" 22	894830	1600	355	74	1:55 " 28
	23	895530			68	10:35 " 29
"	24	896130			64	9:30 " 30
"	25	896620			70	9:40 " 31
"	26	897130	JAN 31 1900/600	343	74	9:45 " 32
A	27	897170			66	9:00 " 33
	28	897740			67	11:40 A

Gowen Well

63-09029

	Date	Prod	GPM	DD	MP	Time	
	Nov 29	898,280,000			68	11:15 A	1982
	30	898760			69	11:30 A	70
1	Dec 1	899260			70	8:40 A	
2	2	899810			72	11:25 A	
3	3	900200	1600	360	72	11:15 A	
4	4	900460	1700	325	68	11:20 "	
5	" 5	901040			68	11:00 "	
6	" 6	901590			69	11:10 "	
7	7	902090			70	11:20 "	
8	8	902570			70	11:20 "	
9	9	903010	1600	360	72	11:20 "	
10	10	903210			75	8:30 "	
11	11	903800			69	11:15 "	
12	13	904880			70	10:45 "	
13	14	905270	1600	360	73	11:35 "	
14	15	905500			67	11:25 "	
15	16	906110			68	11:10 "	
16	17	906680 ✓			70	11:30 "	
17	18	907200			70	11:30 "	
8	19	907680			70	10:40 "	
9	20	908170			70	10:45 "	
0	21	908500	1600	360	71	11:00 "	
11	22	908500			67	11:00 "	
2	23	909390			70	11:45 "	
3	24	909950			70	10:35 "	
4	25	910430			73	7:20 A	
5	26	910540		330	68	11:40 "	
5	27	911030			68	11:10 "	
7	28	911570			70	12:35 P	
8	29	912050			70	11:00 A	
9	30	912620			72	11:35 P	
9	31	912730	1600	333	68	10:50 "	
1982							
JAN	1	913230			67	11:25 "	
	2	913790			68	11:00 "	

JAN 8 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 20, 1995

ED SQUIRES
UNITED WATER IDAHO
PO BOX 7488
BOISE ID 83707-1488

RE: Water Rights 63-08992 and 63-09029

Dear Ed:

A few weeks ago you stopped by to discuss the additional information needed before IDWR can issue licenses for the diversions from your Oregon Trail (63-08992) and Gowen (63-09029) wells. I am writing to remind you of the information I need and to request that you send it as soon as possible.

For the Oregon Trail well, I need records of the annual volume pumped prior to Nov. 5, 1979, the date proof of beneficial use was received. I know that providing the information may be complicated by the fact that the system did not go on line for Boise Water Corp. until March 15, 1979, which means that United Water may not possess records for a full year of diversions prior to 11/5/79. If an entire year of data prior to 11/5/79 is not available, records for 3/15/79 to 3/15/80 may be acceptable.

For the Gowen well, I need records of the annual volume pumped prior to Oct. 6, 1982, the date proof of beneficial use was received. Records for the period from 1/1/81 to 12/31/81 may be most appropriate. An earlier recommendation of 744.6 AF for this right comes from 1985 data submitted by Dan Brown. The 1985 data may not reflect development that occurred prior to proof of beneficial use being received.

This information is necessary to license rights 63-08992 and 63-09029 appropriately. Please forward it to me within fourteen (14) days. If you have any questions, please contact me at 208-327-7946 in Boise.

Sincerely,

Shelley Walter Keen
Water Rights Supervisor

RECEIVED
OCT 31 1995

M E M O R A N D U M

DATE: September 13, 1995

TO: File 63-09029

FROM: Shelley W. Keen *SWK*

RE: Request for information from United Water Idaho

=====

A couple of weeks ago Ed Squires of United Water Idaho stopped by to discuss this permit. I explained to him that before the right can be licensed I need records of the annual volume pumped prior to Oct. 6, 1982, the date proof of beneficial use was received. I suggested that records for 1/1/81 to 12/31/81 may be most appropriate. Ed said he would try to supply the information to me.

The 744.6 AF volume recommendation for this right comes from 1985 data submitted by Dan Brown. The 1985 data may not reflect development that occurred prior to proof of beneficial use being received.

I also noted that the 1980 records Ed gave me earlier suggest a diversion rate of 1800 gpm (4.0 cfs) which was the permitted rate.

JAN 31 1996

Gowen Well

Gowen Well

Date Prod		GPM	DD	FT.	DP	Time	Date	Prod	RES-P	PO	TIME
Aug 24	553570.000	1600	380		67	2:30P	007 H	604180.000	68	66	1240 P
25	554750	1800	385		70	9:30 A	" 5	604700	66	68	105 "
1	557500	1800	385		75	11:15 A	" 06	605300		64	10:25 A
2	559510	1800	385		70	11:30 A	" 07	606640		66	10:00 "
3	561530	1800	385		70	11:15 "	" 8	607790	60F	62	11:30 "
4	563660	1800	385		70	11:40 "	" 09	609090		63	11:30 "
5	565730				65	2:15P	" 10	610220		66	8:30 "
6	567030	1800	380		65	1:30P	" "	611420	68	68	1240 P
7	568260	1800	385		73	11:30A	" 12	617900		69	1235 "
8	569980	1800	385		70	11:40 A	" 13	612000	66	66	10:15 A
9	572500	1800	385		72	11:40 A	" 14	612730	66	66	10:00 "
10	574270	1800	385		64	12:15P	" 15	613340	66	66	10:55 "
11	575640				64	9:00A	" 16	613860	68	68	10:30 "
12	577160				72	2:05P	" 17	614390		70	10:55 "
13	577930				67	1:25P	" 21	615010		64	10:40 "
14	578710	1750	380		66	12:15P	" 22	615630		70	10:55 "
15	579660				64	10:50 A	" 27	616630		70	9:45 "
16	580440				66	11:30A	" 28	616870		70	9:45 "
17	581240				66	11:40A	" 30	617440		68	8:40 "
18	582080				66	11:10A	1100 1	617980		68	11:55 A
19	583010				64	3:00P	" 3	618720		70	10:40 "
20	583610				70	8:35 A	" 5	619240		69	11:00 "
21	584580				65	10:45 "	" 7	619540		65	10:15 "
22	585600				65	11:00 "	" 10	620410		70	10:10 A
23	586480				60	1440 "	" 11	620530		68	7:50 "
24	587220				70	12:05 P	" 13	621220		65	11:15 "
25	587910				64	10:33 A	" 14	621890		66	11:15 "
26	589120	1650	365		65	10:10 "	" 15	622560		68	9:35 "
27	592274				64	10:30 "	" 16	623220		67	9:30 "
28	594480				68	12:35 P	" 17	623890		66	10:35 "
29	596950				68	11:50 A	" 18	624580		66	11:25 "
30	597850	1600	375		67	10:45 "	" 19	625250		66	11:25 "
31	599240				63	9:35 "	" 21	625760		71	11:35 "
32	600600				63	10:40 "	" 22	626010		68	9:10 "
33	601800				65	1445 "	" 23	626740		65	9:05 "
3	603360	1625	375		65	3:10 "					

JAN 31 1996

GOWEN WELL

Date	Prod	Time	FEET ON DO		GPM	DO	FEET	MV	TIME
			RES	DO					
May 29/90	START - PUMP TO RES.	1800	370				48		120 P
	000.000	1700	350				63	67	8:50 A
1	30 000.128	1700	340	62					
2	30 000.497	1600	335	69				66	12:20 P
3	30 000.800	1560	337	75				64	10:50 A
4	May 1 001.296	1550	334	80				66	11:00 A
5	17 002.610			67				60	8:30 11
6	19 002.620	1760	324	66				64	7:35 "
7	20 003.110	1620	324	74					
8	June 12 003.540			66					
9	13 004.000			73					
10	17 004.560	1700	324	65					
11	18 006.000	1600		73					
12	19 006.000	1600	333	66				67	11:00 "
13	20 73.00			63				64	11:00 "
14	21 007.230			68				73	3:00
15	22 008.920			79				66	3:00
16	24 009.280			67				60	12:40 P
17	25 009.910			67				70	10:30 A
18	26 010.420			65				66	8:30 "
19	27 011.500			65					
20	28 012.200			72				65	12:50 P
21	29 012.610			72				62	1:45 A
22	July 01 013.290			68				65	9:15 "
23	3 013.910	7-4-80		71				70	11:30 "
24	6 014.090			72				75	12:15 P
25	7 014.370			76				75	8:30 A
26	8 014.600	1600	-20	71				72	12:00 P
27	9 015.120			70				60	11:45
28	11 015.130	1600		72				71	10:10 "
29	12 015.590			68				71	9:55 "
30	13 015.910			68				78	11:15 A
31	14 016.240			60				66	9:45 A
32	16 016.740			64				75	11:45 "
33	17 017.190			66					8:40 "
	18 017.920			70					11:59
									12:30 P

JAN 81 1998

(changed field)

Gowen Well

	Date	Read.	SPM.	22	PP	DP	Time	D.
	Nov. 24	627450000				64	11:20 A	
1	" 26	628910				67	11:35 "	
2	" 27	629590				68	9:00 "	
3	" 28	630220				68	9:00 "	Ja.
4	" 29	630820				69	8:35 "	
5	" 30	631440				70	8:55 "	
6	Dec. 1	632060				66	11:40 "	
7	" 2	632720				66	11:05 "	
8	" 3	633340				67	11:00 "	
9	" 4	634000				66	11:45 "	
10	" 5	634590				66		
11	" 6	635210				67	11:25 "	
12	" 7	635840				67	9:00 "	
13	" 8	636470				68	11:35 "	
14	" 9	637070				68	11:15 "	
15	" 10	637720				67	11:40 "	
16	" 11	638380				67	11:00 "	
17	" 12	639000				66	12:40 P	
18	" 13	639620				68	8:35 A	
19	" 14	640230				67	10:35 A	
20	" 15	640870				67	11:15 "	
21	" 16	641520				66	10:40 "	
22	" 17	642200				66	11:30 "	
23	" 18	642890				65	10:45 "	
24	" 19	643570				65	11:05 "	
25	" 20	644230				66	9:50 "	
26	" 21	644910				66	8:45 "	
27	" 22	645590				66	11:45 "	
28	" 23	646300				66	12:05 P	
29	" 24	646990				66	10:10 A	
30	" 25	647590				69	11:40 "	
31	" 26	647590				66	12:30 P	
32	" 27	647690	1600	393	75	66	12:10 "	
33	" 28	648170				68	10:30 A	

JAN 31 1936



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 7, 1995

BOISE WATER CORP.
8248 W VICTORY RD
BOISE ID 83709

RE: WATER RIGHT NO. 63-09029

Dear Water Right Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, I have not received the amendment. If I do not receive it within fourteen (14) days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

If you have any questions, please contact me. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED
JAN 11 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 15, 1995

BOISE WATER CORP.
8248 W VICTORY RD
BOISE ID 83709

RE: WATER RIGHT NO. 63-09029

Dear Water Right Holders:

The above referenced water right is in the process of being licensed. However, before a license can be issued your permit must be amended to correspond with the actual use of water found by a representative of our department at the time of the field examination. The enclosed Application for Amendment contains this information. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur or have any questions regarding this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

SHELLEY WALTER KEEN
Water Rights Supervisor

STK:r

Enclosure

JAN 31 1996

WR0749NP
No. L63-09029

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 10/07/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	BOISE WATER CORP. 8248 W VICTORY RD BOISE ID 83709 (208) 362-1300	09/09/1977	MUNICIPAL	01-01 12-31	3.12 CFS	744.60 AFA
TOTAL DIVERSION:					3.12 CFS	744.60 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 3.12 CFS

Point(s) of Diversion: T02N R02E S01 Lot 03(NENW)

ADA County

Pou County:

Remarks: Place of use is located within the city limits of Boise and
the surrounding service area.
Point of diversion known as the Gowen Well.

Dates:	App. Received:	09/09/1977	Priority Date:	09/09/1977
	Proof Due Date:	12/01/1982	Proof Made Date:	10/12/1982
	Exam Made Date:	07/19/1985	Exam Sent to S.O.:	09/22/1994
	Licensed Date:			

Misc: Water District Number: Field Exam Fee:

Audit: 10/07/94 BCHAPMAN

AJ5809NP
No. A63-09029

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 10/07/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	BOISE WATER CORP. P.O. BOX 7488 BOISE ID 83707 (208) 362-1300	09/09/1977	MUNICIPAL	01-01 12-31	4.00 CFS	
TOTAL DIVERSION:					4.00 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion:

T02N R02E S01

NENW

ADA County

Place of use Legal Description for: MUNICIPAL

				NE				NW				SW				SE			
				NENE				NENE				NENE				NENE			
T	R	S		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac
02N	01E	1	:	M															
02N	02E	1	:	M		M		M						M		M		M	
02N	02E	2	:							M		M		M		M			
03N	01E	2	:	M		M		M		M		M		M		M		M	
03N	01E	3	:	M		M		M		M		M		M		M		M	
03N	01E	10	:	M		M		M		M		M		M		M		M	
03N	01E	11	:							M		M		M		M		M	
03N	01E	13	:									M		M					
03N	01E	14	:			M		M		M		M		M		M		M	
03N	01E	24	:	M		M		M		M		M		M		M		M	
03N	01E	25	:	M		M		M		M		M				M		M	
03N	01E	35	:	M		M		M								M		M	
03N	01E	36	:	M		M		M		M		M		M		M		M	
03N	02E	2	:	M															
03N	02E	5	:	M		M													
03N	02E	12	:	M		M				M		M				M		M	
03N	02E	13	:					M				M		M		M		M	
03N	02E	19	:							M		M		M		M		M	
03N	02E	20	:											M					
03N	02E	24	:															M	
03N	02E	25	:	M												M			
03N	02E	26	:									M		M		M		M	
03N	02E	27	:													M			
03N	02E	29	:									M		M					
03N	02E	30	:	M		M		M		M		M		M		M		M	
03N	02E	31	:	M		M		M		M		M		M		M		M	
03N	02E	32	:					M				M		M				M	
03N	02E	33	:											M		M			
03N	02E	35	:	M		M		M		M						M			
03N	02E	36	:	M		M		M		M		M		M		M		M	
03N	03E	7	:					M		M		M		M					
03N	03E	19	:											M					
03N	03E	30	:					M		M		M		M		M		M	
03N	03E	31	:	M		M		M		M		M		M		M		M	
03N	03E	32	:	M		M		M		M		M		M		M		M	

- CLAIM -

AJ5809NP
No. A63-09029

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 10/07/94
PAGE: 2

Place of use Legal Description for: MUNICIPAL

			NE								NW								SW								SE							
			NENE		NWNE		SWNE		SENE		NENW		NWNW		SWNW		SESW		NESW		NWSW		SWSW		SESW		NESE		NWSE		SWSE		SESE	
T	R	S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac		
04N	01E	25			M		M				M		M		M		M		M		M		M		M				M		M			
04N	01E	26		M		M		M		M		M		M		M		M									M				M			
04N	01E	27																					M		M						M			
04N	01E	33																											M		M			
04N	01E	34					M				M		M		M		M		M		M		M		M		M		M		M			
04N	02E	19		M		M			M		M				M		M																	
04N	02E	20		M		M		M		M		M		M		M		M									M		M		M			
04N	02E	26		M		M		M		M		M		M		M		M		M			M				M		M		M			
04N	02E	27		M		M		M		M		M		M		M		M		M		M			M		M		M		M			
04N	02E	28		M				M											M							M		M		M		M		
04N	02E	29		M		M																		M										
04N	02E	30					M				M				M				M									M						
04N	02E	32																											M		M			
04N	02E	33		M																														
04N	02E	34									M		M		M		M																	
04N	02E	35		M		M		M		M									M															

POU County: ADA

Other Rights: 63-07204 (LICENSED) PRIORITY DATE: MARCH 13, 1969

Other Water Rights Listing Overlapping Place(s) of use:

A63-00120G	A63-00121	A63-00123C	A63-00124Q	A63-00125J	A63-00126F	A63-00147	A63-00148	A63-00148A	A63-00150
A63-00161BN	A63-00161V	A63-00164E	A63-00165M	A63-00198AG	A63-00230	A63-00230F	A63-00231	A63-00243B	A63-00248
A63-00249	A63-00278	A63-00279	A63-00279A	A63-00297	A63-02106	A63-02360	A63-02387A	A63-02387B	A63-02406
A63-02435A	A63-02572	A63-02666	A63-02932	A63-02959	A63-03060	A63-03108	A63-03197	A63-03254	A63-03287
A63-03418	A63-03568	A63-03579	A63-03657	A63-04020	A63-04112	A63-04116	A63-04490	A63-04511	A63-04841
A63-04874	A63-04923	A63-04994	A63-05254	A63-05370	A63-07028	A63-07174	A63-07191	A63-07221	A63-07447
A63-07674A	A63-07674B	A63-07875	A63-08006	A63-08096	A63-08142	A63-08186	A63-09111	A63-09120	A63-09126
A63-09248	A63-09289	A63-09322	A63-09326	A63-09335	A63-09661	A63-09697	A63-09718	A63-09891	A63-10008
A63-10014	A63-10141	A63-10171	A63-10241	A63-10314	A63-10326	A63-10327	A63-15317	A63-15340	A63-15659
A63-16030	A63-16378	A63-16513	A63-16668	A63-16767	A63-17093	A63-17243	A63-17246	A63-17271	A63-17570
A63-17574	A63-17657	A63-17781	A63-18067	A63-18418	A63-18443	A63-18904	A63-19013	A63-19084	A63-20040
A63-20041	A63-21729	A63-21730	A63-22164	A63-25731	A63-25741	A63-25743	R63-00148	R63-00230	

Remarks: P/U WITHIN CITY LIMITS OF BOISE AND ADJACENT TERRITORY.
CERTIFICATED AREA AS APPROVED BY THE IDAHO PUBLIC UTILITY
COMMISSION. ORDER #20942 SIXTEENTH AMENDED CERTIFICATE #143.

Dates: Exam Made Date: Verified Date: 05/20/1985

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

Audit: 10/25/89 HOLT

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-09029 DATE 10-7-94



NAME ☒ Yes ☐ No Or Address Change? Check

PRIORITY DATE ☐ ☒ Advance? ☐ Advanced to:
Order to reinstate needed?
Incorrect fee for rate recommended? N/A

SOURCE ☐ ☒ Changes or just clarification of originally intended source?
Notice of Intent to Void necessary?

POINT OF DIV ☐ ☒ Amendment needed? Add Gov Lot #3
☐ ☒ Overlaps?

PLACE OF USE ☐ N/A Amendment needed?
☐ N/A Overlaps? Municipal - N/A

DIV RATE ☐ ☒ Permit/fee limits: 4 CFS
Meas Q = 3.12 Theo Q = Recommend: 3.12
(1400 gpm)
Combined rates exceed capacity

ANNUAL VOLUME
1985 RECORDS: ☒ Season of use: D/4.5 af per acre
Calculations: ① 1985 well production = 744.6 af
② 369 acres x 4.5 = 1660.5 af
242645 X 1000 = 242,645,000
÷ 325 850 = 744.6 af
Flow limit: ③ 3.12 cfs x 246 x 1.9835 = 1522.3 af
Combined volumes exceed capacity/allowable

USES ☒ ☐ Change in Nature of Use or additional uses? Change to municipal
Amendment necessary?

REMARKS ☒ ☒ Multiple p/d(s) in 1/4 1/4?
☒ ☐ Other Place of use is located...

CONDITIONS ☐ ☒ Measuring/Locking Devices
☐ ☒ Watermaster control - District
☐ ☒ Irrigation Overlap
☐ ☒ Water Quality
☐ ☒ Other Heat/Cool/ Fish verified

* COMMENTS: Reduce rate and limit volume. Normally volume would be limited by the acre or rate calculations; however, it was limited by the total annual 1985 production records.

RECOMMENDED	CFS	VOL	SRBA Claim Filed	<u>YES</u>
<u>Municipal</u>	<u>3.12</u>	<u>744.6</u>	Adjustment Memo Needed	<u>NO</u>
<u> </u>	<u> </u>	<u> </u>		
<u> </u>	<u> </u>	<u> </u>	LICENSE	
<u> </u>	<u> </u>	<u> </u>	1ST AMENDMENT LETTER	<u>P46</u>
<u> </u>	<u> </u>	<u> </u>	FINAL AMENDMENT LETTER	<u>P47</u>

Amend Nature of Use

A SUPPLEMENTAL REPORT FOR
THE 7-85 FIELD EXAM
(TO IDENTIFY THE AFA LIMITING
FACTOR)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-9029

1. Owner: BOISE WATER CORP

Phone No. 362-1300

Current Address: 8248 W VICTORY RD. BOISE ID 83709

2. Accompanied by: DAN BROWN

EXAM. DATE: 12-28-89

Address: _____

Phone No. 362-2618

Relationship to Permit Holder: ENGINEER

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached

2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

RECEIVED
DEC 31 1996

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

THE ORIGINAL PERMIT LISTS INDUSTRIAL/COMMERCIAL; IRRIGATION & FIRE PROTECTION AT 4.00CFS. THE ORIGINAL FIELD EXAM IDENTIFIED THE USE AS MUNICIPAL @ 3.12CFS AND NO. AFA. THIS REPORT IS TO IDENTIFY THE AFA REQUIRED SO THAT THE ORIGINAL PERMIT WILL NOT BE EXPANDED.

THE WELL WAS TIED INTO BOISE WATER CORP SERVICE SYSTEM AND THE PLACE OF USE WAS WITHIN THE BOISE WATER CORP. PRODUCTION RECORDS (SEE ATTACHMENT A) SUPPLIED

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

JAN 31 1996

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

YEARLY PRODUCTION (SEE ATTACHMENT A)

$$\frac{242,645,000 \text{ GAL/ANNUUM}}{325.851 \text{ GAL/AF}} = \underline{\underline{744.6 \text{ AFA}}}$$

RECEIVED
JAN 31 1996

H. REMARKS AND OVERLAP REVIEW ANALYSIS

BY DAN BROWN FOR 1985 IS THE BASIS FOR AFA DETERMINATION.

THIS WELL IS KNOWN AS GOWEN WELL IN ZONE 4.

Note: Normally water rights for municipal purposes are unlimited regarding volume diverted. This ^{RIGHT} is an exception because the permit was originally issued for other than municipal uses. We can consider an ^{processing} amendment to convert from industrial, commercial, irrigation and fire protection uses to municipal use, where the municipal use has the following condition of approval:

"Volume diverted under this municipal water right is limited to 744.6 AFA."

Such an amendment can be approved because the original permit contemplated a diversion far in excess of 744.6 AFA (the irrigation portion alone allowed for diversion) of $369 \text{ acres} \times 4.5 \frac{\text{AFA}}{\text{acre}} = 1660.5 \text{ AFA}$. DWR 1/10/1990

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
MUNICIPAL	1-1	12-31	3.12	744.6
Totals:			3.12 CFS	744.6 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☒ Other Change use to municipal with condition identified in Remarks above.

J. AUTHENTICATION

Field Examiner's Name

KELLY K. CHRISTENSEN

Signature

Kelly K. Christensen


Certification Date

Field Report Preparation Date

12-28-89

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



JAN 31 1996

ATTACHMENT: A.

BOISE WATER CORPORATION

1985 Production

(x 1000 Gal.)

ZONE 3	JAN.	FEB.	MARCH	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	TOTAL
COLE	0	0	0	1160	7140	26760	35620	27040	172	0	0	0	97892
COUNTRY CLUB	9720	9210	10070	12990	14600	19030	20550	19350	11128	8099	6420	9897	151064
HILLCREST	19370	18420	20180	25180	28080	37320	46170	37940	22874	16271	15147	18801	305753
HUMMEL	0	0	0	6760	15210	25490	25920	15840	753	159	0	0	90132
KIRKWOOD	970	1100	1460	7260	6090	8240	11830	10090	13864	13633	9164	2045	85746
OVERLAND #6	0	0	0	70	10210	9280	12020	10650	6012	0	0	0	48242

TOTAL	30060	28730	31710	53420	81330	126120	152110	120910	54803	38162	30731	30743	778829
-------	-------	-------	-------	-------	-------	--------	--------	--------	-------	-------	-------	-------	--------

ZONE 4	JAN.	FEB.	MARCH	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	TOTAL
AMITY	0	0	0	4510	25930	31590	34830	23220	1698	1134	0	0	122912
BYRD	0	0	0	0	0	0	0	0	0	0	0	0	0
COMMERCE	0	0	0	0	0	0	0	0	0	0	0	0	0
GOMEN	13470	14230	17640	18330	29850	30150	41420	31460	24483	10970	6232	4410	242645
JUNKER	0	0	0	0	2470	4820	7360	2260	1907	7207	4723	6734	37481
OREGON TRAILS	33920	29160	34710	33040	16130	29150	34660	33860	34035	32820	32229	31541	375255
SUNSET WEST	0	0	0	5760	4770	21370	28180	24980	3131	68	317	0	88576

TOTAL	47390	43390	52350	61640	79150	117080	144450	115780	65254	52199	43501	42685	866869
-------	-------	-------	-------	-------	-------	--------	--------	--------	-------	-------	-------	-------	--------

SYSTEM TOTAL	411,350	384,930	429,570	675,070	992,100	1,466,410	1,825,800	1,423,730	690,229	542,898	440,600	440,467	9723154
--------------	---------	---------	---------	---------	---------	-----------	-----------	-----------	---------	---------	---------	---------	---------

Submitted By: D. Brown
12/28/89

JAN 31 1996

INTER-DEPARTMENT MEMO

TO: BRENDA CHAPMANFROM: JAN THURTELL

RECEIVED

SEP 23 1994

SUBJECT: LICENSING OF
PERMIT NO. 63-09029DATE: 9-15-94

Department of Water Resources

Attached is a copy of Kelly's exam for the volume amount along with the original exam done in 1985. Ed Tzumi may be sending in additional info. regarding the ~~cpv~~ amount measured in 1985. He said that in ^(EXAM TIME) July the well may have been pumping less than it does in the winter due to lower water table (?). So, I told him to send you copies of their readings if it shows more water is pumped at other times. Thank,

☒ For your information☐ Response required

signature

JAN 31 1996

P.S. He requested the license because crop - might need to call him about print out.

CONTACT WITH PERMIT HOLDER

Department of Water Resources

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	11/1/82	jp	no appt. made
☐ Telephone call made: (List Telephone No. used)	7/18/85 362-1300	Jo	
☐ Appointment scheduled for: (Date, time, location)	7/19/85 8:00 A.M. at Boise Water Corp.		

EXAMINATION

Date 7/19/85

Accompanied by Harold Hansen
Jim Mooney

Total Q measured 3.12 cfs

If source is surface water, estimate total flow of source

Methods of measurement Spalling flow-meter

Meets Permit requirements?

Measurement calculations:
1400 GPM ÷ 448.8 = 3.12 cfs

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	300	GE	JH91304	BT PUMP	NO SERIAL #	SPALLING MEAL		

System Description 60 CYCLE MOTOR, 440' TO TOP OF BOWLS. 12" PIPELINE TO 16" T TO GOWEN FIELD & UP TO STORAGE TANK. GRAVITY FLOW TO HOMES & AREAS AROUND GOWEN. 3,000,000 GALLON

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS	USE	Irrigation requirement =	AFA/Acre
	Municipal	Q (cfs) 3.12 cfs	V (afa) N/A
			FROM TO
			1-1 12-31


Remarks 702' deep - Also known as Gowen Well.

Total

This well was drilled by Arteling for the uses intended, however, it was sold to BWC in 1979 & they now use it for municipal purposes. Therefore I recommend amending the permit to show municipal only.

JAN 31 1996

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

(LOT 3)
Point(s) of diversion: NE1/4, S. 1, T. 2N, R. 3E.

Place(s) of Use Within the city limits of Boise, ID

TWP.	RGE.	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

Recommended Amendments:
☒ Change P.D. as reflected above
☒ Change P.U. as reflected above
☐ Add P.D. as reflected above
☐ Add P.U. as reflected above
☐ None
☒ Other Nature of use

Examiner's Signature [Signature] Date 12/4/85
Checked by 6HS / DER 3/25/87 Date 3/19/86
Approved by _____ Date _____

White file = 12/27/87
JAN 31 1996

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9029.

Name(s) of Permit Holder: BOISE WATER CORPORATION

Post Office Address: P.O. BOX 7488

BOISE, IDAHO 83707

Tel. No. 362-1300

Source of Water: GROUNDWATER (GOWEN WELL)

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☒ Other MUNICIPAL

Measuring Device: Required? ☐ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6 OCT. 82

Date

Wayne H. Brice

Signature of Permit Holder

MEMORANDUM

TO: DAVE TUTHILL

FROM: JIM JOHNSON

RE: FIELD EXAM

DATE: December 7, 1989

Dave, attached is the field exam we talked about. If we could determine the extent of development and calculate the associated volume I believe we can issue the license. Thanks.

JAN 31 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

Re:

Dear

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☐ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138722

BOISE WATER CORPORATION
500 W. IDAHO
BOISE, ID 83701

SEPTEMBER 30, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-9029 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

September 24, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

June 11, 1979

Boise Water Corporation
500 West Idaho
Boise, ID 83707

Gentlemen:

Re: Permit No. 63-9029

This office acknowledges receipt of the assignment conveying the above referenced permit to you. The assignment has been entered into the Department's records.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:rf

MICROFILMED

James

BOISE WATER CORPORATION • P.O. BOX 7488 • BOISE, IDAHO 83707 • (208) 345-3100

June 1, 1979

RECEIVED

JUN 5 1979

Department of Water Resources

State of Idaho
Department of Water Resources
29 S. Cole Road
Boise, Idaho 83720

Attention: Mr. Lee Cisco

Gentlemen:

Enclosed please find the assignment of permit and a copy of the amended application for water permit.

This well and lot were recently purchased from Gowen Industrial Park, Inc. by Boise Water Corporation. We expect to equip this well later this year, and will submit a proof of beneficial use form upon completion of the project.

If you require any further information please contact me.

Sincerely yours,

BOISE WATER CORPORATION

James L. Mooney
James L. Mooney
Engineering Aide

JLM:lb
Enc.

RECEIVED

June 21, 1978

Re: Permit No. 63-9029

Terteling Operations Co., Ltd.
P. O. Box 1428
Boise, ID 83702

Gentlemen:

Enclosed is your receipt # 11664 in the amount of \$10.00 for the application for amendment submitted on June 19, 1978.

Sincerely,

RITA FLECK
Secretary

Enc.

RECEIVED
JUN 22 1978
FBI - BOISE

June 21, 1978

Re: Permit No. 63-9029

Gowen Industrial Park, Inc.
P. O. Box 4127
Boise, ID 83704

Gentlemen:

This office acknowledges receipt of the assignment conveying the above referenced permit to you. The assignment has been entered into the Department's records.

Enclosed please find a copy of the approved application for amendment in connection with the above referenced permit.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:rf

Enc.

STANDARD
RECORDS
SECTION

June 15, 1978

RECEIVED

JUN 19 1978

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

Department of Water Resources

Re: (1) Assignment of Permit 63-9029
(2) Amendment of Permit 63-9029

Gentlemen:

Please find attached a Request for Assignment of Permit 63-9029 from Terteling Operations Co. Ltd. to Gowen Industrial Park, Inc.

Also enclosed is a Request for an Amendment of Water Permit 63-9029 changing the point of diversion.

Your early, favorable action on these requests will certainly be appreciated.

Very truly yours,



T. H. Hood

THH:bf:H5

Enclosures

RECEIVED

January 3, 1978

Re: Permit No.'s 63-9029 & 63-9030

Terteling Operations Co. Ltd
P. O. Box 1428
Boise, ID

Dear Gentlemen:

Enclosed are copies of your approved applications for Permit No.'s 63-9029 & 63-9030. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

Melba Madson, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

Melisa Madarieta

Marady Eguen
Notary Public for Idaho, Res

Notary Public for Idaho, Residing at Boise, Idaho

OK
11-14-77
M



DEPARTMENT OF WATER RESOURCES

WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

October 21, 1977

Re: Notice of Claim to a Water Right No. 63-4565 -- F. Meyer
Notice of Correction for Application for Water Permit No. 63-9029 & 63-9030
Terteling Properties Co.

Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before November 14, 1977.

Sincerely,

RITA FLECK
Secretary

*Bill submitted
11-14-77
yf*

MICROFILMED

NOTICE OF CORRECTION

Notice is hereby given that notice of Application for Permit No. 63-9029 in the name of TERTELING OPERATIONS CO. of P. O. Box 1428, Boise, Idaho was advertised in error on September 29 and October 6, 1977.

The place of use was advertised as being within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, W $\frac{1}{2}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 1 T2N-R2E B.M., Ada County. WHEREAS, the actual place of use is within the W $\frac{1}{2}$, W $\frac{1}{2}$ E $\frac{1}{2}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 1 T2N-R2E.

Any protests against the approval of this application must be filed with the Director of the Idaho Department of Water Resources 92 S. Cole Road, Boise, Idaho 83705 on or before November 14, 1977.

C. STEPHEN ALLRED

Director

Published in the Idaho Statesman, Boise, Idaho on October 27, and November 3, 1977.

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83705

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

September 15, 1977

Terteling Operations & Properties
Box 1428
Boise, ID 83702

Dear Sir:

Enclosed is your Receipt No. 0096 in the amount of \$ 130.00
for 2 application for permits which was received in
this office on Sept. 4, 1977.

Sincerely,

RITA FLECK
Secretary

RF

Enclosure

RECEIVED
SEP 15 1977
BOISE, IDAHO

Melba Madarista, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

Mehar Madaria

Notary Public for Idaho, Resi

RECEIVED
OCT 7 1964
Department of Wildlife Management
Western Regional Office

WORLD



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

September 13, 1977

RE: Notice of Application for Permit No. 63-9030 -- Terteling Properties Co.
63-9029 -- Terteling Operations Co. Ltd.

The Idaho Statesman
Ex 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before October 17, 1977.

Sincerely,

RECEIVED
A FLECK
Secretary

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Terteling Operations Co. Ltd

Box 1428, Boise, ID

has on 9-12-77 submitted Application No. 63-9029

for a permit to appropriate 4.0 cubic feet per second ~~XXXXXX~~

~~per annum~~ of water from groundwater

by means of electric pump & pipeline

within the SE1/4 NW1/4 Sec 1 T2N R2E B.M. county of Ada

to be used from Jan 1 to Dec 31 for industrial and commercial purposes &

for from April 1 to Nov 1 for irrigation purposes & from Jan 1 to Dec 31

for fire protection purposes ^{of} (irrigation 369 acres)

within the SE1/4 NW1/4, SE1/4 NW1/4, SE1/4 SE1/4 Sec 1 T2N R2E

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before October 17, 1977.

C. STEPHEN ALLRED

Director

Published in the Statesman

on September 29, 1977 and September October 6, 1977.

FILED