


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wayne Bone
(Applicant)
General Manager

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Melise Madarieta

lws

Melise Madareta

Subscribed and sworn to before me this 11th

Norady Eguen
Notary Public for Idaho

Notice is hereby given that BOISE WATER CORPORATION, 500 Idaho Street, Boise, Idaho, has on July 19, 1977, submitted Application No. 63-8990 for a permit to appropriate 4.0 cubic feet per second of water from a groundwater source by means of well, well turbine and motor within the NE 1/4 Sec 24 T3N-R1E B.M., Ada County, to be used from Jan. 1 to Dec. 1, for a Municipal purpose within the City of Boise, Idaho.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before August 22, 1977.

C. STEPHEN ALLRED
Director
Pub. Aug. 4, 11, 1977

8207

8-19-77

1. 1990年12月15日，在江蘇省江浦縣縣城內，發現一具被焚屍體。經檢驗，死者為一名年約30歲的男性，死因不明。




Diagram of System

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 63-8990 Priority July 19, 1977 Amount 4.0 cfs

THIS IS TO CERTIFY, that BOISE WATER CORPORATION
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 63-8990 issued pursuant to Application for Permit dated July 19, 1977,
and has submitted proof to the Department of Water Resources on August 6, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 4.46 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Municipal	from January 1 to December 31	at 4.0 cfs and	N/A
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 4.0 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
N/A acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 24, Twp. 3N,
Rge. 1E, B.M. in the County of Ada

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	


PLACE OF USE WITHIN BOISE WATER CORPORATION SERVICE AREA

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 19 day of
January, 19 81.


Director

RECEIVED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-8990

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No. _____

Application No. 63-8990

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Boise Water Corporation
post office address 500 Idaho St., P.O. Box 7488, Boise, Idaho 83707
2. Source of water supply ground water which is a tributary of ---
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 24 Township 3N
Range 1 E B.M. Ada County; additional points of diversion if any: N.A.
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 4.0 for Municipal purpose from Jan. 1 to Dec. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 4.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. An 18" drilled and 16" cased deep well approximately 700' deep. Pumped by a deep well turbine driven by an electric motor. Discharge will be connected directly to applicant's distribution system.
b. Height of storage dam N.A. feet, active reservoir capacity N.A. acre feet; total reservoir capacity N.A. acre feet, materials used in storage dam: N.A.
Period of year during which storage will occur N.A. to N.A. inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 18" inches; proposed depth of well is 700 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years.
b. Estimated construction cost is \$ 128,000.
8. Description of proposed uses:
a. If water is **not** for irrigation: SEE REMARKS
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: None hp under N.A. feet of head.
(3) List number of each kind of livestock to be watered N.A.
- (4) Name of municipality to be served Boise, Idaho, or number of families to be supplied with domestic water ---.
- (5) If water is to be used for other purposes describe: N.A.

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes_____

9. a. Who owns the property at the point of diversion Boise Water Corporation


b. Who owns the land to be irrigated or place of use N.A.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing_____

10. Remarks Water will be used to augment Boise Water Corporation's existing system and provide service to an expanding system.

Company Name for well to be South Cole Well

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wayne R. Rame
(Applicant)
General Manager

7-19-1977

Received by Le Date 7/19/77 Time 9:30
Preliminary check by WMM Fee \$ 55.00
Receipted by W Date 7-22-77 # 8162
Publication prepared by CS Date July 28 1977
Published in The Idaho Statesman
Publication dates August 4, 1977 & August 11, 1977
Publication approved W Date 8-19-77
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by WMM


ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8990, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 79.
 - c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.
2. Denial of said application is for the following reasons: _____

Witness my hand this 22 day of _____ September 19 77.



deputy director

Two insertions, beginning with the issue of August 4, 1977, and ending with the issue of August 11, 1977.

Subscribed and sworn to before me this 11th
day of August, 1977.

Notary Public for Idaho, Residing at Boise, Idaho

OK
8-19-17

100



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 21, 1981

Boise Water Corp.
500 Idaho St.
P.O. Box 7488
Boise, Idaho 83707

Dear Sirs,

RE: License No. 63-8990

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

A handwritten signature in cursive script, appearing to read "Jim Johnson".

JIM JOHNSON
Water Distribution Supervisor

JJ:mr

Enclosure

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder (s) has completed development to the extent shown below of Permit No. 63-8990.

Name(s) of Permit Holder: Boise Water Corporation

Post Office Address: P.O. Box 7488, Boise, Idaho 83707

Source of Water: ground water South Cole Road W

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☒ Other Municipal

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No
 Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No



The above information is a true statement of the extent to which the above numbered permit has been developed.

2/3/79
 Date

Wayne H. Brown
 Signature of Permit Holder

MICROFILMED

BOISE WATER CORP
P. O. BOX 7133
BOISE, IDAHO



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MAY 2000 5 PM

3. Water will be used for the following purposes:

Other uses: _____

4. Total amount to be appropriated:

Max Rate of Diversion 4.0 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 3 N/S, Range 1 E/W, B.M., Section 24, Subdivision NE $\frac{1}{4}$ SE $\frac{1}{4}$, ADA County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____ County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____ County

Other Points of Diversions: _____

Description of diverting works: Pump well mainline

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

[illegible]

TOTAL ACREAGE _____

Permit No. 63-8990
Examination for 10/16 @ 11:00

10. 1981. 10. 10.




Diagram of System

DATE OF EXAM 19 Aug 1980

ACREAGE
Found N.A.
Recommended N.A.

Irrigation Requirement N.A. Ac Ft/Ac

USE
Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Municipal Q= 4.00 cfs 2/1 12/31

Is water co-mingled? yes _____ no X

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no X

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 4.46 (Capacity) Method of measurement Tubing Flow meter

Total Q recommended 4.0 Meter No. 109561 Type SPARLING Condition Good

Total V recommended _____

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None X

MEASUREMENT CALCULATION:

From Flow meter Records 2000 Gpm MAX = 4.46 cfs
Allow 4.0 per permit

SYSTEM DESCRIPTION:

MOTOR G.E. 200 hp # ENJ525715
LAYNE PUMP T78001
Boiler AT 202

REMARKS:

Recommend beneficial use for municipal purposes

Examiner's Signature Carl E. Mann Date 19 Aug 1980

Checked by DBS Date 8/26/80

Approved by Robyn Date 11/25/80



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

101154

July 31, 1979

Boise Water Corporation
500 Idaho Street, P. O. Box 7488
Boise, ID 83707

Gentlemen:

One of the conditions of approval of your water Permit No. 63-8990 was that evidence of the extent of development must be submitted to this office on or before October 1, 1979. (See last page of your approved permit). Enclosed is a post card which may be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use post card or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect within 60 days.

Sincerely,

RITA FLECK
Sr. Secretary

Enc: 1

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

July 30, 1979

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

Northern Region Office
Rt. #5, Box 203 Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Street
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Blvd. North
Twin Falls, Idaho 83301

Western Region Office
92 S. Cole Road
Boise, Idaho 83705

MICROFILMED

October 4, 1977

Re: Permit No. 63-8990

Boise Water Corporation
500 Idaho Street
P.O. Box 7488
Boise, ID 83707

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 63-8990. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure





State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

September 10, 1979

Boise Water Corporation
P. O. Box 7488
Boise, ID 83707

RE: Permit No. 63-8990

Dear Sirs:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☒ A field examination of your system has been scheduled for

Tuesday, October 16th at 11:00 am.

If this time and date is not convenient for you, please contact this office as soon as possible.

☐ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

[Faint handwritten note or signature]




STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

Division of Environment
801 Reserve Street
Boise, Idaho 83702

August 30, 1977



MEMORANDUM

Department of Water Resources
Western Regional Office

TO: Department of Water Resources, Western Region

FROM: Frank Keller

SUBJECT: Boise Water Corporation Application No. 63-8990

We have reviewed the application for permit for the new well to be called the South Cole Well. Our only comment is that this department will have to review and approve the design for the well prior to its construction.

Frank Keller

FK/4b

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 103-

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

Pre-permit exam
Adjudication Claim
Dam Construction
Papers Sent

In form to receipt

Send Copies to:

☒ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

In form for advertising

Platted on Map No. _____

Located within Water District No. _____

Critical groundwater area: yes _____ no ☒

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

Other rights on the same place of use

Comments: _____

Affidavit of Publication received(date) 8-19-77

Final date for protests 8-22-77

Protests received: yes _____ no ☒

All requested information received from agencies or applicant: yes _____ no _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W By THA Date 8-22-77

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that BOISE WATER CORPORATION
500 Idaho Street, Boise, Idaho
has on July 19, 1977 submitted Application No. 63-8990
for a permit to appropriate 4.0 cubic feet per second ~~acres feet~~
~~XXXXXXXXXX~~ of water from a groundwater source
by means of well, well turbine and motor
within the NELSE Sec 24 T3N-R1E B.M., Ada County

to be used from Jan 1 to Dec 1
for a Municipal purpose
within the City of Boise, Idaho

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before August 22, 1977.

C. STEPHEN ALLRED

Director

Published in the The Idaho Statesmen, XXXXX Boise, Idaho
on August 4, 1977 and August 11, 1977.



DEPARTMENT OF WATER RESOURCES

WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

July 29, 1977

RE: SEE ATTACHED SHEET

63-8990

The Idaho Statesman
Box 40
Boise, Idaho 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before August 22, 1977.

Sincerely,

RITA FLECK
Secretary

MICROFILMED

Bill Submitted
8-19-77
y

PUBLISHED IN THE IDAHO STATESMAN, BOISE, IDAHO on August 4, 1977 and August 11, 1977

CLAIM TO A WATER RIGHT

63-4540 Kenton L. &/or Meredith Brandel

63-4541 Alex &/or Caroline Brown

APPLICATION FOR WATER PERMIT

63-8990 Boise Water Corporation

63-8991 Alex &/or Caroline Brown

63-8992 Dennis M. Baker

63-8993 Charles H. Howarth, M.D.

63-8994 Larry G. &/or Linda M. Blanchard

RECORDED

August 24, 1977

Re: Application for Permit No. 63-8990
(Boise Water Corporation)

Department of Health & Welfare
Statehouse
Boise, ID

Gentlemen:

Enclosed is a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter.

If you have questions regarding the application, please contact this office.

Sincerely,

L. GLEN SAXTON, P.E.
Western Regional Supervisor

LGS:rf

Enc.





State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83705

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

August 5, 1977

Boise Water Corporation
509 Idaho Street
Boise, ID 83707

Gentlemen:

Enclosed is your Receipt No. 8162 in the amount of \$ 55.00
for Application for permit No. 63-3990 which was received in
this office on July 22, 1977.

Sincerely,

RITA FLECK
Secretary

RF

Enclosure