




Map showing the proposed location of Danskin Subdivision well in T2N, R1W, Section 11 NW ¼, NW ¼, NW ¼ (Scale: 2 in. = 1 mile).

Well will initially serve this subd. but will then integrate into main system. from Roger D. the -jc 11/24/99

MICROFILMED JUN 22 2000

63-12552

**APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS**

Reviewed by Sharla Curtis on 3/8/00

No. 63-12552 Name: UWID Corp. Officers _____ Ad ok ☒ Govt Lots _____

AREA OF CONCERN: No/Yes TRGW Moratorium _____ GWMA _____ TRUST/NON-TRUST

study area

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 046(P23)
Basin 34 - 085
Irr. w/in WD - P05
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067

WMD

Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121
42-248 Area - P84 (20s-70s, 81-86)
Swan Falls Flag -
Trust - 051(P74) (consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18A-01H(P01), 01P-18B(P09)-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/USFS)
MINING - 054-081(P10)
FISH PROP - 029(70'S only)-007-042-081(P10)
HEAT/COOL - R07(injection well)
FIRE PROT. - 077

BENEFICIAL USE DUE: 3 / 01 / 2005

MISC CONDITIONS/REMARKS:

-Protested - 020-W19
Development Period
≤ 1 yr - P16
> 1 yr - 26A(P17)
Ownership - 004
Non-consumptive - 027
Water Quality - 081-R07

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response _____
In/Above MSF - WB9
PLANNING SECTION REVIEW/RESPONSE _____
In-stream development - P52
WD - R04 (WD# _____)
≤ 0.20 cfs/others - 01H(P01), 01P or No MD
> 0.20 cfs - 01J(P08)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W22(P04), N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - 047(P04) (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

POWER - 17H-17K (+uses)-08A-025(P18)-01N-081(P10)
MUNICIPAL
Restricted area - 022,075
Irr., GW supp to SW - 102
DOMESTIC
Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
>1 in restricted area - 070-071-075(no parks/common areas, etc)
Irr use listed separate - WB5
Moratorium approvable - W03 (2500 gpd - meets domestic definition
i.e. D/convenience store)

Multiple pd's per ¼¼ - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - S/50 range
Pre-1987 development - 068-074 (allow 120 days for proof due)
Single p/d intended - 076

IRRIGATION SEASON _____ - _____ (Per updated map)

OTHER CONDITIONS/REMARKS 2 special cond. in Harry's memo of 2/29/00

COMMENTS Water bearing zone

2-15-00

Steve, this is as much as UWID has at this point with respect to projected build-out of Danskin Ridge Estates and Saddle Ridge subdivisions.


- Roger Dittus

MICROFILMED
JUN 22 2000

BLACK KAT RD.


SADDLE RIDGE
Phase 1

TENMILE RD.



DANSKIN ESTATES
Phase 1

Scale: 1" = 1000'



Steve, this is as much as UWID has at this point with respect to projected build-out of Danskin Ridge Estates and Saddle Ridge subdivisions.

- Roger Dittus

2-15-00

MICROFILMED
JUN 22 2000

State of Idaho
Department of Water Resources
Amendment of Permit

NO. 63-12552

Priority: November 18, 1999

Maximum Diversion Rate: 3.00 CFS

This is to certify, that UNITED WATER IDAHO
8248 W VICTORY RD
PO BOX 7488
BOISE ID 837071488

has applied for an amendment of a permit and the amendment is APPROVED for development of water as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
MUNICIPAL	1/01 to 12/31	3.00 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	NW $\frac{1}{4}$ NW $\frac{1}{4}$	Sec. 11, Twp 02N, Rge 01W, B.M.	ADA County
GROUND WATER	NW $\frac{1}{4}$ NW $\frac{1}{4}$	Sec. 11, Twp 02N, Rge 01W, B.M.	ADA County

PLACE(S) OF USE: See Remarks

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before March 1, 2005.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.
5. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
6. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
7. The right holder shall not provide water diverted under this right for the irrigation of land having appurtenant surface water rights as a primary source of irrigation water except when the surface water rights are not available for use. This condition applies to all land with appurtenant surface water rights, including land converted from irrigated agricultural use to other land uses but still requiring water to irrigate lawns and landscaping.
8. The place of use is located near Kuna within the non-contiguous service area of United Water Idaho. Initial development under this right will be for the Danskin Estates and Saddle Ride Subdivisions.
9. Water bearing zone to be appropriated is 325 to 380 feet.

This amendment of permit is issued pursuant to the provisions of Section 42-211, Idaho Code. Witness

the signature of the Director, affixed at Boise, this

20 01

MICROFILMED

DEC 12 2001

5th day of December

Karl J. Dreher

for

KARL J DREHER, Director

MAR 12 2001

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR AMENDMENT OF A PERMIT

IO. # 69093

P. 02
Received By Ab - 500
Date 3/12/01

W027435
RECEIVED

NOV 29 2001

Applicant UNITED WATER IDAHO

Phone 208-388-4629

Address 8248 W VICTORY ROAD

BOISE ID 83709

I am the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-12552, and request that the permit and permit map be amended and/or changed as follows:

Purpose of Amendment: Change point of diversion ☒ Add point of diversion
Change place of use Change nature of use Change period of use Other

1. Point of diversion: NW 1/4 NW 1/4 NW 1/4, Section 11, Township 2N, Range 1W, B.M.,
County of Ada. Other points of diversion THE EXISTING POINT OF DIVERSION IS
LOCATED AT 3001 W. COLUMBIA RD. ADDITIONAL POINT OF DIVERSION AT SAME ADDRESS.

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 3.00 for Municipal purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre feet per annum) (water use) (Begin month) (End month)

Amount for purposes from to (both dates inclusive)
(cfs or acre feet per annum) (water use) (Begin month) (End month)

Amount for purposes from to (both dates inclusive)
(cfs or acre feet per annum) (water use) (Begin month) (End month)

3. Place of use or land to be irrigated:

T w p	R g e	S e c	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

Total number of acres to be irrigated =


4. a. Who owns the property at the point of diversion? United Water Idaho
b. Who owns the land to be irrigated at the place of use? N/A
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

WATER BEARING ZONE: Applicant requests modification of water
bearing zone for existing and proposed wells. Requested zone
is from 325 to 380 feet. MICROFILMED

by: Roger D. Dutton 4-30-01

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 1/4 1/4, section, township, range and ditches. (the smallest subdivision represents 40 acres)



Scale: 2 inches equal 1 mile

I hereby request approval of this change subject to the fact that no one will be injured by the change, and that the change will be made at my own risk.

Signed this 9th day of MARCH, 192001.

Benjamin M. Hester, Director of Operations
Permit Holder

ACTION OF THE DEPARTMENT OF WATER RESOURCES

Preliminary check by [Signature] Publication prepared by [Signature] Date 5-10-01

Published in THE IDAHO STATESMAN Publication dates 5-17 + 24-01

I, _____, of the Department of Water Resources hereby

MICROFILMED

Witness my hand this _____ day of _____, 19____

DEC 12 2001

SIGNATURE

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-12552

Priority: November 18, 1999

Maximum Diversion Rate:

3.00 CFS

This is to certify, that UNITED WATER IDAHO
8248 W VICTORY RD
BOISE ID 83709

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
MUNICIPAL	01/01 to 12/31	3.00 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 11, Township 02N, Range 01W
ADA County

PLACE OF USE: See Remarks

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of application of water to beneficial use shall be submitted on or before March 1, 2005.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
7. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
8. The place of use is located near Kuna within the non-contiguous service area of United Water Idaho . Initial development under this right will be for the Danskin Estates and Saddle Ridge Subdivisions.
9. Water bearing zone to be appropriated is from 370 to 430 feet.

MICROFILMED

JUN 22 2000


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12552

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

9th day of March, 2000


for Karl J. Dreher, Director

MICROFILMED

JUN 22 2000

(Internet)

Ident. No. 63-12552

RECEIVED

NOV 18 1999

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

MAR 7 . 2000

Department of Water Resources

1. Name of Applicant United Water Idaho Phone 362-7358
Mailing address 8248 West Victory Rd., Boise ID. 83709
2. Source of water supply Groundwater which is a tributary of N/A
3. Location of point of diversion is Township 2N Range 1W Sec. 11 in the NW 1/4, NW 1/4, NW 1/4, Govt. Lot _____, B.M., Ada County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 3.0 cfs for Municipal purposes from Jan 1. to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 3.0 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source well (see attached sketch of proposed well construction)
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
c. Proposed well diameter is 20 inches; proposed depth of well is 430 feet
d. Is ground water with a temperature of greater than 85°F being sought? No
e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity in KW. _____
b. Stockwatering; list number and kind of livestock. _____
c. ☒ Municipal; show name of municipality. United Water Idaho
d. Domestic; show number of households. _____
e. Other; describe fully. _____

MICROFILMED

JUN 22 2000

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? United Water Idaho

b. Who owns the land to be irrigated or place of use? Municipal supply users

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: Applicant is municipal supplier

12. Remarks: Water from well to be used in United Water Idaho non-contiguous service area.

Water bearing zone to be appropriated is from 370 to 430 feet.

Applicant agrees to mitigate consumption use in the future as needed. } *


13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

u.w.i.
Roger D. Pittus Hydrogeologist
Signature of Applicant (and title, if applicable)

Received by AD Date 11-18-99 Time 2:30 Preliminary check by RZ
Fee \$ 140.00 Receipted by AD # 41025924 Date 11-18-99
Publication prepared by AT Date 12-16-99 Published in _____
Publication approved _____ Date THE IDAHO STATESMAN

* per telephone call 11/24/99 MICROFILMED p6- 11/24/99 fax and
- SLIP 2 2 2000 12/8/99 telephone call from
Roger D. Pittus. -RZ




see 2/15/2000
fax letter/map
& updates to proposal
p/u. -jc

no gov't lots

Map showing the proposed location of Danskin Subdivision well in T2N, R1W, Section 11 NW 1/4, NW 1/4, NW 1/4 (Scale: 2 in. = 1 mile).

Well will initially serve this subd. but will
then integrate into main system. ~~MCROSWELL~~
from Roger D. the -jc 11/24/99 JUN 22 2000

63-12552



Map showing the proposed location of Danskin Subdivision well and Phase 1 of the Danskin Subdivision in T2N, R10E, S11E, Section 11 NW 1/4, NW 1/4, NW 1/4 (Scale: 1 in. = 200 ft.).

JUN 22 2000

63-12552



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

December 6, 2001

UNITED WATER IDAHO
8248 W VICTORY RD
PO BOX 7488
BOISE ID 83707-1488

RE: Permit 63-12552

Dear Permit Holder(s):

The Department of Water Resources (IDWR) has issued the enclosed Amendment of Permit approving your application to amend the water right referenced above. Please be sure to review every element of the Amendment of Permit, including the conditions of approval and remarks.

The Amendment of Permit is a **preliminary order** issued by IDWR pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.**

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet at <http://www.idwr.state.id.us> to obtain the proper reporting form.

If you have any questions regarding this matter, you may call me at 208-327-7940.

Sincerely,


Jeff Peppersack, Manager
Water Rights Permits Section

JP:klt

Enclosures


MICROFILMED
DEC 12 2001

CERTIFICATE OF MAILING

I hereby certify that on December 6, 2001 I mailed a true and correct copy, postage prepaid, of the forgoing **PRELIMINARY ORDER (Amendment of Permit)** to the person(s) listed below:

RE: AMENDMENT OF PERMIT 63-12552

**UNITED WATER IDAHO
8248 W VICTORY RD
PO BOX 7488
BOISE ID 83707-1488**


Kari Lynn Townsend
Secretary

**MICROFILMED
DEC 12 2001**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

AMENDMENT OF PERMIT REVIEW

Review Date 12/4/01

PERMIT NO. 63-12552 NAME UWID

TYPE: A = AMENDED E = CHANGE N/U I = CHANGE P/D & P/U
B = CHANGE P/D F = CHANGE Per/U J = ADD P/D & CHANGE P/U
C = ADD P/D G = OTHER
D = CHANGE P/U H = CHANGE P/D & + P/D

AREA OF CONCERN: TVGW study area
Mor GWMA Trust/Non-trust

PROOF OF B/U RECEIVED? Yes/No Due <6 months? Yes/No

GROUNDWATER:

Drilling Permit No. - - - - ;
Drilled

Swan Falls Flag

Conditions of Approval: 004, 046, 01m, 121, 102

Remarks/Comments WB zone 325-380 ft. Plu cond from permit

26A not incl >1 yr since permit approval

RECEIVED

NOV 29 2001

IDWR WESTERN REGION
AMENDMENT OF PERMIT ANALYSIS SHEET

Department of Water Resources

Permit No. 03-12552 Applicant UNITED WATER IDAHO

Reviewed by SL Data entry by SL Date 5/1/01

Legal Notice: Word filename _____

OR Use Workflow ad ✓

Purpose of Amendment _____ Change P/D ✓ Add P/D _____ Increase Amount _____
Change P/U _____ Other: _____

CHECK:

- ✓ Description of amended elements.
- ✓ Amount, nature and period of use. If increased, delay date of priority. no change
- ✓ Ownership of P/D and P/U and arrangement for access if not owned by applicant.
- ✓ Map ✓ \$50 Fee.
- ✓ Signature, must be permit holder. Include title if applicant is an organization, partnership etc.
- ✓ Existing water rights from the same source for amended P/D or P/U?

Right No(s). NONE

YES Should amendment be advertised?

NO Should date of priority be delayed? If yes, to what date? _____

YES Send comment Letters? Check any of the following to indicate "yes":

_____ IDFG for surface water _____ Water District No. _____

_____ Water Planning Bureau for protected river or minimum flow reach – reviewer should forward copy of application instead of sending a letter.

✓ Other, see attached mailing list. = DECR

N/A Additional analysis information attached. Date of the information is _____

NOTE Request to modify water bearing zone
current: 370'-430'
proposed: 325'-380'

- per 1st well drilled, resulting zone smaller portion of current zone. Per Ryan Dittus of U.W.I.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received
- ☒ Published correctly? ☐ Re-publication required if published incorrectly?
- N/A Protests processed.
- N/A Watermaster comments received on date: _____
- NONE Other comment letters received?

* Recommendation and Conditions of Approval: ☒ APPROVE ☐ DENY

Existing conditions plus additional one noted.
Also, modify W.B. zone to 325'-380.'

By JA Lester Date 11/20/01

Copy for Region file after final recommendations are complete. Always include application, legal notice, staff analysis sheet, and analysis memo (if applicable). List other items to copy:

copy already in file so don't need recopy.

* Suggest include condition c 1st use surface water
per attached 4/14/2000 memo.
we recently did that with 2 new municipal rights
for city of Meridian. We should strive to be
consistent when we can.

Attached: 4/14/2000 memo
copy of permit

MEMORANDUM

TO: Glen Saxton
VIA: Gary Spackman
FROM: Steve Lester 
DATE: April 14, 2000

RE : *Conditions of Approval for 63-12552*

This permit was approved for United Water municipal use in a non-contiguous service area near Kuna. Yesterday I attended an Ada County P & Z Commission meeting regarding local approval of the subdivision(s) to be served by this water right. It appears that local government will issue an approval, although the details are not yet available.

The commissioners asked questions about the existing irrigation right on part of the proposed municipal service area. The irrigation right is 63-10474. The commissioners' were satisfied by the end of the meeting.

I did some additional research on the P/U of the irrigation license. This is clearly a supplemental right based on the original application and the field exam. Boise-Kuna Irrigation District serves the site. Adjacent areas are in the New York or Nampa Meridian service areas. This was not discussed at the P & Z meeting.

I mention this because it appears that United Water will continue to file for new rights in non-contiguous service areas. Usually we don't do any P/U overlap research when processing municipal applications. This case is an example in which overlap research for the general subdivision area would have revealed primary and secondary surface and ground water for irrigation. I wonder if we would have added the usual **"use surface water first"** condition of approval to this municipal right if we knew more about the site up front.

Should we routinely condition new municipal rights with the surface water language? I recall seeing something like that for United Water Eagle some time ago. It would be consistent with other irrigation situations if municipal permits included these limitations. This could be done without additional staff research in the application process ... just add the condition(s).

Should we issue an amended permit to add this condition to the new ground water use in 63-12552?

MICROFILMED

APR 14 2001

The Idaho Statesman

RECEIVED

MAY 25 2001

P.O. Box 40, Boise, Idaho 83707-0040

WATER RESOURCES
WESTERN REGION

LEGAL ADVERTISING PROOF OF PUBLICATION

Account #	DTI#	Identification	Amount:				
047628	450727	APPLICATION	\$115.00				
Ordered by:	P.O. #	Rate	Run Dates				
SUE TAYLOR		TT	MAY 17, 24, 2001				
IDAHO DEPARTMENT OF WATER RESOURCES WEST 2735 AIRPORT WAY BOISE, IDAHO 83705			Number of Lines 32 X 2				
			<table border="1"> <tr> <td>Affidavit</td> <td>Legal #</td> </tr> <tr> <td>1</td> <td>10435</td> </tr> </table>	Affidavit	Legal #	1	10435
Affidavit	Legal #						
1	10435						

LEGAL NOTICE NOTICE OF APPLICATION

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12552

UNITED WATER IDAHO
8248 W VICTORY RD
BOISE ID 83703

Point(s) of Diversion NWNW S11 T02N R01 W ADA County Source GROUNDWATER,
Point(s) of Diversion NWNW S11 T02N R01 W ADA County Source GROUNDWATER,
Use: MUNICIPAL 01/01 to 12/31 3 CFS 0 AFA 3 CFS

Date Filed: 11/18/1999

Remark: Applicant seeks a second well for backup use in its non-contiguous municipal service area initially in and around Dansk Estate and Saddle ridge Subdivisions. Water bearing zone to be appropriated will be modified from approved 370 to 430 feet to proposed 325 to 380 feet.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.
Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Western Region, 2735 Airport Way, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 06/04/2001. The protestant must also send a copy of the protest to the applicant.
KARL J DREHER, Director

Pub. May 17, 24, 2001

10435

JANICE HILDRETH, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein, and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto: that said notice was published in The Idaho Statesman, in conformity with Section 60-108, Idaho Code, as amended for: TWO

☒ consecutive weekly ☐ single
☐ consecutive daily ☐ odd skip
insertion(s)

beginning with the issue of: MAY 17, 2001
and ending with the issue of: MAY 24, 2001


Janice Hildreth

STATE OF IDAHO)
)ss
COUNTY OF ADA)

On this 24 day of MAY in the year of 2001
before me, a Notary Public, personally appeared before me Janice Hildreth known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Sondra L. Brightman

Notary Public for Idaho
Residing at: Boise, Idaho
My Commission expires: 6/26/06



MICROFILMED

10435



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

May 11, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

DIV OF ENV QUALITY
BOISE REGIONAL OFFICE
PO BOX 83720
BOISE ID 83706

Re: Amendment of Application for Water Right No. 63-12552 in the Name of United Water
Idaho.

Dear Sir and or Madam:

Enclosed is a copy of the above-referenced amendment, which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter. However, if your agency desires to file a formal protest against the approval of this application(s), your written protest along with the \$25.00 protest fee must be received in this office by June 4, 2001.

If you have any questions regarding the application, please contact this office.

Sincerely,

Gary Spackman

GS:lm

Encl.

MICROFILMED

DEC 12 2001

United Water



United Water Idaho
8248 West Victory Road
PO Box 7488
Boise, ID 83707-1488
telephone 208 362 1300
facsimile 208 362 1479

March, 8, 2001

TO: Steve Lester 
Water Rights Supervisor
IDWR - Western Region

FROM: Roger Dittus
United Water Idaho

SUBJECT: Danskin Subdivision Well No. 2

Last summer a supply well was completed in order to provide service to the new Danskin subdivision located north of the City of Kuna in NW ¼ NW ¼, NW ¼ Section 11, T2N, R1W. The well for this outlying subdivision is not connected to UWID's main distribution system. It is anticipated that there will be 25 homes connected to this non-contiguous distribution system within the near future and therefore a back-up well will be required.

At this time UWID is submitting the forms for Amendment For Application Of A Permit and fee so that an additional point of diversion can be added to the permit (Permit No. 63-12552). The proposed new well will be located just south of the existing Danskin well. It is anticipated that this new well will be smaller in diameter but will be completed to the approximate depth of the existing well.

UWID is also applying for a Drilling Permit from IDWR and submitting the Well Site Checklist to Idaho Department of Environmental Quality at this time.

Sincerely,

Roger Dittus
362-7358

MICROFILMED

DEC 12 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

May 10, 2001

Legal Notice Department
IDAHO STATESMAN
PO BOX 40
BOISE ID 83707

RE: Transfer No. 69087
And Amendment to Water Right No. 63-12552

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find two legal notices which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 06/04/2001. Your cooperation is appreciated.

Sincerely

Sue Taylor
Senior Secretary

MICROFILMED

SEP 12 2001

The following application has been filed to amend Permit to Appropriate Water

63-12552

UNITED WATER IDAHO
8248 W VICTORY RD
BOISE ID 83709

Point(s) of Diversion	NWNW	S11 T02N R01W	ADA County	Source	GROUND WATER
Point(s) of Diversion	NWNW	S11 T02N R01W	ADA County	Source	GROUND WATER
Use:	MUNICIPAL	1/01 To 12/31	3 CFS	0 AFA	
	Total Diversion:		3 CFS		

Date Filed: 11/18/1999

Remark: Applicant seeks a second well for backup use in its non-contiguous municipal service area initially in and around Danskin Estates and Saddle Ridge Subdivisions. Water bearing zone to be appropriated will be modified from approved 370 to 430 feet to proposed 325 to 380 feet.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-211, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Western Region, 2735 Airport Wy, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 06/04/2001. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published in the Idaho Statesman on May ¹⁷~~16~~ and ²⁴~~23~~, 2001.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

March 10, 2000

UNITED WATER IDAHO
8248 W VICTORY RD
BOISE ID 83709

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12552

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this right were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Groundwater Protection Section located here at this office or our regional office nearest you.


Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure

MICROFILMED

to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, appearing to read "Shelley Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

JUN 2 6 2000

MICROFILMED


JUN 22 2000

CERTIFICATE OF MAILING

I hereby certify that on the 10th day of March, 2000, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 63-12552

UNITED WATER IDAHO
8248 W VICTORY RD
BOISE ID 83709


Kari Lynn Townsend
Secretary

MICROFILMED
JUN 22 2000

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED

JUN 22 2000

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
JUN 22 2000

**APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS**

Reviewed by Sharla Curtis on 3/8/00

No. 63-12552 Name: UWID Corp. Officers _____ Ad ok ☒ Govt Lots _____

AREA OF CONCERN: No/Yes TYBW Moratorium _____ GWMA study area ~~TRUST/NON-TRUST~~

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 048(P23)
Basin 34/ - 085
Irr. w/in WD - P05
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067

~~WMD~~

Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121
42-248 Area - P84 (20s-70s, 81-86)
Swan Falls Flag
Trust - 051(P74) (consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18A-01H(P01), 01P-18B(P09)-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/USFS)
MINING - 054-081(P10)
FISH PROP - 029(70'S only)-007-042-081(P10)
HEAT/COOL - R07(injection well)
FIRE PROT. - 077

BENEFICIAL USE DUE: 3/01/2005

MISC CONDITIONS/REMARKS:

~~Protested~~ - 020-W19
Development Period
≤ 1 yr - P16
> 1 yr - 264(P17)
Ownership - 004
Non-consumptive - 027
Water Quality - 081-R07

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response _____
In/Above MSF - WB9
PLANNING SECTION REVIEW/RESPONSE _____
In-stream development - P52
WD - R04 (WD# _____)
≤ 0.20 cfs/others - 01H(P01), 01P or No MD
> 0.20 cfs - 01J(P08)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W22(P04), N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - 047(P04) (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

POWER - 17H-17K (+uses)-08A-025(P18)-01N-081(P10)
MUNICIPAL
Restricted area - 022,075
Irr., GW supp to SW - 102
DOMESTIC
Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
> 1 in restricted area - 070-071-075(no parks/common areas, etc)
Irr use listed separate - WB5
Moratorium approvable - W03 (2500 gpd - meets domestic definition
i.e. D/convenience store)

Multiple pd's per ¼¼ - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - S/50 range
Pre-1987 development - 068-074 (allow 120 days for proof due)
Single p/d intended - 076

IRRIGATION SEASON _____ - _____ (Per updated map)

OTHER CONDITIONS/REMARKS 2 special cond. in Harp memo of 2/29/00

COMMENTS Water bearing zone

RECEIVED

MAR 7 - 2000

Department of Water Resources

FILE PRESENTATION

This application was processed prior to the January 12, 2000 memo "Changes to Water Right Applications." The old technique of making application changes was used.

To avoid additional processing delay, the file is forwarded as "one in the pipeline" with respect to that memo. The regional office anticipates that this will be acceptable for this limited group of applications.

MICROFILMED

JUN 22 2000

MAR 7 2000

DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

DEPARTMENT OF WATER RESOURCES

INITIAL REVIEW BY: FL DATE: 12/8/99 APPLICATION: 63-12552

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works: *Applicant's note: Attached sketch of proposed well.... with d.p. Appl. that RBW has. Region will handle d.p. Appl. (RBW) upon WR decision.*
Time required for beneficial use of water:
Place of use or acres irrigated:
Map: (show T, R, S, QQ &/or QQQ)
Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Correct fee paid
N/A in this case since UW municipal

Gov't. Lots:
N P/D
P/U

ADDITIONAL INFORMATION

yes ADVERTISE REMARK(S)
(Reviewer identify which remarks) = *all those in d'base*

N/A T FLAG CHANGED TO P FLAG

YES NO

N/A Overlapping place of use: (Describe source & relationship to present application on next page.)
✓ Overlapping point of diversion.
✓ Critical groundwater area:
✓ Groundwater management area:
✓ 1992 moratorium: *Muni OK in Bs. 63*
✓ Surface water source, IDFG letter needed.
✓ Protected river or minimum flow reach, notify water planning bureau.
✓ E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
✓ E-mail to Dam Safety staff: (for any storage)
✓ Mitigation plan: Check any that apply.
N/A immediate = acceptable plan required and submitted.
✓ future = open areas, acceptance of condition of approval is in file. = *11/24/99 fax*
✓ Send power requirement letter &/or fish farm requirement letter.
✓ Power residency affidavit:
✓ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
✓ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested Date Response Received

PROCESSING

APP. NO. 63-12552

YES NO

☒ ☐ In form for advertising:
☒ ☐ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES NO

☒ ☐ I.D. Health & Welfare
☐ ☒ I.D. District Health
☐ ☒ I.D. Fish & Game
☐ ☒ I.D. Lands

YES NO

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Service
☐ ☒ Water Dist. #
☐ ☒ Water Planning Bureau
☐ ☒ Other

Receipt for
 \$140 WR Appl.
 2w drilling
 \$340 total - OK ✓

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☒ ☐ Publication dates and paper recorded on application:

☐ ☒ Final date for protest 1-3-00

☐ ☒ Protests received.

☐ ☐ Recommendations attached: - see 2/17/00 Addendum & p/m

☒ ☐ Measuring device required:

☐ ☒ Water delivered by water master? District #

☒ ☐ Special conditions of approval or cover letter: See memo dated 2/29/00

See below for additional information

Recommended Date or Priority

11-18-1999

-82

- NON significant

Recommended by: Gay S

Date: 3/6/00

clarification to Appl.
 after 11/18 should not
 advance d.o.p.

ADDITIONAL INFORMATION:

Explore issue e wu establishing mini right in non-contiguous service
 AREA. Proposed well not in wu" contiguous service area.

Overlap P/D same QQ: None for applicant or mini. use -

2 licenses - 63-10474 1w well

- 63-10693 2 wells D/3 + Drilling } same owner these 2
 but not u.w.

1 Appl. - 63-11873 waste water, other owner.

* SEE my 2/9/00 notes in file: Should approve as proposed.
 - plus 2/17/00 addendum & p/m.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: UNITED WATER IDAHO
Address: 8248 W VICTORY RD
BOISE ID 83709
208-362-7358
2. Source: GROUNDWATER
3. Location of Point of Diversion: Trib. to:
NWNWNW Sec. 11, Township 02N, Range 01W
ADA County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
MUNICIPAL	01/01	12/31	3.000		
5. Total quantity to be appropriated is:
3.000 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
PUMP & PIPELINE
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 20 inches; proposed depth of well is 430
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 5 year(s).
8. Place of Use: See Remarks
9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
MUNICIPAL CUSTOMERS
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
N/A

file copy - see original for processing

JL

10. Remarks:

Water bearing zone to be appropriated is from 370 to 430 feet.
Applicant agrees to mitigate consumptive use in the future as
needed.

Place of use is within applicant's service area, although initial
use will be for Danskin Subdivision.

11. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ 340.00 Receipted by _____ #W025924 Date 11/18/1999

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

Ident. No. 63-12552

Comments: Date: 12/ 8/1999 User-ID: SLESTER

Subject: Additional Information

APPLICANT'S INFORMATION: Water to be used in United Water Idaho
non-contiguous service area.

MEMORANDUM

To: File No. 63-12552 in the Name of United Water Idaho

From: Gary Spackman 

Re: Recommended Conditions of Approval

Date: February 29, 2000

Application for water right no. 63-12552 filed by United Water Idaho, proposes appropriation of 3.0 cfs for municipal purposes. The application proposes a place of use outside of United Waters integrated system that serves the larger city of Boise area. The water will serve two subdivisions near Kuna, Idaho.

United Water provided information to show that they are authorized by the Public Utilities Commission to serve these areas. I conclude that United Water is entitled to a municipal water right for serving subdivisions, and that a place of use can be a "generally described place of use." Nonetheless, because the proposed system will not be integrated into a larger system, it should not describe the entire service area of United Water. As a result, I propose the following conditions:

1. The place of use is located within the non-contiguous service area of United Water Idaho near Kuna, Idaho. At the time of permitting, the place of use describes the platted subdivisions of Danskin Estates and the Saddle Ridge Subdivisions.
2. The place of use for this water right may be increased to provide water to all of the non-contiguous service area of United Water Idaho, located near Kuna, Idaho, that also serves the Danskin Estates and Saddle Ridge Subdivisions with an integrated system.
3. (121).
4. (046).

MICROFILMED
JUN 22 2000

MEMORANDUM

TO: File

FROM: Steve Lester 

DATE: February 28, 2000

RE: "Danskin Well" Water Right & Well Drilling Applications

United Water Idaho filed Application for Permit #63-12552 for a municipal well identified as the Danskin Well near Ten Mile and Columbia Roads. A Drilling Permit application was also filed at the same time for the proposed well.

The legal notice for the water right application concluded without any protest. That application is now being forwarded to the State Office for completion of the water right application process. The drilling permit application will remain at the Western Region office for final decision making.

Everything appears to be in order for the Danskin Well water right and drilling permit applications to be resolved in the near future.

A copy of this was given your request
to Ryan Dittus of W.W.I. - HE'S
trying to move things along e DEQ for
this well is wanted something from IWR
to show that things are moving along
e IWR.

-JL

MICROFILMED

JUN 22 2000

63-12552 ADDENDUM
TO 2/9/00 RECOMMENDATIONS

PER Regional Manager's suggestion, additional information was obtained for proposed P/L in Applicant's non-contiguous service area.

The well is intended for use in a more discrete area than Applicant's normal ("Boise") service area.

Applicant's 2/15/00 letter/map identify the intended P/L.

Suggested P/L Remark* should be something along the lines of:

"Place of use is located within the non-contiguous service area of United Water Idaho, specifically for OANSKID Estates and Saddle Ridge Subdivisions."

UWI could seek to amend the Remark if more subdivisions are linked to the well later on.

* Future applications - suggested d'base Remark for legal notice:
REPLACE "United Water Idaho" with
"Applicant" to condense the Remark

MICROFILMED
JUN 27 2000

JR 2/17/00

United Water Municipal Appls.
in Non-Contiguous Area

-JL
2/9/00

Question -

Should permits be approved for U.W. municipal use outside of U.W.'s "normal service area?"

Consider

- 1) Most recent service area map at Western is from November, 1997 (see "U.W. Service Area" file).
- 2) Permit 63-12463 issued for U.W. municip. use as "normal" municip. right even though initial use was for a subdivision in Canyon County.
- 3) Above file - processing included info that PUC authorized U.W. for delivery in its non-contiguous areas such as subdivision in Canyon County.
- 4) Appl. 63-12552 filed similar to 63-12463 - a municip. well first for specific subdivision, later for looking to expanding service area. No "future needs" request (planning horizon etc.) included. No protests or other flags.

Conclude

↔ SEE 2/17/00 Addendum, ATTACHED

We should approve such municip. appls. for U.W.

MICROFILMED

JUN 22 2000

SEP. 18. 1998 3:18PM

UNITED WATER

Date: 9/18/98 Time: 4:43:24 PM

NO. 581

P. 2/2

Page 1 of 1



IDAHO
PUBLIC UTILITIES
COMMISSION

News

for more information:
David Scott: (208) 334-0339
Fax: (208) 334-3762
e-mail: dscott@puc.state.id.us

September 4, 1998

COMMISSION APPROVES UWI NON-CONTIGUOUS EXPANSION RULES
Case No. UWI-W-98-1, Order No. 27718

The Idaho Public Utilities Commission has approved new rules and regulations for United Water Idaho that governs the company's expansion into areas non-contiguous to its existing service area.

United Water's new rules provide a standard agreement for the installation and/or operation of water systems requested by developers of single- and multiple-family residential developments.

"As a means of addressing the viability, operation and management problems that are faced by many small developer or homeowner association water systems and to capture the experience, benefits and economies of scale that larger viable and efficient water systems are capable of offering, (Commission) Staff supports the consolidation of small dispersed water systems either through physical connection or simply through ownership and management," reads the Commission's order.

The Commission staff functions as a separate party. Opinions and testimony by the staff should not be confused with findings and decisions of the commission, which are rendered in writing by a formal, signed order after consideration of the record of evidence and testimony presented by all witnesses.

The new rules do not apply to acquisitions of existing regulated water systems nor to commercial or industrial developments. United Water informed the Commission it does not intend to acquire systems located more than 30 miles from the company's operation center.

Petitions for reconsideration of the Commission's order must be submitted by Sept. 24.

###

MICROFILMED

JUN 22 2000

from file
63-12463

United Water



RECEIVED

MAR 13 2000

Department of Water Resources

United Water Idaho
8248 West Victory Road
PO Box 7488
Boise, ID 83707-1488
telephone 208 362 1300
facsimile 208 362 1479

FEB 15, 2000


MR STEVE LESTER
IDAHO DEPARTMENT OF WATER RESOURCES
WESTERN REGION
2735 AIRPORT WAY
BOISE, ID 83705-5082

RECEIVED

FEB 16 2000

WATER RESOURCES
WESTERN REGION

Re: Application For Permit to Appropriate Water for the Danskin Estates Subdivision well

Steve,


The Application For Permit to Appropriate Water that I sent in November states that the water from the specified point of diversion is to be used in United Water Idaho's non-contiguous service area. Last week when we talked you requested a more detailed explanation of where the water from the proposed Danskin well, located within Danskin Estates Subdivision, is to be used. The proposed place of use for the water is in the Danskin Estates Subdivision and the Saddle Ridge Subdivision.

Danskin Estates Subdivision No. 1 is located in the North ½ of Section 11, T2N, R1W. Saddle Ridge Subdivision No. 1 is located in the South ½ of Section 3, T2N, R1W. I've included a map showing the first phase for each subdivision.

An "Addition To Certificate Of Convenience And Necessity" will be filed with the Idaho Public Utilities Commission after the well is found to be viable. This is how the Carriage Hill and Coventry Place subdivisions, for example, will become part of United Water Idaho's certificated service area. The wells supplying each of these subdivisions were drilled in 1998 and 1999, respectively, and a filing will be made during UWID's next rate case scheduled in March 2000.

Please feel free to call me if I can assist with any additional information, etc.

Sincerely,


Roger Dittus
(362-7358)

MICROFILMED


JUN 22 2000

2-15-00

Steve, this is as much as UWID has
at this point with respect to projected
build-out of Danskin Ridge Estates and
Saddle Ridge subdivisions.

- Roger Dittus

MICROFILMED
JUN 22 2000



United Water.

United Water Idaho
8248 W. Victory Rd.
PO Box 7488
Boise, ID 83707-1488
telephone 208 362 7330
facsimile 208 362 3858

Date: 2-15-00

Fax

To: Steve Lester, IDWR, Western Region

Fax number: 334-2348

From: Roger Dittus

Subject: Danskin sub. # Hope House Applications for Permit.

of pages: 3 plus this cover = 4

Steve,

Here are:

- ① Additional info on place of use for Danskin well water
- ② Request to Process for the Hope House well's Application for Permit - this App. will be coming to you in the mail in about a week or so.

I've mailed the originals to you

Thanks,

Roger

MICROFILMED
JUN 22 2000

United Water



United Water Idaho
8248 West Victory Road
PO Box 7488
Boise, ID 83707-1488
telephone 208 362 1300
facsimile 208 362 1479

FEB 15, 2000

**MR STEVE LESTER
IDAHO DEPARTMENT OF WATER RESOURCES
WESTERN REGION
2735 AIRPORT WAY
BOISE, ID 83705-5082**

Re: Application For Permit to Appropriate Water for the Danskin Estates Subdivision well

Steve,

The Application For Permit to Appropriate Water that I sent in November states that the water from the specified point of diversion is to be used in United Water Idaho's non-contiguous service area. Last week when we talked you requested a more detailed explanation of where the water from the proposed Danskin well, located within Danskin Estates Subdivision, is to be used. The proposed place of use for the water is in the Danskin Estates Subdivision and the Saddle Ridge Subdivision.

Danskin Estates Subdivision No. 1 is located in the North ½ of Section 11, T2N, R1W. Saddle Ridge Subdivision No. 1 is located in the South ½ of Section 3, T2N, R1W. I've included a map showing the first phase for each subdivision.

An "Addition To Certificate Of Convenience And Necessity" will be filed with the Idaho Public Utilities Commission after the well is found to be viable. This is how the Carriage Hill and Coventry Place subdivisions, for example, will become part of United Water Idaho's certificated service area. The wells supplying each of these subdivisions were drilled in 1998 and 1999, respectively, and a filing will be made during UWID's next rate case scheduled in March 2000.

Please feel free to call me if I can assist with any additional information, etc.

Sincerely,


Roger Dittus
(362-7358)

MICROFILMED
JUN 22 2000

2-15-00

Steve, this is as much as UWID has at this point with respect to projected build-out of Danskin Ridge Estates and Saddle Ridge subdivisions.

- Roger Dittus



MICROFILMED
JUN 22 2000

The Idaho Statesman

RECEIVED

DEC 30 1999

WATER RESOURCES
WESTERN REGION

P.O. Box 40, Boise, Idaho 83707-0040

LEGAL ADVERTISING INVOICE

Account #	DTI#	Identification	Amount:
047628	170213	NOTICE OF APPLICATION	\$96.00
Ordered by:	P.O. #	Rate	Run Dates
		TT	DECEMBER 16,23, 1999
IDAHO DEPT. WATER RESOURCES WEST 2735 AIRPORT WAY BOISE, IDAHO 83705-5082			Number of Lines 31 X 2
			Affidavit 1
			Legal # 5807

**LEGAL NOTICE
APPLICATION FOR WATER RIGHT**

The following Application(s) have been filed to appropriate the public waters of the State of Idaho.

UNITED WATER IDAHO
8248 W VICTORY RD
BOISE, ID 83709

63-12552

Source: GROUNDWATER
Diversion Pt: NW1/4NW1/4 Sec 11 T 02N R 01W in ADA County.
Use: MUNICIPAL
Total Diversion: 3,000 CFS
Date Filed: 11/18/1999

Water bearing zone to be appropriated from 370 to 420 feet. Applicant agree to mitigate consumptive use in the future as needed.
Place of use is within applicant's service area, although initial use will be for Danskin Subdivision.
Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, West Region, 2735 Airport Way, Boise, ID 83705 together with a protest fee of \$25.00 on or before January 6, 2000. The protest must also send a copy of the protest to the applicant.
Karl J. Dreher, Director

Pub. Dec. 16,23, 1999

JANICE HILDRETH, being duly sworn, deposes and says: That she is the Principal Clerk of *The Idaho Statesman*, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein, and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto: that said notice was published in *The Idaho Statesman*, in conformity with Section 60-108, Idaho Code, as amended for:

TWO

☒ consecutive weekly ☐ single
☐ consecutive daily ☐ odd skip
insertion(s)

beginning with the issue of: NOVEMBER 16, 1999
and ending with the issue of: NOVEMBER 23, 1999


Janice Hildreth

STATE OF IDAHO)
) ss
COUNTY OF ADA)

On this 27 day of NOVEMBER in the year of 1999
before me, a Notary Public, personally appeared before me Janice Hildreth known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Jan English

12/28/02



Notary Public for Idaho
Residing at: Boise, Idaho
My Commission expires:

MICROFILMED

JUN 22 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

December 16, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

ID DEPT OF HEALTH & WELFARE
DIV OF ENV QUALITY
BOISE REGIONAL OFFICE
PO BOX 83720
BOISE ID 83706

Re: Application for Permit Nos. 65-13912 and 65-13913 in the Name of Carol Lynn MacGregor; 61-07755 in the Name of Leonard Eisenman and 63-12552 in the Name of United Water Idaho

Dear Sir:

Enclosed are copies of the above-referenced applications for permit which may be of interest to your agency. Please review the applications and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter. However, if your agency desires to file a formal protest against the approval of this application(s), your written protest along with the \$25.00 protest fee must be received in this office by January 3, 2000.

If you have any questions regarding the applications, please contact this office.

Sincerely,

Gary Spackman

GS:st

Encl.

MICROFILMED
JUN 22 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR
DECEMBER 8, 1999

Legal Notices Department
THE IDAHO STATESMAN
PO BOX 40
BOISE, ID 83707

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 3, 2000.

Yours truly,

SUE TAYLOR
Secretary/Office Coordinator

Encl.

MICROFILMED
JUN 22 2000

United Water®

United Water Idaho
8248 W. Victory Rd.
PO Box 7488
Boise, ID 83707-1488
telephone 208 362 7330
facsimile 208 362 3858

Date: 11-24-99

Fax

To: Steve Lester, IDWR, Western Region

Fax number: 334-2348

From: Roger Dittus, United Water Idaho

Subject: Danskin Subdivision Well-Application to Appropriate

of pages: 1 plus this cover

Steve,

here is the signed "Request to Process" form.

Thank you,

Roger Dittus

MICROFILMED

JUN 22 2000

REQUEST TO PROCESS

COMPLETE REQUEST IF YOU WANT YOUR APPLICATION TO BE PROCESSED USING ONE OF THE
THREE ALTERNATIVES BELOW

Name of Applicant

United Water Idaho

Mailing Address

8248 W. Victory Rd.

Boise, ID. 83709

Application No.
(if known)

 IN LOCAL PUBLIC INTEREST

Yes, I want my application processed and before it is advertised, I will amend my application to demonstrate that the proposed appropriation is in the local public interest including the need to preserve flows in the Snake River during the migration periods of anadromous fish.

 PROPOSE MITIGATION NOW

Yes, I want my application processed and before it is advertised, I will amend my application to include proposed mitigation to offset anticipated depletions in the Snake River during periods of anadromous fish migration.

X

WILL AGREE TO MITIGATION IN THE FUTURE IF NECESSARY

Yes, I want my application processed at this time, and I will accept a condition of approval that will require mitigation should the Director of the Idaho Department of Water Resources determine that mitigation is necessary to offset depletions from this appropriation to flows in the Snake River during periods of anadromous fish migration. I understand that mitigation is not required now but may be needed in the future. I also understand that the Director will not require mitigation until I have an opportunity to review the process by which the need for mitigation is established and the amount of water required is quantified.

Signature

Roger D Pitts

Date

11-24-99

Please return this form to:

Idaho Dept. of Water Resources
Western Regional Office
2735 Airport Way
Boise, ID 83705-5082

MICROFILMED
JUN 22 2000

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No: W025924

Date:
Time: 11/18/1999
14:32:46

Received
From: UNITED WATER

Type of Payment	Program A cct	Amount
APPLICATION FOR PERMIT	62103 229 21 1155	140.00
APPLICATION FOR DRILLING PERMIT	62134 229 21 1205	200.00
Total		\$ 340.00

CHECK 128872

Region: WESTERN

Signature:

Public Affairs

MICROFILMED
JUN 22 2000

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

JUN 22 2000

63-12552

UNITED WATER IDAHO
8248 W VICTORY RD
BOISE, ID 83709

Source: GROUNDWATER

Diversion Pt: NWNWNW Sec 11 T 02N R 01W in ADA County.

Use: MUNICIPAL	(	3.000 CFS)
Total Diversion:	(	3.000 CFS)

Date Filed: 11/18/1999

R S00

Water bearing zone to be appropriated is from 370 to 430 feet.
Applicant agrees to mitigate consumptive use in the future as
needed.

Place of use is within applicant's service area, although initial
use will be for Danskin Subdivision.

MICROFILMED

JUN 22 2000

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 for each application on or before JANUARY 3, 2000. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 12/16/1999 & 12/23/1999

MICROFILMED
JUN 22 2000