


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Daniel Brown, D.E.
(Applicant)
CO. Engineer, Boise Water Corp.

RECORDED
SEP 04 1991




63-11541

3N T
2N T

RECEIVED
SEP 04 1991


63-11541
3N3E

CHAINS TO AN INCH
MAGNETIC DECLINATION



8 stg 650 GPM 580' TDH
72.25'/stg

Back of Sheet 520.43



PERFORMANCE BASED ON PUMPING
CLEAR WATER BELOW 85°F. WITH LISTED
MATLS. COLUMN LOSSES NOT INCLUDED.

BOWL - CAST IRON - LINED

IMPELLER - BRONZE

CHANGE STAGES	IN EFF. POINTS
1	-3
2	-2
3	-1
4	0

**Ingersoll-Dresser
Pumps**


THRUST FACTORS AT BEP		
IMPELLER	LBS/FT	KG/M
STANDARD	4.4	6.6
BALANCED	3.1	4.6
EYE AREA-14.1 SQ. IN.		

RPM
1770

ENCLOSED
IMPELLER
N_s = 176

MICROFILMED
APR 22 1988

Printed in U.S.A.
1993 Ingersoll-Dresser Pump Company




T3N > sec 31
R3E > sec 6
T2N > sec 6
R3E > sec 6
P/D: NENE, sec 6
P/M: sec 6, 31

32'30"


Total area planimetered	155 ac
Baseball + Soccer parking	- 12 ac
Pond area	- 3 ac
Roads	- 6 ac
undeveloped area in sec 6 (see attached maps)	- 24 ac
Total recommended	<u>110 ac</u>

RECEIVED
JUN 22 1937

Sec. 4



D **d** **E** **e** **F** **f** **G**



Most recent
ASCS Photo —
before devel-
opment.

36 | 31
— | —
1 | 6

APR 22 1987



SCALE 1" = 1015'

HICK CUMS ROAD

SECTION 3

EASTGATE DRIVE

CVW5

CVW1

CVW2

CVW3

CVW4

CVW6

CVW9

CVW15

CVW16

CVW17

CVW18

CVW12

CVW13

CVW14

CVW15

CVW16

CVW17

CVW18

CVW19

CVW20

CVW21

CVW22

CVW23

CVW24

CVW25

CVW26

CVW27

CVW28

CVW29

CVW30

CVW31

CVW32

CVW33

CVW34

CVW35

CVW36

CVW37

CVW38

CVW39

CVW40

CVW41

CVW42

CVW43

CVW44

CVW45

CVW46

CVW47

CVW48

CVW49

CVW50

CVW51

CVW52

CVW53

CVW54

CVW55

CVW56

CVW57

CVW58

CVW59

CVW60

CVW61

CVW62

CVW63

CVW64

CVW65

CVW66

CVW67

CVW68

CVW69

CVW70

CVW71

CVW72

CVW73

CVW74

CVW75

CVW76

CVW77

CVW78

CVW79

CVW80

CVW81

CVW82

CVW83

CVW84

CVW85

CVW86

CVW87

CVW88

CVW89

CVW90

CVW91

CVW92

CVW93

CVW94

CVW95

CVW96

CVW97

CVW98

CVW99

CVW100

CVW101

CVW102

CVW103

CVW104

CVW105

CVW106

CVW107

CVW108

CVW109

CVW110

CVW111

CVW112

CVW113

CVW114

CVW115

CVW116

CVW117

CVW118

CVW119

CVW120

CVW121

CVW122

CVW123

CVW124

CVW125

CVW126

CVW127

CVW128

CVW129

CVW130

CVW131

CVW132

CVW133

CVW134

CVW135

CVW136

CVW137

CVW138

CVW139

CVW140

CVW141

CVW142

CVW143

CVW144

CVW145

CVW146

CVW147

CVW148

CVW149

CVW150

CVW151

CVW152

CVW153

CVW154

CVW155

CVW156

CVW157

CVW158

CVW159

CVW160

CVW161

CVW162

CVW163

CVW164

CVW165

CVW166

CVW167

CVW168

CVW169

CVW170

CVW171

CVW172

CVW173

CVW174

CVW175

CVW176

CVW177

CVW178

CVW179

CVW180

CVW181

CVW182

CVW183

CVW184

CVW185

CVW186

CVW187

CVW188

CVW189

CVW190

CVW191

CVW192

CVW193

CVW194

CVW195

CVW196

CVW197

CVW198

CVW199

CVW200

CVW201

CVW202

CVW203

CVW204

CVW205

CVW206

CVW207

CVW208

CVW209

CVW210

CVW211

CVW212

CVW213

CVW214

CVW215

CVW216

CVW217

CVW218

CVW219

CVW220

CVW221

CVW222

CVW223

CVW224

CVW225

CVW226

CVW227

CVW228

CVW229

CVW230

CVW231

CVW232

CVW233

CVW234

CVW235

CVW236

CVW237

CVW238

CVW239

CVW240

CVW241

CVW242

CVW243

CVW244

CVW245

CVW246

CVW247

CVW248

CVW249

CVW250

CVW251

CVW252

CVW253

CVW254

CVW255

CVW256

CVW257

CVW258

CVW259

CVW260

CVW261

CVW262

CVW263

CVW264

CVW265

CVW266

CVW267

CVW268

CVW269

CVW270

CVW271

CVW272

CVW273

CVW274

CVW275

CVW276

CVW277

CVW278

CVW279

CVW280

CVW281

CVW282

CVW283

CVW284

CVW285

CVW286

CVW287

CVW288

CVW289

CVW290

CVW291

CVW292

CVW293

CVW294

CVW295

CVW296

CVW297

CVW298

CVW299

CVW300

CVW301

CVW302

CVW303

CVW304

CVW305

CVW306

CVW307

CVW308

CVW309

CVW310

CVW311

CVW312

CVW313

CVW314

CVW315

CVW316

CVW317

CVW318

CVW319

CVW320

CVW321

CVW322

CVW323



CVW324

CVW325

CVW326

COLUMBIA VILLAGE

*lines
between #107*



TO FEDERAL WAY
YAMHILL

S. HOLCOMB ROAD

S. ALYSSUM PL.

S. AMARYLLIS PL.

S. FIRETHORN PL.

S. FUCHSIA PL.

S. INDIGO PL.

S. JONQUIL PL.

S. KALIA PL.

MINOYA WAY

E. LAKE FOREST DRIVE

TO I-84

FEDERAL WAY

MAIN
ENTRANCE

1" = 471.4'

5280'4/2.8"

E. LAKE FOREST DRIVE

PARKING

CENTRAL
RESERVE


PARKING

EXIT

BATTING CAGES

LEGEND

BASEBALL
PARKING



= Path/Emergency Access

SPORTS COMPLEX

RECEIVED
APR 22 1977

9.

REMARKS:


McCrometer Flow read 600 GPM, 785563 x 100
cumulative gallons

Signature of Dept. Representative & Title

9/14/94
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

20" → 8"



APR 22 1997

McCometer Flow-
meter



20" well
150 HP submersible pump
8" mainline

APR 22 1997



discharge pt from
8" mainline
leading from
the P/H to the
pond
pond = 2.5 af
(155' x 435' = 43560 x 4' x .4)

Booster Pump System:

- Two 50HP Pumps
- one 1 1/2 HP
submersible
pump



P/H
Looking N
from Grand
Forest rd

mainline
AD 1 1/2 152

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11541

Priority: May 31, 1991

Maximum Diversion Rate:

1.45 CFS

Maximum Diversion Volume:

495.0 AF

This is to certify, that BOISE WATER CORP

LES BOIS INVITATIONAL SOCCER TOURNAMENT INC

PO BOX 7488

BOISE ID 83707

has complied with the terms and conditions

of the permit, issued pursuant to Application for Permit dated May 31, 1991; and has submitted Proof of Beneficial Use on July 12, 1993. An examination indicates that the works have a diversion capacity of 1.450 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.45 CFS	495.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NENE), Sec. 6, Township 02N, Range 03E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	03E	6	Lot 2(NWNE) 5	Lot 3(NENW) 15	Lot 4(NWNW) 5	25
03N	03E	31	NESW 5	Lot 3(NWSW) 5	Lot 4(SWSW) 23	
			SESW 31.5	NWSE 0.5	SWSE 20	85

Total number of acres irrigated: 110

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11541

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 25th
day of March, 1997.

Bobby D. Flemer for
KARL J. DREHER, Director



State of Idaho
Department of Water Resources

RECEIVED

APR 16 1996

WATER RESOURCES
WESTERN REGION

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 63-11541

Date of Priority: May 31, 1991

Maximum Diversion Rate: 1.45 CFS

Maximum Diversion Volume: 495.0 AF

Comes now

1543
PO BOX 7400

BOISE ID 83707 83701

~~BOISE WATER CORP~~
LES BOIS INVITATIONAL SOCCER TOURNAMENT Inc,

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-11541, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.45 CFS	495.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NENE), Sec. 6, Township 02N, Range 03E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
02N	03E	6	Lot 2(NWNE)	5	Lot 3(NENW)	15	Lot 4(NWNW)	5	25
03N	03E	31	NESW	5	Lot 3(NWSW)	5	Lot 4(SWSW)	23	
			SESW	31.5	NWSE	0.5	SWSE	20	85

Total number of acres irrigated: 110

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, ID, this 16 day of April, 1996.

RECEIVED
APR 22 1996

E. J. McDevitt
(Signature) President

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-11541

FOR DEPARTMENT USE ONLY

Preliminary check by SVK Fee = 50⁰⁰ Receipted by J. WYATT # CO 35471 Date 5/7/96

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 63-11541 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Witness my hand this 25th day of March, 1997.

Bobby D. Fleener for
KARL J. DREHER, Director

11/10/97
10/11/97

RECEIVED
JUL 12 1993
Department of Water Resources

OFFICE USE ONLY
Amt. of Fee \$ 150
Date 7-12-93
Receipt No. C028111
Receipt by CR

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11541 Telephone No. 362-1300
2. Name(s) of Permit Holder(s): BOISE WATER CORPORATION
3. Mailing Address: P.O. Box 7488 Boise ID 83707
4. Source of Water: Groundwater

If **GROUNDWATER**, Well Driller's Name: W.E. Stevens Date Drilled: 8/4/92

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 110 (No. of acres) Other Municipal

6. Total rate and/or volume for which proof is submitted amended 8/19/93 Klg 1.78 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 150 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name James L. Mooney Telephone No. 362-1300

Address 8248 W Victory Rd. Boise, ID 83709

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 7-9-93 Signature (and title, if on behalf of a company or organization) Katherine Shultz, Asst. Manager

RECEIVED
AUG 27 1993
JUL 23 1993

RECEIVED
JUL 30 1992

For Office Use Only
\$15 Fee Received by SC
Date 7/20/92
Receipt No. 62015161

STATE OF IDAHO Department of Water Resources
DEPARTMENT OF WATER RESOURCES Western Regional Office

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-11541

Name(s) of Permit Holder: Boise Water Corporation/Les Bois Invitation Soccer Tournament, Inc.

Mailing Address: P. O. Box 7488, Boise, ID 83707

Date Proof is Due August 1, 1992 Telephone No. 208-362-1704

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Well has been drilled, pump installed and pump is being operated by a
generator. Power is being extended to the site at this time. A pipeline
has been installed to transmit water to the soccer field irrigation system.
Costing \$ 225,000

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

See attached.

Permit holder(s) request an extension to June 30, 19 93.

FEE: \$15.00

Katherine Skyles, FOR BOISE WATER
(Signature)* Corp.
*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

MICROFILMED

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED
and the time within which to submit proof of beneficial use
is extended to August 1, 1993.

AUG 21 1992

Signed this 6th day August, 19 92

J. Glen Saxton
Chief, Water Allocation Bureau

JUSTIFICATION OF REQUEST FOR EXTENSION OF TIME:

An extension of time is being requested due to incompleteness of the necessary facilities needed to utilize the municipal portion of the permit. These facilities include the pump house and pipelines required to connect the well to the Boise Water Corporation distribution system. These lines will be installed in conjunction with the development of the Columbia Village Subdivision. It is anticipated that this project will be complete by June 30, 1993.

RECEIVED
AUG 21 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 63-11541

Proposed Priority: May 31, 1991 Maximum Diversion Rate: 2.90 CFS
This is to certify, that **BOISE WATER CORP.**

LES BOIS INVITATIONAL SOCCER TOURNAMENT
P.O. BOX 7488
BOISE, ID 83707

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	1.45 CFS
MUNICIPAL	01/01 to 12/31	1.45 CFS
Totals		2.90 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 1(NENE), Sec. 6, Township 02N, Range 03E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	03E	31	NESW 15	LOT 3(NWSW) 22	LOT 4(SWSW) 33	
			SESW 40			110

Total number of acres irrigated: 110

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 3, 1992**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The point of diversion identified in this permit is located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller must monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.
5. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
7. Municipal use is within the city limits of Boise.

RECEIVED
SEP 04 1991


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11541

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

29th day of July, 1991.

for 
R. Keith Higginson, Director

MICROFILM

SEP 04 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Boise Water Corporation and/or
Les Bois Invitational Soccer Phone 208-362-1704
Tournament, Inc.
Post office address P. O. Box 7488, Boise, ID 83707

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of _____ $\frac{1}{4}$, Govt. Lot 1 *
Sec. 6 Township 2N Range 3E B.M. Ada County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.45 for Municipal purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 1.45 for Irrigation purposes from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 2.90 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pump & pipelines.
Drilling permit # 63-91-W-181

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 18 inches; proposed depth of well is 800 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 year years (minimum 1 year).

* addition made per plat map

SEP 04 1985

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. City of Boise and contiguous area as indicated on attached land list.
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
* 3N	3E	31									15	22	33						110
												1.3	1.4						
Municipal:			Within service area of Boise Water Corp.																


* Change made per telecon with Signatory 6-6-91 ght
Only 33 ac in govt lot 4 - See plat map.
Total number of acres to be irrigated 110

- Describe any other water rights used for the same purposes as described above. Boise Water Corporation's existing water rights on file.
- Who owns the property at the point of diversion? Golden Developments Co.
 - Who owns the land to be irrigated or place of use? Ada County
 - If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. The area to be irrigated is under lease from Ada County to the Les Bois Invitational Soccer Tournament, Inc. The well site will be leased with all necessary access and pipeline easements.
- Remarks: The municipal use is contingent upon supply capacity and water quality.

RECORDED

SEP 04 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Daniel Brown, P.E.
(Applicant)
CO. Engin, Boise Water Corp.

Received by SL Date 5/31/91 Time 12:58 Preliminary check by CJH
Fee \$ 85 Received by SL # W013362 Date 5/31/91
Publication prepared by GG Date 6-12-91 Published in ID Statesman
6/20 & 6/27/91
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

SEP 04 1991

63-11541

LES BOIS INVITATIONAL SOCCER
TOURNAMENT, INC.
OFFICERS

Charles F. McDevitt - President/Secretary

Doyal Waisner - Vice President

Susan Eastlake - Treasurer

Boise Water Cong - See previous files
in this name for cong. officers etc


SL
5/31/91

APPROVED
SEP 04 1991

COMPILED FROM T

6311541

COMPOSITE PLAT OF



LAND LIST ATTACHMENT

Description and location of place of use:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	3E	7					✓	✓	✓	✓	✓	✓	✓	✓					
		19											✓						
		30			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		31	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		32	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
4N	1E	25		✓	✓		✓	✓	✓	✓	✓	✓		✓		✓	✓		
		26	✓	✓	✓	✓	✓	✓		✓				✓				✓	
		27											✓	✓			✓		
		33														✓	✓	✓	
		34			✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
4N	2E	19	✓	✓		✓	✓			✓									
		20	✓	✓	✓	✓	✓	✓	✓	✓					✓	✓	✓	✓	
		26	✓	✓	✓	✓	✓	✓	✓	✓			✓		✓	✓	✓	✓	
		27	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
		28	✓			✓					✓			✓	✓	✓	✓	✓	
		29	✓	✓															
		33	✓																
		34					✓	✓	✓	✓									
		35	✓	✓	✓	✓				✓				✓					
		30			✓		✓			✓	✓					✓			
		32															✓	✓	

Total number of acres irrigated _____

APPROVED
SEP 04 1994

Municipal Plu = within Boise
Water Corp.

LAND LIST ATTACHMENT

Service area

Description and location of place of use:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	1E	1	✓																
2N	2E	1	✓	✓		✓					✓	✓	✓	✓	✓	✓	✓	✓	
2N	2E	2							✓	✓	✓	✓	✓	✓					
3N	1E	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					
		3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		11					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		13							✓	✓		✓	✓						
		14		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		24	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		25	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		35	✓	✓	✓	✓									✓	✓	✓	✓	
		36	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
3N	2E	2	✓			✓													
		12	✓	✓		✓	✓	✓							✓	✓		✓	
		13			✓	✓			✓	✓					✓	✓	✓	✓	
		19						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		20											✓	✓					
		24																✓	
		25	✓								✓	✓			✓				
		26							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		27													✓				
		29						✓			✓	✓							
		30	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		31	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		32			✓		✓				✓	✓	✓	✓		✓	✓	✓	
		33																	
		35	✓	✓	✓	✓	✓								✓				
		36	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		5	✓	✓		✓													

Total number of acres irrigated

RECEIVED
SEP 04 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

March 27, 2001

CHAS F MCDEVITT
MCDEVITT & MILLER LLP
PO BOX 2564-83701
BOISE ID 83702

RECEIVED

MAR 28 2001

Department of Water Resources

Re: 2000 Water Measurement Report for Water Right No. 63-11541

Dear Mr. McDevitt:

Thank you for your March 23, 2001 letter regarding the overdue water measurement report for the above referenced water right. I apologize for any undue concern caused by my previous letter in which United Water Idaho was incorrectly identified as the sole owner of record for this water right. Based on your response, additional research revealed a database error that has been corrected. License No. 63-11541 remains jointly owned by Les Bois Invitational Soccer Tournament and United Water Idaho as noted in the attached printout.

The 2000 water measurement report you submitted is incomplete and therefore returned. Please use the enclosed form to submit a complete report. A \$25 filing fee is also required with the measurement report but was not paid. A complete report and filing fee should be submitted by **April 6, 2001**.

Thank you for your prompt attention to this matter. Please let me know if you have any questions.

Sincerely,

Steve Lester
Water Rights Supervisor

Enclosure

CC: Robert Lawrence, United Water Idaho

Print
Report
sent per
3/27/01
d'base update
-sr

McDevitt & Miller LLP
Lawyers

**537 W. Bannock, Suite 215
P.O. Box 2564-83701
Boise, Idaho 83702**

**(208) 343-7500
(208) 336-6912 (Fax)**

RECEIVED

MAR 26 2001

WATER RESOURCES
WESTERN REGION

Chas. F. McDevitt
Dean J. (Joe) Miller

March 23, 2001

Mr. Steve Lester
Water Rights Supervisor
STATE OF IDAHO
DEPT. OF WATER RESOURCES
Western Region
2735 Airport Way
Boise, Idaho 83705-5082

Re: Les Bois 1999 Water Measurement Report

Dear Mr. Lester:

Enclosed is the report on the Les Bois Soccer Tournament Inc. well, which provides irrigation water to the Simplot Sports Complex.

The balance of the water for the irrigation of that complex during this period has been obtained from the Simplot-Micron pipeline provider water from the Boise River.

I notice on your communication of March 21, 2001, that you list water right No. 63-11541 as being solely that of United Water Idaho. Les Bois Soccer Tournament Inc. has never signed off on this water right and as an owner of that right, I would appreciate knowing how this apparent "transfer" came about.

If you have any questions, please let me know.

Very truly yours,

McDEVITT & MILLER LLP



Chas. F. McDevitt

CFM/kym

Enclosure



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

March 27, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

BOISE WATER CORP
LES BOIS INVITATIONAL SOCCER TOURNAMENT
PO BOX 7488
BOISE ID 83707

RE: WATER RIGHT NO. 63-11541

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

RECEIVED
APR 27 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure


REC-1140
MAY 19 1990

CERTIFICATE OF MAILING

I hereby certify that on the 27th day of March, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 63-11541

BOISE WATER CORP
LES BOIS INVITATIONAL SOCCER TOURNAMENT
PO BOX 7488
BOISE ID 83707



Vanessa Roby
Secretary

ER-DEPARTMENT MEMO--1

FROM S.W. Keen

DATE 1/3/97

TO Les Bois Tower Well File 63-11541

SUBJECT

I spoke with Ed Squires of UWI this morning. He and Vic Conrad are trying to reconstruct pumping records from power consumption records and some flow measurements made by BSU. Ed would like to finish this month.

1/16/97 SEBGUMA report was submitted to Western.

S.V. Keen

Shelly Walter Keen
SIGNATURE
MICROFILMED

APR 22 1997

J ER-DEPARTMENT MEMO--1

FROM S.W. Keen
TO LeBois former Well file
SUBJECT Call from Vic Conrad

DATE 11/18/96

Vic called to tell me that he has scheduled a meeting with Ed Aquires of UWI for 11/21/96.

NOTED
APR 22 1997

Shelly Vatter Keen
SIGNATURE

From: DWR80::SLESTER 3-OCT-1996 13:19:05.48
To: DWR03::SKEEN
CC:
Subj: PERMIT 63-11541 "LES BOIS ET AL"

Shelley, no add'tl. info in region file & I don't recall seeing anything on this. Dave has cleaned out his office but did not put anything in my basket @ this one. Suggest 1 final check with him -- although I'm sure he would have left word with you or me if he had anything pending -- before you proceed in licensing.

Hope that answers your inquiry.

From: DWR03::DTUTHILL 15-AUG-1996 14:40:59.13
To: DWR80::SLESTER SKEEN
CC:
Subj: Les Bois

At two meetings of the SEBGWMA Advisory Committee we told United Water, Simplot and Mrs. McDevitt that we need the data from the 1995 use of water before we can license the water right. I like the idea of Shelley sending a reminder letter. Let's send jointly to Mr. McDevitt and the two companies, explaining our need for data and the potential to jeopardize future use if the data are not forthcoming.

Dave

From: DWR80::SLESTER 15-AUG-1996 12:04:52.40
To: DWR03::DTUTHILL DWR03::SKEEN
CC:
Subj: PERMIT 63-11541 @ LES BOIS SOCCER, SE BOISE GWMA

Dave - Shelley & I discussed licensing issue yesterday for this permit where Chief Justice McDevitt was supposed to submit meas. data for 1995 to comply with SE Boise GWMA order/requirements. Licensing held pending data to be submitted.

I checked region permit file & SE Boise file but cannot find any report submitted for this right. Told Shelley I would also ask you if anything recent has been turned in & perhaps forwarded to you. Please let Shelley know if that's the case (I doubt that anything has been submitted).

Shelley is inclined to send yet another letter to solicit this data - and letter will probably mention that alternative could jeopardize ability to continue using this right. Letter will also probably avoid language such as "notice of intent to void" - trying a final effort at soft approach before resorting to more strict option under statutes.

Could you include your insights into this approach in your contact with Shelley? Let me know if I can do anything in this matter.

thanks,

Steve

From: DWR80::DTUTHILL 3-JUN-1996 14:08:05.53
To: DWR03::SKEEN SLESTER
CC:
Subj: Les Bois

To my knowledge the use info on the Les Bois well for last year has not been received. Please continue to hold the license until this info is received.

Thanks, Dave

MEMORANDUM

DATE: May 9, 1996

TO: File 63-11541

FROM: Shelley W. Keen *SWK*

RE: Conversations with Ed Squires and Vic Conrad

This morning I called Ed Squires with United Water Idaho to discuss the need for the 1995 Reporting Form and the assignment before 63-11541 can be licensed. Ed said he would look into the assignment. For the Reporting Form, however, he suggested I contact Vic Conrad of Simplot.

I called Vic, who told me that he would try to coordinate with Les Bois Soccer, United Water Idaho, and Boise Parks and Rec to see that the report is completed and furnished to IDWR.

ENCLOSURE

APR 22 1997

RECEIVED

MAY 7 - 1996

Department of Water Resources

IDWR

Attention: Shelley Whitaker
Re Water Right 63-11541

Enclosed application for
amendment reply you
5/2

I will submit River water
assignment at a later date

Thank you for
your recent letter.

See River and dam for
E. Lindholm

APR 22 1996
1 0250 1144



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 22, 1996

Chas. F. McDevitt
451 West State Street
Boise, ID 83720

RE: Water Right No. 63-11541

Dear Mr. McDevitt:

Thank you for returning the Application for Amendment of Water Right No. 63-11541. Before a water right license can be issued, however, there are three items that you need to address.

First, as I noted in my previous letter, a \$50.00 filing fee must be submitted with the application for amendment.

Second, you have crossed off the name of Boise Water Corporation on the application for amendment. Changing the ownership of a water right permit is accomplished by assignment. I have enclosed an assignment form which can be used by Boise Water Corp. (United Water Idaho) to assign its interest in this permit to you if that is the company's intention. The fee for filing an assignment of permit is \$25.00.

Third, because your diversion is located within the Southeast Boise Groundwater Management Area, you are required to measure and report your diversions annually. The 1995 Reporting Form, for the period beginning May 1, 1995, and ending December 31, 1995, was due on January 15, 1996. However, Dave Tuthill in our Western Region office told me that he has still not received your report.

In order to avoid any further delay in issuing your water right license, please submit your amendment fee, your 1995 Reporting Form, and any assignment within fourteen days. If you have any questions, please contact me at 208-327-7946.

Respectfully,

Shelley Walter Keen
Water Rights Supervisor

CHAS. F. McDEVITT
451 West State Street
Boise, Idaho 83720
(208) 334-3464

April 16, 1996

RECEIVED
APR 17 1996
WATER RESOURCES
WESTERN REGION


State of Idaho
Department of Water Resources
2735 Airport Way
Boise, ID 83705

Re: Application for Amendment - Water Right No. 63-11541
Les Boise Invitational Soccer Tournament, Inc.

Gentlemen,

Enclosed please find the above-referenced Application for Amendment (original).

Very truly yours,


Betty M. Nichols, for
CHAS. F. McDEVITT

/bmn

RECEIVED
APR 17 1996

MEMORANDUM

Shelley —

TO: Glen Saxton *MS*
FROM: Dave Tuthill *DT*
DATE: April 18, 1996
RE: Licensing Amendment for 63-11541

Attached please find a licensing amendment that we received yesterday. I am returning the document to your bureau for processing.

Three items of note. First, it does not appear that a filing fee accompanied the document.

Second, we should likely request a formal assignment to clarify that Boise Water Corp. is being removed as a holder of the right.

Third, please advise the water right holder that Western Region still needs information on water use during calendar year 1995. This information should be obtained and found to be acceptable to Western Region before a license is issued, as such a report is required for non-domestic wells within the Southeast Boise GWMA.

REC'D - BUREAU

APR 22 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 9, 1996

BOISE WATER CORP
LES BOIS INVITATIONAL SOCCER TOURNAMENT
PO BOX 7488
BOISE ID 83707

RE: WATER RIGHT NO. 63-11541

Dear Water Right Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has actually been developed.

As of this date, I have not received this amendment. If I do not receive the amendment within fourteen (14) days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed. Please note that the filing fee for this amendment is \$50.00.

If you have any questions, please call me at (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RCORC 11/1/96

APR 22 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 19, 1996

BOISE WATER CORP
LES BOIS INVITATIONAL SOCCER TOURNAMENT
PO BOX 7488
BOISE ID 83707

RE: WATER RIGHT NO. 63-11541

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

100-11111

APR 22 1996

LICENSE REVIEW CHECKLIST



PERMIT NO. 63-11541 DATE 3-18-96

NAME	<u>Change OK</u> ☒	Assignment Needed <u> </u>
PRIORITY DATE	☒	Advance? <u> </u> Advanced to: <u> </u> Order to reinstate needed? <u> </u> Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☒	Changes or just clarification of originally intended source? <u> </u> Notice of Intent to Void necessary? <u> </u>
POINT OF DIV	☒	Amendment needed? <u> </u> Overlaps? <u> </u>
PLACE OF USE	☒	Amendment needed? <u> </u> Overlaps? <u> </u>
DIV RATE	☒	Permit/fee limits: <u>2.90</u> / <u>IRRIGATION</u> Meas Q = <u>650 gpm</u> Theo Q = <u> </u> Recommend: <u>1.45</u> <u>or 1.45 CFS (limited by permit & capacity)</u> <u>(110 x .02 = 2.20)</u> Combined rates exceed capacity <u> </u>
ANNUAL VOLUME	☒	Volume Limit: <u> </u> Season: <u>014.5 (3/15 to 11-15)</u> Calculations: <u>110 x 4.5 = 495 af</u> Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u> Combined volumes exceed capacity/allowable <u> </u>
USES	☒	Change in Nature of Use or additional uses? <u> </u> Amendment necessary? <u> </u>
NEW CONDITIONS	<u>B32</u>	Irrigation Overlap Replaces Surface Water <u>050</u> <u>Supplemental GW 065</u> <u>Water Quality/Dam Safety/Heat-Cool/Fish</u> <u>WM Control- District</u> <u> </u> Meas/Lock Devices <u> </u> <u>Other</u> <u> </u>
NEW REMARKS	<u> </u>	Supplemental GW [in Snake River Plain] <u>WB8/WB7</u> <u>Irr/Dom Combination WB5</u> PPU Recommendation <u> </u> <u>Boise River/Wood River Source Aes/Rec Uses</u> <u>W38</u> <u>Multiple p/d(s) in 1/4 1/4?</u> <u> </u> <u>Fire Protection WB6</u> <u>Other</u> <u> </u>

COMMENTS: Municipal use not developed.

AMEND P14

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Irrigation</u>	<u>1.45</u>	<u>495</u>	Adjustment Memo Needed	<u>YES</u>
			LICENSE	
			1ST AMEND LETTER	<u>P41 + P39</u>
			2ND AMEND LETTER	<u>P42</u>

MEMORANDUM

TO: File 63-11541 / Boise Water Corp. & Les Boise
Invitational Soccer Tournament

FROM: Brenda Chapman

DATE: March 18, 1996

RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 63-11541 are based on the information below:

H. RECOMMENDATIONS

2. Recommended Amendments

☐ Change P.D.	☐ Add P.D.	☐ None
☐ Change P.U.	☒ Add P.U.	☐ Other

The exam confirms there are additions to the place of use.

63-11541-10
APR 22 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 8 6 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-11541

* 1. Owner: Les Boise Invitational Soccer Tournament

Phone No. 334-3464

Current Address: c/o Judge Charles McDewitt, PO Box 1543, Boise 83701

2. Accompanied by: Ralph Johnson

EXAM DATE: 9/14/94

Address: Boise Parker Dept

Phone No. 886-3269

Relationship to Permit Holder: Caretaker

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-11610, 63-11384, 63-08992

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	1		NE	NE	6	2N	3E	Ada	USGS Quad, blueprints

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	3E	6		42 5			43 15	44 5											25
3N	3E	31									5	43 5	44 23	31.5	.5	20			85

NOTIFIED
APR 22 1997

Les Boise Invitational Soccer Tournament
to Judge McDewitt owns the property + P/D. Boise Water Corp is no longer in the picture and is not an owner. The Judge plans to assign the property to Boise Parker. Boise Parker takes care of the property. Mike Woodard - 384-4201
Ralph Johnson - 886-3269

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Hitachi	150	1251KH	Ingersoll Dresser	
			(submersible)		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Laico Planimeter						
(for acre meas.)						

2. Measurements: layme installed pump and supplied attached pump curve + description.

RECORDED

APR 22 1937

E. NARRATIVE/REMARKS/COMMENTS

A 20" well with a 150 HP submersible pump supplies water to 110 acres of irrigation within a 155 acre sports field area. The ground water flows west through an 8" PVC mainline and discharges into a 2.5 cf pond. Two 50 HP booster pumps and a 1.5 HP submersible booster pump are used to pump the pond water into the buried Weather-Master sprinkler control system. This system is programmable and automatic except for the bordering burn area, which is manually valve controlled. The buried mainlines consist of 2 1/2", 4", 6" and 8" sizes, all PVC. The buried lateral lines consist of 3/4", 1", 1 1/4", 1 1/2", 2", and 2 1/2" sizes, all PVC. The sprinkler nozzles are all Hunter brand. A detailed map of the irrigation system is included in the file. No other vts are used.

The P/D is used for irrigation use only. Municipal use was not developed.

Have conditions of permit approval been met? ☒ yes ☐ no

RECORDED
APR 22 1967

F. FLOW CALCULATIONS

Measured Method:

pump curve
Additional Computation Sheets Attached

$$650 \text{ GPM @ } 580' \text{ TDH} = \underline{1.45 \text{ cfs}}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 110 \times 4.5 = 495$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.45 \times 246 \times 1.9835 = 707.5$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{495}$$

2. Volume Calculations for Other Uses:

$$\text{Pond size: } 155' \times 435' = 67425' / 43560 = 1.55 \text{ ac}$$

$$\text{sloping depth: } 1.55 \text{ ac} \times 4' \times .4 = \underline{2.5 \text{ af}}$$

$$1.45 \text{ cfs} \times 1.9835 = 2.9 \text{ af in 24 hrs}$$

$$2.9 \text{ af} > 2.5 \text{ af} \rightarrow \text{storage component N/A}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>3/15</u>	<u>11/15</u>	<u>1.45</u>	<u>495</u>
Totals:			<u>1.45 cfs</u>	<u>495 afa</u>

2. Recommended Amendments

* ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Loi Guaver Date 9/28/94

Reviewer _____ Date _____

SEAL


* See adjustment memo. *BC*

MICROFILMED

APR 22 1997

8 stg 650 GPM 580' TDH
72.25'/stg

Back of Sheet 520.43



Ed Spikes 5-31-94 - 4:15 - REWIND MOTOR



P.O. BOX 1005
NAMPA, IDAHO 83653-1005
(208) 466-7376
#3481

5-11-94

7362

SALES ORDER
NO.

SOLD TO

Simplot Sports Complex

P.O. Box 2243

Boise

83701

DATE

7-22-94

Mike Wood

WARD

MOB. 866-2086

OFF. 384-4201

REMARKS 150 H.P. Hitachi 1800 RPM Sub. motor 12"

430' - 8" x 20'

14 1/2' - 10" 8 1/2" 12 JKH


650 GPM @ 580' TDH

119 H.P.

QTY.	NUMBER	DESCRIPTION			
		6" well to 460' - Reduces to 10" .			
	*	8" is butt joint pipe			
		Pull pump - motor			
		Motor burned - bowls destroyed			
		Exodyne Electric P.O. # 5296			
1		Rewind 150 H.P. Hitachi 1800 RPM			
		Ingersoll - Dresser P.O. # 5301 Inv			
1		8 1/2" - 12 JKH Bowl unit			
		Robertsons Supply INV. # 10601			
300		1/4" AIR line 203/12			
22		1" P.V.C. Couplers (1.78 in			
		Riverside electric to install			
		Sales Tax			
5-11-94		Freddie - Joe - Hau - pull 4'			
7-22-94		Riverside picked up Motor - bowls			

APR 22 1997

SCALE
1" = 2000'



T3N > sec 31
R3E

T2N > sec 6
R3E

T3N.
T2N. P/D: NENE, sec 6
P/U: sec 6, 31

32'30"
4821


Total area planemetered
Baseball + Soccer parking
Pond area
Roads
undeveloped area in sec 6
(see attached maps)
Total recommended

155 ac
- 12 ac
- 3 ac
- 6 ac
- 24 ac


110 ac

SPILLW.
X 306
1026

80
TO AN INCH
DECLINATION




D **d** **E** **e** **F** **f** **G**



first about
1945 - 1950 -
under a level
of water


3	31
4	6

1945 - 1950 - 1957



SCALE 1" = 1015'

1" = 1015'




OREGON TRAIL
INTERPRETIVE CENTER

JUN 10 1984

63-11541

410 ft between lines



- 2 50HP boosters
- 1 1 1/2 HP submersible

Weathermatic sprinkler
control system

programmable/automatic

outside burn manually
irrigate with valves
pop-up sprinkler

all
↓
Hunter sprinklers

I-20

36-S

ADS

IDAHO DEPARTMENT OF WATER RESOURCES

McCometer Flowmeter WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-91-W-181 OTHER APPLICABLE NO: 63-11541

2. OWNER: Lee Boir Soccer Phone: _____
Address: _____

3. WELL LOCATION: Twp 2N, Rge. 3E, Sec. 6, NE 1/4 NE 1/4
County Ada (Provide sketch map and photo on reverse.)

4. DRILLER: Stevens + Sons Lic. No. 153
When Drilled? 1992

5. WELL CONSTRUCTION
 Casing Diameter 20" inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
 Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
 Depth of Casing 475 ft. Method Drilled cable
 Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
 Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
 Condition of Piping and Valving good
 Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
 Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION
 Depth to Static Water 298 ft. Water Temperature cold °F
 Flowing Artesian ☐ Yes ☒ No Pressure: 60 (psi) per owner
 Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
 Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic	☒ Irrigation	☐ Stock
☐ Test	☐ Municipal	☐ Industrial
☐ Abandoned	☐ Waste Disposal/Injection	☐ Not Used
☐ Other: _____		

9.

REMARKS:


McComiter Flow read 600 GPM, 785563 x 100
cumulative gallons


Signature of Dept. Representative & Title

9/14/94
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

20" → 8"



800 77 101

McCometer Flow-
meters



20" well
150 HP submersible pump
8" mainline


2-12-77



discharge pt from
8" mainline
leading from
the P/B to the
pond
pond = 2.5 af
(155' x 435' - 435' 60' x 4' x .4)

Booster Pump System:

- two 50HP pumps
- one 1 1/2 HP
submersible
pump



P/B
Looking N
from Grand
Forrest rd

10/10/10
10/10/10

INTER-DEPARTMENT MEMO--1

FROM *Ylin*
TO *File 63-11541*

DATE *9-02-93*

SUBJECT

- B. Ringert called today on behalf of Les Bois Invitation Soccer Tournament, Inc.
- He is concerned that proof was filed prematurely since Ringert advises the municipal use has not yet been hooked up.
- Ringert plans to contact Dan Brown of Boise Water Corp.

SIGNATURE

Ylin



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 19, 1993

Daniel Brown
Boise Water Corp/Les Bois Invitational Soccer
PO Box 7488
Boise, ID 83707

Re: Permit No. 63-11541

Dear Mr. Brown:

The Department is in receipt of your correspondence sent in reference to the proof of beneficial use filed in connection with the above referenced permit.

I have enclosed a copy of the amended proof of beneficial use which now includes the irrigation of 110 acres. Since the rate of diversion and/or license examination fee did not increase or change, the Department will accept the amended proof with no advance in priority.

If you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

Enclosure

C: IDWR - Regional Office
Jim Johnson

RECEIVED

AUG 27 1993



BOISE WATER CORPORATION

RECEIVED

AUG 12 1993

Department of Water Resources

August 11, 1993

Ms. Karen Gustafson
Idaho Department of Water Resources
1301 N. Orchard St.
Boise ID 83706

RE: Proof of Beneficial Use
Permit No. 63-11541

Dear Ms. Gustafson:

In our preparation of the Proof of Beneficial Use for the above permit, Boise Water Corporation omitted the irrigation component for this proposed water right. As indicated on the original Application for Permit, Boise Water Corporation and the Les Bois Invitational Soccer Tournament, Inc. applied for 2.9 cfs of groundwater, 50% of which would be for municipal uses by Boise Water Corporation and 50% for irrigation of 110 acres by the Les Boise Invitational Tournament, Inc.

Therefore, we request that the Proof of Beneficial Use be amended to include the irrigation component. The application for 2.9 cfs has correctly been reduced to 1.78 cfs to reflect the well's physical production limitations of 800 gpm.

If you need any further information regarding this matter, please give me a call.

Very truly yours,

BOISE WATER CORPORATION

Daniel Brown, P.E.

DB:mmc

c: Charles F. McDevitt
IWO File 92106

RECEIVED

AUG 27 1993

July 16, 1993

BOISE WATER CORP.
LES BOIS INVITATIONAL SOCCER TOURNAMENT
P.O. BOX 7488
BOISE ID 83707

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11541

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MIC ED
JUL 23 1993

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 63-11541 Reviewed by Klg Date 7/14/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? municipal
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 63-91-W-0181
200 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
150 Amount Submitted
no Correct?
NA Required?
✓ Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due -
No. of days late =
Priority Date +
New Priority Date

DEFICIENCIES OR ACTION ITEMS

fee is only \$125 OK return \$25 -

proof acceptable

DATA ENTRY

New Address Proof Made 7/12/93 7/16/93 Klg



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 14, 1993

Jonathon C Bowling
Boise Water Corporation
PO Box 7488
Boise, ID 83707

Re: Permit No. 63-11541

Dear Permit Holder:

The Department is in receipt of the proof of beneficial use and \$150 license examination fee submitted in connection with the above referenced permit.

You indicate the total rate of diversion to be 1.78 cfs. The license examination fee associated with 1.78 cfs is \$125. You are, therefore, entitled to a \$25 refund. I have enclosed a copy of the fee schedule for your reference.

I have begun the process to refund the \$25 overpayment. The process takes between two and four weeks and will arrive under separate cover.

If you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

Enclosure

C: Fiscal

RECEIVED
FILMED

JUL 23 1993



BOISE WATER CORPORATION

RECEIVED

JUL 12 1993

July 9, 1993

Department of Water Resources

State of Idaho
Department of Water Resources
1301 N. Orchard St.
Statehouse Mail
Boise ID 83720

RE: Proof of Beneficial Use
Permit No. 63-11541


Gentlemen:

Enclosed please find our completed Proof of Beneficial Use and a check for \$150.00 in payment of the related fee for the above referenced permit.

If further information is necessary, do not hesitate to contact me.

Sincerely,

BOISE WATER CORPORATION


Jenathon C. Bowling
Staff Engineer

JCB:mmc

Enclosures

RECEIVED

JUL 28 1993

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Boise Water Corp &/or
Les Bois Invitational Soccer Tournament Inc.
2. Mailing Address P.O. Box 7488 Boise Id 83707
Telephone 362-1704

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location NE 1/4 NE 1/4, or Gov't Lot No. _____
Sec. 6, Twp. 2N, Rge. 3E, County Ada
Street Address of Well Site _____
Lot, block and subdivision _____

4. Proposed use of well:

() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpc. or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpc.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpc.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic. Municipal & Irrigation

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 18" Proposed Maximum Depth 800'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date June 10 (approximate) 1991

7. Anticipated Well Driller Stevens #153
NOTE: The actual well driller must be identified prior to drilling.

Applicant's signature Daniel Brown, P.E. Date 5/31/91

Title Company Engineer, Boise Water Corp.
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approval Date 5/31/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

10. Water cannot be diverted from this well until water right application no. 63-11541 is approved.

Steve Larkin Jr. Agent for Manager, Western Regional Office
Signature of Authorized Department Representative Title

Receipt No. W013362 Received by FL Fee \$200 Date 5/31/91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

RECEIVED
JUL 23 1993

May 31, 1993

BOISE WATER CORP.
LES BOIS INVITATIONAL SOCCER TOURNAMENT
P.O. BOX 7488
BOISE ID 83707

PROOF DUE NOTICE

RE: PERMIT NO. 63-11541

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED
JUL 23 1993

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

pg 1

1. WELL OWNER Name <u>Les Bois Soccer Field</u> Address <u>Chas McDevitt, pres.</u> Owner's Permit No. <u>11541 pending</u> <u>63-91-W-181</u>		7. WATER LEVEL Static water level <u>298</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ <i>Describe artesian or temperature zones below.</i>																																																																																																																																															
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☒ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td>915</td><td>(Layne Pump)</td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	915	(Layne Pump)																																																																																																																																									
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																															
915	(Layne Pump)																																																																																																																																																
3. PROPOSED USE ☒ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>24</td><td>0</td><td>2</td><td>brown clay topsoil</td><td></td><td>X</td></tr><tr><td></td><td>2</td><td>8</td><td>tan colored hardpan</td><td></td><td>X</td></tr><tr><td></td><td>8</td><td>19</td><td>cemented sand, gravel, bldrs</td><td></td><td>X</td></tr><tr><td></td><td>19</td><td>47</td><td>hard black basalt</td><td></td><td>X</td></tr><tr><td></td><td>47</td><td>280</td><td>cemented sand, gravel, boulders, streaks brown clay</td><td></td><td>X</td></tr><tr><td></td><td>280</td><td>360</td><td>brown clay</td><td></td><td>X</td></tr><tr><td></td><td>360</td><td>530</td><td>shaley, sandy, light brown clay</td><td>X</td><td>X</td></tr><tr><td></td><td>530</td><td>620</td><td>dark brown sandy clay</td><td>X</td><td></td></tr><tr><td></td><td>620</td><td>630</td><td>sandy blue clay</td><td></td><td>X</td></tr><tr><td></td><td>630</td><td>662</td><td>dark blue sticky clay</td><td></td><td>X</td></tr><tr><td></td><td>662</td><td>668</td><td>brown sticky clay</td><td></td><td>X</td></tr><tr><td></td><td>668</td><td>712</td><td>cemented sand, gravel, boulders</td><td>X</td><td></td></tr><tr><td></td><td>712</td><td>718</td><td>sandy brown clay</td><td>X</td><td></td></tr><tr><td></td><td>718</td><td>775</td><td>cemented sand, gravel, bldrs, streaks brown clay</td><td>X</td><td></td></tr><tr><td></td><td>775</td><td>800</td><td>light brown sandyclay</td><td>X</td><td></td></tr><tr><td></td><td>800</td><td>820</td><td>tan colored clay, streaks fine to coarse sand</td><td>X</td><td></td></tr><tr><td></td><td>820</td><td>828</td><td>tan colored sandyclay</td><td>X</td><td></td></tr><tr><td></td><td>828</td><td>885</td><td>sandy brown clay</td><td>X</td><td></td></tr><tr><td></td><td>885</td><td>914</td><td>sticky brown clay</td><td></td><td>X</td></tr><tr><td></td><td>914</td><td>940</td><td>sticky, shaley, blue clay</td><td></td><td></td></tr><tr><td></td><td>940</td><td>975</td><td>hard, dry, chocolate colored clay</td><td></td><td></td></tr><tr><td></td><td>975</td><td>1001</td><td>hard blue colored shale</td><td></td><td>X</td></tr></tbody></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	24	0	2	brown clay topsoil		X		2	8	tan colored hardpan		X		8	19	cemented sand, gravel, bldrs		X		19	47	hard black basalt		X		47	280	cemented sand, gravel, boulders, streaks brown clay		X		280	360	brown clay		X		360	530	shaley, sandy, light brown clay	X	X		530	620	dark brown sandy clay	X			620	630	sandy blue clay		X		630	662	dark blue sticky clay		X		662	668	brown sticky clay		X		668	712	cemented sand, gravel, boulders	X			712	718	sandy brown clay	X			718	775	cemented sand, gravel, bldrs, streaks brown clay	X			775	800	light brown sandyclay	X			800	820	tan colored clay, streaks fine to coarse sand	X			820	828	tan colored sandyclay	X			828	885	sandy brown clay	X			885	914	sticky brown clay		X		914	940	sticky, shaley, blue clay				940	975	hard, dry, chocolate colored clay				975	1001	hard blue colored shale		X
Bore Diam.	Depth		Material		Water																																																																																																																																												
	From	To		Yes	No																																																																																																																																												
24	0	2	brown clay topsoil		X																																																																																																																																												
	2	8	tan colored hardpan		X																																																																																																																																												
	8	19	cemented sand, gravel, bldrs		X																																																																																																																																												
	19	47	hard black basalt		X																																																																																																																																												
	47	280	cemented sand, gravel, boulders, streaks brown clay		X																																																																																																																																												
	280	360	brown clay		X																																																																																																																																												
	360	530	shaley, sandy, light brown clay	X	X																																																																																																																																												
	530	620	dark brown sandy clay	X																																																																																																																																													
	620	630	sandy blue clay		X																																																																																																																																												
	630	662	dark blue sticky clay		X																																																																																																																																												
	662	668	brown sticky clay		X																																																																																																																																												
	668	712	cemented sand, gravel, boulders	X																																																																																																																																													
	712	718	sandy brown clay	X																																																																																																																																													
	718	775	cemented sand, gravel, bldrs, streaks brown clay	X																																																																																																																																													
	775	800	light brown sandyclay	X																																																																																																																																													
	800	820	tan colored clay, streaks fine to coarse sand	X																																																																																																																																													
	820	828	tan colored sandyclay	X																																																																																																																																													
	828	885	sandy brown clay	X																																																																																																																																													
	885	914	sticky brown clay		X																																																																																																																																												
	914	940	sticky, shaley, blue clay																																																																																																																																														
	940	975	hard, dry, chocolate colored clay																																																																																																																																														
	975	1001	hard blue colored shale		X																																																																																																																																												
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____		10. Work started <u>8/20/91</u> finished <u>3/18/92</u> <i>Regional Office</i>																																																																																																																																															
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>.250 inches</td><td>20 inches</td><td>+ 0 feet</td><td>20 feet</td></tr><tr><td>.375 inches</td><td>18 inches</td><td>+ .5 feet</td><td>299 feet</td></tr><tr><td>.250 inches</td><td>16 inches</td><td>+ 1.5 feet</td><td>471 feet</td></tr><tr><td>.250 inches</td><td>10 inches</td><td>460 feet</td><td>475 feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>Johnson</u> Type <u>stainless steel</u> Model No. <u>304</u> Diameter <u>10</u> Slot size <u>30</u> Set from <u>see attached</u> feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No ☐ Size of gravel <u>8-12 Co-1</u> Placed from <u>460</u> feet to <u>1001</u> feet Surface seal depth <u>47</u> Material used for seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____		Thickness	Diameter	From	To	.250 inches	20 inches	+ 0 feet	20 feet	.375 inches	18 inches	+ .5 feet	299 feet	.250 inches	16 inches	+ 1.5 feet	471 feet	.250 inches	10 inches	460 feet	475 feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Stevens & Sons</u> Firm No. <u>153</u> Address <u>3709 Hawthorne Dr</u> Date <u>3/4/92</u> Signed by (Firm Official) <u>Wayne Stevens</u> and (Operator) <u>Don Stevens</u>																																																																																																															
Thickness	Diameter	From	To																																																																																																																																														
.250 inches	20 inches	+ 0 feet	20 feet																																																																																																																																														
.375 inches	18 inches	+ .5 feet	299 feet																																																																																																																																														
.250 inches	16 inches	+ 1.5 feet	471 feet																																																																																																																																														
.250 inches	10 inches	460 feet	475 feet																																																																																																																																														
Number	From	To																																																																																																																																															
_____ perforations	_____ feet	_____ feet																																																																																																																																															
_____ perforations	_____ feet	_____ feet																																																																																																																																															
_____ perforations	_____ feet	_____ feet																																																																																																																																															
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. <table border="1"><tr><td>N</td><td></td><td></td></tr><tr><td>W</td><td></td><td>E</td></tr><tr><td>S</td><td></td><td></td></tr></table> County <u>ADA</u> Subdivision Name _____ Lot No. _____ Block No. _____ N/E <u>1/4</u> N/E <u>1/4</u> Sec. <u>6</u> T. <u>2</u> S. R. <u>3</u> W. ☒		N			W		E	S			USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT																																																																																																																																						
N																																																																																																																																																	
W		E																																																																																																																																															
S																																																																																																																																																	

pg 2

W. E. STEVENS & SONS

WELL DRILLING

3709 Hawthorn Dr. • Boise, Idaho 83703 • Phone: (208) 344-0726

WELL SCREEN ASSEMBLY SOCCER FIELD WELL

headpipe	460'-475'
screen	475'-485' 4"
casing	485' 4"-525'
screen	525'-535' 4"
casing	535' 4"-555'
screen	555'-595' 8"
casing	595' 8"-648'
screen	648'-658' 4"
casing	658' 4"-700'
screen	700'-761'
casing	761'-785'
screen	785'-805' 4"
casing	805' 4"-825'
screen	825'-835' 4"
casing	835' 4"-855'
screen	855'-865' 4"
casing	865' 4"-905'
screen	905'-915' 4"
casing	915' 4"-960'
screen	960'-970' 4"
casing	970' 4"-985' 4"

RECEIVED

JUL 23 1993

2N 03E sec. 6



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 6, 1992

Boise Water Corporation
Les Bois Invitation Soccer Tournament
P.O. Box 7488
Boise, ID 83707

Re: Permit No. 63-11541

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to August 1, 1993. Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

Enclosure

C: IDWR-Regional Office

MICROFILMED

AUG 21 1992

May 31, 1992

BOISE WATER CORP.
LES BOIS INVITATIONAL SOCCER TOURNAMENT
P.O. BOX 7488
BOISE ID 83707

PROOF DUE NOTICE

RE: PERMIT NO. 63-11541

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECORDED

AUG 21 1992

July 30, 1991

BOISE WATER CORP.
LES BOIS INVITATIONAL SOCCER TOURNAMENT
P.O. BOX 7488
BOISE, ID 83707

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11541

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

RECEIVED

JUL 1 1991

The Idaho Statesman
P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

114.24

Department of Water Resources

Account Number 47628		Identification Notice of Application for Water Right	
Ordered By Gail Garrett	P.O. Number	Rate nt	Run Dates June 20, 27, 1991
Idaho Dept. of Water Resources Western Region 2735 Airport Way Boise ID 83705		Estimated Inches # Affidavits 1	Real Inches Legal Number 8712

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11529

DUNTEN PLACE SUBDIVISION
2304 N. COLE RD. SUITE A
BOISE, ID 83704
Source: GROUNDWATER
Diversion Pt: SESWSW Sec 1 T 03N R 01W
Use: IRRIGATION (.600 CFS)
Total Diversion: (.600 CFS)
Date Filed: 5/13/1991
In: T03N R01W S01 SWSW
8.0 ACRES TOTAL

63-11539

WATKINS, ARTHUR DONALD
8828 CLOVIS DR.
BOISE, ID 83709
Source: GROUNDWATER
Diversion Pt: NENE Sec 9 T 05N R 01W
Use: STOCKWATER (.140 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.180 CFS)
Date Filed: 5/31/1991
In: T05N R01W S03 SESE
S09 NENE

63-11540

PRIGGE, JOAN
P.O. BOX 45118
BOISE, ID 83711
Source: GROUNDWATER
Diversion Pt: LOT 3 (NENW Sec 3 T 01N R 03E
LOT 2 (NWNE) Sec 4 T 01N R 03E
NESW Sec 34 T 02N R 03E
Use: COMMERCIAL (.060 CFS)
DOMESTIC (.040 CFS)
IRRIGATION (8.200 CFS)
Total Diversion: (8.260 CFS)
Date Filed: 5/28/1991
In: T01N R03E S03 Lot 3 (NENW)
Lot 4 (NWNW) SWNW SENW
S04 Lot 1 (NENE) Lot 2 (NWNE)
SWNE SENE
Lot 3 (NENW) SENW
T02N R03E S34 (NESW SWSW
SESW
450.0 ACRES TOTAL

63-11541

BOISE WATER CORP. &/OR
LES BOIS INVITATIONAL SOC-
CER INC.
P.O. BOX 7488
BOISE, ID 83707
Source: GROUNDWATER
Diversion Pt: LOT 1 (NENE) Sec 6 T 02N R 03E
Use: IRRIGATION (1.450 CFS)
MUNICIPAL (1.450 CFS)
Total Diversion: (2.900 CFS)
Date Filed: 5/31/1991
In: T03N R03E S31 NESW Lot 3
NWSW Lot 4 (SWSW) SESW
110.0 ACRES TOTAL

63-11542

STATE OF IDAHO
DEPT. OF FISH & GAME
P.O. BOX 25
BOISE, ID 83720
Source: GROUNDWATER
Diversion Pt: LOT 4 (NENW) Sec 14 T 03N R 02E
Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 6/4/1991
In: T03N R02E S14 Lot 4 (NENW)
3.0 ACRES TOTAL

63-11546

CROMAN CORPORATION
1625 YAMHILL RD.
BOISE, ID 83705
Source: GROUNDWATER
Diversion Pt: SWSE Sec 36 T 03N R 02E
Use: COMMERCIAL (1.000 CFS)
Total Diversion: (1.000 CFS)
Date Filed: 5/30/1991
In: T03N R02E S36 SWSE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before JULY 8, 1991.

R. KEITH HIGGINSON, Director
Pub. Jun. 20, 27, 1991 8712

Jill Roberts

, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for two

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of June 20, 1991

and ending with the issue of June 27, 1991

Jill Roberts

STATE OF IDAHO)

ss.

COUNTY OF ADA)

On this 27th day of June, 1991, before me, a Notary Public, personally appeared Jill Roberts

, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

[Signature]
Notary Public for Idaho

Residing at Boise, ID

My commission expires: 12/93

+ servia area of BWC.

Name of applicant implies place of use.

Done 7/2/91

MICROFILMED
SEP 04 1991

63-11541

BOISE WATER CORP. &/OR LES BOIS SOCCER
P.O. BOX 7488
BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: LOT 1 (NENE) Sec 6 T 02N R 03E

Use: IRRIGATION (1.450 CFS)
MUNICIPAL (1.450 CFS)
Total Diversion: (2.900 CFS)

Date Filed: 5/31/ 1991

In: T03N R03E S31 NESW Lot 3 (NWSW) Lot 4 (SWSW) SESW

110.0 ACRES TOTAL

MINUTED
SEP 04 1991