


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED
FEB 27 1990

Boise Water Corporation
By: Daniel Brown, P.E.
(Applicant) Company Engineer

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	USELEC	150	65021	Jackson	90150423 / 10"
			T04S271R06R-3		

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Spartan flow meter				6-03734		

2. Measurements: pump not operating

OCT 26 1994



63-11034



Shown :
wellhead, flowmeter

RECEIVED
OCT 26 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11034

Priority: October 22, 1989

Maximum Diversion Rate:

2.74 CFS

This is to certify, that BOISE WATER CORP
PO BOX 7488

BOISE ID 83707

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 12, 1989; and has submitted Proof of Beneficial Use on February 11, 1992. An examination indicates that the works have a diversion capacity of 2.740 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	2.74 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 32, Township 03N, Range 02E
ADA County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The issuance of this right in no way grants any right-of-way or easement across the land of another.
5. Place of use is located within the Boise Water Corporation service area.
6. Point of diversion is known as the Mac well.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 19TH day of OCTOBER, 1994.

Acting for R. Keith Higginson, Director

OCT 26 1994

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-11034)
IN THE NAME OF BOISE WATER CORPORATION) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before February 1, 1992; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on February 11, 1992;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-11034 be REINSTATED with an advance in priority to October 22, 1989.

Dated this 13th day of February, 1992.


L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED

MAR 06 1992

1

RECEIVED

FEB 11 1992

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 1.00Date 2-11-92Receipt No. 1023195Receipt by WLB**PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11034 Telephone No. 362-1704
2. Name(s) of Permit Holder(s): BOISE WATER CORPORATION
3. Mailing Address: P.O. BOX 7488 BOISE, IDAHO 83704
4. Source of Water: GROUNDWATER

If **GROUNDWATER**, Well Driller's Name: STEVENS & SONS Date Drilled: 4-25-90

OPTIONAL:

Pump horsepower: 150 Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other MUNICIPAL

6. Total rate and/or volume for which proof is submitted 2.79 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

8. Fee Enclosed: \$ 150.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name JAMES MOONEY Telephone No. 362-1300

Address 8248 W. VICTORY RD. BOISE, IDAHO 83709

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 2/10/92 Signature Benjamin M. Xepher VICE PRESIDENT
(and title, if on behalf of a company or organization)

MAR 06 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11034

Proposed Priority: October 12, 1989 Maximum Diversion Rate: 2.79 CFS

This is to certify, that **BOISE WATER CORP.**
P.O. BOX 7488
BOISE, ID 83707

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
MUNICIPAL	01/01 to 12/31	2.79 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNW Sec. 32, Township 03N, Range 02E
ADA County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1992**.
2. Subject to all prior water rights.
3. The point of diversion identified in this permit is located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller must monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
6. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
7. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
8. Place of use within city limits of Boise.

MICROFILMED

FEB 27 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11034

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23rd day of January, 1990.


for R. Keith Higginson, Director

MICROFILMED

FEB 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Boise Water Corporation Phone 208-362-2618

Post office address P. O. Box 7488, Boise, Idaho 83707

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 32 Township 3 North

Range 2 East B.M. _____ Add _____ County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.79 for Municipal purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.79 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. An 18" drilled and 10" cased deep well approximately 700' deep. Pumped by a deep well turbine driven by an electric motor. Discharge will be directly to applicant's distribution system.

b. Height of storage dam N/A feet, active reservoir capacity N/A acre-feet; total reservoir capacity N/A acre-feet, materials used in storage dam: N/A

Period of year when water will be diverted to storage N/A to N/A inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 18 inches; proposed depth of well is 700' feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered N/A

(4) Name of municipality to be served Boise, Idaho, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: N/A

MICROFILMED

FEB 27 1990

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. All permits for Boise Water Corporation as filed and on record in the Dept. of Water Resources.

9. a. Who owns the property at the point of diversion William D. & Serena E. McAlvain

b. Who owns the land to be irrigated or place of use N/A

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Boise Water Corporation has an option on the well site.

10. Remarks Water will be used to augment Boise Water Corporation's existing system and provide service to an expanding system.


Cold water (per office visit by D. Brown, Company Engineer, 10/12/89).

Drilling Permit 63-89-W-199.

Well within city limits of Boise

RECEIVED
FEB 27 1990

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

FEB 27 1990

BOISE WATER CORPORATION

By: Daniel Brown, P.E.
(Applicant) COMPANY ENGINEER

Received by RL Date 10/12/89 Time 2:45
Preliminary check by GG Fee \$ 85⁰⁰
Receipted by RL Date 10/12/89 # W006220
Publication prepared by GG Date 10-25-89
Published in ID Statesman
Publication dates 11/2 & 11/9/89
Publication approved st Date 11-20-89
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DRT

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

RECEIVED

FEB 27 1990

RECEIVED

OCT 17 1989

Department of Water Resources
Western Regional Office

Boise Water Corporation
Corporate Officers

President
Secretary
Directors

Wayne L. Booe
Charles A. Martin
George B. Flegal, Jr.
Wayne L. Booe
Lewis R. Masotti

P. O. Box 8066, Boise, Idaho 83707
P. O. Box 8066, Boise, Idaho 83707
950 Haverford Rd., Bryn Mawr, PA 19010
P. O. Box 8066, Boise, Idaho 83707
950 Haverford Rd., Bryn Mawr, PA 19010

MICROFILMED

FEB 27 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 20, 1994

BOISE WATER CORP
PO BOX 7488
BOISE ID 83707

RE: WATER RIGHT NO. 63-11034

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

RECEIVED

OCT 26 1994

LICENSE REVIEW CHECKLIST

ON HOLD

Permit # 63-11034 Date 12-10-93 Brenda Chapman

7-26-94 Run again

NAME Yes No ☒ Or Address Change?

PRIORITY DATE ☒ Advance? DONE Advanced to: 10-22-89
☒ Order to Reinstate Needed? done
☒ Incorrect Fee for rate recommended?

SOURCE Changes? Clarification of **Originally Intended** source
☒ Notice of Intent to Void - Source change.

P/D Amendment Needed?
☒ Overlap(s) _____

P/U Amendment Needed?
☒ Overlap(s) _____

TOTAL CFS Measurement Done? (Not OPERATING THAT DAY)
From 1992 Pumping RECORDS -
MAX PRODUCTION @ 1228 gpm = 2.74 CFS
System Capacity 2.74
Allowable Amount: 2.74

TOTAL VOLUME NA Season of Use: _____
 Calculations: _____

 Flow limit: _____ x _____ x 1.9835 = _____

USES Change(s) in Nature of Use?
☒ Amendment Needed? _____

REMARKS Multiple P/Ds in 1/4 1/4?
☒ Special Overlap _____
☒ Other Delete BOISE FRONT - FLOW conditions.

CONDITIONS Measuring/Locking Devices
☒ W/Master Control Water Dist
☒ Irrigation Overlap 10-12-89 App Rec'd
☒ Water Quality 7-8-93 Exam Made

COMMENTS: KNOWN AS "MAC WELL" ; Reduce rate to capacity

RECOMMENDED CFS DIV VOL

Municipal 2.74 NA

LICENSE ☒

1ST AMEND LETTER _____
 2ND AMEND LETTER _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 19 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 03-11034

1. Owner: BOISE WATER CORP Phone No. 362-1300

Current Address: PO Box 7488 BOISE ID 83701

2. Accompanied by: DON MAYS EXAM DATE: 7/8/93

Address: _____ Phone No. _____

Relationship to Permit Holder: Chief Pump Operator

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: N/A

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NW	32	3N	2E	Ada	Site visit, Orthophoto


2. Place(s) of Use: See remarks

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

OCT 26 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	USELEC	150	65021	Jackson	90150423 / 10"
			T04S271R000R-3		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Sparking flow meter				6-03734		

2. Measurements: pump not operating

OCT 26 1994

E. NARRATIVE/REMARKS/COMMENTS

20" x 525' Bowl Setting 250' Photo #1
(Bowl Set ~ 20' below P.L.) P.L. est 230' psi est 80
P/D commonly known as Mac Well.

Place of use is within the service area of Boise
Water corp.

Recommended rate of flow drawn from 1992
pumping records. Pump not operating @ time
of exam.

Have conditions of permit approval been met? ☒ yes ☐ no

See Plu remark

APPROVED
OCT 26 1994

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

HP equation
$$\frac{150 \times 8.8 \times .7}{230 + (80 \times 2.31)} = 2.23 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{N/R}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

Pumping records : Max production 1228 gpm = 2.74 cfs
System capacity

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Municipal	1/1	12/31	2.74	
Totals:			2.74	

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Gillodges Date 7/12/93

Reviewer _____ Date _____

SEAL

JUL 20 1993


SERVICE LEVEL: GOWEN

PAGE 24

AUG 17, 1992 19:30

WELLS	PUMP SETTING (FT)	PUMP CAPACITY (GPM)	TOTAL OPR HRS	TOTAL PUMPED (MG)	MEASURED PARAMETERS	AVG	HIGH	TIME	LOW	TIME	LAST	FAIL PWR	HOURS COM
AMITY												0.0	0.0 AMITY
W46PUMP	300	1001	24.00	0.000	W46FLOW	550.1	847.1	515	427.1	0 0	550.1		
					W46PRESS	82.6	86.3	036	70.0	510	81.3		
					W46 S.H.D RUN	86.5	111.7	036	57.0	511	73.0		
					W46 S.H.D	0.0	0.0	0 0	*****	0 0			
BIT												0.0	0.0 BIT
W47PUMP	270	571	24.00	0.000	W47FLOW	331.1	1007.1	430	100.1	1015	101.1		
					W47PRESS	81.7	87.3	036	67.3	10 5	82		
					W47 S.H.D RUN	51.0	71.4	2017	0.0	0 0	0.0		
					W47 S.H.D	0.0	0.0	0 0	*****	0 0			
CLWEN												0.0	0.0 CLWEN
W48PUMP	370	570	24.00	0.000	W48FLOW	101.1	101.1	0 0	101.1	145	101.1		
					W48PRESS	101.1	101.7	1401	101.0	5 0	81.1		
GOVERN												0.0	0.0 GOVERN
W49PUMP	370	570	24.00	0.000	W49FLOW	1000.1	1017.1	1 0	1000.1	0 0	1000.1		
					W49PRESS	70.0	70.1	0 0	66.6	16 3	71.0		
					W49 S.H.D RUN	10.0	10.0	0350	17.5	1400	10.5		
					W49 S.H.D	0.0	0.0	0 0	*****	0 0			
JR FLAT												0.0	0.0 JR FLAT
W58PUMP	371	750	24.00	0.000	W58FLOW	676.1	730.1	715	667.1	630	647.1		
					W58PRESS	74.7	79.1	2333	70.7	12 7	76.3		
					W58 GPM	673.3	693.5	16 0	655.0	23 9	667.5		
					W58 S.H.D RUN	0.0	14.7	2332	10.5	1528	13.1		
					W58 S.H.D	0.0	0.0	0 0	*****	0 0			
JUNKER												0.0	0.0 JUNKER
W44JUNKER	210	405	0.00	0.000	W44FLOW	0.1	0.1	0 0	*****	0 0	0.1		
HAC												0.0	0.0 HAC
W63PUMP1		0	24.00	1.437	W63FLOW	998.1	1060.1	515	973.1	1515	1027.1		
					W63PRESS	85.6	89.2	036	77.1	510	80.7		
					W63 GPM	1219.7	1228.2	6 0	1186.8	036	1228.2		
					W63 S.H.D RUN	0.0	0.0	0 0	0.0	0 0	0.0		
					W63 S.H.D	0.0	0.0	0 0	*****	0 0			

RECEIVED
AUG 16 1994



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

Mac

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 63-11034

2. OWNER: BOISE WATER CORP Phone: _____

Address: _____

3. WELL LOCATION: Twp 3N, Rge. 2E, Sec. 32, NW 1/4 NW 1/4
County Ada (Provide sketch map and photo on reverse.)

4. DRILLER: Stevens Lic. No. _____

When Drilled? 4/25/90

5. WELL CONSTRUCTION TD = 525

Casing Diameter 20 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No

Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____

Depth of Casing 525 ft. Method Drilled Cable

Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____

Control Valve? ☐ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No

Condition of Piping and Valving OK

Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No

Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION

Depth to Static Water 115 ft. Water Temperature _____ °F

Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)

Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____

Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic	☐ Irrigation	☐ Stock
☐ Test	☒ Municipal	☐ Industrial
☐ Abandoned	☐ Waste Disposal/Injection	☐ Not Used
☐ Other: _____		

RECEIVED
OCT 26 1994

5. REMARKS:

G. Hodges

Signature of Dept. Representative & Title

7/8/93

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:


RECEIVED

OCT 26 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

52-2610 Dan Brown
USE TYPEWRITER OR
BALLPOINT PEN

1. WELL OWNER HAWTHORNE CORP. 3709 Hawthorne Dr Owner's Permit No 63-11034		2. WATER LEVEL Static water level 115 feet below land surface Flowing? ☒ Yes ☒ No G.P.M. flow Artesian closed in pressure D.S. Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature 68° Quality Describe artesian or temperature curves below																																																																																																																					
3. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement Abandoned describe abandonment procedures such as materials plug depths etc in lithologic log		8. WELL TEST DATA ☒ Pump ☐ Sucker ☐ Air ☐ Other <table border="1"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Lift ft</th> <th>Hours Pumped</th> </tr> <tr> <td>1520</td> <td>187</td> <td>6</td> </tr> </table>		Discharge G.P.M.	Pumping Lift ft	Hours Pumped	1520	187	6																																																																																																														
Discharge G.P.M.	Pumping Lift ft	Hours Pumped																																																																																																																					
1520	187	6																																																																																																																					
3. PROPOSED USE Domestic ☐ Irrigation ☐ Test ☒ Municipal Industrial ☐ Stock ☐ Waste Disposal or Injection Other specify type		9. LITHOLOGIC LOG <table border="1"> <thead> <tr> <th>Bore Diam.</th> <th>Depth From To</th> <th>Material</th> <th>Water Yes No</th> </tr> </thead> <tbody> <tr><td>20</td><td>0</td><td>fill-pit run</td><td></td></tr> <tr><td>18</td><td>4</td><td>topsoil</td><td>X</td></tr> <tr><td>17</td><td>7</td><td>muddy gravel & boulders</td><td>X</td></tr> <tr><td>10</td><td>55</td><td>gravel & boulders</td><td>X</td></tr> <tr><td>55</td><td>60</td><td>muddy gravel & sand</td><td>X</td></tr> <tr><td>60</td><td>70</td><td>sand & gravel</td><td>X</td></tr> <tr><td>70</td><td>78</td><td>sticky brown clay</td><td>X</td></tr> <tr><td>78</td><td>125</td><td>sandy brown clay & clay</td><td>X</td></tr> <tr><td>125</td><td>135</td><td>sand</td><td>X</td></tr> <tr><td>135</td><td>184</td><td>sandy clay & clay</td><td>X</td></tr> <tr><td>184</td><td>197</td><td>clay</td><td>X</td></tr> <tr><td>197</td><td>215</td><td>cemented sand & sandy clay</td><td>X</td></tr> <tr><td>215</td><td>222</td><td>clay</td><td>X</td></tr> <tr><td>222</td><td>252</td><td>sandy clay</td><td>X</td></tr> <tr><td>252</td><td>267</td><td>clay</td><td>X</td></tr> <tr><td>267</td><td>278</td><td>sand & gravel</td><td>X</td></tr> <tr><td>278</td><td>281</td><td>brown sandy clay</td><td>X</td></tr> <tr><td>18</td><td>281</td><td>green cemented sand & sandy clay</td><td>X</td></tr> <tr><td>295</td><td>302</td><td>blue gray clay</td><td>X</td></tr> <tr><td>302</td><td>330</td><td>green cemented sand & sandy clay</td><td>X</td></tr> <tr><td>330</td><td>345</td><td>blue gray clay</td><td>X</td></tr> <tr><td>345</td><td>350</td><td>silty blue gray clay</td><td>X</td></tr> <tr><td>350</td><td>365</td><td>coarse sand & cemented sand</td><td>X</td></tr> <tr><td>365</td><td>415</td><td>black blue silty clay</td><td>X</td></tr> <tr><td>415</td><td>418</td><td>cemented sand</td><td>X</td></tr> <tr><td>418</td><td>489</td><td>sand</td><td>X</td></tr> <tr><td>489</td><td>490</td><td>sticky blue gray clay</td><td>X</td></tr> <tr><td>490</td><td>525</td><td>sand</td><td>X</td></tr> </tbody> </table>		Bore Diam.	Depth From To	Material	Water Yes No	20	0	fill-pit run		18	4	topsoil	X	17	7	muddy gravel & boulders	X	10	55	gravel & boulders	X	55	60	muddy gravel & sand	X	60	70	sand & gravel	X	70	78	sticky brown clay	X	78	125	sandy brown clay & clay	X	125	135	sand	X	135	184	sandy clay & clay	X	184	197	clay	X	197	215	cemented sand & sandy clay	X	215	222	clay	X	222	252	sandy clay	X	252	267	clay	X	267	278	sand & gravel	X	278	281	brown sandy clay	X	18	281	green cemented sand & sandy clay	X	295	302	blue gray clay	X	302	330	green cemented sand & sandy clay	X	330	345	blue gray clay	X	345	350	silty blue gray clay	X	350	365	coarse sand & cemented sand	X	365	415	black blue silty clay	X	415	418	cemented sand	X	418	489	sand	X	489	490	sticky blue gray clay	X	490	525	sand	X
Bore Diam.	Depth From To	Material	Water Yes No																																																																																																																				
20	0	fill-pit run																																																																																																																					
18	4	topsoil	X																																																																																																																				
17	7	muddy gravel & boulders	X																																																																																																																				
10	55	gravel & boulders	X																																																																																																																				
55	60	muddy gravel & sand	X																																																																																																																				
60	70	sand & gravel	X																																																																																																																				
70	78	sticky brown clay	X																																																																																																																				
78	125	sandy brown clay & clay	X																																																																																																																				
125	135	sand	X																																																																																																																				
135	184	sandy clay & clay	X																																																																																																																				
184	197	clay	X																																																																																																																				
197	215	cemented sand & sandy clay	X																																																																																																																				
215	222	clay	X																																																																																																																				
222	252	sandy clay	X																																																																																																																				
252	267	clay	X																																																																																																																				
267	278	sand & gravel	X																																																																																																																				
278	281	brown sandy clay	X																																																																																																																				
18	281	green cemented sand & sandy clay	X																																																																																																																				
295	302	blue gray clay	X																																																																																																																				
302	330	green cemented sand & sandy clay	X																																																																																																																				
330	345	blue gray clay	X																																																																																																																				
345	350	silty blue gray clay	X																																																																																																																				
350	365	coarse sand & cemented sand	X																																																																																																																				
365	415	black blue silty clay	X																																																																																																																				
415	418	cemented sand	X																																																																																																																				
418	489	sand	X																																																																																																																				
489	490	sticky blue gray clay	X																																																																																																																				
490	525	sand	X																																																																																																																				
4. METHOD DRILLED Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other		5. WELL CONSTRUCTION Casing schedule ☒ Steel ☐ Concrete ☐ Other Thickness Diameter From To .250 inches 20 inches 1 feet 73'6" feet .375 inches 18 inches 2'1" feet 300 feet .250 inches 10 inches 283'3" feet 439'0" feet .250 inches 10 inches 520 feet 525 feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation inches by inches Number From To perforations feet feet perforations feet feet perforations feet feet We'll screen installed? ☒ Yes ☐ No Manufacturer's name JOHNSON Type stainless steel Model No. 304 Diameter 30 Set from 439 feet to 520 feet Diameter 30 Set from 439 feet to 520 feet Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 3-12 & 1/4 Placed from 416 feet to 525 feet Surface seal depth 280 Material used in seal ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ Sealing procedure used ☒ Slurry pit ☐ surface casing ☒ Overbore to seal depth Method of joining casing ☐ Threaded ☒ Welded ☐ Solvent Weld Describe access port																																																																																																																					
6. LOCATION OF WELL Sketch map location must agree with written location.  MAC WELL Subdivision Name Lot No Block No. County Ada NW 1/4 NW 1/4 Sec 32 T. 3N R. 2E E/W		10. Department of Water Resources Work started 3/1/90 finished 4/25/90 11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the report was removed. Firm Name Stevens & Sons Inc Address 3709 Hawthorne Dr Date 5/1/90 Signed by (Firm Official) Wayne E. Stevens Operator Ronald L. Stevens																																																																																																																					

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

OCT 26 1994

63-11034



Shown :
wellhead, flowmeter

RECEIVED
OCT 26 1994

February 14, 1992

BOISE WATER CORP.
P.O. BOX 7488
BOISE ID 83707

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11034

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

REPROFILMED
MAR 06 1992

9/89

Drilling Permit No. 63-89-W-199Water Right Permit No. 63-11034 (pending)

Injection Permit No. _____

State of Idaho
Department of Water Resources

D R I L L I N G P E R M I T

RECEIVED
FEB 13 1992

Department of Water Resources

1. Applicant BOISE WATER CORPORATION2. Mailing Address P.O. 7488, BOISE, ID 83707Telephone 362-1300☒ Well Owner ☐ Well Operator ☐ Other, specify _____3. Proposed well location NW 1/4 NW 1/4, or Gov't lot No. _____,Sec. 32, Twp. 3, Rge. 2, County ADA,

Street Address of Well Site _____,

Lot, block and subdivision _____

4. Proposed use of well:

☐ Single family or stockwater use (less than 13,000 gallons per day)☐ Irrigation (more than 1/2 acre)☐ Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____☒ Other (describe fully) MUNICIPAL (2.79 cfs)

5. Well construction information:

A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9.B. Proposed surface diameter 18" Maximum depth 700'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)

MAR 06 1992

A.S.A.P.
of 2/1/906. Construction Start Date 10/18/897. Anticipated Well Driller W.E. STEVENS & SONS

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Daniel Brown Date 9/12/89Title Company Engineer
(Owner, Firm Representative, Other)} Confirmed
permit
unit2/1/90
JR

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is Approved Date 2/1/90

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:RECEIVED
FILMED

MAR 06 1992

David P. Tuttle Jr.
Signature of Authorized Department Representative

Manager, Western Reg Off
Title

Receipt No. WW8171 Received by SL Fee \$100⁰⁰ Date 2/1/90

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

Boise Water Corporation
P.O. Box 7488
Boise, ID 83707



MAY 18 1990

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-11034
Name(s) of Permit Holder(s): BOISE WATER CORPORATION
Post Office Address: Box 7488
BOISE, IDAHO 83707 Tel. 234-1300

☒ I hereby certify that construction of diversion works for the above referenced permit began on FEB. 8, 1990 (date) I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

5/16/90
Date

B. M. Leppla VICE PRES
Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

52-2618 Dan Brown

USE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Stevens & Sons Water Corp.</u> Address <u>6370 N Victory 83709</u> Owner's Permit No. <u>63-11034</u> <i>63-11034</i>		7. WATER LEVEL Static water level <u>115</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____ <i>Describe artesian or temperature zones below</i>																																																																																																																																																																																			
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☒ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>1520</u></td><td><u>187</u></td><td><u>6</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>1520</u>	<u>187</u>	<u>6</u>																																																																																																																																																																												
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																			
<u>1520</u>	<u>187</u>	<u>6</u>																																																																																																																																																																																			
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☒ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>20</td><td>0</td><td>4</td><td>fill-pit run</td><td></td><td></td></tr><tr><td></td><td>4</td><td>7</td><td>topsoil</td><td></td><td>X</td></tr><tr><td></td><td>7</td><td>10</td><td>muddy gravel & boulders</td><td></td><td>X</td></tr><tr><td></td><td>10</td><td>55</td><td>gravel & boulders</td><td></td><td>X</td></tr><tr><td></td><td>55</td><td>60</td><td>muddy gravel & sand</td><td></td><td>X</td></tr><tr><td></td><td>60</td><td>70</td><td>sand & gravel</td><td></td><td>X</td></tr><tr><td></td><td>70</td><td>78</td><td>sticky brown clay</td><td></td><td>X</td></tr><tr><td></td><td>78</td><td>125</td><td>sandy brown clay & clay</td><td></td><td>X</td></tr><tr><td></td><td>125</td><td>135</td><td>sand</td><td></td><td>X</td></tr><tr><td></td><td>135</td><td>184</td><td>sandy clay & clay</td><td></td><td>X</td></tr><tr><td></td><td>184</td><td>197</td><td>clay</td><td></td><td>X</td></tr><tr><td></td><td>197</td><td>215</td><td>cemented sand & sandy clay</td><td></td><td>X</td></tr><tr><td></td><td>215</td><td>222</td><td>clay</td><td></td><td>X</td></tr><tr><td></td><td>222</td><td>252</td><td>sandy clay</td><td></td><td>X</td></tr><tr><td></td><td>252</td><td>265</td><td>clay</td><td></td><td>X</td></tr><tr><td></td><td>265</td><td>278</td><td>sand & gravel</td><td></td><td>X</td></tr><tr><td></td><td>278</td><td>281</td><td>brown sandy clay</td><td></td><td>X</td></tr><tr><td></td><td>281</td><td>295</td><td>green cemented sand & sandy clay</td><td></td><td>X</td></tr><tr><td></td><td>295</td><td>302</td><td>blue gray clay</td><td></td><td>X</td></tr><tr><td></td><td>302</td><td>330</td><td>green cemented sand & sandy clay</td><td></td><td>X</td></tr><tr><td></td><td>330</td><td>345</td><td>blue gray clay</td><td></td><td>X</td></tr><tr><td></td><td>345</td><td>350</td><td>silty blue gray clay</td><td></td><td>X</td></tr><tr><td></td><td>350</td><td>365</td><td>coarse sand & cemented sand</td><td></td><td>X</td></tr><tr><td></td><td>365</td><td>415</td><td>black blue silty clay</td><td></td><td>X</td></tr><tr><td></td><td>415</td><td>418</td><td>cemented sand</td><td></td><td>X</td></tr><tr><td></td><td>418</td><td>489</td><td>sand</td><td></td><td>X</td></tr><tr><td></td><td>489</td><td>490</td><td>sticky blue gray clay</td><td></td><td>X</td></tr><tr><td></td><td>490</td><td>525</td><td>sand</td><td></td><td>X</td></tr></tbody></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	20	0	4	fill-pit run				4	7	topsoil		X		7	10	muddy gravel & boulders		X		10	55	gravel & boulders		X		55	60	muddy gravel & sand		X		60	70	sand & gravel		X		70	78	sticky brown clay		X		78	125	sandy brown clay & clay		X		125	135	sand		X		135	184	sandy clay & clay		X		184	197	clay		X		197	215	cemented sand & sandy clay		X		215	222	clay		X		222	252	sandy clay		X		252	265	clay		X		265	278	sand & gravel		X		278	281	brown sandy clay		X		281	295	green cemented sand & sandy clay		X		295	302	blue gray clay		X		302	330	green cemented sand & sandy clay		X		330	345	blue gray clay		X		345	350	silty blue gray clay		X		350	365	coarse sand & cemented sand		X		365	415	black blue silty clay		X		415	418	cemented sand		X		418	489	sand		X		489	490	sticky blue gray clay		X		490	525	sand		X
Bore Diam.	Depth		Material		Water																																																																																																																																																																																
	From	To		Yes	No																																																																																																																																																																																
20	0	4	fill-pit run																																																																																																																																																																																		
	4	7	topsoil		X																																																																																																																																																																																
	7	10	muddy gravel & boulders		X																																																																																																																																																																																
	10	55	gravel & boulders		X																																																																																																																																																																																
	55	60	muddy gravel & sand		X																																																																																																																																																																																
	60	70	sand & gravel		X																																																																																																																																																																																
	70	78	sticky brown clay		X																																																																																																																																																																																
	78	125	sandy brown clay & clay		X																																																																																																																																																																																
	125	135	sand		X																																																																																																																																																																																
	135	184	sandy clay & clay		X																																																																																																																																																																																
	184	197	clay		X																																																																																																																																																																																
	197	215	cemented sand & sandy clay		X																																																																																																																																																																																
	215	222	clay		X																																																																																																																																																																																
	222	252	sandy clay		X																																																																																																																																																																																
	252	265	clay		X																																																																																																																																																																																
	265	278	sand & gravel		X																																																																																																																																																																																
	278	281	brown sandy clay		X																																																																																																																																																																																
	281	295	green cemented sand & sandy clay		X																																																																																																																																																																																
	295	302	blue gray clay		X																																																																																																																																																																																
	302	330	green cemented sand & sandy clay		X																																																																																																																																																																																
	330	345	blue gray clay		X																																																																																																																																																																																
	345	350	silty blue gray clay		X																																																																																																																																																																																
	350	365	coarse sand & cemented sand		X																																																																																																																																																																																
	365	415	black blue silty clay		X																																																																																																																																																																																
	415	418	cemented sand		X																																																																																																																																																																																
	418	489	sand		X																																																																																																																																																																																
	489	490	sticky blue gray clay		X																																																																																																																																																																																
	490	525	sand		X																																																																																																																																																																																
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____																																																																																																																																																																																					
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other Thickness _____ Diameter _____ From _____ To _____ 250 inches 20 inches + 1 feet 73'6" feet 375 inches 18 inches 211" feet 300 feet 250 inches 10 inches 288'3" feet 439'0" feet 250 inches 10 inches 520 feet 525 feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ perforations _____ feet _____ feet perforations _____ feet _____ feet perforations _____ feet _____ feet Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>Johnson</u> Model No. <u>304</u> Type <u>stainless steel</u> Diameter _____ Slot size <u>30</u> Set from <u>439</u> feet to <u>520</u> feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No ☐ Size of gravel <u>8-12</u> sand Placed from <u>410</u> feet to <u>525</u> feet Surface seal depth <u>280</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ Sealing procedure used: ☒ Slurry pit ☒ surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____																																																																																																																																																																																					
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. <table border="1"><tr><td>N</td><td></td><td></td><td></td><td></td></tr><tr><td>W</td><td>X</td><td></td><td></td><td>E</td></tr><tr><td></td><td></td><td>32</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td>S</td></tr></table> County <u>Ada</u> NW ¼ NW ¼ Sec. <u>32</u> T. <u>3N</u> N/S. R. <u>2E</u> E/W.		N					W	X			E			32												S	10. Department of Water Resources Work started <u>3/1/90</u> finished <u>4/25/90</u>																																																																																																																																																										
N																																																																																																																																																																																					
W	X			E																																																																																																																																																																																	
		32																																																																																																																																																																																			
				S																																																																																																																																																																																	
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Stevens & Sons Inc</u> Firm _____ Address <u>3709 Hawthorne Dr</u> Date <u>5/8/90</u> Signed by (Firm Official) <u>Wayne E Stevens</u> and <u>Ronald D Stevens</u> (Operator)		RECEIVED JUN 7 1990 MAR 06 1992																																																																																																																																																																																			

February 5, 1992

BOISE WATER CORP.
P.O. BOX 7488
BOISE ID 83707

LAPSE NOTICE

RE: PERMIT NO. 63-11034

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated November 30, 1991. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 2/5/92
~~a copy~~/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

MICROFILMED

MAR 06 1992

LRG

138285
November 30, 1991

BOISE WATER CORP.
P.O. BOX 7488
BOISE ID 83707

PROOF DUE NOTICE

RE: PERMIT NO. 63-11034

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

MICROFILMED

MAR 06 1992

MEMORANDUM

TO: FILES 63-10862/11003 & 11034

FROM: PAM SKAGGS

RE: MISFILED LETTERS

DATE: 26-NOV-1991

=====

When these files were called up for proof due notices, it was found that the permit approval letters within the files were incorrectly filed and microfilmed. The permits were processed at the same period of time and the letters were placed in the wrong files. We assume a correct permit approval letter was sent with a copy of the approved permit to the applicant since there is no evidence that they were returned in error. Staff, however, should be aware of the error.

RECEIVED

MAR 06 1992

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
January 24, 1990

BOISE WATER CORP.
P.O. BOX 7488
BOISE, ID 83707

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P63-11034

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.


MICROFILMED

FEB 27 1990

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

A handwritten signature in cursive script, appearing to read "Gary Spackman", written in dark ink.

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

FEB 27 1990

NOV 17 1989
Department of Water Resources
Western Regional Office

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

143 80

Account Name Idaho Water Resources - Western Region		Account Number 47628	
Address 2735 Airport Way		City/State Boise, Idaho	Zip 83705
Ordered By Keith Higginson	P.O. Number	Rate tt	Run Dates 1989 November 2, 9
Identification Notice for Application for Water Right		Real Inches	

Number of Affidavits Requested
1

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10979
Davis, Jerry
Davis, Linda M.
6001 Robinson Rd.
Kuna, ID 83634
Source: Groundwater
Diversión Pt: SWNE Sec 7 T 01N R 01W
Diversión Pt: Lot 3 (NWSW) Sec 7 T 01N R 01W
Diversión Pt: NWSE Sec 7 T 01N R 01W
Use: Irrigation (2.000 CFS)
Date Filed: 9/14/1989
In: T01N R01W S06 NESE NWSE SWSE SESE
In: T01N R01W S07 NENE NWNE SWNE SENE
In: T01N R01W S07 NESW Lot 3 (NWSW) Lot 4 (SWSW) SESW
In: T01N R01W S07 NESE NWSE SWSE SESE
In: T01N R01W S18 NENE NWNE SWNE
630.0 Acres Total

63-11018
Edwards, Stephen
4461 E. Victory
Meridian, ID 83642
Source: Unnamed Stream
Tributary: Ninemile Creek
Diversión Pt: NWNENE Sec 28 T 03N R 01E
Use: Irrigation (.080 CFS)
Date Filed: 8/24/1989
In: T03N R01E S28 NENE
4.0 Acres Total
Carlson, Gerard J.
4503 Riva Ridge Dr.
Boise, ID 83709
Source: Groundwater
Diversión Pt: SESESW Sec 27 T 03N R 01E
Use: Irrigation (.040 CFS)
Date Filed: 9/05/1989
In: T03N R01E S27 SESW
1.0 Acres Total

63-11034
Boise Water Corp.
P.O. Box 7488
Boise, ID 83707
Source: Groundwater
Diversión Pt: NWNW Sec 32 T 03N R 02E
Use: Municipal (2.790 CFS)
Date Filed: 10/12/1989

Debbie
sworn, deposes &
Idaho Statesman
Ada County, Sta
and which said n
published in said
months prior to t
attached hereto;
Statesman in cor
amended, for —
consecutive w
insertion(s) begi
and ending with

STATE OF IDAHO

COUNTY OF AD

9th

On this

1989

Debbie R

to me to be th

strument, and

statements ther

executed the sa

MICROFILMED

FEB 27 1990

63-11035
Buffi, Glenn A.
7633 Hidden Valley Dr.
Boise, ID 83709
Source: Groundwater
Diversión Pt: SWSESW Sec 3 T 02N R 01E
Use: Irrigation (.042 CFS)
Date Filed: 9/20/1989
In: T02N R01E S03 SESW
1.4 Acres Total

63-11041
Albertson Inc.
P.O. Box 20
250 ParkCenter Blvd.
Boise, ID 83726
Source: Groundwater
Diversión Pt: SENESW Sec 9 T 03N R 01E
Use: Irrigation (.020 CFS)
Use: Industrial (.065 CFS)
Use: Domestic (.065 CFS)
Date Filed: 8/25/1989
In: T03N R01E S09 NESW SESW
1.0 Acres Total

63-11042
Albertsons Inc.
P.O. Box 20
250 ParkCenter Blvd.
Boise, ID 83726
Source: Groundwater
Diversión Pt: SWNESW Sec 9 T 03N R 01E
Use: Irrigation (.020 CFS)
Use: Domestic (.120 CFS)
Date Filed: 8/25/1989
In: T03N R01E S09 NESW SESW
1.0 Acres Total

63-11048
ParkCenter Pointe Owners Assn.
P.O. Box 1486
Boise, ID 83701
Source: Groundwater
Diversión Pt: NESE Sec 14 T 03N R 02E
Diversión Pt: Lot 10 (NWSE) Sec 14 T 03N R 02E
Use: Irrigation (.120 CFS)
Date Filed: 10/10/1989
In: T03N R02E S14 Lot 10 (NESE)
Lot 10 (NWSE)
6.0 Acres Total

63-11050
Chapman, Sheri L.
2889 Cobbleway
Meridian, ID 83642
Source: Groundwater
Diversión Pt: SWSW Sec 24 T 03N R 01W
Use: Irrigation (.030 CFS)
Use: Domestic (.040 CFS)
Date Filed: 10/10/1989
In: T03N R01W S24 SWSW
1.0 Acres Total

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before NOVEMBER 20, 1989.

R. KEITH HIGGINSON
Director
Pub. Nov. 2, 9, 1989

Real Inches

Legal Number

4005

being duly
Clerk of The
published at Boise,
circulation therein
and uninterruptedly
consecutive
a copy of which is
The Idaho
no Code as

gle ☐ odd skip
ember 2, 19 89
ember 9, 19 89

in the year of
personally appeared
known or identified
ed to the within in-
declared that the
ad to me that she

4005

63-11034

BOISE WATER CORP.
P.O. BOX 7488
BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: NWNW Sec 32 T 03N R 02E

Use: MUNICIPAL (2.790 CFS)

Date Filed: 10/12/1989

RECORDED

FEB 27 1990