



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wayne L. Booe, President
(per comm. with DAN BROWN,
Engineer 8/18/88)

Benjamin M. Hepler, VICE PRES.
(Applicant)




4N2E

Lot 1


T4N
T3N

JUN 13 1984

R 1 E. R 2 E. 60000E



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		15	Submersible	Byron Jackson 11M2J-6	10" $\rightarrow$ 8" 89150115

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
~~Noted~~ Data Industrial			~~Submersible~~ 900T Digital Flow Monitor			9/10/92

2. Measurements: 850 gpm time of measure. Rated TDH 300 (750 gpm)

JUN 13 1994

NOTICE OF APPLICATION
FOR AMENDMENT

Notice is hereby given that application No. 63-10688 in the name of Boise Water Corp. was filed on August 15, 1988, the point of diversion was listed as the SWSE, Sec. 30, Twp. 3N., Rge. 2E.

The applicant now proposes to amend the application by changing the point of diversion to the SWSE, Sec. 30, Twp. 4N., Rge. 2E.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, 2735 Airport Way, Boise, ID 83705 on or before October 10, 1988.

R. KEITH HIGGINSON
Director

Pub. Sept. 22, 29, 1988

9715

RECEIVED

SEP 30 1988

STATE OF IDAHO)

) SS.

COUNTY OF ADA)

Department of Water Resources
Western Regional Office

Debbie Richards

_____, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of September, 29 88

and ending with the issue of September, 29 88

Debbie Richards

Subscribed and sworn to before me this 29th

day of September, 19 88

MICROFILMED

DEC 23 1988

Paul Rice 12/93

Notary Public for Idaho, Residing at Boise, Idaho

63-10688



Swift #2 well

Shown: wellhead,
Value.

JUN 13 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10688

Priority: August 15, 1988

Maximum Diversion Rate:

2.00 CFS

This is to certify, that BOISE WATER CORP

PO BOX 7488

BOISE ID 83707

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 15, 1988; and has submitted Proof of Beneficial Use on October 10, 1990. An examination indicates that the works have a diversion capacity of 2.000 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	2.00 CFS	

LOCATION OF POINT(S) OF DIVERSION:


SWSE , Sec. 30, Township 04N, Range 02E
ADA County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Place of use is located within the city limits of Boise and the surrounding service area.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30th day of MAY, 1994.

Acting for  R. Keith Higginson, Director

RECEIVED

JUN 13 1994

For Office Use Only
Amt. of Fee \$ 150.00
Date 10/10/90
Receipt No. 2018365
Received by J. Dawson

RECEIVED
OCT 10 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10688 Telephone No. 362-1300

Name(s) of Permit Holder(s): BOISE WATER CORPORATION

Post Office Address: BOX 7488 BOISE, IDAHO 83707

Source of Water: GROUNDWATER

If ground water, well driller's name: W.E. STEVENS & SONS Date drilled: 4/5/89

Extent of Use:
Domestic _____ (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other MUNICIPAL

Total rate and/or volume for which proof is submitted 2.23 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 6/8/89

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

JAMES L. MOONEY 362-1300
Name Telephone No.

8248 W. VICTORY RD. BOISE, IDAHO 83709
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JAN 29 1991

10/3/90
Date

Benjamin M. Nelson VICE PRESIDENT
Signature (and title if on behalf of a company or organization)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant BOISE WATER CORPORATION Phone 208-362-1300
Post office address P. O. Box 7488 Boise, ID 83707
2. Source of water supply Groundwater which is a tributary of N/A
3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 30 Township 3N-4N SL 9/14/88
Range 2E B.M. Ada County, additional points of diversion if any: None

4. Water will be used for the following purposes:

* per phone conv. with DAN BROWN (362-2618),
Engineer. SL 8/18/88

- Amount 2.23 cfs for Municipal * ~~Domestic~~ purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
- Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
- Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 2.23 cubic feet per second and/or b. N/A ~~1,600~~ acre-feet per annum.

6. Proposed diverting works: A 20" drilled and 18" cased deep well turbine driven by an electric motor. Pump will discharge directly to applicant's distribution system.

- a. Description of ditches, flumes, pumps, headgates, etc. N/A

- b. Height of storage dam N/A feet, active reservoir capacity N/A acre-feet; total reservoir capacity N/A acre-feet, materials used in storage dam: N/A

Period of year when water will be diverted to storage N/A to N/A inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is 18 inches; proposed depth of well is 215 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses: *

- a. If water is not for irrigation: Within the Certificated Area of the Boise Water Corp., which serves homes etc. within the City of Boise; in some adjacent sites.

- (1) Give the place of use of water: $\frac{1}{4}$ of $\frac{1}{4}$ of Section Township
Range B.M.

- (2) Amount of power to be generated: N/A horsepower under N/A feet of head.

- (3) List number of each kind of livestock to be watered N/A

- (4) Name of municipality to be served Boise, Idaho, or number of families to be supplied with domestic water

- (5) If water is to be used for other purposes describe: N/A

MICROFILMED

DEC 23 1988

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. All permits
for Boise Water Corporation as filed and on record with the
State of Idaho Department of Water Resources.

9. a. Who owns the property at the point of diversion Boise Water Corporation

b. Who owns the land to be irrigated or place of use N/A


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing N/A

10. Remarks Water will be used to augment Boise Water Corporation's
existing system and provide service to an expanding system.

RECEIVED

DEC 25 1988

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wayne L. Booe, President
(per comm. with DAN BROWN,
Engineer 8/18/88)

Benjamin M. Hepler, VICE PRES.
(Applicant)

Proposed Priority 8/15/88

Received by nl Date 8-15-88 Time 11:00 am

Preliminary check by SL Fee \$ 85⁰⁰

Receipted by SL Date 8/18/88 # W000725

Publication prepared by GG Date 8/31/88

Published in Idaho Statesman

Publication dates 9/8 & 9/15/88 ^{correct} 9/22 + 9/29/88

Publication approved OK Date 27

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DET

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10688, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 22nd day of November, 1988.

J. Glen Saxton

MICROFILMED

DEC 25 1988

63-10688

BOISE WATER CORPORTION
P.O. BOX 7488
BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: SWSE Sec 30 T 03N R 02E

Use: MUNICIPAL (2.230 CFS)

Date Filed: 8/15/1988

P/U within the city limits of Boise

MICROFILMED

DEC 23 1988

SERVICE LEVEL: MAIN

PAGE 4

AUG 6, 1992 13:25

WELLS	PUMP SETTING (FT)	PUMP CAPACITY (GPM)	TOTAL OPR HRS	TOTAL PUMPED (MG)	MEASURED PARAMETERS	AVG	HIGH	TIME	LOW	TIME	LAST	FAIL PWR	HOURS COM
SIXTINTH												0.0	0.0 SIXTINTH
W00PUMP	135	1200	24.00	1.216	W00FLOW	844.	889.	2045	791.	045	849.		
					W00DPRES	84.3	98.5	038	72.9	2043	82.6		
					W30MPRES	81.9	88.0	1541	70.6	459	83.0		
					W30 S.HD RUN	0.0	30.1	041	22.7	2047	25.2		
					W30 S.HD	0.0	0.0	0 0	*****	0 0			
SWIFT												0.0	0.0 SWIFT
W13PUMP	115	1800	24.00	1.410	W13 FLOW	979.	1016.	2115	950.	130	1000.		
					W13DPRES	75.6	82.1	150	66.0	311	70.9		
					W13 S.HD RUN	0.0	0.0	0 0	0.0	6 0	0.0	LOW	LIM
					W13 S.HD	0.0	0.0	0 0	*****	0 0			
SWIFT 2												0.0	0.0 SWIFT 2
W57PUMP	200	750	24.00	1.223	W57 FLOW	840.	832.	730	800.	830	867.		
					W57 GPM	846.8	901.0	2136	803.0	147	862.0		
					W57 S.HD RUN	0.0	0.0	0 0	0.0	6 0	0.0	LOW	LIM
					W57 S.HD	0.0	0.0	0 0	*****	0 0			
THIRTIETH												0.0	0.0 THIRTIETH
W14PUMP	90	1050	24.00	1.500	W14FLOW	1042.	898.	14 0	565.	8 0	671.		
					W14DPRES	66.8	77.8	11 6	51.5	5 0	73.2		
					W14 S.HD RUN	0.0	0.1	833	0.0	829	0.1		
					W14 S.HD	0.0	0.0	0 0	*****	0 0			
VETERANS												0.0	0.0 VETERANS
W52PUMP1	20	1500	0.00	1.480	W52FLOW	1028.	1133.	21 0	933.	1615	1067.		
W52PUMP2	20	1020	24.00		W52DPRES	69.1	73.8	1443	62.3	2118	67.3		
					W52 GPM	999.5	1120.0	2046	466.0	356	1060.0		
					CHLORINE	0.0	0.0	0 0	0.0	6 0	0.0		
					W52 S.HD RUN	0.0	0.0	0 0	0.0	6 0	0.0	LOW	LIM
					W52 S.HD	0.0	0.0	0 0	*****	0 0			
WILLOW												0.0	0.0 WILLOW
W15PUMP1	70	1000	24.00	0.419	W15FLOW	291.	311.	1945	276.	11 0	311.		
W16PUMP2	46	500	24.00	0.490	W16FLOW	340.	353.	2115	329.	145	346.		
W17PUMP3	80	400	24.00	0.439	W17FLOW	305.	320.	2115	291.	15 0	315.		
					W15DPRES	81.8	86.9	150	75.4	2119	78.9		

JUN 13 1994

18

39.00

子子

JUN 13 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 31, 1994

BOISE WATER CORP
PO BOX 7488
BOISE ID 83707

RE: WATER RIGHT NO. 63-10688

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

JUN 13 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 19 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10688

1. Owner: BOISE WATER CORP

Phone No. 362-1300

Current Address: PO BOX 7488 BOISE ID 83707

2. Accompanied by: DON MAYS

EXAM DATE: 7/8/93

Address: _____

Phone No. _____

Relationship to Permit Holder: Chief Pump Operator

3. Source: groundwater

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: N/A

2. Other water rights with the same point of diversion: 63-10326, 9633

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	1	SE	SW	SE	30	4N	2E	Ada	Site Visit, Orthophoto


2. Place(s) of Use: See remarks

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

APPROVED
JUN 3 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

— Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

— Aerial Photo Attached (required for irrigation of 10+ acres)

— Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		15	Submersible	Byron Jackson 11MQJ-6	10" $\rightarrow$ 8" 891505115

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
~~None~~			~~Submersible~~			
Data Industrial	900T Digital		Flow Monitor			9/10/92

2. Measurements: 850 gpm time of measure. Rated TDH 300
(750 gpm)

JUN 13 1994

Photo 6

E. NARRATIVE/REMARKS/COMMENTS

20" x 215' well pumping level unknown.

PSI 24 80 (assume 110 fr. well log)
(verified via electronic readout in control room)

P/D commonly known as Swift #2 Well.

Place of use is within the service area of Boise Water Corp.

Recommended rates drawn from 1992 pumping records.

Overlaps do not affect permit — different well / s / or water source.

Have conditions of permit approval been met? ☒ yes ☐ no

JUN 13 1994

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

HP equation $\frac{7548.8 \times 1.7}{108 + (80 \times 2.31)} = 1.58$

Pumping records: 901 gpm (on 8/4/92) = 2.00 cfs system capacity

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{N/R}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
MUNICIPAL	1/1	12/31	2.00	—
Totals:				

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name G. Hodges Date 7/12/93

Reviewer _____ Date _____

RECEIVED

JUN 13 1994

WR0749NP
No. L63-10688

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 05/20/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	BOISE WATER CORP. PO BOX 7488 BOISE ID 83707 (208) 362-1300	08/15/1988	MUNICIPAL	01-01 12-31	2.00 CFS	
TOTAL DIVERSION:					2.00 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 2.00 CFS

Point(s) of Diversion: T04N R02E S30

SWSE

ADA County

Pou County:

Remarks: Place of use is located within the city limits of Boise and the surrounding service area.

Dates: App. Received: 08/15/1988 Priority Date: 08/15/1988
Proof Due Date: 12/01/1990 Proof Made Date: 10/10/1990
Exam Made Date: 07/08/1993 Exam Sent to S.O.: 08/17/1993
Licensed Date:


Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 05/20/1994 User-ID: BCHAPMAN Subject: WELL INFORMATION
This well is known as Swift #2, Wylie Lane well.

Audit: 05/20/94 BCHAPMAN

LICENS REVIEW CHECKLIST

PERMIT NO. 63-10098 DATE 5/20/94



NAME	Yes ☐ No ☒	Or Address Change? ☐
PRIORITY DATE	☐ ☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐ ☒	Amendment needed? ☐ Overlaps? ☐
PLACE OF USE	☐ <u>NA</u>	Amendment needed? <u>Municipal</u> Overlaps? ☐
DIV RATE	☒ ☐	Measurement done? <u>From daily production report</u> Theoretical only? ☐ Capacity: <u>2.00</u> Combined rates exceed capacity ☐ Allowable amount: <u>2.0</u>
ANNUAL VOLUME	☐ <u>NA</u>	Season of use: ☐ Calculations: ☐ Flow limit: ☐ cfs x ☐ x 1.9835 = ☐ Combined volumes exceed capacity/allowable ☐
USES	☐ ☒	Change(s) in Nature of Use? ☐ Amendment necessary? ☐
REMARKS	☐ ☒	Multiple p/d(s) in 1/4 1/4? ☐ Other ☐
CONDITIONS	☐ ☒	Measuring/Locking Devices ☐ Watermaster control - District ☐ Irrigation Overlap ☐ Water Quality ☐ Other ☐

COMMENTS: (Swift #2, Wylie Lane Well) Reduced rate to highest peak time measurement.

RECOMMENDED	CFS	VOLUME	LICENSE ☒
<u>Municipal</u>	<u>2.0</u>	<u>NA</u>	
☐	☐	☐	1ST AMENDMENT LETTER ☐
☐	☐	☐	FINAL AMENDMENT LETTER ☐

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 63-10688
2. OWNER: BOISE WATER CORP Phone: _____
Address: _____
3. WELL LOCATION: Twp 4N, Rge. 2E, Sec. 30, SW 1/4 SE 1/4
County Ada (Provide sketch map and photo on reverse.)
4. DRILLER: Stevens Lic. No. 153
When Drilled? 3/15/89
5. WELL CONSTRUCTION TD 215
Casing Diameter 20 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 214 ft. Method Drilled Cable
Condition of Well Casing: ☐ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION
Depth to Static Water 8' ft. Water Temperature COLD °F
Flowing Artesian ☐ Yes ☒ No Pressure: 80 (est) (psi)
Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☐ Irrigation ☐ Stock
☐ Test ☒ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

RECEIVED
JUN 13 1994

REMARKS:

G. Hodges
Signature of Dept. Representative & Title

7/8/93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED
JUN 13 1994

January 10, 1991

BOISE WATER CORP.
P.O. BOX 7488
BOISE, ID 83707

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10688

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JAN 29 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-10688

Date 12-21-90

GENERAL CONSIDERATIONS

✓ Name same as permit?
✓ Address same as permit? If no, prepare data entry form.
✓ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

✓ Surface water source
✓ Ground water source
✓ Drill permit req'd?
✓ Copy in file? Drill permit no. 63-88-7-237
✓ Well log in file?
100 Amt paid for drilling permit? ✓ Correct?

LICENSE EXAMINATION FEE

✓ Required?
150 Amount submitted?
✓ Correct amount?

MEASURING DEVICE

 Measuring device or access port required?
 Installed?
 Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

- ? on meas device compliance
- proof acceptable

PRIORITY CALCULATION

Date proof received JB
Date proof due -
No. of days late =
Priority date +
NEW PRIORITY DATE =

BOISE WATER CORP.
P.O. BOX 7488
BOISE, ID 83707

138449
September 30, 1990

PROOF DUE NOTICE

RE: PERMIT NO. 63-10688

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

FILED 1990

JAN 29 1991

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant Boise Water Corp.
2. Address P.O. Box 7488
Boise ID. 83707 Telephone 362-1300
☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location SW 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 30, Twp. 3N, Rge. 2E, County Ada,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
☐ Domestic ☐ Stockwater ☐ Monitoring
☐ Irrigation ☐ Industrial ☒ Municipal
☐ Injection ☐ Other, Specify _____
5. Well construction information:
☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter 18" Maximum depth 215'
Anticipated bottom hole temperature: _____
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
6. Anticipated construction start date 12-10-88
7. Well Driller (if known) W. E. Stevens 153
Address _____
MAILED
8. Applicant's signature Daniel Braun
Title COMPANY ENGINEER
Date 11/28/88
JAN 29 1989

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

(☒) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

RECEIVED

JAN 29 1991

Dated this 28 day of November, 1988.

Signed

John E. Beut

Title

Received by KW Fee \$100.00 Date 11-28-1988

Receipt No. C003633 Construction start extension to _____

Extension approved by _____

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 12, 1988

BOISE WATER CORPORTION
P.O. BOX 7488
BOISE, ID 83707

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-10688

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

MICROFILMED

DEC 20 1988

[]

63-10688

RECEIVED
OCT 18 1989

RECEIVED
OCT 17 1989

Department of Water Resources

Department of Water Resources
Western Regional Office

Boise Water Corporation
Corporate Officers

President
Secretary
Directors

Wayne L. Booe
Charles A. Martin
George B. Flegal, Jr.
Wayne L. Booe
Lewis R. Masotti

P. O. Box 8066, Boise, Idaho 83707
P. O. Box 8066, Boise, Idaho 83707
950 Haverford Rd., Bryn Mawr, PA 19010
P. O. Box 8066, Boise, Idaho 83707
950 Haverford Rd., Bryn Mawr, PA 19010

MICROFILMED

JAN 29 1991

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

MICROFILMED

DEC 1978

Drilling Permit No. 63-88-2-237
Water Permit No. 63-10688
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant Boise Water Corp.
2. Address P.O. Box 7488
Boise ID. 83707 Telephone 362-1300
☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location SW 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 30, Twp. 3N, Rge. 2E, County Ada,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
☐ Domestic ☐ Stockwater ☐ Monitoring
☐ Irrigation ☐ Industrial ☒ Municipal
☐ Injection ☐ Other, Specify _____
5. Well construction information:
☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter 18" Maximum depth 215'
Anticipated bottom hole temperature: _____
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
6. Anticipated construction start date 12-10-88
7. Well Driller (if known) W. E. Stevens
Address _____
8. Applicant's signature Daniel Braun
Title COMPANY ENGINEER
Date 11/28/88

MICROFILMED

DEC 22 1988

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

☒ Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 28 day of November, 1988.

Signed

Title

J. E. Burt

MICROFILMED

DEC 23 1988

Received by KW Fee \$100.00 Date 11-28-1988

Receipt No. C003633 Construction start extension to _____

Extension approved by _____

1

Number of Affidavits
RequestedNOTICE OF APPLICATION
FOR AMENDMENT

I hereby give notice that application for amendment to the SW 1/4 of Section 30, Township 3N, Range 30E, was filed on August 10, 1988. The point of diversion was listed as the Boise River, Sec. 30, Twp. 3N, R. 30E.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, 2735 Airport Way, Boise, ID 83725, before October 10, 1988.

KEITH HIGGINSON
Director

Pub. Sept. 21, 29, 1988

9715

RECEIVED
SEP 21 1988

STATE OF IDAHO)

SS.

Department of Water Resources
Western Regional Office

COUNTY OF ADA)

Debbie Richards

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for 2 ☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of September 28 88and ending with the issue of September 28 88

Debbie Richards

MICROFILMED

DEC 23 1988

Subscribed and sworn to before me this 29thday of September, 19 88

Paul Rice 12/93
Notary Public for Idaho, Residing at Boise, Idaho



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

DIVISION OF ENVIRONMENTAL QUALITY

BOISE FIELD OFFICE
801 Reserve Street
Boise, Idaho 83712
(208) 334-3823

September 14, 1988

RECEIVED

SEP 16 1988

Mr. David R. Tuthill
Western Region Supervisor
Department of Water Resources
STATEHOUSE MAIL
Boise, ID 83720

Department of Water Resources

RE: 63-10688 (BWC)

Dear Mr. Tuthill:

This office has reviewed the above referenced application and has no objections to this appropriation. Plans and specifications must be approved by this office prior to the start of construction.

Sincerely,

Jon Wroten

Jon Wroten
Water Quality Compliance Officer

JW:11

cc: Craig Shepard
Larry Koenig

11

Department of Water Resources
Western Regional Office

MICROFILMED

DEC 20 1988

NOTICE OF APPLICATION FOR AMENDMENT

Notice is hereby given that applicatin No. 63-10688 in the name of Boise Water Corp. was filed on August 15, 1988, the point of diversion was listed as the SWSE, Sec. 30, Twp. 3N., Rge. 2E.

The applicant now proposes to amend the application by changing the point of diversion to the SWSE, Sec. 30, Twp. 4N., Rge. 2E.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, 2735 Airport Way, Boise, ID 83705 on or before October 10, 1988

R. Keith Higginson, Director

Published in The Idaho Statesman on 9/22 & 9/29/1988

RECEIVED

DEC 20 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

August 15, 1988

Idaho Dept. of Health & Welfare
Division of Environment
Attn: Monty Marchus
Statehouse
Boise, ID 83720

Re: Application for Permit No. 63-10688, in the Name of Boise Water Corp.

Dear Mr. Marchus:

Enclosed is a copy(s) of the above-referenced application(s) for permit which may be of interest to you. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by September 26, 1988.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosure(s):

MICROFILMED

DEC 20 1988

- 63-10688



Swift #2 well

Shown: wellhead,
Valve.

JUN 13 1994

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Name Boise Water Corp
Address 8248 W Victory
Owner's Permit No. 63-10688

2. NATURE OF WORK

☒ New well
☐ Deepened
☐ Replacement

☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic
☐ Irrigation
☐ Test
☐ Municipal

☐ Industrial
☐ Stock
☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☐ Rotary
☐ Air
☐ Hydraulic
☐ Reverse rotary

☒ Cable
☐ Dug
☐ Other _____

5. WELL CONSTRUCTION
Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness

Diameter

From

To

.250 inches 20 inches + 1 feet 63 feet

.375 inches 18 inches 2 1/2 feet 116 feet

.280 inches 10 inches 147 1/4 feet 157 1/8 feet

.280 inches 10 inches 209 feet 214 feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☒ Yes ☐ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number

From

To

_____ perforations _____ feet _____ feet

_____ perforations _____ feet _____ feet

_____ perforations _____ feet _____ feet

Well screen installed? ☒ Yes ☐ No

Manufacturer's name Johnsbo

Type stainless steel Model No. 301

Diameter 10 Slot size 30 Set from 157 1/8 feet to 209 feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☒ Yes ☐ No ☐ Size of gravel Colorado

Placed from 147 1/4 feet to 214 feet sand feet

Surface seal depth 63 Material used in seal: ☐ Cement grout

☒ Bentonite ☐ Pudding clay ☐ _____

Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing

☐ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld

☐ Cemented between strata

Describe access port _____

7. WATER LEVEL
Static water level 8 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

8. WELL TEST DATA

☒ Pump
☐ Baller
☐ Air
☐ Other _____

Discharge G.P.M.

Pumping Level

Hours Pumped

1800 108 12

9. LITHOLOGIC LOG

Bore Diam.

Depth

Material

Water

From

To

Yes

No

20 0 42 sand, gravel, boulders X

42 51 brown clay & streaks

51 89 cemented sand X

89 160 blue clay X

160 165 streaks of cemented sand

165 210 & brown clay X

210 215 fine to medium sand,

slightly muddy X

fine to coarse sand X

cemented sand X

packer welded to 16" pipe

18" long-welded to 10"

head pipe

RECEIVED

MAY 01 1989

Department of Water Resources

(8-12)

RECEIVED

MAY 22 1989

Department of Water Resources

10.
Work started 1/5/89 finished 3/15/89

6. LOCATION OF WELL
Sketch map location must agree with written location.

N

W

E

S

SWIFT #2 (Wylie Lane)

Subdivision Name

Lot No.

Block No.

County Ada

S/W 1/4 S/E 1/4 Sec. 30 T. 4 (N/S, R. 2 (E/W)

11. DRILLERS CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Firm Name W.E. Stevens & Sons Firm No. 153
Address 3709 Hawthorne Dr Date 4/5/89
Signed by (Firm Official) Wayne E Stevens
and
(Operator) Donald L Stevens

filed to appropriate the public
rights of the State of Idaho:

63-10677

WHITAKER, CINDY L.
WHITAKER, STEVEN M.
P.O. Box 2332
Lampa, ID 83651

Source: Groundwater
Date Filed: 08/12/1988
Diverson Pt.: SWNW Sec. 16 T 03N
R 01W

Use: Irrigation (2,360 CFS)
In: T03N R01W S16 NWNW
WNW, S17 NENE NWNE SWNE
SENE
118.0 Acres Total

63-10682

SAUNDERS, LORIN
7190 N. Meridian Rd.
P.O. Box 835
Meridian, ID 83642

Source: Groundwater
Date Filed: 08/04/1988
Diverson Pt.: NESW Sec 19 T 04N
R 01E

Use: Irrigation (1,520 CFS)
In: T04N R01E S19 NESW Lot 5
(NWSW)
76.0 Acres Total

63-10685

ALUMAX BUILDING PRODUCTS
555 Boaling
Boise, ID 83705

Source: Groundwater
Date Filed: 08/10/1988
Diverson Pt.: SESE Sec 26 T 03N
R 02E

Use: Domestic (.040 CFS)
In: T03N R02E S26 SESE

63-10686

BROWNING, JOHN
6901 Emerald
Boise, ID 83704

Source: Groundwater
Date Filed: 08/10/1988
Diverson Pt.: SENE Sec 23 T 03N
R 02E

Use: Domestic (.100 CFS)
In: T03N R02E S23 SENE

63-10688

BOISE WATER CORPORATION
P.O. Box 7488
Boise, ID 83707

Source: Groundwater
Date Filed: 08/15/1988
Diverson Pt.: SWSE Sec 30 T 03N
R 02E

Use: Municipal (2,230 CFS)
In: P/U within the city limits of
Boise

63-10689

STONEHOUSE, EVANGELICAL
CHURCH
8121 Brynwood
Boise, ID 83704

Source: Groundwater
Date Filed: 08/15/1988
Diverson Pt.: NWNW Sec 10 T
03N R 01W

Use: Irrigation (.160 CFS)
Use: Domestic (.180 CFS)
In: T03N R01W S10 NWNW
8.0 Acres Total

63-10690

DAVIS, TOM E.
2740 Ustick Rd.
Meridian, ID 83642

Source: Groundwater
Date Filed: 08/22/1988
Diverson Pt.: SWSE Sec 32 T 04N
R 01E

Use: Irrigation (1,080 CFS)
In: T04N R01E S32 NESW SE5W
NWSE SWSE
104.0 Acres Total

63-10691

CALNON, TERRY
2075 W. Franklin
Meridian, ID 83642

Source: Groundwater
Date Filed: 08/23/1988
Diverson Pt.: NWNE Sec 14 T 03N
R 01W

Use: Domestic (.040 CFS)
In: T03N R01W S14 NWNE

63-10693

VANDERKOOY, SIMON
VANDERKOOY, MARY
8190 S. Ten Mile Rd.
Meridian, ID 83642

Source: Groundwater
Date Filed: 08/30/1988
Diverson Pt.: NWNW Sec 11 T
02N R 01W

Use: Stockwater (.330 CFS)
Use: Domestic (.120 CFS)
In: T02N R01W S11 NWNW

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Western Region, 2735 Air-
port Way, Boise, Idaho 83705 on or be-
fore SEPTEMBER 26, 1988.

R. KEITH HIGGINSON
Director

STATE OF IDAHO)

) SS.

COUNTY OF ADA)

Debbie Richards

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho
Statesman, a daily newspaper printed and published at Boise, Ada
County, State of Idaho, and having a general circulation therein and
which said newspaper has been continuously and uninterruptedly
published in said County during a period of twelve consecutive months
prior to the first publication of the notice, a copy of which is attached
hereto; that said notice was published in The Idaho Statesman in
conformity with Section 60-108, Idaho Code as amended, for 2
☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of September 8, 19 88

and ending with the issue of September 15, 19 88

Debbie Richards

Subscribed and sworn to before me this 15th

day of September, 19 88

John E. Brown
Notary Public for Idaho, Residing at Boise, Idaho

MicroFILMED

DEC 23 1988