


Complete the following map by showing land and point of diversion as proposed by this amendment.
Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at BOISE, IDAHO, this 19TH day of OCTOBER, 19 88.

Benjamin M. Hopper
(Signature)
MANAGER (from Permit into,
10/27/88 SL)

FOR DEPARTMENT USE ONLY

Preliminary check by SL Fee = \$20.00

Received by SL Date 10/27/88 # W 001220

Publication prepared by jp Date 11/10/88

Published in Idaho Statesman

Publication dates 11/17 & 11/24/88

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, of the Department of Water Resources hereby
Approve the above Application for Amendment provided the conditions as set forth
in Permit No. 63-10569 are met.

Witness my hand this 21st day of December, 19 88

L. Glen Saxton
Chief, Operations Bureau

JAN 23 1989

**NOTICE OF APPLICATION
FOR AMENDMENT**

Notice is hereby given that Permit No. 63-10569 in the name of Boise Water Corp. was filed on 2/5/1988 for the diversion of 3.34 cfs from groundwater with a point of diversion within the NENW, S.23, T.3N., R.2E., B.M. To be used for Municipal purposes from 1/1 to 12/31 within portions of Boise City limits. The permit holder now proposes to amend the permit by changing the point of diversion to NWNW, S. 2, T. 2N., R. 2E., B.M.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, 2735 Airport Way, Boise, ID 83705 on or before **December 5, 1988**

R. KEITH HIGGINSON
Director

Pub. Nov. 17, 24, 1988

1192

MICROFILMED

JAN 23 1989

STATE OF IDAHO)
) SS.
COUNTY OF ADA)

Julie Day, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for two ☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip


insertion(s) beginning with the issue of Nov. 17, 19 88
and ending with the issue of Nov. 24, 19 88

Julie Day

Subscribed and sworn to before me this 24th
day of November, 19 88

Frank Rice 12/93
Notary Public for Idaho, Residing at Boise, Idaho

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

AUG 05 1988

Benjamin M. Hepler
(Applicant)

Benjamin M. Hepler
Manager, Boise Water Corp.

RECEIVED

FEB 23 1988

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

63-10569 ✓ JP

Boise Water Corp.
P.O. Box 7488
Boise, Idaho 83707

Source: Groundwater

Diversion Pt: NENW Sec. 23 T 03N
R 02E

Use: IMunicipal (3.340 CFS)

Date Filed: 02/05/1988

P/U: Within the City Limits of
Boise.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Western Region, 2735 Air-
port Way, Boise, Idaho 83705 on or be-
fore March 7, 1988.

R. KEITH HIGGINSON
Director

Pub. Feb. 18, 25, 1988

7738

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Deborah Gregory, being duly
sworn, deposes and says: That she is the Principal Clerk of The Idaho
Statesman, a daily newspaper printed and published at Boise, Ada
County, State of Idaho, and having a general circulation therein and
which said newspaper has been continuously and uninterruptedly
published in said County during a period of twelve consecutive months
prior to the first publication of the notice, a copy of which is attached
hereto; that said notice was published in The Idaho Statesman in
conformity with Section 60-108, Idaho Code as amended, for Two (2)
☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of February 18, 1988

and ending with the issue of February 25, 1988

Deborah Gregory

Subscribed and sworn to before me this 25th

day of February, 19 88

NOTARY PUBLIC

AUG 05 1988

Theresa Swartz 243
Notary Public for Idaho, Residing at Boise, Idaho

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 19 1991

Department of Water Resources
Permit No. 63-10569

A. GENERAL INFORMATION


1. Owner: BOISE WATER CORPORATION Phone No. 362-1300
Current Address: P.O. Box 7488, BOISE, IDAHO 83707
2. Accompanied by: JAMES MOONEY EXAM. DATE: 6/5/90
Address: 8248 W. VICTORY, BOISE, IDAHO Phone No. 362-1300
Relationship to Permit Holder: DISTRIBUTION MANAGER
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NUMEROUS OTHER MUNICIPAL WELLS
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 10'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED
JUN 11 1992



PEI 63-10569 INIT CWJ
T. R. S. O/Q
P/D 2N 2E 2 NWNW
SCALE
PHOTO ID. x-59

P/O

MICROFILMED
JUN 1 1 1992

PERMIT 63-10569

PHOTO #3

VIEW OF WELL HOUSE LOOKING NORTH. MUNICIPAL
LINE TOWARD NORTHEAST SHOWS IN CENTER OF PHOTO.



PHOTO #4

TEST WELL ABOUT 40 FEET EAST OF WELL HOUSE IN
PHOTO #3, TEMPORARY CAP.



JUN 11 1982

PERMIT 63-10569

PHOTO #1

12-INCH WELL EQUIPPED WITH 75 HP SUBMERSIBLE
PUMP AND VARIABLE CONTROLLER.






PHOTO #2

8-INCH SUPPLY LINE AND SPARKING FLOWMETER.
LINE SUPPLIES BURIED MUNICIPAL SYSTEM.




MI
JUN 11 1992
MED





1980 data from Water District 63 1980 Report




TUTTILL

11/25/87

ATTACHMENT E

DIVERSION RATES FOR 37 ACRES ON THURMAN MILL CANAL



MICROFILMED

JUN 29 1988

RN 22 DEC 87

State Highway - District #3



ESTATES

20 acres

WILLOW BROOK

DRT

20 acres

3 acres

BOISE
BIBLE
COLLEGE

MARIGOLD
PARK
SUBDIV.

MILLSTREAM

NO. 2 SUBDIV.

E 1/4 Cor.
Sec. 26

BLVD.

SAN MARINO
PARK

Sorrento

Industrial
No. 8 Vella Park

REPRODUCTION
JUN 29 1988

MARIGOLD
STREET

CHILDEEN

Willow brook

-12-

705'

327'

State of Idaho



63-9855

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Account Name Idaho Department of Water Resources (Western)				Account Number #47628		Amount Due 36 93	
Address 2735 Airport Way			City/State Boise, ID			Zip 83705	
Ordered By R. Keith Higginson	P.O. Number	Rate NT	Run Dates 1987 Dec. 17, 24				
Identification Proposed Change of Water Right: No. 63-0169D				Estimated Inches		Real Inches	
1 Number of Affidavits Requested						Legal Number #7183	

RECEIVED
DEC 28 1987

Department of Water Resources
Western Regional Office

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Deborah Gregory, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for Two (2) ☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip insertion(s) beginning with the issue of December 17, 19 87 and ending with the issue of December 24, 19 87

Deborah Gregory

Subscribed and sworn to before me this 24th day of December, 19 87

Notary Public for Idaho, Residing at Boise, Idaho

NOTICE OF PROPOSED CHANGE OF WATER RIGHT

63-0169D ^{1/38}

Notice is hereby given that Boise Water Corporation of Boise, ID has applied to the Department of Water Resources for a change of point of diversion, nature of use & place of use of the water of the Boise River. The right sought to be changed is evidenced by 63-0169D and is recorded as follows:

Amount: 13.592 cfs
Priority: June 1, 1868
Point(s) of Diversion: SENE, Sec. 5, T. 3N., R. 2E.

The water is used for irrigation purposes on lands within the Thurman Mill Ditch Co. Boundaries, more specifically used in the Willowbrook Subdivision area.

TO BE CHANGED AS FOLLOWS

Amount: 0.814 cfs
Point of Diversion: NWSENE, Sec. 14, T. 3N., R. 2E., B.M.

The water will be used for Municipal purposes within the Boise Water Corporation Service area.

Any protest against approval of the proposed change of water right application must be filed with the Department of Water Resources, 2735 Airport Way, Boise, ID 83705 on or before January 4, 1988.

R. KEITH HIGGINSON
Director

Pub. Dec. 17, 24, 1987

7183

JUN 29 1988

12/93

Irrigated Acres in a portion of
Sec 25 T4N R1E

PER U-Z PHOTO
3486-80-152

I DATED 9/17/1980

DRS 7/28/87

Approximate
Boundaries
of NE 1/4 SW 1/4

Sec 25 T4N R1E

IRRIGATED
ACRES IN
WILLOWBROOK
ESTATES

MICROFILMED

JUN 29 1988

UNPLATTED

STRAWBERRY GLENN

NOTES

1. THE DEVELOPER SHALL COMPLY WITH SECTION 31-3808 OF THE ZONING ORDINANCE, RELATING TO TRANSFER OF WATER RIGHTS, & ADA COMPLIANCE RESOLUTION 1981-1-75.
2. BUILDING SETBACKS IN THIS SUBDIVISION SHALL COMPLY WITH THE APPLICABLE ZONING REGULATIONS OF GARDEN CITY AND/OR SPECIFICALLY MODIFIED BY SAID CITY, FRONT 20 FT, REAR 13 FT, SIDE 5 FT, PLANNING STREET 15 FT.
3. ALL INTERIOR LOT LINES HAVE A 5 FOOT WIDE PERMANENT PUBLIC UTILITIES DRAINAGE & IRRIGATION EASEMENT. REAR OUTSIDE BOUNDARY LOT LINE & STREET LOT LINE EASEMENTS ARE 10 FT. WIDE UNLESS OTHERWISE DIMENSIONED.
4. DIRECT ACCESS TO COFFEY STREET IS PROHIBITED FROM LOTS 1-12.
5. BASIS OF SURVEY IS STATE PLANE SYSTEM AS NOTED ON PLAT COMBINATION FACTOR. COORDINATE COORDINATES SHOWN ARE SEA LEVEL, CONNECTED UP TO LOCAL GROUND LEVEL.
6. ALL STORM DRAIN SYSTEMS ACROSS PRIVATE PROPERTY SHALL BE MAINTAINED BY THE WILLOWBROOK HOMEOWNERS ASSOCIATION.

LEGEND

- BRASS CAP
- 5/8" x 30" IRON PIN
- 1/2" x 24" IRON PIN
- LOT NUMBER
- UTILITY EASEMENT


UNPLATTED

MILL STREAM NO 2 SUBDIVISION

RPB


$R=5,779.58'$
 $\Delta=02^{\circ}57'45''$
 $T=149.45'$
 $L=298.84'$
 $C=298.80'$

$S 68^{\circ}08'56'' E$




STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR TRANSFER OF WATER RIGHT
PART 3

A. Draw a map or attach a USGS map indicating the new point(s) of diversion and/or the new place of use for rights described in part 1. Clearly depict the land by section, township and range number.



Boise South USGS Quadrangle T3N R2E, B.M.

NATURAL FLOW - BOISE RIVER NR. TWIN SPRINGS, ID.




ATTACHMENT D

RECORDED
JUN 29 1988


STATE OF IDAHO DEPARTMENT OF WATER RESOURCES APPLICATION FOR TRANSFER OF WATER RIGHT PART 3

A. Draw a map or attach a USGS map indicating the new point(s) of diversion and/or the new place of use for rights described in part 1. Clearly depict the land by section, township and range number.



Boise South USGS Quadrangle T3N R2E, B.M.

N. 3 NORTH, RANGE N. 2 EAST OF THE







Figure 3. Estimate of transportation losses.

MICROFILMED

JUN 29 1988



Phase I

Willowbrook
Estates

L-92
B-2
Maurine Morgan
5690 Willowlawn Way
Baise ID 83714

L-10
B-3
Gerry & Helen Hughes
8337 Willowcreek Dr.
Baise ID 83714


L-27
B-3
Don & Jeanne Miller
5567 Willowlawn Way
Baise ID 83714

L-31
B-3
Mac & Ruth Acers
5487 Willowlawn Way
Baise ID 83714

L-94
B-2
Harold & Martha Allen
5650 Willowlawn Way
Baise ID 83714

MICROFILMED

JUN 29 1988



MICROFILMED

JUN 29 1988


ATTACHMENT G (TEMPORARY PENDING
RECEIPT OF PHOTO)

MICROFILMED

JUN 29 1988

ATTACHMENT F

3. Draw a map indicating the new point(s) of diversion and/or the new land to be irrigated. Show clearly the land involved by section, township and range number.



SCALE: 2 inches equal 1 mile. Draw plan in ink.

MICROFILMED

MAR 00 1967

) ss.

two insertions, beginning with the
May 15, 1980, and ending with the
May 22, 1980.

Cheryl R. Rehwalt

day of May, 1980.

Stanley Eugene
Sole Public for Idaho, Residing

Notary Public for Idaho, Residing at Boise, Idaho

4277

RECEIVED
MAR 06 1987

RECEIVED

MAY 23 1980

Department of Water Resources
Western Regional Office

COUNTY OF ADA)

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

Cheryl R. Rehwaalt

Subscribed and sworn to before me this 24th


19 80

Arvid E. Jensen
Notary Public for Idaho, Residing

Notary Public for Idaho, Residing at Boise, Idaho

4098

Department of Water Resources
Western Regional Office



AFFIDAVIT OF PUBLICATION

I. P. J. Gregory, printer and publisher of The Kuna Herald, published weekly for more than 78 consecutive weeks at Kuna, Idaho, do solemnly swear that the notice as per clipping attached, was published weekly in the regular and entire issue of said newspaper and not in any supplement

thereof, for 2 consecutive weeks as follows:

Commencing with the issue dated

Mar 30, 1956

and ending with the issue dated

April 6, 1956

Subscribed and sworn to before me

this 6 day of April, 195...

Geo Grebe
Notary Public for Idaho.

Residing at Kuna, Idaho.

NOTICE OF PROPOSED TRANSFER OF WATER RIGHT

Notice is hereby given that George D. Keyser, Jr., of Route No. 1, Meridian, Idaho, has applied to the State Reclamation Engineer of the State of Idaho for a certificate authorizing him to change the point of diversion and place of use of the waters of Boise River. Amount .22 cubic feet per second with priority of June 1, 1868.

Point of diversion: SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 5, Township 3 North, Range 2 East. Place of Use: N $\frac{1}{2}$ NE $\frac{1}{4}$, Section 25, Township 4 North, Range 1 East.

Transfer to

Point of diversion: NW $\frac{1}{4}$ NW $\frac{1}{4}$, Section 9, Township 3 North, Range 2 East. Place of Use: E $\frac{1}{2}$ SE $\frac{1}{4}$, Section 21, Township 4 North, Range 1 West, B. M.

And that on the 12th day of April, 1956, at 10:00 o'clock A. M., at 107 State House, Boise, Idaho, before the State Reclamation Engineer, or his authorized agent, the opportunity will be given to any and all persons to appear and present, for his consideration any reason or reasons why a certificate should not be issued authorizing such transfer.

MARK R. KULP

State Reclamation Engineer
March 30; April 6, 1956.

RECEIVED

AFFIDAVIT OF PUBLICATION

I. P. J. Gregory, printer and publisher of The Kuna Herald, published weekly for more than 78 consecutive weeks at Kuna, Idaho, do solemnly swear that the notice as per clipping attached, was published weekly in the regular and entire issue of said newspaper and not in any supplement

thereof, for 2 consecutive weeks as follows:

Commencing with the issue dated

March 30, 1956

and ending with the issue dated

April 6, 1956

Subscribed and sworn to before me

this 6 day of April 1956

Geo. Grobe
Notary Public for Idaho.

Residing at Kuna, Idaho.

NOTICE OF PROPOSED TRANSFER OF WATER RIGHT

Notice is hereby given that J. Frank Bryce of Route No. 1, Meridian, Idaho, has applied to the State Reclamation Engineer of the State of Idaho for certificate authorizing him to change the point of diversion and place of use of the waters of Boise River. Amount: .288 cubic feet per second with priority of June 1, 1868.

Point of diversion: SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 5, Township 3 North, Range 2 East. Place of Use: That portion of lots 5 and 6 lying Northwesterly of the right of way of State Highway as shown by deed recorded in book 231 of deeds at page 485, records of Ada County, Idaho, and Lots 7, 8, and 9, all of said lots being in the Strawberry Glenn Subdivision in Section 25, T. 4 North, Range 1 East B. M.

Transfer to

Point of diversion: NW $\frac{1}{4}$ NW $\frac{1}{4}$, Section 9, Township 3 North, Range 2 East. Place of use: W $\frac{1}{2}$ SW $\frac{1}{4}$, and that portion of the SW $\frac{1}{4}$ NW $\frac{1}{4}$ lying South of the Phyllis Canal in Section 22, Township 4 North, Range 1 West, B. M.

And that on the 12th day of April, 1956, at 10:00 o'clock A. M., at 107 State House, Boise, Idaho, Department of Reclamation before the State Reclamation Engineer, or his authorized agent, the opportunity will be given to any and all persons to appear and present, for his consideration any reason or reasons why a certificate should not be issued authorizing such transfer.

MARK R. KULP

State Reclamation Engineer

March 30; April 6, 1956.

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10569

Priority: February 5, 1988

Maximum Diversion Rate:

1.78 CFS

This is to certify, that BOISE WATER CORP
PO BOX 7488

BOISE ID 837070000 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 5, 1988; and has submitted Proof of Beneficial Use on February 12, 1990. An examination indicates that the works have a diversion capacity of 1.780 cfs of water from a GROUNDWATER source, and a water right has been established as follows:


<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	1.78 CFS	
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		NWNW , Sec. 2, Township 02N, Range 02E ADA County	

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Place of use is within the city limits of Boise.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 28TH day of MAY, 1992


Acting for R. Keith Higginson, Director

MICROFILMED

JUN 11 1992

RECEIVED

OCT 19 1988

BOISE WATER CORPORATION

STATE OF IDAHO

Department of Water Resources
Western Regional Office

Ident. No. _____

RECEIVED

OCT 19 1988

APPLICATION FOR AMENDMENT OF A PERMIT

Department of Water Resources

To change the point of diversion and/or the place of use.

Comes now Boise Water Corporation Phone 362-1300
of (address) P. O. Box 7488, Boise, Idaho 83707, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 63-10569, and requests that the permit and permit map be changed as follows:

1. Point of diversion: N.W. ¼ N.W. ¼, Section 2, Township 2N, Range 2E, B.M.,
County of Ada. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 3.34 for Municipal purposes from Jan. to Dec. 31 (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated = _____


4. a. Who owns the property at the point of diversion? Boise Industrial Foundation
b. Who owns the land to be irrigated or the place of use? N/A
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: Boise Water Corporation holds a long term
lease on the well site.

MICROFILMED

JAN 23 1989

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at BOISE, IDAHO, this 14TH day of OCTOBER, 19 88.

Benjamin M. Hopper
(Signature)
MANAGER (from Permit into,
10/27/88 SL)

FOR DEPARTMENT USE ONLY

Preliminary check by SL Fee = \$20.00
Publication prepared by jp Date 11/10/88
Publication dates 11/17 & 11/24/88
Received by SL Date 10/27/88 # W 001220
Published in Idaho Statesman

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, of the Department of Water Resources hereby
Approve the above Application for Amendment provided the conditions as set forth
in Permit No. 63-10569 are met.

Witness my hand this 21ST day of December, 19 88
L. Glen Saxton
Chief, Operations Bureau

JAN 23 1989

**NOTICE OF APPLICATION
FOR AMENDMENT**

Notice is hereby given that Permit No. 111111 in the name of Boise Water Corp. was filed on 2/5/1988 for the diversion of 3.34 cfs from groundwater with a point of diversion within the NENE, S. 21, T. 3N., R. 22E., S. 4M. To be used for municipal purposes from 7/1 to 12/31 within portions of Boise City limits. The point of diversion is proposed to be located on or before December 1, 1988 at the NW 1/4, S. 21, T. 3N., R. 22E., S. 4M.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, 2735 Alameda Ave., Boise, ID 83725 on or before December 1, 1988.

R. KEITH HIGGINSON
Director

Pub. Nov. 17, 24, 1988

1192

REPROFILMED

JAN 23 1989

STATE OF IDAHO)

) SS.

COUNTY OF ADA)

Julie Day, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for two ☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of Nov. 17, 19 88

and ending with the issue of Nov. 24, 19 88

Julie Day

Subscribed and sworn to before me this 24th

day of November, 19 88

Frank Rice 1243

Notary Public for Idaho, Residing at Boise, Idaho

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Boise Water Corporation Phone 362-1300

Post office address P. O. Box 7488, Boise, ID 83707

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 23 Township 3N

Range 2E B.M. Ada County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 3.34 for Municipal purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 3.34 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. An 18" drilled and 10" cased deep well turbine driven by submersible motor. Discharge will be directed to applicant's distribution system.

b. Height of storage dam N/A feet, active reservoir capacity N/A acre-feet; total reservoir capacity N/A acre-feet, materials used in storage dam: N/A

Period of year when water will be diverted to storage N/A to N/A inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 18" inches; proposed depth of well is 1000 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: None horsepower under N/A feet of head.

(3) List number of each kind of livestock to be watered N/A

(4) Name of municipality to be served Boise, Idaho, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: N/A AUG 05 1988

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. All permits for Boise Water Corporation as filed and on record with the Department of Water Resources.

9. a. Who owns the property at the point of diversion Boise Water Corporation


b. Who owns the land to be irrigated or place of use N/A

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N/A

10. Remarks Water will be used to augment Boise Water Corporation's existing system and provide service to an expanding system.

2025-11-14 14:30
A11-11-1430

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED

AUG 05 1988

Benjamin M. Hepler
(Applicant)

Benjamin M. Hepler
Manager, Boise Water Corp.

Proposed Priority 2/5/88

Received by nl Date 2-5-88 Time 4:00 pm

Preliminary check by _____ Fee \$ 105.00 / 46071

Receipted by JP Date 2/8/88

Publication prepared by JP Date 2/10/88

Published in The Idaho Statesman

Publication dates 2/18 & 2/25/88

Publication approved ll Date 2/29/88

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DET kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10569, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
The well depth shall not exceed 760 feet without approval of the Department.
If water is encountered in the well which has a temperature of more than 85°F, the permit holder shall take remedial measures as determined by the director.

Witness my hand this 6th day of April, 1988.

Director

MICROFILMED

AUG 05 1988

RECEIVED
FEB 22 1988

Department of Water Resources
Western Regional Office

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Deborah Gregory, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for Two (2) ☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of February 18, 1988
and ending with the issue of February 25, 1988

Deborah Gregory

Subscribed and sworn to before me this 25th
day of February, 19 88

AUG 05 1988

Theresa Swick
Notary Public for Idaho, Residing at Boise, Idaho

MEMORANDUM

TO: FILE 63-10569

FROM: VAULT

RE: TRANSFER # 4816

DATE: 9-11-2000

=====

**Original Transfer Application, Form and correspondence regarding the above
referenced Transfer is located within:**

FILE # 63-07577

MICROFILMED

SEP 13 2000

June 2, 1992

BOISE WATER CORP
PO BOX 7488
BOISE ID 837070000

RE: WATER RIGHT NO. 63-10569

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECORDED
JUN 11 1992

April 30, 1992

BOISE WATER CORP
PO BOX 7488
BOISE ID 837070000

RE: WATER RIGHT NO. 63-10569

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

RECEIVED
JUN 11 1992

OWNER
CODE NAME & ADDRESS

C BOISE WATER CORP
PO BOX 7488
BOISE ID 837070000

PRIORITY
DATE WATER USE

02/05/1988 MUNICIPAL

USE PERIOD
FROM TO DIVERSION
RATE DIVERSION
VOLUME

01-01 12-31 1.78 CFS

TOTAL DIVERSION: 1.78 CFS

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 1.78 CFS

Point(s) of Diversion: T02N R02E S02 NW NW

Pou County:

Remarks: Place of use is within the city limits of Boise.

Dates: App. Received: 02/05/1988 Priority Date: 02/05/1988

Proof Due Date: 04/01/1990 Proof Made Date: 02/12/1990

Exam Made Date: 06/05/1990 Exam Sent to S.O.:

Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 04/28/92 CURTIS

MEMORANDUM

TO: File 63-10569
FROM: Sharla
DATE: April 28, 1992
RE: Permit Conditions of Approval

On this date, I spoke with Mark Slifka concerning the conditions of approval that had been placed on the permit. After looking at the well logs for both the test well and the production well (identified as abandoned on the well log), Mark stated that wells in the area of question normally are much deeper than 800 feet to reach water with a temp. greater than 85 degrees. He also stated that the condition limiting the well's depth to 760 could be considered complied with (well log shows the well was backfilled to 770 feet).

All other conditions of approval originally placed on the permit can be considered complied with and no conditions need to be carried forward to the license.

MICROFILMED

JUN 11 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 19 1991

Department of Water Resources
Permit No. 63-10569

A. GENERAL INFORMATION


1. Owner: BOISE WATER CORPORATION Phone No. 362-1300
Current Address: P.O. Box 7488, BOISE, IDAHO 83707
2. Accompanied by: JAMES MOONEY EXAM. DATE: 6/5/90
Address: 8248 W. VICTORY, BOISE, IDAHO Phone No. 362-1300
Relationship to Permit Holder: DISTRIBUTION MANAGER
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NUMEROUS OTHER MUNICIPAL WELLS
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 10'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED
JUN 11 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 12-INCH WELL EQUIPPED WITH 75 HP SUBMERSIBLE PUMP, 8-INCH DISCHARGE PIPE AND SPARKING FLOWMETER SUPPLY WATER TO THE BURIED MUNICIPAL WATER SYSTEM. THE ORIGINAL WELL IN NE 1/4 NW 1/4 SEC. 23, T3N, R2E WAS NOT PRODUCTIVE AND THE APPLICATION WAS AMENDED TO DRILL THE PRESENT WELL.

(SEE REMARKS Pg. 4 FOR PRODUCTION-FLOW RECORD ANALYSIS)

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
WELL	BYRON JACKSON	75	UNKNOWN	SUBMERSIBLE	891-5-0115

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:** PHOTO

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
WELL			NW	NW	2	2N	2E	ADA	ORTHO PHOTO MAP

6. **Place(s) of Use:** NOT DEFINED-MUNICIPAL Indicate Method of Determination NOT APPLICABLE

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Do not use this space

MICROFILMED

JUN 11 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
OWNER FLOWMETER	PROPELLER	SPARLING	1000 GAL/REV	D3317	8"	—
STOPWATCH						

2. Measurements:

SPARLING METER READING FOR 1 MINUTE = 780 GALLONS

FLOW RECORD ANALYSIS: 1.78 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: 780 GAL/MIN = 1.74 cfs

FLOW RECORDS = 1.78 cfs

2. Alternate Method for Checking Purposes: $\frac{75 \text{ HP} \times 8.8 \times .7}{150 + (2.31 \times 80)} = 1.38 \text{ cfs}$

HORSEPOWER EQUATION:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses: MUNICIPAL USE;

$1.78 \text{ cfs} \times 365 \times 1.9835 = 1288.7 \text{ AFA}$

MICROFILMED

JUN 11 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

ANALYSIS OF PRODUCTION RECORDS FOR WELL PERMIT 63-10569:
MONTHLY SUMMARY RECORDS WERE REVIEWED TO DETERMINE
PEAK FLOW DURING MARCH 1990. THE MAXIMUM PUMP
RATE FROM COMPUTER RECORDS WAS 800 GAL/MIN FOR 9 DAYS
DURING MARCH WHEN THE LINE PRESSURE WAS LEAST. THE
LOWEST DAILY MAXIMUM WAS 733 GAL/MIN. THE PUMP IS
DESIGNED FOR 1500 GAL/MIN. A LIMIT OF 800 GAL/MIN
FROM THIS WELL = 1.78 CFS, WHICH IS A REASONABLE
PUMPING RATE.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa) ^{Der}
	From	To		
MUNICIPAL	1/1	12/31	1.78 CFS	1288.7 AFA
Totals:			1.78 CFS	1288.7 AFA ^{Der}

2. Recommended Amendments NONE

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name CLIFTON W. JOHNSON

Signature Clifton W. Johnson

Certification Date _____

Field Report Preparation Date JUNE 6, 1990



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUN 11 1992

Department of Water Resources

WELL INSPECTION FORM

J.R. FLATS

If well is associated with water right, provide WR# 63-10569

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP____, Rge____, Sec.____, ____1/4____1/4
or Lot____.

2. Owner: BOISE WATER CORPORATION
Address____, City____, St____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐


4. Access Port: Yes ☒ No ☐ ^{DYNAMIC} Static Water Level: 150' 6/5/90
Pressure Gauge: Yes ☒ No ☐ 80 psi Casing Diameter: 18"
Flowing: Yes ☒ No ☐ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

RECEIVED
JUN 11 1992



PEI 62-10567 INIT 3A3
T. R. S. 0/0
P/D 2N 2E 2N 2W
SCALE
PHOTO ID. X-59

P/D

ELEV 3000

10

X-3789

UNION

PERMIT 63-10569

PHOTO #3

VIEW OF WELL HOUSE LOOKING NORTH. MUNICIPAL
LINE TOWARD NORTHEAST SHOWS IN CENTER OF PHOTO.





PHOTO #4

TEST WELL ABOUT 40 FEET EAST OF WELL HOUSE IN
PHOTO #3, TEMPORARY CAP.



JUN 11 1982

PERMIT 63-10569

PHOTO #1

12-INCH WELL EQUIPPED WITH 75 HP SUBMERSIBLE
PUMP AND VARIABLE CONTROLLER.




PHOTO #2

8-INCH SUPPLY LINE AND SPARKING FLOWMETER.
LINE SUPPLIES BURIED MUNICIPAL SYSTEM.



MIL
JUN 11 1982
MED

April 18, 1990

BOISE WATER CORP.
P.O. BOX 7488
BOISE, ID 837070000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10569

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
APR 19 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10569

Date: 4-13-1990

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

FEB 12 1990

Department of Water Resources
Western Regional OfficeSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USEFor Office Use Only
Amt. of Fee \$ 125.00
Date 2/13/90
Receipt No. W008736
Received by LHcheck rec'd 2/12/90
with Prof of B.W.
JL

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10569 Telephone No. 362-1300Name(s) of Permit Holder(s): Boise Water Corporation ✓Post Office Address: P. O. Box 7488 Boise, Idaho 83707Source of Water: GroundwaterIf ground water, well driller's name: W. E. Stevens & Sons ✓ Date drilled: 7-24-89 ✓Extent of Use:
Domestic _____ (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other Municipal ✓Total rate and/or volume for which proof is submitted 1.70 cfs _____ acre/feetShow date water was first diverted and beneficially used under this permit: 7-20-89 ✓

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? X Yes No Installed? X Yes NoFee Enclosed: \$ 125.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

James L. Mooney
Name(208) 362-1300
Telephone No.P. O. Box 7488 Boise, Idaho 83707
Address**MICROFILMED**

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

APR 19 1990

2/5/90
DateBenjamin M. Hessler VICE PRES. ✓
Signature (and title if on behalf of a company or organization)

138141

January 31, 1990

BOISE WATER CORP.
P.O. BOX 7488
BOISE, ID 837070000

PROOF DUE NOTICE

RE: PERMIT NO. 63-10569

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

APR 19 1990

63-10569

RECEIVED

OCT 18 1989

Department of Water Resources

RECEIVED

OCT 17 1989

Department of Water Resources
Western Regional Office

Boise Water Corporation
Corporate Officers

President
Secretary
Directors

Wayne L. Booe
Charles A. Martin
George B. Flegal, Jr.
Wayne L. Booe
Lewis R. Masotti

P. O. Box 8066, Boise, Idaho 83707
P. O. Box 8066, Boise, Idaho 83707
950 Haverford Rd., Bryn Mawr, PA 19010
P. O. Box 8066, Boise, Idaho 83707
950 Haverford Rd., Bryn Mawr, PA 19010

MICROFILMED

APR 19 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

December 22, 1988

RE: Permit No. 63-10569

Boise Water Corporation
P.O. Box 7488
Boise, ID 83707


Gentlemen:

Enclosed is a copy of the approved application for amendment submitted in connection with the above referenced permit.

Be advised that you must obtain a new drilling permit if you are going to construct a new well. If you plan to use the well drilled under permit 63-88-2-092, you must submit an additional \$90.00, since it was drilled as a test well.

If you have any questions concerning this matter, please contact us.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:ky

MICROFILMED

JAN 23 1989

RECEIVED
DEC 08 1988

State of Idaho
Department of Water Resources

Department of Water Resources

AMENDMENT ANALYSIS SHEET

INITIAL REVIEW BY: SL

Right Number 63-10569 Applicant Boise Water Corp

Purpose of Amendment: ☒ Change point of diversion. ☐ Add diversion point(s).

☐ Increase amount. ☐ Change place of use. ☐ Other _____

CHECK:

☒ Description of amended point(s) of diversion.

☒ Amount, nature and period of use. If increased, delay date of priority.

N/A ☐ Description of amended places of use. If expanded, delay date of priority.

☒ Ownership of point of diversion and place of use.

☒ Map.

☒ Signature (must be permit holder).

☒ Fee.

N/A ☐ Existing water rights from the same source, amended place of use.

N/A ☐ Right number(s) _____

☒ Yes ☐ No Should amendment be advertised?

☐ Yes ☒ No Should date of priority be delayed? If yes, to what date? _____

NO OTHER P/D FORMED IN PROPOSED P/D TRIPLET.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received.

☒ Amendment published correctly.

No ☐ Protests processed.

☒ Approve.

☐ Deny.

Conditions _____

By DW Date 12/6/1988

STATE OFFICE PROCESSING:

☒ Amendment correct and complete. By Jm Date 12-13-88

☐ Approved copy sent to applicant and to Region. By _____ Date _____

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

NOTICE OF APPLICATION FOR AMENDMENT

Notice is hereby given that permit No. 63-10569 in the name of Boise Water Corp.

was filed on 2/5/1988 for the diversion of 3.34 cfs from groundwater with a

point of diversion within the NENW, S.23, T.3N., R.2E., B.M. To be used for

Municipal purposes from 1/1 to 12/31 within portions of Boise City limits.

The permit holder now proposes to amend the permit by changing the point of

diversion to NWNW, S. 2, T. 2N., R. 2E., B.M.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, 2735 Airport Way, Boise, ID 83705 on or before December 5, 1988.

R. Keith Higginson, Director

Published in the Idaho Statesman on 11/17 & 11/24/1988.

JAN 23 1989

MEMORANDUM

TO: File 63-10569
FROM: John Beal
DATE: March 29, 1988


This is near the test well 63-88-W-03.


The test well has shown a large temperature increase at 760'+. I should receive the logs, etc. soon.

We should condition well cannot exceed 760' without prior written approval; and

If this well encounters water with a bht of 85°F, the well shall be plugged, or backfilled such that only water with a bht above 85°F is withdrawn.

John Beal
AUG 13 1988





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

RECEIVED
USE IN REPORTING DR
BELLPOINTE

NOV 29 1988

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

NOV 15 1988

Department of Water Resources

Name Boise Water Corp.
Address 8248 W Victory 83709
Owner's Permit No. 63-88-Z-092

7. WATER LEVEL

Department of Water Resources

Static water level ? _____ feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Air ☐ Other
Discharge G.P.M. _____ Pumping Level _____ Hours Pumped _____
NOV 22 1988
Department of Water Resources
Western Regional Office

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☒ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
	0	1	topsoil		X
	1	9	tan hardpan & broken basalt		X
	9	61	solid basalt		X
	61	98	cemented sand, gravel & boulders		X
	98	110	cemented sand & gravel		X
	110	138	cemented brown sand		X
	138	146	sandy brown clay		X
	146	303	brown clay & thin streaks of cemented sand		X
	303	305	medium to coarse sand	X	
	305	335	cemented sand & streaks of brown clay		X
	335	405	brown clay with streaks of blue clay & fine sand		X
	405	409	fine to coarse sand	X	
	409	482	brown clay & thin streaks of sand & gravel	X	
	482	500	sand & gravel	X	
	500	520	brown clay		X
	520	550	sand	X	
	550	558	brown clay		X
	558	570	sand & gravel, streaks of clay	X	
	570	623	brown clay		X
	623	676	cemented sand, some gravel		X
	676	752	brown clay with thin streaks of sand	X	
	752	805	hard dry brown clay		X

4. METHOD DRILLED

☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION


Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness Diameter From To
.250 inches 12 inches +1 feet 10 feet
.250 inches 10 inches 2 feet 11 feet
.250 inches 6 inches 3 1/2 feet 11 1/2 feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number From To
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter Slot size Set from _____ feet to _____ feet
Diameter Slot size Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth none material used in seal: ☐ Cement grout
☐ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☐ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port _____

10.

Work started Sept 88 finished _____

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name Mickurville
Lot No. _____ Block No. _____
JAN 23 1989

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name W.E. Stevens & Son Firm No. 153
Address 3709 Hawthorne Dr Date 11/5/88
Signed by (Firm Official) Wayne E. Stevens
and
(Operator) Donald L Stevens

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

NOV 29 1988 State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well. NOV 15 1988

1. GENERAL INFORMATION

Name Boise Water Corp.

Address 8248 W Victory 83709

Owner's Permit No. 63-88-Z-069

7. WATER LEVEL Department of Water Resource.

Static water level 105 feet below land surface.

Flowing? ☐ Yes ☐ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

2. NATURE OF WORK 63-10569

☒ New well ☐ Deepened ☐ Replacement

☒ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped

Department of Water Resources
Western Regional Office

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test ☒ Municipal

☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

☐ Other _____ (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
	0	53	dirty sand, gravel & boulders	X	
	53	65	cemented sand & gravel	X	
	65	123	silty blue clay & cemented sand & gravel		X
	123	144	cemented blue sand & clay	X	
	144	146	dark brown clay	X	
	146	171	blue clay & gravel	X	
	171	191	cemented gravel	X	
	191	194	blue clay	X	
	194	210	cemented gravel	X	
	210	220	blue clay		X
	220	275	cemented sand & gravel	X	
	275	280	cemented sand	X	
	280	300	sticky blue clay		X
	300	350	sandy clay with clay streaks	X	
	350	560	blue clay & sandy clay	X	
	560	665	blue clay	X	
	665	720	sand & cemented sand	X	
	720	790	blue clay		X
	790	840	cemented fine blue sand	X	
			well backfilled to 770 with gravel & cemented backfilled to 600 600-50 gravel 50-0 blue clay		

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary

☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness	Diameter	From	To
.250 inches	20 inches	XX-6 feet	70 feet
.375 inches	18 inches	-6 feet	221 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 70 Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____

Sealing procedure used: ☒ Slurry pit ☒ Temp. surface casing ☒ Overbore to seal depth ☐ _____

Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata

Describe access port _____

10. Work started 7/18/88 finished 9/30/88

6. LOCATION OF WELL

Sketch map location must agree with written _____

N

W E

S

County Ada

N/E ¼ N/W ¼ Sec. 23 T. 3 R. 2 E/W.

Subdivision Name Londoner

Commons Sub #4

Lot No. 4 Block No. 1

MICROFILMED JAN 23 1989

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name W.E. Stevens & Son Firm No. 153

Address 3709 Hawthorne Dr Date 11/2/88

Signed by (Firm Official) Ronald D Stevens

and

(Operator) Ronald D Stevens

ACTION OF IDWR

() Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

7. Well depth shall not exceed 760 feet without written approval of the Department.
8. If water with a temperature of 85 F or greater is encountered the well shall be abandoned or otherwise repaired as directed.

Dated this 26th day of May, 1988. AUG 05 1988

Signed

John E. Reed

SECTION MANAGER

Title

GROUNDWATER PROTECTION

Received by CW

Fee

\$1000.00

Date

5/26/88Receipt No. #C000953

Construction start date

Construction start extension to

Extension approved by

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

RECEIVED

MAY 25 1988

Department of Water Resources

1. Applicant BOISE WATER CORPORATION
2. Address 8248 WEST VICTORY ROAD
BOISE ID 83709
- (☒) Well Owner (☐) Well Operator (☐) Other, specify _____
3. Water right permit no. 63-10569; Injection well permit no. _____
4. Proposed well location NE 1/4 NW 1/4 1/4, or Gov't lot No. _____,
Sec. 23, Twp. 3N, Rge. 2E, County ADA,
Lot, block and subdivision LOT 4 BLOCK 1 LONDONER COMMONS SUBD. No 4
5. Proposed use of well: (Check all that apply)
(☒) Domestic (☐) Stockwater (☐) Monitoring
(☐) Irrigation (☐) Industrial (☐) Municipal
(☐) Injection (☐) Other, Specify _____
6. Well construction information:
(☒) New well (☐) Deepen (☐) Replace
Proposed surface diameter 18 INCHES Proposed depth 760 FEET
Anticipated bottom hole temperature:
(☒) 85°F or less (Cold water well)
(☐) 85°F to 212°F (Low temp. geothermal well)
(☐) 212°F or more (Geothermal well)
7. Anticipated construction start date MAY 27, 1988
8. Well Driller (if known) STEVENS AND SONS
Address 3709 HAWTHORNE DRIVE
Date 5/18/88 Applicant's signature Benjamin M. Hepler
Title VICE PRESIDENT

AUG 05 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
APRIL 14, 1988

BOISE WATER CORP.
P.O. BOX 7488
BOISE, ID 83707

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10569

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

SECTION 42-235, IDAHO CODE, REQUIRES THAT A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

AUG 05 1988

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

AUG 05 1988

State of Idaho
Department of Water Resources

3N 2E
20.23 (NENW)

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: BD APPLICATION NUMBER: 63-10569

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

No Gov't Lots

SEND COPIES TO:

- ☒ Idaho State Health Department. Copies sent by: Dr Date: 2/11/88
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. Other BWC rights on file w/ IDWR
☒ Yes ☐ No* In form for advertising.
Final date for protests: 3/1/88
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/26/88
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 105/46071
☒ Publication dates and paper, recorded on application. 20 Statesman 2/18 & 2/25/88
None ☐ Protests, dates, withdrawal, etc., recorded on application.
Approved, DWR ☐ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
1050 ☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63
2/5/88 Date of priority recommended.
Special conditions of approval or cover letter. OIC

2 yrs. is reasonable for B/U development.

By: DWR Date: 3/9/88

STATE OFFICE REVIEW:

L23, see approved drilling permit below-

L03, L05, L17 26 OIG 46

☐ See attached sheet for more information.

By: kw Date: 3/21/88

RECEIVED
MAR 18 1988

Department of Water Resources

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

RECEIVED
FEB 3 1988

Department of Water Resources
Western Regional Office

1. Applicant Boise Water Corporation

2. Address 8248 W. Victory Road

Boise, ID 83709

(X) Well Owner () Well Operator () Other, specify _____

3. Water right permit no. _____; Injection well permit no. _____

4. Proposed well location SW 1/4 NE 1/4 1/4, or Gov't lot No. _____,

Sec. 15, Twp. 3N, Rge. 2E, County Ada,

Lot, block and subdivision 1115 Lincoln

5. Proposed use of well: (Check all that apply)

() Domestic () Stockwater (X) Monitoring

() Irrigation () Industrial () Municipal

() Injection () Other, Specify _____

6. Well construction information:

(X) New well () Deepen () Replace

Proposed surface diameter 8" Proposed depth 1000'

Anticipated bottom hole temperature:

- () 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

7. Anticipated construction start date _____

8. Well Driller (if known) Stevens and Sons

Address 3709 Hawthorne Drive, Boise, ID 83703

Date 2/5/88 Applicant's signature Benjamin McFarlane

Title VICE PRESIDENT

MICROFILMED

* After other pre-requisite approvals have been obtained.

AUG 05 1988

ACTION OF IDWR

(X) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

1. THIS DRILLING PERMIT DOES NOT GIVE THE RIGHT TO DIVERT AND USE THE WATER OF THE STATE OF IDAHO. PRIOR TO DIVERSION OF WATER FROM THIS WELL, THE WELL OWNER MUST OBTAIN A WATER RIGHT APPROVED BY THE DEPARTMENT.
2. IF THE WELL DRILLED UNDER THIS PERMIT IS USED FOR PRODUCTION, ADDITIONAL FEES MAY BE NECESSARY.

Dated this 10TH day of FEBRUARY, 1988.

Signed

Title

Jan Thunte
Idaho Water Resource Agent

Received by

Fee

10.00

Date

2/10/88

Receipt No.

46028

Construction start date

Construction start extension to

AUG 03 1988

Extension approved by



CECIL D. ANDRUS
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

R. KEITH HIGGINSON
Director

February 23, 1988

Mr. Dan Brown, Engineer
Boise Water Corporation
P.O. Box 7488
Boise, ID 83707

Mr. Terry Uhling, Esq.
Nelson, Rosholt, Robertson, Tolman and Tucker
P.O. Box 1906
Boise, ID 83303-1906

RE: Temperature of Water Sought by Well Identified in
Application for Permit No. 63-10569

Gentlemen:

The purpose of this letter is to verify the telephone conversation of this date between Mr. Brown and myself in which Mr. Brown indicated that in the above-referenced application Boise Water Corporation is seeking groundwater of 75 degrees Fahrenheit or less, and if warmer water is encountered, drilling will cease.

Sincerely,

David R. Tuthill, Jr., P.E.
Manager, Western Regional Office

DRT:d

RECEIVED

AUG 05 1988



STATE OF IDAHO

RECEIVED
FEB 17 1988

DEPARTMENT OF HEALTH AND WELFARE
DIVISION OF ENVIRONMENTAL QUALITY - 801 Reserve St., Boise, ID 83712
Department of Water Resources

February 16, 1988

Mr. David R. Tuthill, P.E.
Western Region Supervisor
Department of Water Resources
Statehouse Mail
Boise, ID 83720

RE: 63-10569 (Boise Water Corporation)

Dear Mr. Tuthill:

This office has reviewed the above referenced application and has no objections to this appropriation.

Sincerely,

Jon Wroten
Senior Water Quality Specialist

JW:dm

cc: Bob Braun
Craig Shepard

MICROFILMED

AUG 05 1988

RECEIVED
FEB 17 1988

Department of Water Resources
Western Regional Office



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

January 11, 1988

Idaho Dept. of Health & Welfare
Division of Environment
Attn: Jon Wroten
Statehouse
Boise, ID 83720

Re: Application for Permit No. 63-10569, in the Name Boise Water Corporation

Dear Mr. Wroten:

Enclosed is a copy(s) of the above-referenced application(s) for permit which may be of interest to your agency. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by March 7, 1988.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional

Office

DRT:jp

Enclosure(s):

RECEIVED

AUG 05 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

February 11, 1988

Boise Water Corporation
P. O. Box 7488
Boise, ID 83707

Re: Application for Permit No. 63-10569

Dear Water Right Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification no. 63-10569. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in The Idaho Statesman on 2/18 & 2/25/88. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. Processing time for an unprotested application is about eight weeks.

Enclosed please find your receipt no. 46071 for the amount of \$105.00.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:jp

Enclosure:

RECEIVED

AUG 05 1988

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before

R. KEITH HIGGINSON, Dir.

AUG 05 1988

Published 02/18 & 02/25/88.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

FEBRUARY 10, 1988

The Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 7, 1988.

Yours truly,

JUDY PENSE
Secretary

Encl.

RECEIVED
AUG 05 1988

63-10569

BOISE WATER CORP.

P.O. BOX 7488, BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: NENW Sec 23 T 03N R 02E

Use: MUNICIPAL (3.340 CFS)

Date Filed: 02/05/1988

P/U: Within the City Limits of Boise.

FILED

AUG 05 1988

3/83

IDENT. NO. 63-10569

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]