


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

NOV 20 1991


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

P. H. Henderson
(Applicant)



I, the undersigned hereby makes application for permit to appropriate the public waters of
as herein set forth.

P. H. Henderson
(Applicant)



T3N R37E Sec 36
S W N E (Lot 2)


DEC 13 1994

01-7115



RIVER ACRES
ESTATES

PLACE OF USE
POINT OF
DIVERSION



PLACE OF
USE



SNAKE
RIVER

FLOW
←



DIVERSION
System

01-7115

RECEIVED
DEC 13 1994







State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 01-07115

Priority: July 24, 1991

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

4.0 AF

This is to certify, that MARK HENDRICKSON
PAT HENDRICKSON

810 W RIVERVIEW DR
IDAHO FALLS ID 83401

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 24, 1991; and has submitted Proof of Beneficial Use on August 24, 1992. An examination indicates that the works have a diversion capacity of .070 cfs of water from:

SNAKE RIVER

tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.03 CFS	4.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2 (SWNE), Sec. 36, Township 03N, Range 37E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	37E	36	Lot 2 (SWNE)	1		1

Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

DEC 13 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 01-07115

CONDITIONS/REMARKS:

7. Use of water under this water right will be regulated by the watermaster of State Water District No. 01.
8. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
9. The right holder must obtain adequate supplemental water for the irrigation season that natural flow is not available.
10. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 2nd
day of December, 19 74.

Acting for R. Keith Higginson, Director



DEC 18 1994

RECEIVED

AUG 24 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 01-07115 Telephone No. 523-5190 Home 526-0228 Work
2. Name(s) of Permit Holder(s): MARK B. HENDRICKSON
3. Mailing Address: 810 W. RIVERVIEW, IDAHO FALLS, IDAHO 83401
4. Source of Water: SNAKE RIVER

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic ± NA (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 1 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .01 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Lockable
Measuring device: Required? ✓ Yes _____ No Installed? ✓ Yes _____ No

OR
Flow Measurement Port: Required? _____ Yes ✓ No Installed? _____ Yes ✓ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

MARK OR PATRICIA HENDRICKSON 208-523-5190 Home 208-526-0228 Work
Name Telephone No.

810 W. RIVERVIEW IDAHO FALLS, IDAHO 83401
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8/11/92
Date

[Signature]
Signature (and title, if on behalf of a company or organization)

MINORIFIED
SEP 09 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 01-07115

Proposed Priority: July 24, 1991 Maximum Diversion Rate: 0.03 CFS
This is to certify, that **MARK HENDRICKSON**
PAT HENDRICKSON
810 W RIVERVIEW DR
IDAHO FALLS ID 83401

has applied for a permit to appropriate water from:

SNAKE RIVER tributary of **COLUMBIA RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 2(SWNE), Sec. 36, Township 03N, Range 37E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	37E	36	LOT 2(SWNE)	1		1

Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1992.
2. Subject to all prior water rights.
3. Use of water under this right is subject to control by the watermaster of State Water District No. 01.
4. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this right.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. No water may be diverted under this right until adequate supplemental water is obtained for the irrigation season when the natural flow is not available.
8. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

RECORDED

NOV 20 1991

State of Idaho
Department of Water Resources


Permit To Appropriate Water

NO. 01-07115

CONDITIONS/REMARKS:

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

8th day of November, 1991.

for 
R. Keith Higginson, Director

RECEIVED

NOV 20 1991

01-7115

Form 202
6/85

Ident. No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Mark or Pat Hendrickson Phone 523-5190
Post office address 810 W. Riverview drive Idaho Falls, ID 83401
2. Source of water supply Snake River which is a tributary of Columbia River
3. Location of point of diversion is _____ ¼ of SW ¼ of NE ¼, Govt. Lot 2
Sec. 36 Township 3N Range 37E B.M. Bonneville County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.03 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.03 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. pump in river to sprinklers
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

NOV 20 1991

a. Hydropower, show total feet of head and proposed capacity in kW.

c. Municipal; show name of municipality.

e. Other, describe fully.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

ponding place of use below. See instructions for standard symbols.

[illegible]

NA

10. Describe any other water rights used for the same purposes as described above.

b. Who owns the land to be irrigated or place of use


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing.

12. Remarks:

1661 02 NOV

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



NOV 20 1991

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

P. H. Henderson
(Applicant)

Received by HWT Date 7-24-91 Time 8:53am Preliminary check by _____
Fee \$ 30.00 Received by HWT # EG16363 Date 7-24-91
Publication prepared by RB Date 8-15-91 Published in Last-Register
Publication approved aw Date 9-19-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

NOV 20 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 5, 1994

MARK HENDRICKSON
PAT HENDRICKSON
810 W RIVERVIEW DR
IDAHO FALLS ID 83401

RE: WATER RIGHT NO. 01-07115

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

RECEIVED

DEC 13 1994

LICENSE REVIEW CHECKLIST



PERMIT NO. 01-07115 DATE 11-7-94

NAME	Yes <u> </u> No <u>✓</u>	Or Address Change?
PRIORITY DATE	<u> </u> <u>✓</u>	Advance? <u> </u> Advanced to: <u> </u> Order to reinstate needed? <u> </u> Incorrect fee for rate recommended? <u>Filed proof</u> <u>on .01 CFS, but paid 50th fee (.03 OK)</u>
SOURCE	<u> </u> <u>✓</u>	Changes or just clarification of originally intended source? <u> </u> Notice of Intent to Void necessary? <u> </u>
POINT OF DIV	<u> </u> <u>✓</u> <u> </u> <u>✓</u>	Amendment needed? <u> </u> Overlaps? <u> </u>
PLACE OF USE	<u> </u> <u>✓</u> <u> </u> <u>✓</u>	Amendment needed? <u> </u> Overlaps? <u> </u>
DIV RATE	<u> </u> <u>✓</u>	Permit/fee limits: <u>.03 CFS</u> Meas Q = <u>.07</u> Theo Q = <u>.09</u> Recommend: <u>.03</u> <u>1 acre @ .03 is O.K.</u> Combined rates exceed capacity <u> </u>
ANNUAL VOLUME	<u> </u> <u>✓</u>	Season of use: <u>4/4 (4-1 to 10-31) (new)</u> Calculations: <u>1 acre @ 4.0</u> Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u> Combined volumes exceed capacity/allowable <u> </u>
USES	<u> </u> <u>✓</u>	Change in Nature of Use or additional uses? <u> </u> Amendment necessary? <u> </u>
REMARKS	<u> </u> <u>✓</u> <u> </u> <u>✓</u>	Multiple p/d(s) in 1/4 1/4? <u> </u> Other <u> </u>
CONDITIONS	<u>R04</u> <u>✓</u> <u>R51</u> <u> </u> <u>048</u> <u>✓</u> <u>049</u> <u> </u>	Measuring <u>(Locking)</u> Devices Watermaster control - District <u> </u> Irrigation Overlap <u> </u> Water Quality <u> </u> Other <u>R18</u> Heat/Cool/ Fish verified <u> </u>

COMMENTS:

RECOMMENDED	CFS	VOL	SRBA Claim Filed	<u>NO</u>
<u>Irrigation</u>	<u>.03</u>	<u>4.0</u>	Adjustment Memo Needed	<u>NO</u>
<u> </u>	<u> </u>	<u> </u>	LICENSE	<u>✓</u>
<u> </u>	<u> </u>	<u> </u>	1ST AMENDMENT LETTER	<u> </u>
<u> </u>	<u> </u>	<u> </u>	FINAL AMENDMENT LETTER	<u> </u>

**Staff Analysis Sheet
for
Beneficial Use Field Report**

NOV 01 1994

A. Prior to Conducting the Exam, the File Contains:

- B. After Conducting the Exam, the File Contains:**

- ### C. Review and Processing:

- Exam Completed KC Wilson 5/18/94 (signature of examiner & date)
Exam Reviewed by Senior Water Resource Agent [Signature] 6-27-94 (initial & date)
Exam Reviewed by Manager of Regional Office _____ (initial & date)
Exam Sent to State Office _____ (initial & date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 01-07115

1. Owner: Mark or ~~Pat~~ Hendrickson

Phone No. 523-5190

Current Address: 810 W. Riverview Dr, Idaho Falls, Id 83401

2. Accompanied by: Pat Hendrickson

EXAM DATE: 18 May 94

Address: Same

Phone No. Same

Relationship to Permit Holder: ~~Pat~~

3. Source: ~~Snake~~ River

tributary to Columbia River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	2		S	NE	36	3 N	37 E	Bonneville	ON SITE INSPECTION & COUNTY PLAT


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3 N	37 E	36			1														1
					L2														

DEC 13 1994

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Baldor	2	None	UNKNOWN	2" intake + 7" discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

28 psi for separator 5/8" dia nozzle

50 psi @ pump

DEC 13 1994

E. NARRATIVE/REMARKS/COMMENTS

Pump & Motor to Sprinkler system

PLACE OF USE AKA Lot 12 Block 2 RIVER ACRES ESTATES

Lot size 1.56 ac IRRIGATING 1 ac

Have conditions of permit approval been met? ☒ yes ☐ no

DEC 13 1994

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: $\frac{5}{32}$ nozzles @ 28 psi = 3.832 gpm/nozzle

$$(3.832 \text{ gpm/nozzle})(8 \text{ nozzles}) = 30.896 \text{ gpm} = 0.068 \text{ cfs} = 0.07 \text{ cfs}$$

$$Q = \frac{hp (8.14) (cfs)}{Lft + (R1 \times 2.308)} = \frac{2(8.14)(.7)}{24 + (50 \times 2.308)} = 0.0885 \text{ cfs} = 0.09 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (1.0)(4.0) = 4$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.03(214)1.9835 = 12.7 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.0$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	10/31	0.03 cfs	4.0
Totals:			0.03 cfs	4.0 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name

KEITH C WILSON

Date

5/18/94


Reviewer




Date

6-27-94

SEAL




DEC 13 1994



I, the undersigned hereby makes application for permit to appropriate the public waters of
as herein set forth.


P. H. Henderson
(Applicant)



DEC 13 1894

Was charged in the
Saw Post Accounts

1894




RECEIVED
DEC 13 1994

T3N R37E Sec 36
SWNE (Lot 2)


RECORDED
DEC 13 1994

01-7115




RIVER ACRES
ESTATES

PLACE OF USE
POINT OF
DIVERSION




PLACE OF
USE



SNAKE
RIVER

FLOW
←



DIVERSION
System

01-7115

DEC 13 1994

August 28, 1992

MARK HENDRICKSON
PAT HENDRICKSON
810 W RIVERVIEW DR
IDAHO FALLS ID 83401

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 01-07115

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.


Sincerely,


Karen L. Gustafson
Secretary/Records Manager


c: IDWR - Region

RECEIVED

SEP 09 1992







MARK HENDRICKSON
PAT HENDRICKSON
810 W RIVERVIEW DR
IDAHO FALLS ID 83401

July 31, 1992

PROOF DUE NOTICE

RE: PERMIT NO. 01-07115

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



MICROFILMED

SEP 09 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 14, 1991

MARK HENDRICKSON
PAT HENDRICKSON
810 W RIVERVIEW DR
IDAHO FALLS ID 83401

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 01-07115

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

Please be advised that there is insufficient natural flow available from the source identified on your permit to provide water throughout the entire season. You may want to arrange for a supplemental supply from a different source.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

RECORDED

NOV 20 1991


WATERMASTER COMMENTS

I have reviewed Application for Permit No. 01-7115 and have the following comments objections to the approval of this application for permit:

The Snake River is fully appropriated. A 1991 water right will not provide adequate water for irrigation purposes. (1986 was the last year that a 1986 right could have been filled) However, the application is appropriate if the applicant acquires storage for a supplemental supply

8/22/91

Date


RONALD D. CARLSON, WATERMASTER
Water District No. 01

MICROFILMED

NOV 20 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 - (208) 525-7161

EASTERN REGION

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

12-Aug-1991

MARK OR PAT HENDRICKSON
810 W RIVERVIEW DR
IDAHO FALLS ID 83401

RE: Application No. 01-7115

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in Post-Register on August 15 & 22, 1991. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Harold W. Jones rb
HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECORDED

NOV 20 1991

Proof of Publication
The Post-Register

RECEIVED

SEP 4 1991

Department of Water Resources
Eastern District Office

State of Idaho, }
County of Bonneville } ss

I, S. BOB BRIGHT or TED DELEZENE, first being duly sworn, depose and say: That I am the Production Supervisor or Asst. Prod. Supervisor of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers have been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eight (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for Two consecutive weeks, first publication having been made on the 15th day of August, 1991, last publication having been made on the 22nd day of August, 1991, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 28th day of August, 1991.

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

01-07115
HENDRICKSON, MARK
HENDRICKSON, PAT
810 W. RIVERVIEW DR.
IDAHO FALLS, ID 83401
Source: SNAKE RIVER
Tributary: COLUMBIA RIVER
Diversion Pt: LOT 2 (SWNE) Sec 36 T
03N R 37E
Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)
Date Filed: 7/24/1991
In: T03N R37E S36 Lot 2 (SWNE)
1.0 ACRES TOTAL

01-07116
FRANZ, GARY R.
FRANZ, PATRICIA M.
900 W. RIVERVIEW DR.
IDAHO FALLS, ID 83401
Source: SNAKE RIVER
Tributary: COLUMBIA RIVER
Diversion Pt: LOT 2 (SWNE) Sec 36 T
03N R 37E
Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)
Date Filed: 7/19/1991
In: T03N R37E S36 Lot 2 (SWNE)
1.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Eastern Region, 150 Shoup Avenue, Suite 15, Idaho Falls, Idaho 83402 on or before SEPTEMBER 2, 1991.

R. KEITH HIGGINSON, Director
Published: August 15, 22, 1991

Ted Delezene
Notary Public

My commission expires July 1st, 1997.

NOV 20 1991

B10

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

AUGUST 7, 1991

THE POST-REGISTER
P.O. BOX 1800
IDAHO FALLS, ID 83403

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 2, 1991.

Yours truly,

Rita Bodell
Secretary

Encl.

NOV 20 1991

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

RECEIVED

NOV 20 1991

01-07115

HENDRICKSON, MARK
HENDRICKSON, PAT
810 W. RIVERVIEW DR.
IDAHO FALLS, ID 83401

Source: SNAKE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: LOT 2 (SWNE) Sec 36 T 03N R 37E

Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)

Date Filed: 7/24/ 1991

In: T03N R37E S36 Lot 2 (SWNE)

1.0 ACRES TOTAL

RECEIVED

NOV 20 1991