






(4-6752)

*Supplemental Plat of Secs. 3 & 10
T. Range No 25 East of the Boise Mer*

E d D c C b



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model / Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	2	SKCR394N2705	Water Ace	no tag, #A206
			BX		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Not measured. Pump is rated 47 gpm at 40 psi and 10' lift.

NOV 14 1985



Place of Use

Missouri

NOV 14 1985

Re-Exam
01-07077



Diversion Works



Pump & Mainline



Mainline to Outlets



Outlets

NOV 14 1995
Re-Exam
01-07077

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 23 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: William F. &/or Stanley H. Woods Permit No. 01-7077
Current Address: 1334 Alder Drive, Twin Falls, ID 83301 Phone No. 733-2537
2. Accompanied by: Bill Woods EXAM. DATE: 9-26-90
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Snake River tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED
DEC 08 1992

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)



T 95
R. 25 E
Sec. 3

MICROFILMED
DEC 08 1992

01-7077

P/U



P/U

Diversion
Works



MICROFILMED
DEC 08 1992

MINIDOKA COUNTY NEWS

RUPERT, IDAHO

AFFIDAVIT OF PUBLICATION

County of Minidoka,)
) ss.

STATE OF IDAHO,)

Edward L. Mitchell, being first
duly sworn, deposes and says that he is the
Editor of The Minidoka County
News, a weekly newspaper published at Rupert,
Idaho, in the county aforesaid, and that the paper
is of general circulation therein. Deponent further
states that the printed notice attached hereto was
duly published according to law in the regular
weekly editions of The Minidoka County News for
two consecutive weeks, commencing

with the issue dated Nov. 25, 1982, and
ending with the issue dated Dec. 2, 1982.

Ed Mitchell
Subscribed and sworn to before me this
2nd day of December, 1982.

Brenda J. Norman Notary Public

Cost of Publication \$18.20

Notary Fee _____

Total Cost _____

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed
to appropriate the public waters of the State of
Idaho:

01-7077
WOODS, PEARL M. & or WILLIAM F.
BOX 105, MINIDOKA, ID 83343
Source: SNAKE RIVER tributary to COL-
UMBIA RIVER
Date Filed: 11/16/1982
Amount: 0.05 CFS
Diversion Point: LOT 03 Sec 03 T 09S
R 24E, MINIDOKA Co.
Use: IRRIGATION (0.05 CFS) from 0315
to 1115
Place of Use: LOT 03 (NESE) Sec 03 T
09S R 25E FOR 1.5 ACRES
Diversion Means: PUMP, PIPELINE

The permit(s) will be subject to all prior
water rights. Protests must be filed with the
Director, Dept. of Water Resources, 1041
Blue Lakes Blvd. North, Twin Falls, Idaho
83301 and received on or before DECEMBER
13, 1982.

No. 82-268 - November 25 and December 2,
1982. s Ken Dunn, Dir.

RECEIVED
DEC 3 1982
Department of Natural Resources
Southern District Office

AUG 01 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 01-07077

Priority: November 16, 1982

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

6.0 AF

This is to certify, that WILLIAM F WOODS
PEARL M WOODS

1334 ALDER DR

TWIN FALLS ID 83301

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 16, 1982; and has submitted Proof of Beneficial Use on September 24, 1990. An examination indicates that the works have a diversion capacity of 0.100 cfs of water from:

SNAKE RIVER

tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.05 CFS	6.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3 (NESE), Sec. 3, Township 09S, Range 25E
MINIDOKA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	25E	3	Lot 3(NESE)	1.5		1.5

Total number of acres irrigated: 1.5

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The right holder must obtain adequate supplemental water for the irrigation season that natural flow is not available.
6. Use of water under this water right will be regulated by the watermaster of State Water District No. 01.

RECORDED
NOV 14 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 01-07077


CONDITIONS OF APPROVAL AND REMARKS

7. This right when combined with all other rights shall provide no more than .05 cfs nor more than 6.0 afa for the land described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 8TH day of NOVEMBER, 1995.

Acting for


KARL J. DREHER, Director



APPROVED
NOV 14 1995

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO.)
01-07077 IN THE NAME OF)
WILLIAM F. AND STANLEY H.)
WOODS)
_____)

REINSTATEMENT ORDER

This matter having come before the Department of Water Resources (department) as a result of the permit holder's response to an order voiding permit no. 01-07077 and the department having further investigated the matter, the department makes the following Findings of Fact, Conclusions of Law, Analysis and Order:

FINDINGS OF FACT

1. On September 22, 1992, the department issued an order voiding permit no. 01-07077.
2. On October 13, 1992, the permit holder requested a hearing in connection with the order voiding the permit.
3. On November 9, 1992, the permit holder provided additional information concerning diversion and use of water under the permit.
4. The permit holder has installed a diversion system capable of diverting water as authorized under permit no. 01-07077.
5. The permit holder has applied the water to a limited beneficial use.

CONCLUSIONS OF LAW

1. Water has not been sufficiently available for rent from the Water District 01 rental pool to allow the permit holder to apply the water to full beneficial use.
2. The department should reinstate permit no. 01-07077 to allow the permit holder reasonable time in which to obtain rental water and apply it to a beneficial use.

ANALYSIS

The permit issued to the permit holder provides that water can only be diverted from the Snake River if storage water is purchased each year from the rental pool in Water District 01. This requirement was imposed since there seldom is unappropriated natural flow of water in the Snake River available for diversion and use in the river reach where the water would be diverted.

MICROFILMED

DEC 08 1992

During 1991, the permit holder did purchase and use some water from the rental pool.

The applicant clearly has acquired and tested the diverting works within the authorized permit development period. The extent of beneficial use of the water, however, was marginal since water from the rental pool has not been readily available to renters as a result of drought conditions in Idaho.

The lack of available water to rent is beyond the control of the permit holder. This lack of water is sufficient reason for the permit holder to delay the planting of trees and shrubs on the place of use until the water supply was more reliable for application to beneficial use.


Reinstatement of the permit will not injure other water rights since there is little if any natural flow available for diversion other than rented storage water when it is available.

ORDER

IT IS THEREFORE, HEREBY ORDERED that permit no. 01-07077 is REINSTATED with no advance in priority.

IT IS FURTHER HEREBY ORDERED that permit holder contact the department after rented water has been acquired and is being applied to a beneficial use so the department can confirm the beneficial use and issue a license of water right.

Dated this 16th day of November, 1992.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT	)	
NO. 01-07077 IN THE NAME OF	)	ORDER VOIDING PERMIT
WILLIAM F & STANLEY H WOODS	)	

This matter having come before the Department of Water Resources as a result of an investigation by the Department to determine the extent of beneficial use of water, the Department makes the following Findings of Fact, Conclusions of Law, and Order:

FINDINGS OF FACT

1. On November 16, 1982, Pearl M &/or William F Woods applied to the Department of Water Resources for a permit to appropriate 0.05 cubic feet per second of water from Snake River within Lot 3, Sec. 3, Twp. 09S, Rng. 25E, B.M., Minidoka County, to be used for irrigation purposes.
2. On February 16, 1988, the Department approved the Application for Permit.
3. On September 24, 1990, the Department received Proof of Beneficial Use for the permit.
4. On September 26, 1990, the Department conducted a field examination and the examiner's report indicated that water had not been put to a beneficial use as identified on the permit.

RECEIVED

DEC 08 1992

5. The provisions of Section 42-219, Idaho Code, authorize the Director of the Department of Water Resources to void permits for which the applicant has not fully complied with the law and the conditions of the permit.

6. On July 31, 1992, the Department sent a Notice of Pending Order Voiding Permit, to the permit holder, requesting relinquishment of the permit because of failure to place the water to beneficial use as conditioned on the permit.

7. The permit holder has not shown cause why the permit should not be voided and has not responded to the request for relinquishment of the permit.

CONCLUSIONS OF LAW

1. Section 42-219, Idaho Code, states:

In the event that the Department shall find that the applicant has not fully complied with the law and the conditions of the permit, it may issue a license for that portion of use which is in accordance with the permit, or may refuse issuance of a license and void the permit.

2. Permit No. 01-07077 required that the permit holder complete construction of works and application of water from the source identified to the proposed beneficial use within the authorized permit period.

3. The examination of the Department of Water Resources revealed that the permit holder has not complied with the conditions of the permit by not completing application of water from the identified source to the proposed beneficial use as required by the permit and Section 42-219, Idaho Code.

NOT RECORDED


DEC 08 1992

4. The permit should be voided pursuant to Section 42-219, Idaho Code.

ORDER

IT IS HEREBY ORDERED that Permit No. 01-07077 is VOIDED and issuance of a license is REFUSED under Section 42-219, Idaho Code.

Dated this 22nd day of September, 1992.


L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED

DEC 08 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF REMOVING A CONDITION OF)
APPROVAL FOR PERMIT NO. 01-07077)
IN THE NAME OF PEARL M. &/OR WILLIAM F. WOODS)

ORDER

WHEREAS, on November 16, 1989, the Department of Water Resources issued Permit No. 01-07077 in the name of Pearl M. &/or William F. Woods with a condition requiring that:


A lockable device, subject to approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion;
and,

WHEREAS, on September 25, 1990, the Department received a request from the permit holders to remove the condition requiring a measuring device and lockable controlling works; and,

WHEREAS, the Department of Water Resources has determined that a lockable device is not required at this time for the control of the diversion;

THEREFORE, the condition of approval requiring a lockable device is REMOVED. The Department of Water Resources retains the jurisdiction to require installation of a lockable controlling works if a future need is determined.

Dated this 11th day of January, 1991.


L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED
FEB 06 1991

RECEIVED

SEP 25 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Department of Water Resources
Southern Region Office

PROOF OF BENEFICIAL USE

For Office Use Only
Amt. of Fee \$ 50.00
Date 9-24-90
Receipt No. 5012690
Received by J. S. [illegible]

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 01-7077 Telephone No. 208 733-2537

Name(s) of Permit Holder(s): William F. Woods &/or Stanley H. Woods

Post Office Address: 1334 Alder Drive, Twin Falls, ID 83301

Source of Water: Snake River

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic _____ (No. of households) Irrigation 1.5 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.05 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: July of 1990

One of the following may be a condition of approval of your permit:

~~Lockable~~ Measuring device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Request condition be removed. Not practical on a portable system.

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Permittee Name _____ Telephone No. _____

Address _____

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

FEB 06 1991

9/24/90
Date

William F. Woods
Signature (and title if on behalf of a company or organization)

RECEIVED
FEB 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by L. Davison
Date 2/21/90
Receipt # 0014857

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 01-07077

Name(s) of Permit Holder: Pearl M. Woods, William F. Woods (Pearl M. Woods is now deceased)

Post Office Address: 1642 Bel Air Circle (After 4/3/90 1334 Alder Dr)

Twin Falls, ID 83301 Telephone No. 208/733-2537

Date Proof is Due: March 1, 1990

Describe what work has been completed toward the development of this water right: A SCOT Fig 960 Centrifugal
(This must be filled out! If no work has been completed, show "none".)

pump w/5Hp Briggs & Stratton Engine has been purchased for \$518.00
capable of 25 gpm & 50 psi. Distribution base & sprinklers exist. The unit is
being put on wheels to make portable. Main header base yet to be measured
and purchased (Depends on water distance) Costing \$ approx \$850 total investment

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Lot is on the inside turn of the river & isolated. Equipment would
be stolen if left unattended. Water is at shore at high river level. At present
its between 60' & 100' out & ice covered. Water cannot be rented from WDOI until 9/1/90

Permit holder(s) request an extension to May, 19 91.

Would prefer May/June this summer if possible
(1 yr. minimum)

FEE: \$15.00

William F. Woods
(Signature)*

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

MAY 16 1990

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to May 1, 1991.

Signed this 12th day of April, 19 90.

J. Glen Taylor
Chief, Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Pearl M. &/or William F. Woods Phone 531-4328

Post office address Box 105, Minidoka, ID 83343

2. Source of water supply Snake River which is a tributary of Columbia River

3. Location of point of diversion is 1/4 of Lot 3 1/4 of Section 3 Township 9S

Range 25E B.M. Minidoka County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.05 cfs for Irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.05 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ 1/4 of _____ 1/4 of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

AUG 01 1988

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 1.5

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Applicants

b. Who owns the land to be irrigated or place of use _____ "


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Land will not be developed until William Woods retires in 1 or 2 years.

Water will be rented from Water District 01 at that time.

WANTED

AUG 01 1988



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

This image shows a full page of blank graph paper. The grid consists of small squares formed by thin black lines. There are 20 columns and 20 rows of squares. A thicker horizontal line runs across the middle of the page, separating the top half from the bottom half. Another thicker vertical line runs down the center, creating four equal quadrants. The paper is otherwise empty, with no text or markings other than the grid lines.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

AUG 01 1988

Pearl M Woods
(Applicant)

Proposed Priority 11/16/82

Received by JP Date 11-16-82 Time 3:14 pm

Preliminary check by T.G. Blau Fee \$ 30.00

Receipted by JP Date 11-16-82 # 23842

Publication prepared by marisa Date 11/18/82

Published in minidoka County news

Publication dates 11/25 + 12/2/82

Publication approved marisa Date 11/23/82

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADW kaw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 01-7077, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion.

No water may be diverted under this permit until adequate supplemental water is obtained for the irrigation season when the natural flow is not available.

Use of water under this permit is subject to control by the watermaster of State Water District No. 01, Snake River.

Witness my hand this 16th day of February, 1988.

[Signature]
Director

AUG 01 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 8, 1995

WILLIAM F WOODS
PEARL M WOODS
1334 ALDER DR
TWIN FALLS ID 83301

RE: WATER RIGHT NO. 01-07077

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

NOV 14 1995

LICENSE REVIEW CHECKLIST



PERMIT NO. 01-07077 DATE 11-1-95

NAME Change OK ☒ Or Address Change? ☐

PRIORITY DATE Advance? ☒ Advanced to: Order to reinstate needed? Incorrect fee for rate recommended? NO

SOURCE Changes or just clarification of originally intended source? ☒ Notice of Intent to Void necessary? NO

POINT OF DIV Amendment needed? ☒ Overlaps? ☒

PLACE OF USE Amendment needed? ☒ Overlaps? ☒

DIV RATE Permit/fee limits: .05 CFS / 1.5 acres
 Meas Q = Pump rated @ .10 CFS Theo Q = Recommend: .05
.05 ÷ 1.5 acres = .033 per acre
 Combined rates exceed capacity NO

ANNUAL VOLUME Volume Limit: NEW Season: C/4.0 (4-1 to 10-31)
Calculations: 1.5 x 4.0 = 6.0
 Flow limit: cfs x 1.9835 =
 Combined volumes exceed capacity/allowable NO

USES Change in Nature of Use or additional uses? ☒ Amendment necessary? ☐

ADDITIONAL INFO Supplemental Groundwater PPU Scenario
Irr/Dom Combination Shared G/W System

NEW REMARKS Multiple p/d(s) in 1/4 1/4? W31 Other BECAUSE OVER .03 PER ACRE

NEW CONDITIONS RO4 Watermaster control - District 01
NO Measuring/Locking Devices - order removed requirement (1-11-91)
W31 Irrigation Overlap
R18 Other Rental Water Condition
Water Quality Heat/Cool/Fish verified


COMMENTS: _____

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	Adjustment Memo Needed
<u>Irrigation</u>	<u>.05</u>	<u>6.0</u>	<u>NO</u>	<u>NO</u>
_____	_____	_____	LICENSE	☒
_____	_____	_____	1ST AMEND LETTER	_____
_____	_____	_____	2ND AMEND LETTER	_____

(4-675e)

*Supplemental Plat of Secs. 3 & 10
T. Range No. 25 East of the Boise Meridian*

E a D c C b



17

Sec. 16

MICROFILMED

Sec. 15

Sec. 14

NOV 14 1995

01-07077

BC

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT
Re-Exam

RECEIVED
OCT 30 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 01-07077

1. Owner: Wm. F. & Stanley H. Woods Phone No. 733-2537

Current Address: 1334 Alder Drive, Twin Falls, ID 83301

2. Accompanied by: Mr. Bill Woods per telecon EXAM DATE: 10-27-95

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Snake River tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	3	NW	NE	SE	3	9S	25E	Minidoka	


2. Place(s) of Use:

Indicate Method of Determination:

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
9S	25E	3													1.5				1.5
															1.3				

NOV 14 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model / Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	2	5KCR394N2705	Water Ace	no tag. #A206
			AX		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Not measured. Pump is rated 47 gpm at 40 psi and 10' lift.

NOV 14 1995

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

System capacity = 0.11 cfs. Allow $1.5 \times 0.03 \text{ cfs/qc} = 0.05 \text{ cfs}$.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.5 \times 4 = 6$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 6$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	10-31	0.05	6.0
Totals:			0.05	6.0

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name JE Stanton Date 10-27-95

Reviewer _____ Date _____

SEAL

MICROFILMED

NOV 14 1995

E. NARRATIVE/REMARKS/COMMENTS

8" diameter standpipe buried in gravel bed. Pump inlet in standpipe. Hose from pump up the river bank to the property. Outlets from main hose allow portable sprinkler hoses to be attached \$50 that all parts of the property can be watered. Pump is electric.

I did the original exam in 1990. At that time, the water system was totally portable. I recommended a flow of 0.05 cfs on 1.5 acres. Without involving me, the licensing section arbitrarily cancelled this permit instead of following my recommendations. Bill Woods came into my office yesterday to advise me of the situation and to request a re-exam. I conducted the re-exam today.

This Spring, Mr. Woods installed a permanent diversion system with an automatic timer. He had originally planned to build a home on this property but this has not been possible due to family health problems. The property is expected to be sold next month to someone who will build on it.

I believe that we have treated Mr. Woods unfairly in this matter. So let's issue the license that he is entitled to. He can only operate when Milner-Pool stored water is available anyway, so what's the problem? Please issue license ASAP.

~~There is no lockable controlling works~~

There is a metal shed on the river bank near the pump. The breaker box for the power to the pump is inside the shed, so this should qualify as a lockable controlling works.

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED

NOV 14 1995

Chicago, IL 60609
River Lot Experimental Automated Irrigation
System installed in 1995

2/22/95 Rural Electric installed pole and power to
N.E. corner of lot.

3/14/95 State Permit issued after completion of
meter base & breaker panel - Power connected.

4/11/95 2 Hp electric driven pump, 220VAC purchased

5/5/95 All pipe, fittings, controller & relay, control
valves purchased & installed.

By 5/30/95 System in operation including:

200' drip feeder system

3-separate sprinkler units.

System functioned on automatic three times
a week for the period from July 18th to Sep 18th
while we were in Alaska.

System was winterize October 5th by draining,
removing pump suction piping & removing hoses
and sprinklers.

Note - because river water direct appeared to foul sprinkler
an 8" casing drilled w/ 1/2" holes was put down in the
gravel bed earlier as a sand bed filter - This improve
sprinkler operation.

NOV 14 1995

PIPING

Plastic PVC pipe is shown in the illustrations, but galvanized steel pipe may be used if desired. All piping must be clean and free of all foreign matter to prevent clogging. **ALL JOINTS AND CONNECTIONS IN THE WELL ASSEMBLY MUST BE AIRTIGHT.** Even a pin-hole leak will prevent the proper operation of the pump (this is the most common problem). Use thread compound on all threaded joints unless specified otherwise.

SPECIFICATIONS

WIRE SELECTION GUIDE

FUSE AND CIRCUIT BREAKER SIZE GUIDE

HORSE POWER	STANDARD LINE PLUG FUSE*		LOW PEAK - CART. TYPE FUSETRON - CART. TYPE FUSTAT - PLUG TYPE*		CIRCUIT BREAKER	
	115V	230V	115V	230V	115V	230V
3/4	20	10	15	8	20	15
1	25	10	20	10	25	15
1-1/2	30	15	25	12	30	15
2	-	20	-	15	-	20
3	-	25	-	20	-	25

*For circuits not over 150 volts to ground.

PUMP MODEL	HORSE POWER	VOLTAGE	NAME PLATE AMPS	LOCKED ROTOR AMPS	MAX. WIRE LENGTH USING AWG SIZE			
					#14	#12	#10	#8
R7L	3/4	* 115	14.80	52.0	80	130	210	330
		230	7.40	26.0	330	520	840	710
R10L	1	* 115	17.00	68.0	60	110	170	280
		230	8.50	34.0	280	440	710	1100
R15L	1-1/2	* 115	20.20	96.0	40	80	130	220
		230	10.10	48.0	210	340	550	880
R20L	2	230	12.60	63.0	170	270	430	700
R30L	3	230	16.60	79.0	130	200	320	510

* Motors are pre-wired for 230 volts. May be converted to 115 volts per instructions printed on motor. This chart shows maximum distance in feet for given wire size per N.E.C. 310-13.

PUMP CAPACITIES

PUMP MODEL	HORSE POWER	DISCHARGE PRESSURE PSI	CAPACITY IN G.P.M. FOR DISCHARGE PRESSURE & TOTAL SUCTION LIFT INDICATED				MAXIMUM TOTAL SHUT OFF HD.		APPROX. WT. LBS.
			10 FT.	15 FT.	20 FT.	25 FT.	FEET	PSI	
R7L	3/4	20	40.75	38.17	36.17	33.25	105	45.5	58
		25	35.75	33.50	30.92	27.50			
		30	30.75	27.25	23.17	18.00			
		35	21.58	15.08	8.50				
		40	6.50						
R10L	1	20	51.25	48.92	46.42	39.25	108	47	61
		25	46.25	43.50	40.67	37.42			
		30	40.50	37.50	33.67	29.25			
		35	33.00	27.67	20.67	10.00			
		40	19.08	5.00					
R15L	1-1/2	20	71.67	69.42	63.42	50.25	111	48	68
		25	66.50	62.50	58.75	50.25			
		30	59.58	55.00	50.58	45.00			
		35	50.50	43.67	37.00	24.92			
		40	38.83	25.92					
R20L	2	20	78.92	76.67	70.50	55.50	116	50	74
		25	74.67	71.50	67.00	55.50			
		30	68.50	63.58	58.42	53.00			
		35	58.50	52.92	47.00	40.00			
		40	47.50	40.50	32.50				
R30L	3	25	93.00	91.00	82.00	64.00	121 1/2	52	87
		30	90.00	86.00	79.00	64.00			
		35	81.00	73.00	66.00	57.00			
		40	68.00	59.00	49.00	38.00			
		45	48.00	30.00					



Place of Use


RECEIVED
NOV 14 1935

NOV 14 1935

Re-Exam
01-07077



Diversion Works



Pump & Mainline



Mainline to Outlets



Outlets

NOV 14 1965
Re-Exam
01-07077



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 17, 1992

WILLIAM F WOODS
STANLEY H WOODS
1334 ALDER DR
TWIN FALLS ID 83301

RE: Water Right No. 01-07077


Dear Mr. Woods:

Enclosed is an Reinstatement Order on the above referenced permit.

Please note that you are required to contact the Department after you have rented water for irrigation. The Department Staff will conduct a re-examination to determine the extent that you are using water for irrigation.

If you have any questions, please feel free to contact me at 327-7947.

Respectfully,


JIM JOHNSON
Water Right Supervisor
JJ:cz

Enclosure

MICROFILMED
DEC 08 1992

MEMORANDUM

DATE: 09-Nov-1992

FROM: Loren Holmes *LH*

TO: Glen Saxton

SUBJECT: Permit 01-7077, Woods

Several days ago, the permit holder, Mr. Stanley Woods visited the office in response to the order voiding the permit.

I told him he still had time to respond before the order was final and suggested that he may want to summarize the events leading up to his exam and our order from his records.

The attached was delivered to this office today.

From my review of his information and the field agent's report, it appears that he had a workable diversion system in place prior to filing proof in Sept, 1990. If no natural flow was available to fill this right at the time of the exam, the diversion was unauthorized. On the other hand, the diversion was not being actively controlled by the watermaster.

The permit was conditioned to require the rental of supplemental storage. There is no indication that the permit holder rented any water prior to the 1991 season. Water was rented in 1991 and applied for in 1992 but not available.

The question appears to be whether failure to rent stored water prior to filing proof is grounds for voiding the permit when the other elements required to perfect the right were in place.

RECEIVED

DEC 08 1992

11/8/92

Department of Water Resources
1301 North Orchard Street
Boise, Idaho 83720-9000

RECEIVED

NOV 09 1992

Department of Water Resources
Southern Region Office

Re: Voided Permit No 01-07077

On receiving your letter of 10/22/92 I had further discussions with Mr L. Holmes who suggested I review our files and prepare a history, which is attached.

The results, I think, are dramatic. We seem to have serious problems with both semantics and facts. Please understand, from our point of view, this lot was bought for a home site and is still considered as such. This permit is our third attempt for water to make it inhabitable.

From: To us a water permit is a permit for water but this does not seem to be the case. Here it seems to be an authorization to pump from the river if and only if Water District 1 has unused or returned water and is willing to allocate it to us.

Further Beneficial Use, to us, means used to benefit something, i.e. a plant, land in general etc. On your Finding of Facts item 3 it seems to mean the payment of \$50.00. Item 4 where we thought the requirement of the field

test was to demonstrate a pumping capability we seem to be penalized for not having use the water we had not been authorized for. We did in fact show we could pump 0.05 cfs on to the land.

Also the Finding of Facts ignores 7/25/90 approval of an extension of time to 5/1/91 and the letter of 1/14/91 indicating the receipt of the Proof of Beneficial use form and the removal of the requirement for a lockable device seemed to us approval. There was an indication of further field testing which we thought would come after we had obtained water but we've not heard anything more.

We requested and received water in 1991 though it was late in coming. We used water and did some planting. In 92 our request for water was denied and our money ~~returned~~ ^{microfilmmed}.

DEC 08 1992

In summary we think we have done everything requested and are disappointed in not getting water this year. We are, however, optimistic and think in the future water will be available to prepare that lot to be a very decent place to live.

William D. Wood

11/8/92

HISTORY OF PERMIT NO 01-07077

From the files of Pearl M Woods (deceased) and William F Woods.

11/16/82 Receipt for \$30⁰⁰ paid by Pearl Woods to the Dept of Water Resources.

3/21/88 Received Permit Approval Notice dated 2/21/83 for 0.05 cfs. Notes on the permit; Blue card completed & mailed 2/17/89. Work started 2/17/89.

12/31/89 dated Proof Due Notice requiring beneficial use submission by 3/1/90. Included instructions for an extension of time.

2/19/90 Purchased PSC-155 Scott pump w/ 5 HP engine.

2/20/90 Requested extension of time to 5/1/91.

2/21/90 Paid Dept. of Water Resources \$15⁰⁰.

4/25/90 dated Approved extension of time to 5/1/91.

5/2/90 Last piping for pumping installation purchased.

6/13/90 River hot pumping system worked

RECEIVED

FEB 28 1992

2/4.

7/9, 14 & 18/90 Modified pumping systems were tried

9/24/90 Paid Dept of Water Resources \$50.00

9/26/90 Demonstrated to Jim Stanton of the Dept of Water Resources the pumping system was able to supply 5 sprinklers with approx 25 gpm of water at 55 psig + 5' wc NPSH with pump running at approx 80% full speed. Note, it was my impression that this satisfied the requirements and answered all Sims questions.

1/17/91 Received notice dated 1/14/91 indicating the department had received Proof of Beneficial Use form. Attached was a notice dated 1/11/91 removing the lockable device requirement. Note, it was assumed this was approval for the water right.

3/6/91 Started tree planting on the lot

MICROFILMED

DEC 08 1992

6/5/91 Requested GAF of stored water from Water District 1 including a \$15.00 check

6/21/91 Received notice of approval for 5.45 AF
Note, based on rough running records
it is estimated we used less than 3 AF.

12/28/91 Purchased 8x12 metal building to house
pump & hose carts instead of hauling
from Twin Falls for each use.

2/19/92 Received request from Water Dist 1 for
for verification of permit to pump
from the river.

2/20/92 Answered the above and applied for 1992
water from the river.

2/21/92 Ordered an additional 100 trees & bushes
(wild life Planting) from the University of Idaho.

4/22/92 Bought pots for U of I plants since no
water was yet allotted.

7/21/92 Water Dist. 1 returned money with
a denial of water for 1992.

DEC 08 1992

8/5/92 Received notice of Pending Order Voiding
permit dated 7/30/92

4/4

8/5/92 Phone Discussion Notes with Jim Johnson on the above and the fact plants were in pots waiting water. Note, it was my understanding Jim had agreed to a continuance of the permit.

10/10/92 Received Order voiding permit dated 10/9/92

10/13/92 Talked to Loron Holms & wrote a rebuttal of the above on the assumption the Dept's Finding of Fact were true.

11/3/92 Received letter dated 10/22/92 the Department will consider my letter of Rebuttal a request for a hearing.

11/5/92 Again discussed permit with Mr Holms and on his advice prepared this file history.

MICROFILMED

DEC 08 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 22, 1992

William F. Woods
1334 Alder Drive
Twin Falls, ID 83301

RE: VOIDED PERMIT NO. 01-07077 IN THE NAME OF WILLIAM F. & STANLEY
WOODS

Dear Mr. Woods:


The department has reviewed your letter dated October 13, 1992, in connection with the order of the department dated September 22, 1992 which voided permit no. 01-7077. The department will consider your letter as a request for hearing as provided in Section 42-1701A(3), Idaho Code.

The department voided the permit since information in the file appears to show that water was not diverted and beneficially used during the authorized permit period which started on February 16, 1988 when the permit was approved and ended on September 25, 1990 when you submitted "proof of beneficial use" of the water. Proof of beneficial use is your statement that you have diverted and beneficially used water as authorized by your permit.

If you have sufficient evidence to show that you have diverted and beneficially used water during the authorized period, please promptly provide it to the department. A sufficient showing will be reason to reinstate the permit. If the department does not hear from you within thirty (30) days of the date of this letter, we will schedule a hearing in the matter.

If you have questions, please feel free to contact the department.

Sincerely,


L. GLEN SAXTON, Chief
Water Allocation Bureau

c: IDWR - S. Region

RECEIVED

DEC 08 1992

RECEIVED

OCT 13 1992

Department of Water Resources
Southern Region Office

William F Woods

1334 Alder Dr

Twin Falls, ID 83301

10/13/92

State of Idaho

Department of Water Resources

RE: Permit N^o 01-07077 & Void Order of 10/9/92

On 9/24/90 it was demonstrated to the Department that pump, hoses and sprinklers were usable to prove the capability of using water.

It was about this time the Department informed us that with the permit water would still have to be purchased from the State of Idaho Water District 1. In a phone discussion with the Water District 1 it became obvious it was impractical to do anything in 1990.

On 9/26/90 the Department appears to have made a field examination of the property. Even if water had been available planting in 2 days would have been impractical.

DEC 08 1992

Water was purchased in 1991 but refused in 1992. At present some 90 trees and bushes are waiting for water before transplanting. These to

join the 40 plus trees planted in 1991
when water was granted very late in
the summer.

It is my opinion that the conditions of
the permit have been met within the
limits of the availability of water. If
further information is required please
feel free to call me.

Sincerely

William F Woods

308/733-2537

DEC 08 1992

MEMORANDUM

TO: FILE 01-07077

FROM: PAM SKAGGS *g*

RE: TELECON WITH EXAMINER

DATE: 19-OCT-1992

=====

I spoke with Jim Stanton, the field examiner, regarding the extent of the development of this right. He reviewed his copy of the exam and did remember visiting the site with Mr. Woods.

The Woods do not live on the property and no home had been built at the time of the exam. The pump system is portable so that it can be secured when not in use. Jim remembers that the system was functional and running during the exam.

Jim recalls that there was no landscaping, but quite a bit of grass around the sagebrush, that he feels would reflect some use of the system. He doesn't recall seeing any trees and suggests that they would have to have been small seedlings that couldn't be seen around the sagebrush.

RECEIVED

DEC 08 1992

ORDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt Fee will provide you the signature of the person delivered to and the date of delivery.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

WILLIAM F WOODS
STANLEY H WOODS
1334 ALDER DR
TWIN FALLS ID 83301

4a. Article Number

35016

4b. Service Type

- | | |
|---|---|
| ☐ Registered | ☐ Insured |
| ☒ Certified | ☐ COD |
| ☐ Express Mail | ☐ Return Receipt for Merchandise |

7. Date of Delivery

10-10-92

5. Signature (Addressee)

William F Woods

Signature (Agent)

8. Addressee's Address (Only if requested and fee is paid)

01-07077

UNITED STATES POSTAL SERVICE

Official Business



RECEIVED

OCT 14 1992

PENALTY FOR PRIVATE
USE, \$300

Department of Water Resources

Print your name, address and ZIP Code here

CZ

Water Allocation Bureau
Department of Water Resources
1301 N. Orchard St.
Boise, ID 83706

DEC 08 1992
MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 9, 1992

CERTIFIED MAIL # 35016

WILLIAM F WOODS
STANLEY H WOODS
1334 ALDER DR
TWIN FALLS ID 83301

RE: Permit No. 01-07077

Dear Sirs:

Enclosed is an Order which voids the above referenced permit for failure to comply with the requirements of such permit and failure to show cause why such action should not be taken.

Please be advised that if you do not agree with the decision of the Department you may, within fifteen (15) days of receipt of the order voiding your permit, request a hearing before the Director. Failure to timely petition the Director within fifteen days of receipt of the order may prevent you from further contesting the voiding of your permit.

Sincerely,

JIM JOHNSON
Water Right Supervisor

JJ:cz

Enclosure

CERTIFICATION OF MAILING
I hereby certify that on 10/9/92
an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.
Cindy Zimmerman

MICROFILMED

DEC 08 1992

MEMORANDUM

TO: FILE #01-07077

FROM: PAM SKAGGS *CS*

RE: PENDING VOID

DATE: 22-SEP-1992

=====

This right has been reviewed for licensing and I am recommending that it be voided since no water was put to beneficial use during the development period.

Although the examiner recommends this right be licensed, his exam clearly shows that the portable diversion system of pump, hose and sprinklers is the only part of the right recently developed. Examiner states that landscaping still needs to be planted, which verifies that no irrigation has occurred prior to the exam. Photos included in the exam also reflect no development showing only natural vegetation.

MICROFILMED

DEC 08 1992

SEND IN:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt Fee will provide you the signature of the person delivered to and the date of delivery.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

WILLIAM F WOODS
STANLEY H WOODS
1334 ALDER DR
TWIN FALLS ID 83301

DEC 08 1990

RECEIVED
POST OFFICE
TWIN FALLS
IDAHO

4a. Article Number

33853

4b. Service Type

- ☐ Registered ☐ Insured
☒ Certified ☐ COD
☐ Express Mail ☐ Return Receipt for Merchandise

7. Date of Delivery

8/5/90

5. Signature (Addressee)**6. Signature (Agent)****8. Addressee's Address (Only if requested and fee is paid)**

01-07077

UNITED STATES POSTAL SERVICE

Official Business

6 AUG
1992



PENALTY FOR PRIVATE
USE, \$300

Print your name, address and ZIP Code here

Water Allocation Bureau
Department of Water Resources
1301 N. Orchard St.
Boise, ID 83706



DEC 08 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 30, 1992

WILLIAM F WOODS
STANLEY H WOODS
1334 ALDER DR
TWIN FALLS ID 83301

RE: Permit to Appropriate Water No. 01-07077

NOTICE OF PENDING ORDER VOIDING PERMIT

Dear Permit Holder(s):

On February 16, 1988, the Department of Water Resources approved Application for Permit No. 01-07077 which authorized diversion of Snake River for irrigation purposes in Lot 3, Sec. 03, Twp. 09S, Rng. 25E, B.M., Minidoka County.


A field inspection conducted by a representative of our Department revealed that you have not developed the system described by your permit and water has not been put to a beneficial use.

The purpose of this letter is to request a relinquishment of this permit. Enclosed is a relinquishment form that should be signed by the permit owner and returned to this office.

If you do not respond to this notice within thirty (30) days of the date of mailing of this letter, the Department will take action to void your permit. However, if you have some explanation as to why the permit should not be voided, please forward it to my attention.

If you have any questions in regard to this matter, please feel free to contact me.

Respectfully,


JIM JOHNSON
Water Right Supervisor

JJ:cz


cc: Northern Region

MICROFILMED

DEC 08 1992

CERTIFICATION OF MAILING

I hereby certify that on 8/4/92
an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.



RECEIVED
FEB 23 1992

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: William F. &/or Stanley H. Woods
Current Address: 1334 Alder Drive, Twin Falls, ID 83301
2. Accompanied by: Bill Woods
Address: _____
Relationship to Permit Holder: _____
3. Source: Snake River tributary to _____

Permit No. 01-7077

Phone No. 733-2537

EXAM. DATE: 9-26-90


Phone No. _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Portable pump in Snake River, flexible 1 1/4" hose to 2 Reinkind #20 heads with 5/32" nozzles & 1 Mellnor plastic head w/some nozzle, 1 Reinkind Water Demon head with 5/32" nozzle.

System is portable - pump can be moved anywhere along property line as needed. System is removed when not in use.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Briggs & Stratton	5	-	Scot	Model 60

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	3	NW	NE	SE	3	9S	25E	Minidoka	

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	25E	3													1.5				1.5

MICROFILMED

DEC 08 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

System was just developed, so landscaping still needs to be planted. Home will be built in the future.

Recommend requirement for locking diversion works be removed, land owners do not live on the property, so the system is removed when not in use to prevent theft.

Pearl Woods (now deceased) was Bill Woods mother. Land is now owned by Mr. Woods & his wife.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	8-15	11-15	0.05	6.0
Totals:			0.05	6.0

2. Recommended Amendments


- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name J.E. Stanton
Signature J.E. Stanton
Certification Date 4/10/91
Field Report Preparation Date 10-4-90



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

DEC 08 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure Gauge						

2. Measurements:

Measured 42, 38, 39, 43, 42 psi. 41 psi average

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$5 \text{ heads} \times 4.59 \text{ gpm/head} = 23 \text{ gpm} = 0.05 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi $\times 2.31 =$ _____ ft (1); Dynamic pumping level: 15 ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div 8.8 =$ _____ (5)

Meter Input KW: $3.6 \times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)

Meter Input HP: (6) $\times 1.34 =$ _____ (7)

Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times .001732 =$ _____ (6)

Panel Input HP: (6) $\times 1.34 =$ _____ (7) Efficiency: (5)/(7) $\times 100 =$ _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{i,r} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 15 \times 4 = 6.0 \text{ AFA}$$


$$V_{d,r} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{i,r} \text{ and } V_{d,r} = 6.0 \text{ AFA}$$

2. Volume Calculations for Other Uses:

RECORDED

DEC 08 1992




36
45

107. 15. 1 P.

T 95
R. 25E
C. 3

MICROFILMED
DEC 8 1992



P/U



P/U

Diversion
Works



MICROFILMED
DEC 08 1992

CHANGE ADDRESS
CARD FOR:

Correspondents
Publishers and
Businesses

RECEIVED

JAN 22 1991

Buffalo Bill Cody



FEB 06 1991

Department of Water Resources

Name

State of Idaho Dept of Water Resources

(For publishers, name of publication)

Address

1301 North Orchard St.

(Include Apt./Suite No.)

City *Boise*

State *ID* ZIP + 4 Code *83706-2237*

Attn: Rita Fleck

Mail this card to all the people, businesses and publications who send you mail.
For publications, tape an old address label over name and old address sections and
complete new address.

Your Name	Please Print Type—Last Name, First Name, Middle Initial <i>Woods, William F.</i>					
Old Address	No. and Street <i>1642 Bel Air Cir</i>		Apt./Suite No.	P.O. Box	R.D. No.	Rural Box No.
	City and State <i>Twin Falls, ID</i>		ZIP + 4 Code <i>83301-4109</i>			
New Address	No. and Street <i>1334 Alder Dr</i>		Apt./Suite No.	P.O. Box	R.D. No.	Rural Box No.
	City and State <i>Twin Falls, ID</i>		ZIP + 4 Code <i>83301-4109</i>			
Sign Here	Signature <i>William F Woods</i>		Date new address in effect <i>Immediately</i>		Keyline No. (if any)	

PS Form 3576, April 1989 RECEIVER: Be sure to record the above new address in your address book at home or office.

Permit No 01-7077

January 14, 1991

WILLIAM F. WOODS
1642 BEL AIR CIRCLE
TWIN FALLS ID 83301

Dear Mr. Woods:

Re: Permit No. 01-7077

The department received the proof of beneficial use form. Enclosed is a copy of the order removing the condition of approval requiring installation of the lockable device.

The next step is for the department to conduct the field inspection to confirm and determine the extent of beneficial use. I cannot tell just when the representative from our Southern Regional office will conduct the exam, but he will try to contact you or your representative prior to being in the area.

If you have questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: S. Region

RECEIVED
FEB 06 1991

FEB 06 1991

April 25, 1990

Pearl M. and William F. Woods
1334 Alder Dr.
Twin Falls, ID 83301

Dear Mr. and Mrs. Woods:

Re: Permit No. 01-7077

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to May 1, 1991.

Also enclosed is a proof of beneficial use form. When you have completed the project and started beneficially using the water, submit the proof of beneficial use form. Upon receipt of the proof form, the department will notify the region that a field inspection is needed. Reference the proof instruction sheet fee schedule for any fee requirement.

If you have questions, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

RECEIVED

MAY 16 1990

138953
December 31, 1989

PEARL M. WOODS
WILLIAM F. WOODS
P.O. BOX 105
MINIDOKA, ID 83343

PROOF DUE NOTICE

RE: PERMIT NO. 01-07077

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.



SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

MAY 16 1990



W. Woodward

1642 RD. AIR CIRCUIT
TWIN FALLS, NM 88604

REGISTERED

MAY 16 1990



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 01-7077
Name(s) of Permit Holder(s): William F Woods
Post Office Address: 1642 Bel Air Circle
Twin Falls, ID 83301 Tel. No. 208/733-2537

☒ I hereby certify that construction of diversion works for the above referenced permit began on 2/17/89 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

2/17/89 Date William F Woods Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
FEBRUARY 21, 1988

WOODS, PEARL M. & WILLIAM F.
BOX 105
MINIDOKA, ID 83343

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 01-7077

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A LOCKABLE DEVICE THAT WILL PROVIDE THE WATERMASTER CONTROL OF YOUR DIVERSION.

NOTE ALSO THAT WATER SHALL NOT BE DIVERTED UNDER THIS PERMIT UNLESS THE FLOW OF THE SNAKE RIVER EXCEEDS ESTABLISHED DOWNSTREAM MINIMUM STREAM FLOWS. IN ADDITION, THERE ARE MANY APPLICATIONS FOR PERMIT FOR THE USE OF SNAKE RIVER WATER THAT ARE PRIOR TO YOUR PERMIT. THESE APPLICATIONS HAVE BEEN FILED FOR THE IRRIGATION OF LANDS THAT THE APPLICANTS ARE ATTEMPTING TO OBTAIN UNDER THE FEDERAL LAND LAWS SUCH AS DESERT ENTRY AND CAREY ACT. IF THESE LANDS ARE DEVELOPED, AND IF THE ESTABLISHED MINIMUM STREAM FLOWS ARE MAINTAINED, THEN NO WATER WOULD BE AVAILABLE FOR THIS PERMIT. THEREFORE, YOU SHOULD CAREFULLY CONSIDER THESE FACTS BEFORE MAKING ANY EXPENDITURES FOR THE CONSTRUCTION OF YOUR SYSTEM.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

W. L. ...
AUG 01 1988

RE: PERMIT NO. 01-7077

2

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

RECEIVED

AUG 01 1988

FROM

LH

DATE

11/18/88

TO

File 01-7077

SUBJECT

This Application was Originally Selected for processing under the 1180 Contract.

On further review it was discovered that the application had already been advertised, so it is ready for final processing.

AUG 01 1988

SIGNATURE

INTER-DEPARTMENT MEMO — 1

FROM

JH

DATE

9/21/87

TO

File 01-7077

SUBJECT

Processing under SB 1180 contract

This Application can be processed based on the following;

- 1) Total diversion of less than 2 AF/day including Culinary domestic from Groundwater not included in the application.*
- 2) the P/O is a residential lot of 3 Acres or less*

SIGNATURE

RECORDED

AUG 01 1988

MINIDOKA COUNTY NEWS

RUPERT, IDAHO

AFFIDAVIT OF PUBLICATION

County of Minidoka,)

) ss.

STATE OF IDAHO,)

Edward L. Mitchell, being first

duly sworn, deposes and says that he is the

Editor of The Minidoka County News, a weekly newspaper published at Rupert, Idaho, in the county aforesaid, and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular weekly editions of The Minidoka County News for

two consecutive weeks, commencing with the issue dated Nov. 25, 1982, and ending with the issue dated Dec. 2, 1982.

Ed Mitchell
Subscribed and sworn to before me this

2nd day of December, 1982.

Brenda J. Norman Notary Public

Cost of Publication \$18.20

Notary Fee -

Total Cost -

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

01-7077

WOODS, PEARL M. & or WILLIAM F.

BOX 105, MINIDOKA, ID 83343

Source: SNAKE RIVER tributary to COLUMBIA RIVER

Date Filed: 11/16/1982

Amount: 0.05 CFS

Diversion Point: LOT 03 Sec 03 T 09S R 24E, MINIDOKA Co.

Use: IRRIGATION (0.05 CFS) from 0315 to 1115

Place of Use: LOT 03 (NESE) Sec 03 T 09S R 25E FOR 1.5 ACRES

Diversion Means: PUMP, PIPELINE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before DECEMBER 13, 1982.

s Ken Dunn, Dir.

No. 82-268 - November 25 and December 2, 1982

RECEIVED

DEC 3 1982

Department of Water Resources
Solemn District Office

AUG 01 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

NOVEMBER 18, 1982

Minidoka County News
625 Fremont Avenue
Rupert, Idaho 83350

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 13, 1982.

Yours truly,

Mary A. Hill
Secretary

Encl.

MICROFILMED

AUG 01 1988

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

01-2022-

WOODS, PEARL M. &/or WILLIAM F.

BOX 105, MINIDOKA, ID 83343

Source: SNAKE RIVER tributary to COLUMBIA RIVER

Date Filed: 11/16/1982

Amount: 0.05 CFS

Diversion Point: LOT 03 Sec 03 T 09S R 25E, MINIDOKA Co.

Use: IRRIGATION (0.05 CFS) from 03/15 to 11/15

Place of Use: LOT 03 (NESE) Sec 03 T 09S R 25E FOR ~~2.00 CFS~~ 1.5 ACRES

Diversion Means: PUMP, PIPELINE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before DECEMBER 13, 1982.

KEN DUNN, Dir.

Published: 11/25 & 12/2/82.

Microfilm

AUG 01 1988

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed
to appropriate the public waters of the State of
Idaho:

01-7077

WOODS, PEARL M. & or WILLIAM F.
BOX 105, MINIDOKA, ID 83343

Source: SNAKE RIVER tributary to COLUMBIA RIVER

Date Filed: 1/16/1982

Amount: 0.05 CFS

Diversion Point: LOT 03 Sec 03 T 09S
R 24E, MINIDOKA Co.

Use: IRRIGATION (0.05 CFS) from 0315
to 1115

Place of Use: LOT 03 (NESE) Sec 03 T
09S R 25E FOR 1.5 ACRES

Diversion Means: PUMP, PIPELINE

The permit(s) will be subject to all prior
water rights. Protests must be filed with the
Director, Dept. of Water Resources, 1041
Blue Lakes Blvd. North, Twin Falls, Idaho
83301 and received on or before DECEMBER
13, 1982.

/s/ Ken Dunn, Dir.

No. 82-268 - November 25 and December 2,
1982.

db
maye
11/23/82

RECEIVED

AUG 01 1988



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

November 17, 1982

Ron Carlson
Watermaster District 01
150 Shoup
Idaho Falls, Idaho 83401

Re: Application for Permit No. 01-7077

Dear Mr. Carlson:

Enclosed is a copy of the above referenced application for permit
for your information and files.

Sincerely,

Mary A. Hill
Secretary

for

Loren O. Holmes
Southern Region Supervisor

Encl:

INDEXED

AUG 01 1988