

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

The map is drawn on a grid with solid lines every 4 squares and dashed lines every 1 square. The following labels are present:

- Rge 20 E**: Located in the upper right quadrant, spanning the 4th and 5th columns from the right edge.
- Twp 16 N**: Located on the left side, spanning the 1st and 2nd rows from the bottom edge.
- Point of Diversion**: Located in the center, at the intersection of the 3rd column and 3rd row from the right edge.
- Place of Use**: Located on the right side, at the intersection of the 6th column and 3rd row from the right edge.
- 25**: Located in the upper right quadrant, at the intersection of the 5th column and 3rd row from the right edge.
- 36**: Located in the lower right quadrant, at the intersection of the 5th column and 4th row from the right edge.

A wavy line representing a river or stream flows from the top right towards the bottom left. A point on this line is marked with a dot and labeled 'Point of Diversion'. A box is drawn on the line to the right of the 'Point of Diversion' and is labeled 'Place of Use'.

Scale: 2 inches equal 1 mile

MICROFILMED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gomer H. Condit
(Applicant)

NOTICE OF
APPLICATION FOR
WATER RIGHT

Notice is hereby given
that the following applica-
tion(s) have been submit-
ted for permit to appropri-
ate the public waters of
the State of Idaho:

73-7055

IDAHO POWER COM-
PANY

P. O. BOX 70, BOISE, ID
83707

Source: PAHSIMEROI
RIVER tributary to SAL-
MON RIVER

Date Filed: 04/28/1981

Amount: 40.00 CFS

Diversion Point: NWNW
Sec 36 T 16N R 20E, LEM-
HI Co.

Use: FISH PROP. (40.00
CFS) from 12/01 to 02/29

Place of Use: SWSE Sec
25 T 16N R 20E

Diversion Means: DITCH
TO HOLDING PONDS

75-7272

BROWNING, LEONARD
L.

BOX 334, SUGAR CITY,
ID 83448

Source: SALMON RIVER
tributary to COLUMBIA
RIVER

Date Filed: 09/22/1981

Amount: 0.02 CFS

Diversion Point: SWNW
Sec 30 T 23N R 17E, LEM-
HI Co.

Use: IRRIGATION (0.02
CFS) from 06/01 to 09/30
Place of Use: NWNW Sec
30 T 23N R 17E FOR 1
ACRES

Diversion Means: PUMP
& SPRINKLER

If issued, the permit(s)
will be subject to all prior
water rights. Protests ag-
ainst the granting of any
permit must be filed with
the Director of the Idaho
Department of Water Re-
sources, 150 Shoup Ave.,
Idaho Falls, Idaho 83402
on or before OCTOBER
19, 1981.

A. KENNETH DUNN
Director

Published 10/1 & 10/8.
10-1-2tc

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

OCT 9 1981

Department of Water Resources
Eastern District Office

JERRY G. ROSIN

being first duly sworn, deposes
and says that he is one of the printers (publisher) of the RECORDER HERALD,
a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general
circulation therein,

That the Notice of Application for Water Rights 73-7055,

75-7272

a true
printed copy of which is attached to the margin hereof, has been and was correct-
ly printed and published in the regular and entire issue of every number of said
newspaper and not in any supplement thereof or thereto for ²
consecutive issues, commencing with the issue dated Oct. 1, 1981
and ending with the issue dated Oct. 8, 1981

Jerry G. Rosin

Subscribed and sworn to before me, this eighth

day of October, 1981


Terre Armstrong
Notary Public for the State of Idaho,
Residing at Salmon, Idaho

Publication Fee \$ 29.25

MICROFILMED

73-7055

NEW SEPTIC SYSTEM
EXISTING SEPTIC SYSTEM



NOTES:

1. DRAINFIELD TRENCHES TO BE 3'-0" WIDE WITH 6'-0" BETWEEN TRENCHES.
2. MINIMUM DRAINFIELD TRENCH LENGTH SHALL BE 85'-0".
3. DRAINFIELD TRENCHES TO BE CONSTRUCTED AT A HORIZONTAL LEVEL.
4. BOTTOM OF DRAINFIELD TRENCH SHALL BE RAKED PRIOR TO PLACING DRAIN ROCK.
5. DRAIN ROCK SHALL MEET IDHV AND DED REQUIREMENTS.
6. SEE DRAWING 1389260 FOR SEPTIC SYSTEM DETAILS.


MICRO-311
DEC 10 1992

SHEET C-1
FOR RECORD PURPOSES ONLY

PYSIMEROI FISH HATCHERY
OPERATOR HOUSE
SITE SURVEY

DAVID POWER COMPANY	BOISE, IDAHO
SCALE: 1" = 30'	DATE: 9/29/92
BY: WJC	APPROVED: 200-000000

REVISION
1 8/29/92
ISSUED FOR RFP



73-7055

MEP-1-12-1
12/26/68


Constructed Partial Weir
Stillling Well

Lower Facility - Trap

F+6

Tools / Doug Engemann - Asst
Measurement 876-4475 M.
PO Box 85
Ullie, ID 83235

Assisted Gary Bertelotti
Exam Manager



FLOW COMPUTATIONS

$$H_A = 36 - 12.5 = 23.5 \quad \text{Chart} = 46.3 \text{ cfs}$$

$$H_B = 36 - 14 = 22$$

$$\frac{22}{23.5} = 0.936 \text{ WHICH IS GREATER THAN } .70$$

$$\text{CORRECTION FACTOR} = .67$$

$$46.3 \text{ cfs} \times 0.67 = 31.02 \text{ cfs}$$

RECORDED
DEC 10 1977

73-7055

24

BM 4

R20E

R21E

T16N

Ellis

BM 4648

25

POU

POD


Gravel
Pit

MICROFILMED
DEC 10 1997

73-07055

130

BM



DEC 10 1937

73-07055

IDAHO POWER COMPANY
PAHSIMEROI RIVER HATCHERY

15/6



POINT OF
DIVERSION
FLOW



FLOW
PAHSIMEROI
RIVER



PARSHALL
FLUME

INSTALLED
DEC 10 1997

73-07055

276

FISH SCREEN
AND 1ST
BYPASS
DISCHARGE
BACK TO
PAHSIMELOI
RIVER



12" DISCHARGE
TO RIVER
FROM FISH
SCREEN
BYPASS #1



PHOTO FILMED
DEC 10 1997

73-7055

35/6



INITIAL
HOLDING
POND/CANAL



HOLDING
PONDS 1ST

MICROFILMED
1997 JUN 10 1997

73-7055

4 of 6

HOLDING
POND

ALSO VIEW
OF 2ND
BYPASS
DISCHARGE



REARING
POND 2nd



73-07055

516



VIEW OF
2ND POINT
OF DISCHARGE
/ BYPASS
FROM
CANAL / POND
BACK TO
RIVER



VIEW OF
3RD BYPASS
DISCHARGE
FROM LAST
HOLDING PONDS.
BACK TO
RIVER.

MICROFILMED
DEC 10 1997

73-7055

6 1 6



VIEW OF
MAIN POINT
OF DISCHARGE
FROM HOLDING
PONDS TO
CANAL BACK
TO RIVER.

FISH LADDER
TO PRIMARY
HOLDING
PONDS

BYPASS TO
THIS LADDER
BELOW.



FISH DIVERSION
SCREEN ON
PAHSIMERDI
RIVER AT
LOWEST END
OF HATCHERY.




PAHSIMERDI
RIVER

✓ FLOW

MICROFILMED

73-07055

- This water provides for: 1) incubation of steelhead eggs to eyed stage, sufficient in numbers to produce 200,000 lbs of smolts to be raised at the Company's Niagara (8) Remarks Springs Hatchery and returned to Pahsimeroi River for release, 2) incubation of steelhead eggs for eventual release below Hells Canyon Dam; 3) incubation and early rearing of Spring chinook salmon eggs for rearing and eventual release at Pahsimeroi facilities. This water is used in conjunction with water license Nos 73-7006 and 33431/73-2168 and application Nos 73-7051 and 73-7055.



Scale: 2 inches equal 1 mile.

Map should show the location of the point of diversion and the place of use of the water by 40-acre subdivisions, section, township and range of the public land survey system.

State of Idaho)
County of Ada) ss.

Be it known that the undersigned, being duly sworn, deposes and says that he, she, they subscribed the foregoing claim to a water right, together with all attached information, and that the matters and facts therein are true to the best of the affiant's knowledge.

C. E. Bissell

C E Bissell

Vice President (Claimant)

Power Plant, Construction and Operations

Sworn to before me this 7th day of July

Jerry L. Payson
Notary Public

Residing at Boise, Idaho

My commission expires 12-31-82

Received by CW
Prelim. check by SM
\$30.00 fee received by CW
Published in Recorder/Herald
Dates 8-12 & 8-19-82


FOR DEPARTMENT USE ONLY
Date 7-23-82
Date 7-30-82
Date 7-30-82 #22419

Exception filed by:

Forwarded to
claimant by:

Date

373 37
(HEBGEN DAM 1162 500)



75-7068
75-7069

- 72-2201
75-2200
75-2281
72-2287
~~72-2236~~
72-7021
72-2227
72-2228
72-2200

- 75-7258(2)
~~75-4176~~
~~75-4175~~
~~72-7018~~
~~72-2232~~
~~75-7179~~
 72-7017

- 72-2231

- 72-2247
72-2229

- 72-7035
72-7022 73-4041
72-2238
73-4031

- 72-7034
72-7031
72-7032
72-7030
12-2208
~~72-4004~~
73-7029 73-4035
72-7020
72-2253
73-4033
72-2216
72-2255 73-7054
72-2252
72-2251
73-2172 72-2289
72-2234

7.5 MINUTE SERIES (TOPOGRAPHI

7.5 MINUTE SERIES (TOPOGRAPHI

700,000, 555F (DAHO) 470 1

700 000 FEET (IDAHO)

470

3773 IV

BGEN DAM 1:62 500)


466

R. 2 E. 25'

R 3 E

468

1700 000 FEET (IDAHO)




15 MINUTE SERIES (TOPOC)

15 MINUTE SERIES (TOPOC)

490 000 FEET

751 72 75



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 73-07055

Priority: April 28, 1981

Maximum Diversion Rate: 40.00 CFS
Maximum Diversion Volume: 7207.0 AF

This is to certify, that IDAHO POWER CO
PO BOX 70
BOISE ID 83707

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated April 28, 1981; and
has submitted Proof of Beneficial Use on May 29, 1991. An examination indicates
that the works have a diversion capacity of 52.200 cfs of water from:

PAHSIMEROI RIVER tributary to SALMON RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
FISH PROPAGATION	12/01 to 02/29	40.00 CFS	7207.0 AF

LOCATION OF POINT(S) OF DIVERSION: NWNE , Sec. 36, Township 16N, Range 20E
LEMHI County

PLACE OF USE: FISH PROPAGATION

TWN RGE SEC

16N 20E 25

NESW

SESW

SWSE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 73.
6. A measuring device of a type approved by this Department shall be maintained as a part of the diverting works.
7. Water used under this right if discharged into a natural channel shall meet Idaho Water Quality Standards.
8. Use of water under this right is subject to policies set forth in the State of Idaho Water Plan, including Policy No. 5G.

MICROFILMED
DEC 10 1987

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 73-07055

CONDITIONS OF APPROVAL AND REMARKS

9. Rights 73-07006 and 73-07055 when combined shall not exceed a total annual diversion volume of 28,908 af.
10. Right 73-07006 is also diverted through the point(s) of diversion described above.
11. Facility volume = 23,612.5 cubic feet.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15TH
day of SEPTEMBER, 1977.


Acting for KARL J. DREHER, Director



MICROFILMED

DEC 10 1987

State of Idaho
Department of Water Resources

RECEIVED

AUG 12 1997

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 73-07055

Department of Water Resources

Date of Priority: April 28, 1981

Maximum Diversion Rate: 40.00 CFS

Maximum Diversion Volume: 7207.0 AF

Comes now IDAHO POWER CO
PO BOX 70
BOISE ID 83707

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 73-07055, and requests that the permit be changed as follows:

Source: PAHSIMEROI RIVER

tributary to SALMON RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
FISH PROPAGATION	12/01 to 02/29	40.00 CFS	7207.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 36, Township 16N, Range 20E
LEMHI County

PLACE OF USE: FISH PROPAGATION

TWN RGE SEC

16N 20E 25

NESW

SESW

SWSE

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, ID, this 15th day of July, 19 97.

MICROFILMED

DEC 10 1997

(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 73-07055

FOR DEPARTMENT USE ONLY

Preliminary check by SWK Fee = 5000 Received by LB # 6035817 Date 8/12/97

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 73-07055 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 73.
6. A measuring device of a type approved by this Department shall be maintained as a part of the diverting works.
7. Water used under this right if discharged into a natural channel shall meet Idaho Water Quality Standards.
8. Use of water under this right is subject to policies set forth in the State of Idaho Water Plan, including Policy No. 5G.
9. Rights 73-07006 and 73-07055 when combined shall not exceed a total annual diversion volume of 28,908 af.
10. Right 73-07006 is also diverted through the point(s) of diversion described above.
11. Facility volume = 23,612.5 cubic feet.

Witness my hand this 15TH day of SEPTEMBER, 1997.

MICROFILMED

DEC 10 1997


Acting for KARL J. DREHER, Director

RECEIVED

MAY 29 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Amt. of Fee \$ 600.00
Date 5/29/91
Receipt No. C020624
Received by J. J. [Signature]

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 73-7055 Telephone No. 383-2353

2. Name(s) of Permit Holder(s): Idaho Power Company

3. Post Office Address: P.O. Box 70, Boise Idaho 83707

4. Source of Water: Pahsimeroi River

a. If ground water, well driller's name: N/A Date drilled: N/A

b. Pump horsepower: N/A Pressure (psi): N/A Dynamic pumping level (ft.): N/A

5. Extent of Use:

Domestic _____ (No. of households) Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock) Other Fish Propagation

6. Total rate and/or volume for which proof is submitted 40.0 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 600.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Paul E. Abbott
Name

383-2353
Telephone No.

Idaho Power Company

P.O. Box 70 Boise, Idaho 83707
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

JUL 16 1991

5-13-91
Date

[Signature]
Signature (and title if on behalf of a company or organization)

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 73-7055 IN THE)

NAME OF IDAHO POWER COMPANY)


ORDER

WHEREAS, the Department issued the above-referenced permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before April 1, 1989; and,

WHEREAS, the Department failed to notify the permit holder that proof of beneficial use was due; and,

IT IS, THEREFORE, HEREBY ORDERED that the time within which to submit proof of beneficial use is extended to July 1, 1991.

Dated this 26th day of April, 1991.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED
JUL 16 1991

Identification No. _____

Application No. 73-7055

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant Idaho Power Company Phone: 383-2878
post office address P O Box 70, Boise, Idaho 83707
2. Source of water supply Pahsimeroi River which is a tributary of Salmon River
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 36 Township 16N
Range 20E B.M. Lemhi County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into Pahsimeroi River at a point in SW $\frac{1}{4}$
of SE $\frac{1}{4}$ of Section 25 Township 16N Range 20E B.M. _____
4. Water will be used for the following purposes:
fish propagation (holding adult steelhead)
Amount 40 cfs for _____ purpose from Dec. 1 to Feb. 29 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
 - a. 40 cfs cubic feet per second and/or
 - b. _____ acre feet per annum.
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. concrete intake box with open ditch
18' x 6' x 3' leading to concrete holding ponds. Water will be discharged
back into Pahsimeroi River through earthen, open ditch.
 - b. Height of storage dam 3 feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: steel sheet piling
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years. Work is completed at the present.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
 - a. If water is **not** for irrigation:
 - (1) Give the place of use of water: SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 25 Township 16N
Range 20E B.M.
 - (2) Amount of power to be generated: _____ hp under _____ feet of head.
 - (3) List number of each kind of livestock to be watered _____

 - (4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
 - (5) If water is to be used for other purposes describe: Section 4 above

MICROFILMED

12

[illegible]

~~Total number of acres to be irrigated—None~~

c. Describe any other water rights used for the same purposes as described above. Water Right License No 73-7006 priority August 1, 1969 Amount 40.0 cfs

No 73-7006 priority August 1, 1969 Amount 40.0 cts

9. a. Who owns the property at the point of diversion — Idaho Power Company


b. Who owns the land to be irrigated or place of use. Idaho Power Company

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing not applicable.

~~applicant to make this filing not applicable.~~

10. Remarks This water will be used for trapping and holding adult steelhead for egg-taking and artificial propagation purposes on a year-round basis in connection with Water Right License No 73-7006.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

RECEIVED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gomer H. Condit
(Applicant)

Proposed Priority 4/28/81

Received by kw Date 5/5/81 Time 11:00

Preliminary check by EMC Fee \$ 625.00

Received by kw Date 4/28/81 # 18885

Publication prepared by BS Date 9-24-81

Published in Recorder Herald

Publication dates 10-1 10-8 1981

Publication approved kw Date 10-13-81

Priority reduced to _____ Reason _____

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 73-7055, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1989.

c. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.


Water used under this permit if discharged into a natural channel shall meet Idaho Water Quality Standards.

Assignment or sale of this permit is subject to a determination by the Department that the permit holder has proceeded to develop the permit with due diligence and without speculation.

The permit holder shall permanently install and maintain a measuring device of a type approved by the Department as part of the diverting works.

Use of water under this permit is subject to control by the watermaster of State Water District No. 73, Pahsimeroi River.

Witness my hand this 4th day of April, 1984.


Director

NOTICE OF
APPLICATION FOR
WATER RIGHT

Notice is hereby given
that the following applica-
tion(s) have been submit-
ted for permit to approp-
riate the public waters of
the State of Idaho:

73-7055

IDAHO POWER COM-
PANY

P. O. BOX 70, BOISE, ID
83707

Source: RAHSIMEROI
RIVER tributary to SAL-
MON RIVER

Date Filed: 04/28/1981

Amount: 40.00 CFS

Diversion Point: NWNW
Sec 36 T 16N R 20E, LEM-
HI Co.

Use: FISH PROP. (40.00
CFS) from 12/01 to 02/29

Place of Use: SWSE Sec
25 T 16N R 20E

Diversion Means: DITCH
TO HOLDING PONDS

75-7272

BROWNING, LEONARD
L.

BOX 334, SUGAR CITY,
ID 83448

Source: SALMON RIVER
tributary to COLUMBIA
RIVER

Date Filed: 09/22/1981

Amount: 0.02 CFS

Diversion Point: SWNW
Sec 30 T 23N R 17E, LEM-
HI Co.

Use: IRRIGATION (0.02
CFS) from 06/01 to 09/30
Place of Use: NWNW Sec
30 T 23N R 17E FOR 1
ACRES

Diversion Means: PUMP
& SPRINKLER

If issued, the permit(s)
will be subject to all prior
water rights. Protests ag-
ainst the granting of any
permit must be filed with
the Director of the Idaho
Department of Water Re-
sources, 150 Shoup Ave.,
Idaho Falls, Idaho 83402
on or before OCTOBER
19, 1981.

A. KENNETH DUNN
Director

Published 10/1 & 10/8.
10-1-2tc

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

OCT 9 1981

Department of Water Resources
Eastern District Office

JERRY G. ROSIN

being first duly sworn, deposes
and says that he is one of the printers (publisher) of the RECORDER HERALD,
a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general
circulation therein.

That the Notice of Application for Water Rights 73-7055,

75-7272

a true
printed copy of which is attached to the margin hereof, has been and was correct-
ly printed and published in the regular and entire issue of every number of said
newspaper and not in any supplement thereof or thereto for 2
consecutive issues, commencing with the issue dated Oct. 1, 1981
and ending with the issue dated Oct. 8, 1981

Subscribed and sworn to before me, this eighth
day of October, 1981

Tere Armstrong
Notary Public for the State of Idaho,
Residing at Salmon, Idaho

Publication Fee \$ 29.25

MICROFILMED

NOTICE OF
APPLICATION FOR
WATER RIGHT

Notice is hereby given
that the following applica-
tion(s) have been submit-
ted for permit to appropri-
ate the public waters of
the State of Idaho:

73-7055

IDAHO POWER COM-
PANY

P. O. BOX 70, BOISE, ID
83707

Source: PAHSIMEROI
RIVER tributary to SAL-
MON RIVER

Date Filed: 04/28/1981

Amount: 40.00 CFS

Diversion Point: NWN
Sec 36 T 16N R 20E, LEM-
HI Co.

Use: FISH PROP. (40.00
CFS) from 12/01 to 02/29
Place of Use: SWSE Sec
25 T 16N R 20E

Diversion Means: DITCH
TO HOLDING PONDS



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 16, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

IDAHO POWER CO
PO BOX 70
BOISE ID 83707

RE: WATER RIGHT NO. 73-07055

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

DEC 10 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the printed name and title.

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 16th day of September, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 73-07055

IDAHO POWER CO
PO BOX 70
BOISE ID 83707


Kari Lynn Townsend
Secretary

MICROFILMED

DEC 10 1997



IDAHO POWER COMPANY
P.O. BOX 70
BOISE, IDAHO 83707

PAUL E. ABBOTT
Hatchery Biologist
Environmental Affairs

(208) 388-2353
(208) 388-6902 (Fax)

July 28, 1997

RECEIVED

AUG 12 1997

Department of Water Resources

Mr. Shelley Keen
Water Rights Supervisor
Idaho Department of Water Resources
1301 North Orchard, Statehouse Mail
Boise, Idaho 83720-9000

Dear Mr. Keen:

Enclosed please find an application for amendment to water right No. 73-07055 along with a check (No. 727375) in the amount of \$50.00 to cover the filing fee for this amendment process. While Idaho Power wishes to proceed with the administrative process of amending this water right we would like to express our objection to the inclusion of a facility volume limitation as a condition for licensing. The issue of whether a facility volume limitation can be placed upon a claim has yet to be resolved in the SRBA. Idaho Power's position on this issue has been previously communicated to your office in a letter from James Tucker to David Tuthill dated May 29, 1997. I am enclosing a copy of this letter for your review.

Please feel free to contact me at (208) 388-2353 if you have any questions or comments.

Sincerely,

Paul E. Abbott
Hatchery Biologist

PEA
enclosures

c: Bob Stahman
Jim Tucker
Sharon Hart Strickland

MICROFILMED

DEC 10 1997

ROSHOLT, ROBERTSON & TUCKER

Chartered
ATTORNEYS AT LAW

JOHN A. ROSHOLT
J. EVAN ROBERTSON
JAMES C. TUCKER
GARY D. SLETTE
JERRY V. JENSEN
BRUCE M. SMITH
JOHN R. SIMPSON
PATRICK D. MADIGAN
TIMOTHY J. STOVER
NORMAN M. SEMANKO

Twin Falls Office
142 3rd Ave. North
P.O. BOX 1906
TWIN FALLS, IDAHO 83303-1906
TELEPHONE (208) 734-0700
FAX (208) 736-0041

Niagara SPP

Boise Office
1221 WEST IDAHO, SUITE 600
P.O. BOX 2139
BOISE, IDAHO, 83701-2139
TELEPHONE (208) 336-0700
FAX (208) 344-6034

May 29, 1997

David R. Tuthill, Jr.
Adjudication Bureau Chief
Idaho Department of Water Resources
1301 N. Orchard St.
P.O. Box 83720
Boise, Idaho 83720-0098

RE: FACILITY VOLUME IN FISH PROPAGATION RIGHTS

Dear Dave:

The following comments are submitted in response to your letter of May 16, 1997, regarding inclusion of facility volume limitations in recommendations for fish propagation rights.

Niagara Springs Steelhead Hatchery was constructed by Idaho Power Company (IPC) in 1966 as part of its anadromous fish conservation program. Niagara Springs is operated as a conservation hatchery producing approximately 1.8 million steelhead smolts annually. These smolts are released into the Snake and Salmon rivers each spring in an effort to supplement wild steelhead populations and provide enhanced angling opportunities for Idaho sportsmen. The Niagara Springs facility is operated under contract by the Idaho Department of Fish and Game with funding provided solely by IPC.

Unlike commercial rainbow trout hatcheries which attempt to operate at or near full capacity at all times, Niagara Springs follows a production cycle designed to match the biology of the fish. An emphasis is placed on smolt quality rather than quantity. One aspect of smolt quality that has received much attention in recent years is rearing density. Research suggests that steelhead reared at low density have a higher survival rate than do fish reared at high density. In 1994, IPC decided to capitalize on this phenomenon by adding 5 additional raceways to Niagara Springs Hatchery, increasing the raceway volume from 123,800 cu.ft to 168,000 cu.ft. All other operating procedures remained the same and there were no impacts to other water users or the environment. The total number of fish produced annually did not increase, the water flow through the hatchery did not increase, and the effluent water quality did not change.

MICROFILMED

DEC 10 1997


David R. Turnbull, Jr.
May 29, 1997
Page Two

Idaho Power Company will continue to evaluate the issue of rearing density and smolt survival and may choose to add additional rearing volume to the Niagara Springs facility as it becomes necessary. We emphasize that such measures would be completed for the purpose of improving fish quality and would not impact other water users or result in an increase in the amount of pollutants (fish waste solids and dissolved nutrients) entering the Snake River.

Imposing limitations on the rearing volume allowed at fish propagation facilities, as is currently being considered by IDWR, would seriously limit IPC's ability to improve the quality of its product. For the reasons stated above, Idaho Power Company requests that IDWR's recommendations to the SRBA court for fish propagation water rights do not include facility water volumes.

Thank you for your consideration.

Very truly yours,



JAMES C. TUCKER

jet97ipc-wdjtunhill.lu

MICROFILMED

DEC 10 1997

** TOTAL PAGE.003 **

MEMORANDUM

DATE: August 8, 1997

TO: Water Right File 73-07055

FROM: Shelley W. Keen *SWK*

RE: Licensing Amendment

This afternoon I called Sharon Strickland (208-734-0700) to find out if Idaho Power would be completing the licensing amendment. Sharon is certain that it will be completed and returned. She said she would contact Idaho Power on Monday to determine the reason for the delay.

MICROFILMED

DEC 10 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 17, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

IDAHO POWER CO
PO BOX 70
BOISE ID 83707

RE: WATER RIGHT NO. 73-07055

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has actually been developed.

As of this date, I have not received this amendment. If I do not receive the amendment within fourteen (14) days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed. Please note that the filing fee for this amendment is \$50.00.

If you have any questions, please call me at (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

DEC 10 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 24, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

SHARON STRICKLAND
PO BOX 1906
TWIN FALLS ID 83303-1906

RE: Permit No. 73-07055

Dear Ms. Strickland:

As requested during our recent telephone conversation, we have enclosed a copy of the Beneficial Use Field Report form for the above-mentioned permit .

If we can be of any further service, please do not hesitate to call.

Sincerely,

A handwritten signature in cursive script, reading 'Shelley Walter Keen'.

Shelley Walter Keen
Water Rights Supervisor

SWK:klt

Enclosure

MICROFILMED
DEC 10 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

June 4, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

IDAHO POWER CO
PO BOX 70
BOISE ID 83707

RE: WATER RIGHT NO. 73-07055

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return it with the \$50 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED

DEC 10 1997

MEMORANDUM

TO: Files 73-07051 and 73-07055

FROM: Sharla

DATE: June 3, 1997

RE: Annual Volume for Fish Propagation Use

Per a memo dated 1/15/88, volume is calculated this way:

1. Calculate changes per hour:
total flow into facility x 3600/facility volume(cf) = changes
2. Calculate annual volume:
facility volume(AF) x changes x 8760 = AFA
3. Calculate volume given by permitted flow:
flow rate(cfs) x 1.98 x 365 days = AFA
4. Recommend lower figure

73-07051:

1. 10.0 cfs x 3600/ 110,000 cf = .3272
2. 2.5 AF x .3272 x 8760 = 7165.7 AFA
3. 10.0 cfs x 1.98 x 365 days = 7227.0 AFA

RECOMMENDATION: 7165.7 AFA

73-07055:

1. 40.0 cfs x 3600/ 23,612.5 cf = 6.10
2. 0.2 AF x 6.10 x 8760 = 10,687.2 AFA
3. 40.0 cfs x 1.98 x 91 days = 7207.0 AFA

RECOMMENDATION: 7207.0 AFA

RECEIVED

DEC 10 1997

Page 2

Facility volume for these two rights was confirmed in a telephone conversation between Cindy Bird and Doug Engeman, Assistant Hatchery Manager. Under Permit 73-07051, there are two ponds approximately 40 feet wide, 275 feet long and 5 feet in depth, for a total of 110,000 cubic feet.

Under Permit 73-7055, there are four raceways, each 4 feet wide, 100 feet long and 4 feet deep. There are also 3 holding ponds which are approximately 15-18 feet wide, 75 feet long and 4.5 feet in depth (the SRBA claim filed on overlapping right 73-07006 indicates 17' width - this figure used to calculate facility volume for the right to be licensed). The combined facility volume under this right is 23,612.5 cubic feet.

MICROFILMED

DEC 10 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 73-07055

DATE 5/29/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	—	✓	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	—	✓	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	✓	—	Amendment required <u>NO</u>
			Amendment required <u>yes</u>

Does map agree with written description? — yes — no

OVERLAPS

✓ P/D

✓ P/U

73-07006 - need xfer to add plu desc. for N&SW, SE&SW!

RATE OF DIV

Permitted Rate

40.0 cfs

Fee limit

20.0+ cfs \$600⁰⁰

Measured

52.2 cfs

Theoretical

— cfs

highest meas. (parshall flume '92, '93, '95)

Recommended Total Div Rate 40.0 cfs

ANNUAL VOLUME/
NATURE OF USES —

Use ✓

Fish Prop.

Volume Calculation

40.0 af
af
af
af
af

SUBTOTAL

Flow rate 40.0 cfs X 91 days X 1.9833 = 7207.0 af

Total volume recommended — af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W35 (73-07006, 28,908 af)
W36 (")
facility volume = 23,612.5

(4) 4' x 100' x 4'

(3) 14' x 75' x 4.5'

6662.5 ft³

CONDITIONS

R04 Watermaster Control WD# 73

R01 GW Measurement/Measuring Device

— Overlap

— Use-specific conditions

09D, R41

Advancement of Priority Date Required — yes — no

SRBA Claim Filed ✓


Adjustment Memo

volume

1st Amend Letter P41 P38

2nd Amend Letter P42

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. *REFER TO ATTACHMENTS & PHOTOS*



Scale: 1" = _____

____ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: PARSHALL MEASURING FLUME

MICROFILMED

DEC 10 1997

E. NARRATIVE/REMARKS/COMMENTS

SEE ATTACHMENT.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
DEC 10 1997

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\quad 90 \text{ days} \quad} \underline{\quad 7140 \quad}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{40.0 \times 365 \times 1.9835} = \underline{28,959 \text{ AFA}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\quad \quad \quad}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>FISH PROPAGATION</u>	<u>12/1</u>	<u>2/29</u>	<u>40.0</u>	<u>28,959 AFA</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>40 CFS</u>	<u>28,959 AFA</u> <u>7140 afa</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name SIMPSON Date 6/21/95

Reviewer [Signature] Date 4-5-96

SEAL

MICROFILMED

DEC 10 1997

E. NARRATIVE

EXAM #: 73-07055

IDAHO POWER COMPANY

ON 4/19/95 A FIELD EXAMINATION WAS CONDUCTED AT THE PAHSIMEROI RIVER FISH HATCHERY IN ELLIS, IDAHO.

IN THE NE CORNER OF SECTION 36, T16N, R20E, WATER IS DIVERTED FROM THE PAHSIMEROI RIVER VIA A CONCRETE DIVERSION STRUCTURE INTO A CANAL. THE WATER THEN PASSES THROUGH A PARSHALL MEASURING FLUME (MEASUREMENTS ON THAT DAY TAKEN IN THE STILLING WELLS INDICATE A 46.3 CFS WHICH WHEN CORRECTED FOR PARTIAL SUBMERGENCE INDICATE A CORRECTED FLOW OF 31.02 CFS). AFTER THE FLUME, THE WATER PASSES THROUGH ELECTRIC FISH DRUM SCREENS. A PORTION OF THE FLOW IS DIVERTED, PRIOR TO THE SCREENS VIA A 12 INCH BYPASS (CALCULATED BYPASS FLOW USING HAZEN-WILLIAMS EQUATION IS 7.897 CFS), BACK TO THE RIVER. THE WATER THEN PASSES INTO A LONG UNLINED CHANNEL WHICH IS USED AS A REARING POND; THERE ARE TWO BYPASSES OUT OF THIS REARING POND PRIOR TO THE CONTROL GATES FOR THE DOUBLE CEMENT HOLDING PONDS (2). [BYPASS #2 GOES DIRECTLY BACK TO THE RIVER VIA AN UNLINED CHANNEL, BYPASS #3 GOES UNDERGROUND TO THE FOUR TANK REARING RACEWAY, WHICH IS LOCATED BELOW AND NORTHEAST OF THE FISH LADDER, DISCHARGE FROM THE RACEWAY ENTERS THE UNLINED CHANNEL AND BACK TO THE RIVER.] AFTER PASSING THROUGH THE CONTROL GATES, THE WATER TRAVELS INTO THE TWO ADULT STEELHEAD HOLDING PONDS THEN THROUGH A FISH LADDER AND FISH ATTRACTION UNLINED CHANNEL BACK TO THE RIVER AND DIVERSION WEIR.

PERMIT # 73-07055 IS FOR THE TIME PERIOD DECEMBER 1 THROUGH FEBRUARY 29 WHICH IS THE TIME PERIOD NOT COVERED BY WATER RIGHT # 73-07006. COMBINED USE OF THE PERMITS ALLOWS 40 CFS TO BE USED BY THE HATCHERY YEAR-ROUND.

MICROFILMED
DEC 19 1997


73-7055

NEW SEPTIC SYSTEM
EXISTING SEPTIC SYSTEM



Flow

DRIVE CANAL



NOTES

1. DRAINFIELD TRENCHES TO BE 3'-0" WIDE WITH 6'-0" BETWEEN TRENCHES.
2. MINIMUM DRAINFIELD TRENCH LENGTH SHALL BE 95'-0".
3. DRAINFIELD TRENCHES TO BE CONSTRUCTED AT A HORIZONTAL LEVEL.
4. BOTTOM OF DRAINFIELD TRENCH SHALL BE RAKED PRIOR TO PLACING DRAIN ROCK.
5. DRAIN ROCK SHALL MEET IDHW, AND O.D. REQUIREMENTS.
6. SEE DRAWING 1387860 FOR SEPTIC SYSTEM DETAILS.

MICROFILMED
DEC 10 1981

SHEET C-1 FOR RECORD PURPOSES ONLY	
PAKSHIMORI FISH HATCHERY OPERATOR HOUSE SITE SURVEY	
DAVID POWER CONSULTANT	BOISE, IDAHO
SCALE 1" = 30'	DATE 8/20/79
BY: [signature]	APPROVED: [signature]
200-000000	

REVISION
1 1/2" x 11" x 1/2"
ISSUED FOR [unclear]

4' Flume

Parshall Flume Measurements

H_h = 70 4 760 and correction factor in fig 28
 total H_h value for 4' flume. total H_h - correction factor = CFS

JAN 92	27.57 CFS	JRH
FEB 92	48.89 CFS	JRH
MAR 92	52.2 CFS	JRH
APR 92	48.89 CFS	JRH
MAY 92	52.2 CFS	JH
JUNE 92	50.2 CFS	JRH
JULY 92	48.89 CFS	JRH
AUG 92	48.89 CFS	JH
SEPT 92	52.2 CFS	JRH
OCT 92	30.21 CFS	JRH
NOV 92	27.57 CFS	JH
DEC 92	30.2 CFS	JRH
JAN 93	30.2	
FEB 93	48.89	
MAR 93	48.89	
APR 93	52.2	
MAY 93	48.89	
JUN 93		
JULY 93		
AUG 93		
SEPT 93		

67.07

- March

43.35 CFS

Parshall Flume Measurements
 1995

FLOW RATES

73-07055

DEC 10 1997

Hazen-Williams Equation for Closed Pipe Flow

Assumptions: Head Loss due to bends, couplings, & valves is negligible

$$Q_{cfs} = 1.318 C_h (\pi D^2/4) \times (D/4)^{0.63} \times (H/L)^{0.54}$$

Q = Discharge (cfs)

D = Pipe Diameter (ft) = 1 ft

L = Pipe Length (ft) = 37' ft


H = Elevation Drop (ft) = .75 ft

C_h = Values for Types of Pipe = 150

150 -Plastic (PVC)	110 -Riveted Steel
140 -Very Smooth	100 -Old Cast Iron
130 -Cast Iron	80 -Badly Corroded Cast Iron
120 -Wood, Concrete	

$$Q_{cfs} = 1.318 \left(\frac{150}{C_h} \right) \left[\pi \left(\frac{1}{D} \right)^2 / 4 \right] \times \left(\frac{1}{D} / 4 \right)^{0.63} \times \left(\frac{.75}{H} / \frac{37}{L} \right)^{0.54}$$

$$Q_{cfs} = \underline{7,897} \text{ cfs}$$




MICROFILMED
DEC 10 1968

73-7055

Ft 6

Tools / Doug Engemann - Art
876-4475 M.
PO Box 85
Measurements Ellie, ID 83235

Accounted Gary Bartolotti
Expense Manager



FLOW COMPUTATIONS

$$H_A = 36 - 12.5 = 23.5 \quad \text{Chart} = 46.3 \text{ cfs}$$

$$H_B = 36 - 14 = 22$$

$$\frac{22}{23.5} = 0.936 \text{ WHICH IS GREATER THAN } .70$$

CORRECTION FACTOR = .67

$$46.3 \text{ cfs} \times 0.67 = 31.02 \text{ cfs}$$

MICROFILM
DEC 10 1937

73-7055

24

BM 4 R20E

R21E

T16N

Ellis

BM 4648

25

POU

POD

Gravel Pit

MICROFILMED
DEC 10 1937

73-07055

130

BM



73-07055

IDAHO POWER COMPANY
PAHSIMERDI RIVER HATCHERY

10/6

POINT OF
DIVERSION
FLOW



FLOW
PAHSIMERDI
RIVER

PARSHALL
FLUME

PHOTOGRAPHED
JULY 10 1957

73-07055

276

FISH SCREEN
AND 1ST
BYPASS
DISCHARGE
BACK TO
PAHSIMELOI
RIVER

12" DISCHARGE
TO RIVER
FROM FISH
SCREEN
BYPASS #1

FILMED
DEC 10 1957

73-7055

356

INITIAL
HOLDING
POND/CANAL



HOLDING
PONDS 1ST



MICROFILMED
SEP 10 1987

73-7055

4/6

HOLDING
POND

ALSO VIEW
OF 2ND
BYPASS
DISCHARGE

4-19-35

REARING
POND 2nd

4-19-35

1937

73-07055

516

VIEW OF
2ND POINT
OF DISCHARGE
/ BYPASS
FROM
CANAL / POND
BACK TO
RIVER



VIEW OF
3RD BYPASS
DISCHARGE
FROM LAST
HOLDING PONDS.
BACK TO
RIVER.



1985
MICROFILMED
DEC 10 1987

73-7055

6 1 6

VIEW OF
MAIN POINT
OF DISCHARGE
FROM HOLDING
PONDS TO
CANAL BACK
TO RIVER.

FISH LADDER
TO PRIMARY
HOLDING
PONDS

BYPASS TO
THIS LADDER
BELOW.



FISH DIVERSION
SCREEN ON
PAHSIMELOI
RIVER AT
LOWEST END
OF HATCHERY.

PAHSIMELOI
RIVER

✓ FLOW

73-07055



MICRO-FILMED

June 4, 1991

IDAHO POWER CO.
P.O. BOX 70
BOISE, ID 83707

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 73-07055

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUL 16 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 73-7055

Date 6-3-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☒ Surface water source
☐ Ground water source
☒ NA Drill permit req'd?
☒ Copy in file? Drill permit no. _____
☒ Amt paid for drilling permit? _____ Correct?
☒ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
600.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- ☒ Measuring device or access port required?
☒ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

LB



Idaho Power Company

BOX 70 ★ BOISE, IDAHO 83707

May 28, 1991

RECEIVED
MAY 29 1991

Ms. Rita Fleck
Secretary/Records Manager
Department of Water Resources
1301 North Orchard, Statehouse Mail
Boise, Idaho 83720

Department of Water Resources

Dear Ms. Fleck:

Pursuant to your letter of April 30, 1991, enclosed please find a proof of beneficial use form and check in the amount of \$600.00 to cover the license examination fee for Idaho Power's permit number 73-7055.

As indicated on the enclosed form, your Department may contact me directly to schedule the necessary field examination at your convenience. Please feel free to call me if you have any additional questions or comments.

Sincerely,

Paul E. Abbott
Hatchery Biologist

pa
enclosures

MICROFILMED

JUL 16 1991

April 30, 1991

138536
CERTIFIED MAIL

IDAHO POWER COMPANY
P O BOX 70
BOISE ID 83707

Gentlemen:

Re: Permit No. 73-7055

PROOF DUE NOTICE

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1991. (See the enclosed order). Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time provided the delay is for reasonable cause as described in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

IDAHO POWER COMPANY
P.O. BOX 70
BOISE, ID 83707

APRIL 11, 1984

RE: PERMIT NO. 73-7055

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT YOUR PLANS FOR FISH PROPAGATION MAY BE SUBJECT TO REGULATIONS OF THE IDAHO DEPARTMENT OF FISH AND GAME. WE SUGGEST THAT YOU CHECK WITH THEM BEFORE STARTING CONSTRUCTION.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
MAY 11 1984

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Ernest

APPLICATION NUMBER: _____

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

☒ Fee.

☐ Yes ☒ No

Field check required.

☐ Yes ☒ No

Critical groundwater area.

☐ Yes ☒ No

Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No*

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other W.D. 73

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☐ No

Platted by: _____ Map No. _____

☒ Yes ☐ No

Other rights on same place of use. _____

☒ Yes ☐ No*

In form for advertising. _____

☐ Yes ☒ No

Final date for protests: Oct 19, 1981

☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: Oct 9, 1981

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☒ Yes ☐ No

Measuring device required.

☐ Yes ☒ No

Access port required.

☒ Yes ☐ No

Will water be delivered by watermaster? If yes, what district? #73

☒ 4-28-81

Date of priority recommended.

Special conditions of approval or cover letter. _____

STATE OFFICE REVIEW:

By: Ernest Carlson

Date: Oct 20-81

#73 LDO

09D

07A

and condition above.

05

(73, Pahsimeroi River)

☐ See attached sheet for more information.

By: KW

Date: 2-3-84

RECEIVED

OCT 21 1981

Department of Water Resources

Sharla
prepare for Ken's signature.
route thru Glen -

all overlaps w/73-7055
are for irr. + domestic
except: 73-7006 - fish ^{see copy}
73-4041 - fish ^{see copy}
73-7045 - water res.
board min.
instream flow
app.

73-7055

see 73-7006 (as per app.)
(~~fish prop.~~) fish prop. (see copy)

pd/sec (per terminal)

73-7003 - irrigation

73-4014 irrigation

73-7036 domestic

73-7029 irrigation

73-4035 domestic

pu/sec 73-4009 irr.

73-4004 irr.

73-7045 - N.

73-7048 irr.

73-4031 irr.

73-4041 fish
(see copy)

Water Resource Board
minimum instream
flow

73-7051

see 73-2168 (as per app.)
fish prop. (see copy)

pd/sec (per terminal)

pu/sec 73-4015 irr.

-4000 irr.

-2171 irr.

-2157 irr.

-4007 irr.

-0100 irr.

-0099B irr.

-0099A irr.

-0098 irr.

-0097B irr.

-0097A irr.

-0096B irr.

-0096A irr.

-0092 irr.

-4098 irr.

-7086 irr.

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 73-7006 Priority August 1, 1969 Amount 40.0 cfs

THIS IS TO CERTIFY, that IDAHO POWER COMPANY
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 73-7006 issued pursuant to Application for Permit dated August 1, 1969,
and has submitted proof to the Department of Water Resources on October 6, 1975,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 45.0 cfs of water from the Pahsimeroi River,
tributary to the Salmon River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Fish Propagation from (holding adult steelhead)	March 1 to Nov. 30	at 40.0 cfs and	n/a
	from to	at cfs and	
	from to	at cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 40.0 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
n/a acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 36,
Twp. 16 N, Rge. 20 E, B. M. in the County of Lemhi

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
16 N	20 E	25															X		

Total number of acres irrigated _____

A measuring device of a type approved by the Department shall be permanently maintained as part of the diverting works.


NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 22 day of
June, 19 76.

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES



CLAIM TO A WATER RIGHT

Under the provisions of Section 42-243, Idaho Code, any person using or claiming rights to the public waters of Idaho established by diversion and application to a beneficial use must file a claim with the Department of Water Resources on or before June 30, 1983. Exempted from this filing are single family domestic uses as defined in Section 42-230(d), Idaho Code. Also exempted are rights represented by a permit, license, decree, adjudicated right, or a previously filed claim.

The filing of this claim does not confirm the water right claimed but failure to file may result in forfeiture of a water right.

Notice is hereby given that Idaho Power Company
(Name of Claimant)
P O Box 70, Boise, Idaho 83707 Telephone No. 383-2200
(Mailing Address) (Zip Code)

claims a right to the diversion and beneficial use of the surface or ground water. The extent and nature of said claim is as follows:

(1) Date of priority: (When was the water first applied to a beneficial use) March 28, 1969

A claim is not acceptable on a ground water source with a priority later than March 25, 1963 or on a surface water source with a priority later than May 20, 1971. An exception is that a claim may be filed on single family domestic use from a ground water source.

(2) Describe the source of water: (Name of stream, lake, spring, etc., or ground water)
Unnamed stream tributary to Pahsimeroi River

(3) Describe the purpose for which the water has been used and the time during the year when you have used the right claimed:

	(cfs, af)	(Domestic, Irrigation, Stock, Etc.)	(Both dates inclusive)	
			(Mo., Day)	(Mo., Day)
Quantity	<u>0.5 cfs</u>	Use <u>Fish Propagation</u>	Period of Use From <u>1/1</u>	To <u>12/31</u>
Quantity		Use	Period of Use From	To
Quantity		Use	Period of Use From	To
Quantity		Use	Period of Use From	To
Quantity		Use	Period of Use From	To

(4) 0.5 cfs TOTAL QUANTITY USED.
(cfs, af)

(5) A) Point of diversion: (Location of point where water is diverted from its source)
SW ¼ SE ¼, Sec. 25 Twp. 16 N Rge. 20 E B.M., County of Lemhi
Additional points of diversion:

B) Describe means of diversion of water: (Pump and pipeline, well, diversion dam, reservoir, length of ditch and field, etc.). Give sizes and capacities: be as specific as possible. Describe any changes in the system and give the date of the change. A spring collection facility consisting of a 36" transite pipe collection well with two 10" perforated pipe collection lines; a 3 hp electric pump, a 10,000 gallon tank which gravity feeds the incubators in the hatchery building.

(6) A) Describe location of use by listing number of irrigated acres within each 40-acre tract in appropriate box. If use is not for irrigation, place an "X" in appropriate box to show location.

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
16N	20E	25															X		


No. of acres

B) If water is used for other than irrigation, fully describe that use, being as specific as possible: Fish egg incubation and early propagation of ocean-run Steelhead trout and Spring chinook salmon all as part of FERC Project No 1971.

NOTE: Include here the type and number of stock watered:

(7) If you are claiming water as a member of an organization, list name of organization:

- This water provides for: 1) incubation of steelhead eggs to eyed stage, sufficient in numbers to produce 200,000 lbs of smolts to be raised at the Company's Niagara
(8) Remarks Springs Hatchery and returned to Pahsimeroi River for release, 2) incubation of steelhead eggs for eventual release below Hells Canyon Dam; 3) incubation and early rearing of Spring chinook salmon eggs for rearing and eventual release at Pahsimeroi facilities. This water is used in conjunction with water license Nos 73-7006 and 33431/73-2168 and application Nos 73-7051 and 73-7055.



Scale: 2 inches equal 1 mile.

Map should show the location of the point of diversion and the place of use of the water by 40-acre subdivisions, section, township and range of the public land survey system.

State of Idaho)
County of Ada) ss.

Be it known that the undersigned, being duly sworn, deposes and says that he, she, they subscribed the foregoing claim to a water right, together with all attached information, and that the matters and facts therein are true to the best of the affiant's knowledge.

C. E. Bissell

C E Bissell
Vice President (Claimant)
Power Plant Construction and Operation

Sworn to before me this 7th day of July


James L. Rayburn
Notary Public
Residing at Boise, Idaho

My commission expires 12-31-82


Received by CW Date 7-23-82 Exception filed by: _____ Forwarded to _____ Date _____
Prelim. check by SM Date 7-30-82 claimant by: _____
\$30.00 fee received by CW Date 7-30-82 #22419
Published in Recorder/ Herald
Dates 8-12-82 8-19-82

FOR DEPARTMENT USE ONLY

TARGHEE PEAK QUADRANGLE
IDAHO-MONTANA
7.5 MINUTE SERIES (TOPOGRAPHIC)



CHALLIS QUADRANGLE
IDAHO
15 MINUTE SERIES (TOPOGRAPHIC)



75-7068
75-7069

72-2201
75-2200
75-2281
72-2287
72-2236
72-7021
72-2227
72-2228
72-2200

75-7258 (2)
75-4176
75-4175
72-7018
72-7232
72-7017

72-2231


72-2247
72-2229

72-7035
72-7022 73-4041
72-2238
73-4031


72-7034
72-7031
72-7032
72-7030
72-2208
73-4004
73-7029 73-4035
73-4014

72-7020
72-2253
73-4033
72-2216
72-2255 73-7054
72-2252
72-2251
73-2172 72-2289
72-7734

TARGHEE PEAK QUADRANGLE
IDAHO-MONTANA
7.5 MINUTE SERIES (TOPOGRAPHIC)



CHALLIS QUADRANGLE
IDAHO
15 MINUTE SERIES (TOPOGRAPHIC)



IDENT. NO. 73-7055

IDENT. NO. 73-7055

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

23-2055

IDAHO POWER COMPANY

P.O. BOX 70, BOISE, ID 83707

Source: PAHSIMERQI RIVER tributary to SALMON RIVER

Date Filed: 04/28/1981

Amount: 40.00 CFS

Diversion Point: NWNE Sec 36 T 16N R 20E, LEMHI Co.

Use: FISH PROP. (40.00 CFS) from 12/01 to 02/29

Place of Use: SWSE Sec 25 T 16N R 20E

Diversion Means: DITCH TO HOLDING PONDS

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 150 Shoup Ave., Idaho Falls, Idaho 83402 on or before OCTOBER 19, 1981.

R. KENNETH DUNN

Director

Published 10/1 & 10/8.

RECEIVED
OCT 19 1981

INTER-DEPARTMENT MEMO — 1

FROM

Dave T

DATE

9/18/81

TO

Roberta → Ernie Carlson *etc*

SUBJECT

Note that T 2563 has been withdrawn

RECEIVED

SEP 23 1981

Department of Water Resources
Eastern District Office

ART

SIGNATURE

Snake River



Hydro Power

IDAHO POWER COMPANY

BOX 70 " BOISE, IDAHO 83720

August 12, 1981

RECEIVED

AUG 13 1981

David R Tuthill, Jr P.E. *DET*
Supervisor
Water Allocation Section
Department of Water Resources
Statehouse
Boise, Idaho 83720

Department of Water Resources

Dear Mr Tuthill:

We are in receipt of your letter dated August 7, 1981, regarding the application for transfer No 2563 on License No 73-7006 which we filed with the Department pursuant to Section 44-222, Idaho Code. At this time it is our intention to maintain the current license and proceed with the development of our application for a water permit for the additional months required. Therefore, we wish to withdraw the application for transfer and would appreciate your attention to our application for water permit. If you have any questions, please contact me.

Sincerely,

Mimzel Priest
Attorney

MP:kb

cc: Larry Wimer
Nick Ysursa

MICROFILMED

SNAKE RIVER



HYDRO POWER

IDAHO POWER COMPANY

BOX 70 • BOISE, IDAHO 83707

April 15, 1981

RECEIVED
APR 21 1981

Department of Water Resources
Western Region
92 South Cole Road
Boise, Idaho 83709

Department of Water Resources
Western Regional Office

Gentlemen:

Enclosed you will find an Application for Transfer of Water Right that I am filing pursuant to Section 42-222 of the Idaho Code. It is my understanding that this section has been recently amended to permit change in the period of use of water under an established right. In the present case, Idaho Power Company was granted a water right by License No. 73-7006 for 40.0 cfs from the Pahsimeroi River for the purpose of fish propagation. It is our desire to change this period of use from the present period of March 1 to November 30 to January 1 through December 31, to allow the year round operation of the facility. Furthermore, it is my understanding that if this application is granted, the amended license will retain the priority date of August 1, 1969 from the original license.

In addition, I have enclosed an application for a water permit. If the Application for Transfer of Water Right is denied, it would then be our intention to file this Application for Permit for the additional months while at the same time retaining the water granted by License No 73-7006 with that previously established priority date of August 1, 1969.

Enclosed you will find the appropriate filing fees.

Sincerely,

Mimzel Priest

Mimzel Priest
Attorney

383-2878

MP:kb

Enclosures

RECEIVED

RECEIVED

MAY 5 1981

Department of Water Resources
Eastern District Office

Transfer No. _____

Water Right No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR TRANSFER OF WATER RIGHT
To Change the Point of Diversion and/or the Place of Use

RECEIVED

JUN 11 1981

Name of applicant Idaho Power Company Phone _____
Post Office address P O Box 70, Boise, Idaho 83707

Department of Water Resources
Eastern District Office

A. DESCRIPTION OF RIGHT AS RECORDED

1. Right evidenced by:

- a. Decree No. N/A Decreed to _____ (Name)
in case of _____ vs _____
dated in _____ in _____ county of _____
(Name of court)
- b. License No. 73-7006 issued by the Idaho Department of Water Resources
- c. Claim No. N/A on file with the Idaho Department of Water Resources

2. If applicant is not the original holder of this right, explain how it was acquired and attach a copy of the deed or other evidence of ownership of the land to which the right is appurtenant Not applicable3. Source of water Pahsimeroi River tributary to Salmon River4. Date of priority August 1, 1969

5. Water is used for the following purposes:

amount 40.0 cfs ^{fish propagation (holding} for adult steelhead) purposes from March 1 to Nov. 30
amount _____ for _____ purposes from _____ to _____
amount _____ for _____ purposes from _____ to _____
(month/day — both dates inclusive)

6. Total amount of water under right: a. 40 cfs cubic feet per second
&/or
b. _____ acre feet per annum

7. Location of original point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 36Township 16N Range 20E, B.M., in Lemhi County

Additional points of diversion, if any _____

8. Lands irrigated or place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
16N	20E	25															X		

Total number of acres to be irrigated None9. Describe any other water rights used for the same purpose as described above None

10. To your knowledge, has any portion of this water right undergone a period of five or more consecutive years

B. DESCRIPTION OF PORTION OF RIGHT OWNED BY APPLICANT (if the entire right is owned by the applicant, omit part B).

1. Amount of water: a. _____ cubic feet per second
&/or
b. _____ acre feet per annum

✓ Point of diversion _____ ¼ _____ ¼, Section _____ Township _____
Range _____, B.M., _____ County
Additional points _____

3. Place of use:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

C. DESCRIPTION OF RIGHT OR PORTION THEREOF, AFTER THE REQUESTED CHANGE

1. General Information

- a. Amount of water to be diverted 40 c.f.s. &/or _____ acre feet
b. Description of diverting works concrete intake box with open ditch 18' x 6' x 3'
leading to concrete holding ponds. Water will be discharged back into
Pahsimeroi River through open, earthen ditch.
c. Describe the reasons for the proposed changes _____
To provide water for fish propagation on year round basis.

2. Change in point of diversion

Point of diversion N/A ¼ _____ ¼, Section _____ Township _____
Range _____, B.M., _____ County
Additional points _____

3. Change in place of use N/A

- a. Are there liens, mortgages, or contracts on the lands from which you propose to transfer the water right which limit your authority to make the proposed change? Yes _____ No _____. If yes, provide a statement agreeing to the proposed change from the holder of the lien, mortgage or contract.
b. Describe the affect on the land now irrigated if the place of use is changed pursuant to this transfer

RECEIVED
JAN 15 1994
WATER DIVISION

EXHIBIT A

1. Change in period of use.
 - a. Amount of water: 40 cfs.
 - b. Point of diversion: NW $\frac{1}{4}$, NE $\frac{1}{4}$ of Section 36,
Township 16 North, Range 20 East, Boise Meridian
in the County of Lemhi.
 - c. Period of use: March 1 to November 30.
 - d. Proposed change in period of use: January 1 to
December 31.

MICROFILMED

D. REMARKS

See Exhibit "A".

I hereby assert that no one will be injured by such change and that the change does not constitute an enlargement in use of the original right. The information contained in this application is true to the best of my knowledge.

I understand that any willfull misrepresentations made in this application may result in voiding its approval.

Gomer H. Condit
(Signature of Applicant)

Subscribed and sworn to before me this 22nd day of April, 19 81

Julie A. Ryan
(Notary Public)

My commission expires 10-26-83

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Transfer of Water Rights No. _____ and said application is hereby _____, subject to the following limitations and conditions:

Witness my hand this _____ day of _____, 19____.

FOR DEPARTMENT USE ONLY

Received by <u>NEA</u>	Date <u>5/5/81</u>	Protest filed by _____
Prelim. check by _____	Fee _____	_____
Receipted by <u>NEA</u>	Date <u>4/28/81</u> # <u>18884</u>	_____
Published in <u>Recorder Herald</u>	Copies of protest forwarded by _____	_____
Pub. dates <u>5/28 & 6/04/81</u>	Hearing held by _____ Date _____	_____
Watermaster recommendation requested on _____	Recommended for _____ approval _____ denial _____	_____
_____ rec'd. _____	by _____	_____

RECEIVED
MAY 11 1981
DEPT. OF WATER RESOURCES