



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Doug Nicholson
(Applicant)




W.C., N. $44^{\circ} 57' E$




See Enlarged Diag


Latitude $43^{\circ} 17.8' N.$
Longitude $112^{\circ} 12.4' W.$



MICROFILMED

SEP 18 1998






T-S

R36E

POINT OF DIVERSION
AND
PLACE OF USE

27-07546

MICROFILMED
SEP 18 1998



T245
59

47.4

NHEL

26 25

41.4

NHEL

6.4

2

15.7

NHEL

R36E TIS

26

R36E

TIS

T61
3837

POINT OF DIVERSION

28.4

HEL

PLACE OF USE

26 25

35 36

27-07546

MICROFILMED
SEP 18 1998

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 27-07546

Priority: August 15, 1991

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

12.0 AF

This is to certify, that GREG K NICKERSON

PO BOX 276

INKOM ID 83245

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 15, 1991; and has submitted Proof of Beneficial Use on January 21, 1992. An examination indicates that the works have a diversion capacity of 0.140 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.06 CFS	12.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 5(SWSE), Sec. 26, Township 01S, Range 36E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	36E	26	Lot 5(SWSE)	3		3

Total number of acres irrigated: 3

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

MICROFILMED

SEP 18 1998

State of Idaho
Department of Water Resources

Water Right License


WATER RIGHT NO. 27-07546

CONDITIONS OF APPROVAL AND REMARKS

7. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.

Witness the seal and signature of the Director, affixed at Boise, this 14th day of September, 1998.


KARL J. DREHER, Director

MICROFILMED

SEP 18 1998

State of Idaho
Department of Water Resources

RECEIVED

SEP 08 1998

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 27-07546

Department of Water Resources

Date of Priority: August 15, 1991

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

12.0 AF

Comes now

^K
GREG K NICKERSON

PO BOX 276

INKOM ID 83245

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 27-07546, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.06 CFS	12.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 5 (SWSE), Sec. 26, Township 01S, Range 36E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	36E	26	Lot 5(SWSE)	3		3

Total number of acres irrigated: 3

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Idaho Falls, this 3 day of Sept, 1998.

MICROFILMED

SEP 18 1998


(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 27-07546

FOR DEPARTMENT USE ONLY

Preliminary check by SC Fee = \$50.00 Received by SC # E024416 Date 9/3/98


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 27-07546 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

Witness my hand this 14TH day of September, 1998.


KARL J. DREHER, Director

MICROFILMED

SEP 8 1998

RECEIVED
JAN 21 1992

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources **PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 27-07546 Telephone No. 346-6538
2. Name(s) of Permit Holder(s): Greg K Nickerson
3. Post Office Address: 478 E 700N Firth, Idaho 83236
4. Source of Water: Ground water
- a. If ground water, well driller's name: Lamar Barrio Date drilled: 10-1989
- b. Pump horsepower: 3 Pressure (psi): 150 Dynamic pumping level (ft.): 14ft
5. Extent of Use:
- | | |
|---|------------------------------------|
| Domestic <u>NA</u> (No. of households) | Irrigation <u>3</u> (No. of acres) |
| Stockwater <u>—</u> (No. and type of stock) | Other <u>—</u> |

6. Total rate and/or volume for which proof is submitted .06 cfs 0.00 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐
OR
Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Greg Nickerson 346-6538
Name Telephone No.
478 E 700N Firth, Idaho 83236
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

11-4-91 Greg Nickerson
Date Signature (and title if on behalf of a company or organization)

JAN 27 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 27-07546

Proposed Priority: August 15, 1991 Maximum Diversion Rate: 0.06 CFS
This is to certify, that GREG K NICHERRSON

478 E 700 N
FIRTH ID 83236

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.06 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		SESW Sec. 26, Township 01S, Range 36E BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	36E	26	SESW	3		3

Total number of acres irrigated: 3


CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 2, 1992.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or cutomary preference.
5. The Director retains jurisdiction of the right and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

30th day of October, 1991.

NOV 14 1991

for 
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Greg A. Nickerson Phone 346-6538
Post office address 478E 700N Fork Idaho 83236

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is _____ $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 26 Township 1S Range 36E B.M. Bingham County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .06 for Irrigation purposes from 1 April to 1 Nov (both dates inclusive)
(cfs or ~~acre-feet~~ per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .06 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump and sprinkler system

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

Existing
c. ~~Proposed~~ well diameter is 8" inches; Existing ~~proposed~~ depth of well is 150' feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

NOV 14 1981

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1S	36E	26											3						3

Total number of acres to be irrigated 3


10. Describe any other water rights used for the same purposes as described above. None

- Who owns the property at the point of diversion? applicant
- Who owns the land to be irrigated or place of use? applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

NOV 14 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Doug Nicholson
(Applicant)

NOV 14 1991

Received by RB Date 8-15-91 Time 2:10 Preliminary check by _____
Fee \$ 30⁰⁰ Receipted by HWS # E016447 Date 8-16-91
Publication prepared by RB Date 9-5-91 Published in Morning News
Publication approved RB Date 10-21-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

NOV 14 1991

RECEIVED
OCT - 7 1991

Department of Water Resources
Eastern District Office

DEPARTMENT OF WATER RESOURCES
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

27-07546

NICKERSON, Greg K.
478 E. 700 N.
Firth, Idaho 83236
Source: GROUNDWATER
Diversion Pt.: SESW, Sec. 26, T. 01S, R.
36E.
Use: IRRIGATION (.060 CFS).
Total Diversion: (.060 CFS).
Date Filed: 8/15/1991.
In: T01S, R36E, S26, SESW.
3.0 ACRES TOTAL.

27-07547

BARTAUSKY, Tom
BLEAZARD, Elcy
8 W. 100 N.
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: NWNE, Sec. 16, T. 02S, R.
36E.
Use: IRRIGATION (1.540 CFS).
Total Diversion: (1.540 CFS).
Date Filed: 8/22/1991.
In: T02S, R36E, S16, NWNE, SWNE.
77.0 ACRES TOTAL.

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402, on or before SEPTEMBER 23, 1991.

R. KEITH HIGGINSON
Director

(1264)
Pub.: 9/5, 12

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho)

I, Jacqueline Graham do
solemnly

swear that I am the Legal Coordinator of The Morning News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 154 of the Session Laws of Idaho of 1911, approved March 11, 1911, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was published in said issue or said

newspaper Two consecutive Weeks.

the first publication having been made on the 5th day of September, 1991; and the last publication having been made on the 12th day of September, 1991; that said notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

On this 30th day of September, in the year 1991, before me a Notary Public of said State, personally appeared

Jacqueline Graham
known or identified to me to be the person whose name is subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Roy Dayton
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10, 1994

Affidavit Processing Fee..... \$5.00



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 15, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

GREG K NICKERSON
PO BOX 276
INKOM ID 83245

RE: WATER RIGHT NO. 27-07546

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

SEP 18 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.


MICROFILMED

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name and title.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


SEP 18 1998

CERTIFICATE OF MAILING

I hereby certify that on the **15th** day of **September, 1998**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 27-07546

GREG K NICKERSON
PO BOX 276
INKOM ID 83245


Kari Lynn Townsend
Secretary

MICROFILMED

SEP 18 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 28, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

GREG K NICHERSON
PO BOX 276
INKOM ID 83245

RE: WATER RIGHT NO. 27-07546

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has been actually developed. I have not yet received the amendment. If I do not receive it within 14 days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin.

Enclosed for your convenience is another amendment form. Please note that the filing fee for this amendment is \$50.00. If you have any questions, please call me at (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

SEP 18 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 10, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

GREG K NICHESON
PO BOX 276
INKOM ID 83245

RE: WATER RIGHT NO. 27-07546

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that the point(s) of diversion and place(s) of use developed are in locations other than what was described on your permit. Therefore, before a license can be issued, your permit must be amended to depict your water right as it was actually developed.

The enclosed Application for Amendment form depicts the point(s) of diversion and place(s) of use and other information as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days. If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208)327-7946. Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

Our examiner found a total of 7 acres being irrigated from your water delivery system. We have no other filings shown in our water right database to indicate you have another water right which allows you to irrigate the remaining acres not covered by Right 27-07546. The department cannot issue a license for development that has occurred above and beyond what was originally applied for and permitted; in this case, the limitation is 3 acres. If water continues to be used on the additional 4 acres without a valid water right, the department could file an action seeking injunctive relief directing you to cease and desist the diversion of water to those additional acres. You should contact our Eastern Regional office in Idaho Falls to discuss options available to you to cover your entire water usage.


Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:kl
Enclosure


MICROFILMED

SEP 18 1998




Resurveyed by W.H. Good in 1958

W.C., N. 44° 57'




See Enlarged Diagram

Latitude 43° 17.8' N.
Longitude 112° 12.4' W.



MICROFILMED

SEP 12 1998



MEMORANDUM

TO: File 27-07546

FROM: Sharla

DATE: July 31, 1998

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit No. 27-07546 are as follows:

H. RECOMMENDATIONS

Irrigation	4/1 - 10/31	0.06 cfs	12.0 afa
------------	-------------	----------	----------

The standard irrigation season for this area is 4/1 - 10/31.

Exam Date: July 10, 1998
Examiner: Keith Wilson

MICROFILMED

SEP 18 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 27 1998
Department of Water Resources

A. GENERAL INFORMATION

1. Owner: GREG K. NICHOLSON Permit No. 27-07546
Current Address: P.O. Box 276, INKOM, Id. 83245 (208) Phone No. 775-3202/785-7000(W)
Mobile 680-7000
2. Accompanied by: CINDY PATTERSON EXAM. DATE: 7-10-1998
Address: 478E 700N, FIRTH, ID. 83236 Phone No. 346-6538
Relationship to Permit Holder: EX-WIFE (LIVES ON PLACE OF USE)
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

SEE PHOTOS

Pasture
$$429 \times 596 = \frac{255684 \text{ ft}^2}{43560} = 5.869 \text{ ac} \approx 5.9 \text{ ac}$$

AROUND HOME 2 1/2 ac +/-

MICROFILMED
SEP 1 1998

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

*Well pump manline to 2" pipe DOMESTIC HOME (w/Pressure 30 psi),
and to hand line with 14 1/2" nozzle sprinkler*

System irrigates 5.9 ac pasture & 1.0 acre of lawn.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	MEYERS	3	CAT # 2823028723	-	-

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:** aka 478E 700N

Gov Lots

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	5		SW	SE	26	1S	36E	BINGHAM	ON SITE, Rural County address

6. **Place(s) of Use:** aka 478E 700N

Gov Lots

Indicate Method of Determination *ON SITE MEASURED*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1S	36E	26															7		7
																	L-5 L-14		

MICROFILMED

Do not use this space

SEP 18 1998

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE Gage	Liquid	ASHPORT	1008	—	0-60	

2. Measurements:

14-5/32" Nozzles Pressure @ ends 40 psi

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

Q LIMITED TO PERMITTED AMOUNT
Q = 0.06 cfs

1. Measured Method: (14) 5/32" NOZZLES @ 40 psi - 4.61 gpm/nozzle

$$4.61 \text{ gpm} \times 14 = 64.54 \text{ gpm} / 448.8 = 0.14 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$Q_{THEORETICAL} = \frac{hp (8.84) \text{ eff}}{\text{Lift} + (PSI \times 2.308)} = \frac{3(8.84)(.7)}{15 + (40 \times 2.308)} = 0.17 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3ac \times 4 = 12 afa$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.06(214)1.9835 = 25.5 afa$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 12 afa$$

2. Volume Calculations for Other Uses:

MICROFILMED

SEP 18 1998

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Property is to be sold. Couple has divorced.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/1	0.06 cfs	12.0
Totals:			0.06 cfs	12.0

2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION


Field Examiner's Name KEITH C. WILSON
Signature Keith C Wilson
Certification Date _____
Field Report Preparation Date _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

APR 18 1998



R36E


T-S

POINT OF DIVERSION
AND
PLACE OF USE

27-07546

MICROFILMED

SEP 18 1998



26

47.4

26 25

24.5
5.9

NHEL

1
41.4

NHEL

2
6.4

NHEL

26

R36E

T
1
S

R36E

T
1
S

POINT OF DIVERSION

28.4

NHEL

PLACE OF USE

26 25

35 36

27-07546

MICROFILMED
SEP 18 1998

Riser

POINT OF DIVERSION

27-07546

MICROFILMED

SEP 18 1988

January 24, 1992

GREG K NICHERRSON
478 E 700 N
FIRTH ID 83236

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 27-07546

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

FEB 07 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 23, 1992

Greg K. Nicherson
478 East 700 North
Firth, ID 83236

Re: Permit No. 27-07546

Dear Permit Holder:

During my review of your proof of beneficial use that you submitted in connection with the above mentioned permit, several discrepancies were found. It was necessary for me to make amendments to the proof of beneficial use in order to continue the licensing process.

First of all, your permit to appropriate water was issued for irrigation of three acres only. It does not include the domestic use you indicated. Your permit was also issued for .06 cfs. Although, you can use less than this amount, you cannot use more than .06 cfs. I have amended the proof of beneficial use to meet both of these requirements.

Since I was able to make these adjustments, we have accepted the proof and your acknowledgement letter is also attached.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enc.

FEB 07 1992

Proof Made *12/1/42*


Form 235-1
3/89

Drilling Permit No. 27-89-E-024
Water Permit No. _____
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

Department of Water Resources



1. Applicant Greg & Cindy Nickerson
2. Address 705 N. 4th E
Firth Ida 83236 Telephone 346-6538
☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location SE 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 26, Twp. 13, Rge. 36E, County Bingham,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
☒ Domestic ☐ Stockwater ☐ Monitoring
No. of households _____ No. of livestock _____
☐ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____
5. Well construction information:
☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter _____ Maximum depth 60 ft
Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
6. Anticipated construction start date 8-16
7. Well Driller (if known) Lamar Barrus
Address _____
8. Applicant's signature Cindy Nickerson
Title _____
Date 8-15-89

ACTIC F DEPARTMENT OF WATER RESOURCE

This Permit is approved.

If approved, this permit authorizes the construction of a well subject to the following conditions:

GENERAL CONDITIONS

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS

Dated this 15th day of August, 1988
 Signed Ronald Carlson
 Title Eastern Regional Manager


Received by RB Fee \$10.00 Date 8-15-89

Receipt No. E009856 Construction start extension to FEB 07 1992

Extension approved by _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN



requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

AUG 24 1989

1. WELL OWNER Department of Water Resources Address <u>FIRTH - 760</u> Owner's Permit No. <u>27-89-B-014</u>	7. WATER LEVEL Static water level <u>7</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ of _____ Quality _____ Date: _____ season or temperature times below																																
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Notes Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Notes Pumped																													
Discharge G.P.M.	Pumping Level	Notes Pumped																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yield</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>8</td> <td>0</td> <td>5</td> <td>top soil</td> <td>12</td> </tr> <tr> <td>8</td> <td>5</td> <td>10</td> <td>washed gravel</td> <td>24</td> </tr> <tr> <td>8</td> <td>10</td> <td>21</td> <td>SPRINGS GRAY GRVIL</td> <td>24</td> </tr> <tr> <td>8</td> <td>21</td> <td>50</td> <td>GRVIL</td> <td>24</td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water Yield	From	To	8	0	5	top soil	12	8	5	10	washed gravel	24	8	10	21	SPRINGS GRAY GRVIL	24	8	21	50	GRVIL	24					
Bore Diam.	Depth		Material	Water Yield																													
	From	To																															
8	0	5	top soil	12																													
8	5	10	washed gravel	24																													
8	10	21	SPRINGS GRAY GRVIL	24																													
8	21	50	GRVIL	24																													
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other																																	
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>1/2 inch</td> <td>8</td> <td>0</td> <td>60</td> </tr> <tr> <td>1/2 inch</td> <td>8</td> <td> </td> <td> </td> </tr> <tr> <td>1/2 inch</td> <td>8</td> <td> </td> <td> </td> </tr> <tr> <td>1/2 inch</td> <td>8</td> <td> </td> <td> </td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>perforations</td> <td> </td> <td> </td> </tr> <tr> <td>perforations</td> <td> </td> <td> </td> </tr> <tr> <td>perforations</td> <td> </td> <td> </td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth ☐ _____ Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Fuddling clay ☐ _____ Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	1/2 inch	8	0	60	1/2 inch	8			1/2 inch	8			1/2 inch	8			Number	From	To	perforations			perforations			perforations			OCT 5 1989 Department of Water Resources Eastern District Office
Thickness	Diameter	From	To																														
1/2 inch	8	0	60																														
1/2 inch	8																																
1/2 inch	8																																
1/2 inch	8																																
Number	From	To																															
perforations																																	
perforations																																	
perforations																																	
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ Block No. _____ County <u>DINGHAM</u> State <u>IDAHO</u>	10. Work started _____ finished <u>9-3-89</u> 11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>BARRETT</u> Firm No. <u>23</u> Address <u>Basalt</u> Date <u>10-3-89</u> Signed by (Firm Official) <u>Don A. Barrett</u> and (Operator) <u>Self Barrett</u>																																

FEB 07 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 1, 1991

GREG K NICHESON
478 E 700 N
FIRTH ID 83236

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 27-07546

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

7/11/91
407-56

Dist. for staffing: 16-Aug-1991
Submitted for advertising:

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATIONS FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY H. C. JONES
APPLICANT NAME: GREG K. NICKERSON

DATE 8-19-91

APPLICATION NO. 27-7546

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes _____ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
Overlapping point of diversion
Yes _____ No _____ Field check required
Yes _____ No _____ Field check by _____
Yes _____ No _____ Field report attached
Yes _____ No _____ Critical groundwater area
Yes _____ No _____ Groundwater management area
Yes _____ No _____ Send dam safety information
Yes _____ No _____ Send power requirement letter
Yes _____ No _____ Send fish farm requirement letter
Yes _____ No _____ Power residency affidavit
Yes _____ No _____ Power efficiency form
Yes _____ No _____ Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
Yes _____ No _____ Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)

See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT _____

Date Requested _____

RECEIVED
OCT 24 1991

Department of Water Resources

<u>SEND COPIES TO</u>	_____ Idaho Dept. of Health & Welfare	_____ U.S. BLM
	_____ Idaho Dept. of Fish & Game	_____ U.S. Forest Service
	_____ Idaho Dept. of Lands	_____ Water District
	_____ Adjudication Bureau Unit	_____ Other

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes	☐ No	Publication dates & paper, recorded on application
☐ Yes	☒ No	Protests received
		Final date for protest <u>9-23-91</u>
☐ Yes	☐ No	Protests, dates, resolution of protest, recorded on application
☐ Yes	☐ No	Recommendations, attached
☐ Yes	☐ No	Measuring device required
☐ Yes	☐ No	Access port required
☐ Yes	☐ No	Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes	☐ No	Special conditions of approval or cover letter below.

See below for additional information

Date of priority recommended 8-15-91
By HWS Date 10-22-91

See below for additional information

By _____ Date _____

ADDITIONAL INFORMATION

LOCAL PUBLIC INTEREST

Comments received from

_____ City	_____ Idaho Fish & Game	_____ Irrigation District
_____ County	_____ Idaho Health & Welfare	_____ Canal Company
_____ Reservations	_____ Division of Environment	_____ Other _____

Project impacts/implications report

COMMENTS

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

AUGUST 28, 1991

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 23, 1991.

Yours truly,

Rita Bodell
Secretary

Encl.

NOV 14 1991

27-07546

NICKERSON, GREG K.
478 E. 700 N.
FIRTH, ID 83236

Source: GROUNDWATER

Diversion Pt: SESW Sec 26 T 01S R 36E

```

Use: IRRIGATION          ( .060 CFS)
      Total Diversion: ( .060 CFS)

```

Date Filed: 8/15/ 1991

In: T01S R36E S26 SESW

3.0 ACRES TOTAL

11-10-68

NOV 14 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 - (208) 525-7161

EASTERN REGION

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

29-Aug-1991

GREG K NICKERSON
478 E 700 N
FIRTH ID 83236

RE: Application No. 27-07546

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in Morning News on September 5 & 12, 1991. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb



NOV 14 1991