





3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Caterpillar		SPEZ# 35396	Peerless	93002

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic		Peck	TF-P			


2. Measurements: 10" od. mainline 0.103" thick

$$Q = 766.4 \text{ gpm} = 1.71 \text{ cfs}$$

REVISIONS TO DATA SHEET

MICROFILMED: 2 - 1993

AUG 12 1997 RELEASED



R34E

T3S

Prospects

POINT OF DIVERSION

Well
4464

RIVERTON

PLACE OF USE

27-07524

MICROFILMED
AUG 12 1997

LATERAL

LITTLEJOHN

LAT 24

YELLOWJOHN

ROAD

T1776
3746

T2441
3240

T25488
3494

3 HEL

14 1375.0

PLACE OF USE

POINT OF DIVERSION

23 24

T24444
1800

breaks
weight

T24931
2402

LOT-3

LOT-2

14.5

LOT-4

68.4

39.5

T2431
3126

NHEL

16.8

NHE
2
3.7

T
3
S

R34E

AW

MICROFILMED

HEL AUG 12 1997
12
78.3

T1100

HEL
2

38.7

27-07524

24

25



Well

POINT OF
DIVERSION



27-07524

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 27-07524

Priority: February 25, 1991 Maximum Diversion Rate: 1.71 CFS

This is to certify, that GARY WRIGHT
673 W 300 S

BLACKFOOT ID 83221 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 20, 1991; and has submitted Proof of Beneficial Use on June 6, 1994. An examination indicates that the works have a diversion capacity of 1.710 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	1.71 CFS	

LOCATION OF POINT(S) OF DIVERSION: NENW , Sec. 24, Township 03S, Range 34E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S	34E	24	NWNE 19	Lot 2(SWNE) 21	NENW 34	
			NWNW 18	Lot 4(SWNW) 18	Lot 3(SENW) 36	146
				Total number of acres irrigated:		146

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. This right when combined with all other rights shall provide no more than 4.0 afa per acre for the lands above.
7. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.

MICROFILMED

AUG 12 1997

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 27-07524

CONDITIONS OF APPROVAL AND REMARKS

8. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use.
9. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 584.0 af for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 30th day of JUNE, 1997.


Acting for KARL J. DREHER, Director



MICROFILMED

AUG 12 1997

21 1994

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
JUN 8 6 1994

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 27-07524 Telephone No. (208) 785-3434

2. Name(s) of Permit Holder(s): Gary Wright

3. Post Office Address: 673 West 300 South Blackfoot Id. 83221

4. Source of Water: underground water

a. If ground water, well driller's name: Frandsen Bro. Date drilled: 1972

b. Pump horsepower: 120 horse Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 150 (No. of acres)

(OVER)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted _____ cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐

OR

Flow Measurement Port: Required? ☒ Yes ☐ No ☐ Installed? Yes ☐ No ☐

8. Fee Enclosed: \$ 125.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Gary Wright (208) 785-3434
Name Telephone No.

673 W. 300 S. Blackfoot Id 83221
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

June 6, 94 Gary Wright Owner
Date Signature (and title if on behalf of a company or organization)

JUL 21 1994

Everything is complete except hooking motor to pump and plumbing pump to mainline.

We were advised by water resources to continue pumping out of irrigation ditch unless shortage of water occurs.

Please advise how to proceed.

MISSOURI

JUL 21 1994

State of Idaho
Department of Water Resources

NO. 27-07524

Proposed Priority: February 20, 1991 Maximum Diversion Rate: 3.08 CFS
This is to certify, that **GARY WRIGHT**
 673 W. 300 S.
 BLACKFOOT, ID 83221
has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	3.08 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		NENW Sec. 24, Township 03S, Range 34E BINGHAM County

<u>PLACE OF USE:</u>			<u>IRRIGATION</u>							
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>		<u>TOTAL</u>
03S	34E	24	NWNE	20	SWNE	20	NENW	40		
			NWNW	14	SWNW	20	SENW	40		154
Total number of acres irrigated:										154

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1994.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
7. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

REFILED

JUL 01 1991

State of Idaho
Department of Water Resources


Permit To Appropriate Water

NO. 27-07524

CONDITIONS/REMARKS:

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

12th day of June, 1991.

for 
R. Keith Higginson, Director

MICROFILMED

JUL 01 1991

Ident. No. 27-07524

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: GARY WRIGHT
Address: 673 W. 300 S.
BLACKFOOT, ID 83221

208-785-3434

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion: NENW Sec. 24, Township 03S, Range 34E
BINGHAM County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/01	11/01	3.080		

5. Total quantity to be appropriated is:
3.080 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.
WELL AND PUMP TO SPRINKLERS

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 16 inches; proposed depth of well is 180
feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 5 years.

8. Description of proposed uses:
IRRIGATION- WELL WAS DRILLED 20 YEARS AGO

9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
03S	34E	24	NWNE 20	SWNE 20	NENW 40	
			NWNW 14	SWNW 20	SENW 40	154

Total number of acres irrigated: 154

10. Describe any other water rights used for the same purposes.
FOX-WHITTEN WATER FROM BLACKFOOT RIVER

JUL 01 1991

11. a. Who owns the property at the point of diversion?
APPLIC.
b. Who owns the land to be irrigated or place of use?
APPLIC.
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? AK

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mary A. Wright
Applicant

Received by HWT Date 2-20-91 Time 11:51 Preliminary check by _____

Fee \$ 105- Receipted by HWT # E01577 Date 2-20-91

Publication prepared by RB Date 4-4-91 Published in Morning News


Publication approved RB Date 5-20-91

MICROFILMED

JUL 01 1991

3570 IV SW
183 (BALDY KNOLL)

R 34 E 25 N 18 W 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1



12'30"

DEPT. OF WATER RESOURCES
150 Shoup Ave., Suite 15,
Idaho Falls, Idaho 83402
(208) 525-7161

25-07586

HUNTER, Benjamin W.
720 Wilson Avenue
Blackfoot, Idaho 83221
Source: SPRING
Tributary: SEVENTY CREEK
Diversion Pt. NWSWSW, Sec. 32, T. 02S,
R. 40E

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 2/26/1991
In: T02S, R40E, S31, SESE

27-07524

WRIGHT, Gary
673 W. 300 S.
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt. NENW, Sec. 24, T. 03S, R.
34E

Use: IRRIGATION (3,080 CFS)
Total Diversion: (3,080 CFS)
Date Filed: 2/20/1991
In: T03S, R34E, S24, NWNE
NENW, NWNW, SWNW, SENW
154.0 ACRES TOTAL

27-07525

ATKINS, Viola
BARTAUSKY, Tom
Camel Back Road
Mesa, Az. 85201
Source: GROUNDWATER
Diversion Pt. SWNE, Sec. 17, T. 02S, R.
36E

Use: IRRIGATION (.800 CFS)
Total Diversion: (.800 CFS)
Date Filed: 2/28/1991
In: T02S, R36E, S17, SWNE
49.0 ACRES TOTAL

Use: IRRIGATION (3,000 CFS)

Total Diversion: (3,000 CFS)
Date Filed: 2/27/1991
In: T02S, R36E, S29, NESW, NWSW
SWSW, SESW
155.0 ACRES TOTAL

Pub. 4/4, 11

R. KEITH HIGGINS
Director

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402, on or before APRIL 22, 1991.

MICROFILMED

JUL 01 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 1, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

GARY WRIGHT
673 W 300 S
BLACKFOOT ID 83221

RE: WATER RIGHT NO. 27-07524

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

AUG 12 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

AUG 12 1997

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


AUG 12 1997

CERTIFICATE OF MAILING

I hereby certify that on the 1st day of July, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 27-07524

GARY WRIGHT
673 W 300 S
BLACKFOOT ID 83221


Kari Lynn Townsend
Secretary

MICROFILMED

AUG 12 1997

MEMORANDUM

TO: File 27-07524

FROM: Sharla Curtis

DATE: June 30, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 27-07524 are based on the following:

H. RECOMMENDATIONS

Irrigation	4/1 - 10/31	1.71 cfs	584.0 afa
------------	-------------	----------	-----------

Although the field report was not fully completed by the examiner, there is enough information in the report to issue a license.

The standard irrigation season for this area is 4/1 - 10/31.

Examiner: Keith Wilson
Exam Date: October 30, 1995

MICROFILMED
AUG 12 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 27-07524

DATE 6/30/97

REVIEWER: SHARLA

NAME Change OK Address Change NO
 SOURCE Change ✓ Is change/clarification of originally intended source? NO
 POINT OF DIV Change ✓ If not, prepare Notice of Intent to Void NO
 PLACE OF USE Change ✓ Amendment required NO

Does map agree with written description? ✓ yes NO no

OVERLAPS NO P/D NO P/U

RATE OF DIV

Permitted Rate 3.08 cfs
 Fee limit 2.0 cfs \$12500
 Measured 1.71 cfs
 Theoretical 2.56 cfs

~~10 34 20~~
~~17 36 20~~
 146 OK

Recommended Total Div Rate 1.71 cfs

ANNUAL VOLUME/
 NATURE OF USES NO

Use NO

Volume Calculation

146 X 4.0 = af
584 af
 SUBTOTAL 584 af

4/1 - 10/31 season

Flow rate 1.71 cfs X 214 days X 1.9835 = 724.6 af

Total volume recommended 584.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

WB7

CONDITIONS NO Watermaster Control WD# NO

NO GW Measurement/Measuring Device

NO Overlap

NO Use-specific conditions

Advancement of Priority Date Required NO yes NO no

SRBA Claim Filed N/A

Adjustment Memo blank


1st Amend Letter N/A

2nd Amend Letter N/A

065,079,048,049

AUG 12 1997

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of _____
 _____ point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached of _____
 _____ (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Caterpillar		35396	Peerless	93002

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic	Peak	TF-P				

2. Measurements: 10" od. mainline 0.103" thick

$$Q = 766.4 \text{ gpm} = 1.71 \text{ cfs}$$

MICHOPIUMED: 2

AUG 12 1997 02:14:33

E. NARRATIVE/REMARKS/COMMENTS

Diesel Motor with PTO Drive to Amarillo Right Angle Drive (SN 38L 2644)
on a pump to mainlines to 6-1/4 mile (31 sprinkler/line) wheel line and
two (2) 1/4 mile hand lines with 31 sprinklers/line. all sprinkles are 5/32"
nozzles

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
AUG 12 1997

Measured Method:

Additional Computation Sheets Attached

$$Q = 766.49 \text{ pu} = 1.71 \text{ pf}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

IRRICATON

Period of Use
From _____ **To** _____

Rate of Diversion
Q (cts)

Annual Volume
V (a1a)**Totals:**

2. Recommended Amendments

Change P.D. as reflected above

Change P.U. as reflected above

_____ Add P.D. as reflected above	_____ Add P.U. as reflected above
_____ None	_____ Other

I. AUTHENTICATION

Field Examiner's Name _____

Date _____

Reviewer

Date 10/30/95

KENT C. WILSON

MICROFILMED

7561 2 1 906

SEAL

10-30 15:0000 *R
+744.701E 0GPM

10-30 15:0000 *R
+745.493E 0GPM

10-30 15:0100 *R
+002.80 % AI2

0374.1 MMSEC
102.22 % T0

10-30 15:0400 *R
+743.116E 0GPM

10-30 15:0500 *R
+750.248E 0GPM

10-30 15:0500 *R
+002.80 % AI2

0372.2 MMSEC
100.58 % T0

10-30 15:0500 *R
+754.739E 0GPM

PRINTER USE
? YES

MODE SELECT
INPUT

OUTER DIAMETER
10.0000 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1031 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1460 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
7.377 IN U

10-30 15:0700 *R
+759.494E 0GPM

ZERO MODE
CLEAR

10-30 15:0700 *R
+746.286E 0GPM

ZERO MODE
AUT ZERO

10-30 15:0800 *R
+752.362E 0GPM

ZERO MODE
ZERO OPR

10-30 15:0800 *R
+002.80 % AI2

10-30 15:0800 *R
+754.739E 0GPM

MODE SELECT
T0 CHECK

0372.2 MMSEC
100.58 % T0

10-30 15:0900 *R
+755.532E 0GPM

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

10-30 15:0900 *R
+761.608E 0GPM

10-30 15:0900 *R
+761.608E 0GPM

10-30 15:1100 *R
+753.947E 0GPM

10-30 15:1200 *R
+002.90 % AI2

10-30 15:1200 *R
+753.154E 0GPM

0371.7 MMSEC
099.89 % T0

10-30 15:1200 *R
+755.532E 0GPM

10-30 15:1300 *R
+760.287E 0GPM

10-30 15:1300 *R
+761.608E 0GPM

10-30 15:1400 *R
+760.287E 0GPM

10-30 15:1400 *R
+766.363E 0GPM

MICROFILMED


AUG 12 1997

27-07524

FLOW MEASUREMENT TAPE

27-07524

4527



R34E

POINT OF DIVERSION

T3S

PLACE OF USE

27-07524

MICROFILMED
AUG 12 1997

LATERAL

LITTLEJOHN

LAT 24

YELLOWJOHN

ROAD

T1776
3716

T2444
3244

T25488
3494

3 HEL

1375.0

PLACE OF USE

POINT OF DIVERSION

85.0

14

23

24

T1776

T2444
1800

1800
19.9

18

34

T24931
2402

LOT-3

LOT-2

14.5

LOT-4

68.4

30

21

39.5

BLACK

T2431
3126

1 HEL

16.8

1 HEL

2

3.7

T3
S

R34E

AW MICROFILMED
HEL AUG 12 1997
12
78.3

T1100

HEL
2

38.7

27-07524

25

25



Well

POINT OF
DIVERSION



27-07524
MICROFILMED
AUG 12 1997

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 27-07524

Reviewed by Jf

Date 6-22-94

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?

Jrr.

yes Address same as permit?

no Proof timely received?

Correct Uses? _____

If not, complete calculation below.

SOURCE OF WATER

_____ Surface water source

✓ Ground water source

no Drilling permit required?

_____ Copy in the file? Drilling Permit No. _____

_____ Amount paid for permit _____ Correct?

_____ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?

yes Required?

125.00 Amount Submitted

? Installed?

yes Correct?

no Waiver requested?

PRIORITY CALCULATION

Date proof received 6-6-94 _____

Date proof due 6-1-94 - _____

No. of days late 5 = _____

Priority Date 2-20-91 + _____

New Priority Date 2-25-91 _____

DEFICIENCIES OR ACTION ITEMS

Advise of flow port requirement
Proof acceptable
Reinstat & advance priority to feb. 25, 1991

DATA ENTRY

New Address _____

Proof Made 6-6-94

June 24, 1994

GARY WRIGHT
673 W 300 S
BLACKFOOT ID 83221

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 27-07524

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order reinstating your permit since the Proof of Beneficial Use form was submitted after the proof due date. Please note that the priority date has been advanced to February 25, 1991.

Please be advised that one of the conditions of your water right permit requires that the permit holder install a flow measurement port. This condition must be complied with before the license exam, or you can request, in writing, a waiver of the condition.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls, at (208)525-7161.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR - Region

RECEIVED
JUL 21 1994



P.O. Box 627
BLACKFOOT, ID 83221-0627

PHONE (208) 785-1717
FAX (208) 785-5029

CUSTOMER

Gary Wright

DATE *10-12*, 19*92*

ADDRESS

PHONE

QUANTITY	ITEM		
1	Peerless discharge head - 8"x8"x16 1/2" 1 3/16" x 2" - Oulow & Head shaft	1506. ⁰⁰	1506. ⁰⁰
60'	Column Tube & Shaft 8"x2"x1 3/16" 8"x20' joints	507.48	1522.44
1	2' x 8 Nipple		68.82
1	Peerless Bowl Assy. 12" MB #331 1 full - 3 #2 Trim 4 sty		3042. ⁰⁰
1	Suction Screen		120. ⁰⁰
1	Drive Shaft #48 Watson Spicer		350. ⁰⁰
1	Install Deep Well Pump -		350. ⁰⁰
			6959.26
1	Discharge To M/E 25' - 8" BARE Steel		125. ⁰⁰
	1 - 8" Check Valve Fx F - Chemstation		351. ⁰⁰
	1 - 8" Flg. Bolts Gaskets		28. ⁰⁰
	1 - 8" x 10" Cone		13. ⁰⁰
	1 - 10" Flg. Bolts Basket		35. ⁰⁰
	1 - Welding		165. ⁰⁰
			717. ⁰⁰
			7676. ⁰⁰

TERMS: - CASH DOWN \$_____ BALANCE \$_____ PAYMENT REQUIRED UPON DELIVERY OF INDIVIDUAL ITEMS. A 10% HOLD-BACK ALLOWED ON JOBS REQUIRING INSTALLATION. PAYMENT IN FULL REQUIRED ON COMPLETION OF INSTALLATION.

If seller is to install the equipment and rock or other circumstances are encountered which increase costs, these additional costs will be added to the balance due and be paid by purchaser. All merchandise sold hereunder is subject to Seller's continuing ability to procure same from Seller's regular sources of supply and at Seller's present costs. In event of increases in Seller's cost of any item, the price of that item as herein quoted shall be correspondingly increased.

I certify the property purchased pursuant hereto will be used directly for mining, manufacturing, processing or farming purposes.

I have read this document in its entirety; have received a true, signed copy of it; and I confirm that this is a firm offer on my part to purchase the items set forth hereon. If this offer is accepted by Seller by affixing its signature hereon, by delivery of all or any part of the items, or otherwise, I agree that I am bound by and understand all of the above terms and the SPECIAL TERMS AND CONDITIONS contained on the reverse side hereof.

APPROVED

AGRICULTURAL SERVICES, INC.

Purchaser

By

Purchaser

JUL 21 1994

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

RECEIVED
JAN 10 1963

June 7, 1994

GARY WRIGHT
673 W. 300 S.
BLACKFOOT ID 83221

LAPSE NOTICE

RE: PERMIT NO. 27-07524

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated March 31, 1994. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 6-7-94
a copy/an original of this document was
deposited in the United States m.
postage prepaid addressed to the
individual(s) named above.

RECEIVED

JUL 21 1994

March 31, 1994

GARY WRIGHT
673 W. 300 S.
BLACKFOOT ID 83221

PROOF DUE NOTICE

RE: PERMIT NO. 27-07524

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MAILED

JUL 21 1994





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 19, 1991

GARY WRIGHT
673 W. 300 S.
BLACKFOOT, ID 83221

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 27-07524

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water.

MICROFILMED

JUL 01 1991

Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MAILED

JUL 01 1991

APPLICATION FOR PERMIT REVIEW

Application #: 27-7524
Date: 6-10-91

Reviewer: Pam Skaggs *CS*

Existing:

✓No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16
Proof submitted - N/A

Groundwater:

✓GT. 0.2 cfs - 01G-P03, 01C-P03 (existing well)
LT. 0.2 cfs - N/A

Drilling Permit:

Approved w/permit - P99
Not included - 046-P23 (All GW, even existing wells)

Location:

✓Water Districts - WD No. 27
Surface water - 005, 005-01H-P01 (LT.2 w/pump)
005-01J-P08 (GT.2)

✓Groundwater *Existing* - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

✓Swan Falls Flag - 1 (1, Blank or Other)

Trust - 051-052-053-P74 (Cons.), 041 (DCMI, w/Irr

Non Trust - 048-049 or Irr & Dom)

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)

Power - Use Power Review

Mining - 06A or 010, 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

✓Beneficial Use Due Date: - 06-01-1994
Other Conditions Recommended

MICROFILMED

JUL 01 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Submitted for advertising 3-8-91
3-14-91

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY HWT DATE 3-12-91 APPLICATION NUMBER 27 7524

REQUIRED INFORMATION

- Gary Wright
- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
 - ☒ Address
 - ☒ Source (See USGS Quad for names of water sources)
 - ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
 - ☒ County
 - ☒ Quantity (flow and/or volume)
 - ☒ Period of Use
 - ☒ Nature of proposed use (Include description of use.)
 - ☒ Description of diverting works
 - ☒ Time required for beneficial use of water
 - ☒ Place of use or acres irrigated
 - ☒ Map
 - ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
 - ☒ Fee
 - ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☐ No Field check required
- ☐ Yes ☐ No Field check by _____
- ☐ Yes ☐ No Field report attached
- ☐ Yes ☐ No Critical groundwater area
- ☐ Yes ☐ No Groundwater management area
- ☐ Yes ☐ No Send dam safety information
- ☐ Yes ☐ No Send power requirement letter
- ☐ Yes ☐ No Send fish farm requirement letter
- ☐ Yes ☐ No Power residency affidavit
- ☐ Yes ☐ No Power efficiency form
- ☐ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☐ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

RECEIVED
MAY 23 1991

Department of Water Resources

PROCESSING ☒ Yes ☐ No form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 4-22-91
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☒ Yes ☐ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☒ Yes ☐ No Special conditions of approval or cover letter below. _____

See below for additional information
Date of priority recommended 2-20-91
By HWS Date 5-21-91

STATE OFFICE REVIEW

See below for additional information
By _____ Date _____

ADDITIONAL INFORMATION

Conditions, 016

LOCAL PUBLIC INTEREST

Comments received from:

<u> </u> City	<u> </u> Idaho Fish & Game	<u> </u> Irrigation District
<u> </u> County	<u> </u> Idaho Health & Welfare	<u> </u> Canal Company
<u> </u> Reservations	<u> </u> Division of Environment	<u> </u> Other <u> </u>

Project impacts/implications report

COMMENTS

Source: GROUNDWATER

```

Use: IRRIGATION          ( 3.080 CFS)
      Total Diversion: ( 3.080 CFS)

```

In: T03S R34E S24	NWNE	SWNE	NENW	NWNW
	SWNW	SENW		

154.0 ACRES TOTAL

MICROFILMED

JUL 01 1997

27-Feb-1991

GARY WRIGHT
673 W 300 S
BLACKFOOT ID 83221

RE: Application No. 27-07524

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in MORNING NEWS on April 4 & 11, 1991. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

JUL 01 1991