


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Rone Clawson

(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well	US Elect. Motors	100	9983A / X09X 125R 576R-6	Pump Tech	3-0925
Rediversion #1	US Elect. Motor	40	6229 / R11R 222R 033R-7	Layne/Bowler	417A042STD
Rediversion #2	US Elect Motor	30	R-7177-03-961	Layne/Bowler	884052B

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic Flow						

2. Measurements: No measurements were possible due to an uneven flow.
Static water level 42'.

JAN 30 1996





UNCLASSIFIED

JAN 30 1996

27-07519

Point of diversion



Rediversion Pumps #1 + #2



27-7519

JAN 30 1996

Rediversion Pump #1



Well

Rediversion



27-7519

JUN 30 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 27-07519

Priority: December 10, 1990

Maximum Diversion Rate:

1.88 CFS

This is to certify, that RONE CLAWSON

452 N 775 E

FIRTH ID 83236

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 10, 1990; and has submitted Proof of Beneficial Use on January 11, 1995. An examination indicates that the works have a diversion capacity of 5.610 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

ANNUAL VOLUME

IRRIGATION

04/01 to 10/31

1.88 CFS

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 8, Township 02S, Range 37E
BINGHAM County

PLACE OF USE: IRRIGATION

TWN RGE SEC

02S 37E 8

9

ACRES

NENE 3

SENE 15

SWNW 1

ACRES

NWNE 39

ACRES

SWNE 36

TOTAL

93

1

Total number of acres irrigated:

94

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right.

JAN 30 1996

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 27-07519


CONDITIONS OF APPROVAL AND REMARKS

7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 376.0 af for the lands above.
8. This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23rd
day of DECEMBER, 1995.

Acting for

KARL J. DREHER, Director



JAN 30 1996

RECEIVED

JAN 11 1995

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 27-07519 Telephone No. 208-785-3153

2. Name(s) of Permit Holder(s): Rone Clawson

3. Mailing Address: 452 N. 775 E. Fifth, Id. 83236

4. Source of Water: Groundwater If **GROUNDWATER** (well), Date Drilled: mo. 10 / yr. 93

a. Well Driller: Kellmer Well Drilling Drilling Permit Number: 27-92-E-059

b. **OPTIONAL:**

Pump Horsepower: 75 Pressure (psi): 80 Dynamic pumping level (ft): 50

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 102 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 2.04 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No X

Has the measuring device been installed?

Yes _____ or No X

Flow Measurement Port: Is a flow measurement port required?

Yes X or No _____

Has the measurement port been installed?

Yes X or No X

8. Fee Enclosed: \$ 150.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Rone Clawson Telephone Number: 208-785-3153

Address: 452 N. 775 E. Fifth, Id. 83236

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Rone Clawson - owner
(include your title, if on behalf of company or organization)

Date: FEB 13 1995
Nov 16, 94

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF APPROVED PERMITS)
FOR THE APPROPRIATION OF GROUND)
WATER FROM THE EASTERN SNAKE RIVER)
PLAIN AQUIFER FOR WHICH PROOF OF)
BENEFICIAL USE HAS NOT BEEN)
SUBMITTED AND IS NOT PAST DUE)

**ORDER FOR TEMPORARY
STAY OF DEVELOPMENT AND
NOTICE OF FORMAL PROCEEDINGS**

The Director of the Idaho Department of Water Resources (Director), having responsibility for the administration of the appropriation of the water of the state of Idaho, the protection of rights to the use of water within the state, the protection of the public interest in the waters of the state and the conservation of the water resources of the state enters the following Findings of Fact, Conclusions of Law and Order for temporary stay; and provides the following notice of formal proceedings:

FINDING OF FACTS

1. On May 15, 1992, the Director issued an order establishing a moratorium on the processing and approval of applications for permit to appropriate water from all surface and ground water sources upstream from the USGS Gauge on the Snake River near Weiser, Idaho. On April 30, 1993, the Director issued an Amended Moratorium Order covering the Eastern Snake River Plain Aquifer. The 1994 session of the Idaho Legislature enacted section 42-1806, Idaho Code, requiring that the moratorium relating to the the Eastern Snake River Plain area shall continue in effect until December 31, 1997.

2. The state of Idaho has experienced seven (7) recent years of drought conditions resulting in lowered ground water levels and decreased discharge from surface water sources. The Idaho Legislature has authorized a study to examine the implications of these changes and the relationships between surface and ground water resources. The study is expected to be completed in approximately two (2) years.

3. Delivery calls have been made by the holders of senior-priority surface and ground water rights against the holders of junior-priority ground water rights from the Eastern Snake Plain Aquifer which could result in the curtailment of diversion and use of water under junior-priority ground water rights including rights which might otherwise be developed under permits which are the subject of this order and notice.

RECEIVED
FEB 13 1995

CONCLUSIONS OF LAW

1. Section 42-1805, Idaho Code, provides in part as follows:

In addition to other duties prescribed by law, the director of the department of water resources shall have the following powers and duties:

...

(7) After notice, to suspend the issuance or further action on permits or applications as necessary to protect existing vested water rights or to ensure compliance with the provisions of chapter 2, title 42, Idaho Code, or to prevent violation of minimum flow provisions of the state water plan.

2. Water Appropriation Rule 55.02. of the Department of Water Resources (IDAPA 37.03.08055.02) provides as follows:

02. PERMITS

a. To the extent a permit has not been developed, the director may cancel, or modify permits for which proof of beneficial use has not been submitted in a designated geographical area as an extension of Rule 55.01.

b. Notice of the director's action to cancel or modify permits shall be by:

i. Summary Order served by certified mail upon the affected permit holders in the designated area.

ii. Publication of the order for three (3) consecutive weeks in a newspaper or newspapers of general circulation in the area.

c. Objections to the director's action shall be considered under the department's adopted rules of procedure and applicable law.

3. Rule of Procedure 104 of the Department of Water Resources (IDAPA 37.01.01104) provides in part as follows:

Formal proceedings may be initiated by a document from the agency informing the party(ies) that the agency has reached an informal determination that will become final in the absence of further action by the person to whom the correspondence is addressed, provided that the document complies with the requirements of Rules 210 through 280.

4. Protection of prior rights to the diversion and use of surface and ground water of the Eastern Snake River Plain Aquifer

FEB 13 1995

and the Snake River may require that the further development of water under existing undeveloped permits be suspended indefinitely to assure that the effects and conditions caused by drought, changes in irrigation practices and resulting aquifer recharge, and diversion and use of ground water from the aquifer under prior established water rights are properly evaluated.

5. Section 42-204, Idaho Code, provides in part as follows:

Every holder of a permit which shall be issued under the terms and conditions of an application filed hereafter appropriating twenty-five (25) cubic feet or less per second must, within one (1) year from the date upon which said permit issues from the office of the department of water resources, commence the excavation or construction of the works by which he intends to divert the water, and must prosecute the work diligently and uninterruptedly to completion, unless temporarily interrupted through no fault of the holder of such permit by circumstances, over which he has no control.

ORDER

IT IS THEREFORE, HEREBY ORDERED as follows:

1. The owners of all permits to appropriate ground water within the boundaries of the Eastern Snake Plain Aquifer, as that area is defined by Rule 50 of the rules for Conjunctive Management of Surface and Ground Water Resources (IDAPA 37.03.11), shall, effective immediately upon receipt of this order, temporarily stop further development under the permit until the Director authorizes further development.

2. The owners of all permits for appropriation of ground water within the boundaries of the Eastern Snake River Plain Aquifer shall on or before February 1, 1995, either:

A. File proof of beneficial use to cover the extent of diversion and beneficial use of water that has been accomplished prior to receipt of this order; or

B. File a response with the Director in this proceeding to satisfy the requirements of either subparagraph 1) or 2) below:

1) Document with supporting information that a "substantial investment" has been made, prior to receipt of this order, in facilities to divert and beneficially use water under the permit that merits the granting of additional time to complete all or part of the project. Substantial investment means an actual expenditure or written commitment for development of the project which meets the following requirements:

FEB 13 1995

- a) The actual expenditure or written commitment for the diversion and related equipment must equal or exceed the amount of fifteen thousand dollars (\$15,000) or exceed twenty five (25) percent of the estimated cost of the system for diverting and beneficially using the water, whichever is less; and
- b) The actual expenditure or written commitment must have been made before receipt of this order.

2) Request an indefinite stay in the development period for the project, or any part of the project for which a substantial investment has not been made, until the conditions that resulted in this order have been alleviated if such should ever occur. Upon approval of any such stay, no further development is to occur until such time as the department has issued an extension of time setting a date for completion of the project.


3. Failure to submit either proof of beneficial use or a satisfactory response shall result in cancellation of the permit without further notice.

4. Before receiving approval for either additional time to complete a project under subparagraph 2.B.1) or a stay under subparagraph 2.B.2) above, the owner of the permit shall provide information to demonstrate compliance with the provisions of Sections 42-204, Idaho Code, with respect to commencing and diligently proceeding to develop the project authorized under the permit.

5. This order does not prevent the Director from reviewing continued development of a permit on a case-by-case basis if,

- a. The Director determines that protection and furtherance of the public interest justifies continued development of a permit; or
- b. The Director determines that continued development and use of water will have no effect on prior water rights because of its location, insignificant consumption of water or mitigation provided by the permit holder to offset injury to other rights.

Dated this 9TH day of NOVEMBER, 1994.


R. KEITH MCGINNISON
Director

MICROFILMED

RECEIVED

FEB 07 1994

Department of Water Resources

For Office Use Only
\$15 Fee Received by RF
Date 2-7-94
Receipt No. 029583

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 27-07519

Name(s) of Permit Holder: Rone Clawson

Mailing Address: 452 N. 775 E. FirTh, Id. 83236

Date Proof is Due April 1, 1994 Telephone No. 785-3153

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Well is drilled - Motor + Pump bought but not installed -
Cement pad not poured - Mainline installed - Circle installed

Costing \$ 67,517

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Cold weather - We plan to be done after 1st but cold
weather could stall us so we ask for 30 days extension.
Thanks

Permit holder(s) request an extension to 30 days - May 1, 1994

FEE: \$15.00

(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to April 1, 1995. FEB 13 1995

Signed this

15th day February 1994

Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 27-07519

Proposed Priority: December 10, 1990 Maximum Diversion Rate: 2.04 CFS

This is to certify, that **RONE CLAWSON**

452 N. 775 E.

FIRTH, ID 83236

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	2.04 CFS
------------	----------------	----------

<u>LOCATION OF POINT(S) OF DIVERSION:</u>	SENE Sec. 8, Township 02S, Range 37E BINGHAM County
---	--

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02S	37E	8	NENE 8	NWNE 40	SWNE 38	99
			SENE 13			
		9	NWNW 1	SWNW 2		3

Total number of acres irrigated: 102

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **April 1, 1994**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
7. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

APR 12 1991

State of Idaho
Department of Water Resources

PAGE 2

Permit To Appropriate Water

NO. 27-07519

CONDITIONS/REMARKS:

8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this

28th day of March, 1991.

R. Keith Higginson
for
R. Keith Higginson, Director

MICROFILMED

APR 12 1991

858

27 7519

Form 202
6/85

Ident. No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Rone Clawson Phone 785-3158
Post office address 452 N 775E, Firth Idaho 83236
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ ¼ of SE ¼ of NE ¼, Govt. Lot _____
Sec. 8 Township 2S Range 37E B.M. Bingham County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 2.04 for Irrigate purposes from 3/15 to 4/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well pump mainline to two center
pivots and laterals with sprinkler

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 20" inches; proposed depth of well is 120 feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
3 years (minimum 1 year).

RECEIVED
APR 12 1991

ARIZONA

applicant to make this filing.

b. Who owns the land to be irrigated or place of use?

11. a. Who owns the property at the point of diversion? Applicant

12/4/21

10. Describe any other water rights used for the same purposes as described above.

102 Total number of acres to be irrigated

[illegible]

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully.

d. Domestic; show number of households.


c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Rone Clawson
(Applicant)

Received by KCW Date 10 Dec 90 Time 1545 Preliminary check by _____
Fee \$ 85⁰⁰ Received by KCW # E015519 Date 12-10-1990
Publication prepared by KB Date 2-7-91 Published in Morning News
Publication approved (u) Date 2-26-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____
1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
e. Other: _____

RECORDED
APR 12 1991

RECEIVED
FEB 13 1991

Department of Water Resources
Eastern District Office

DEPT. OF WATER RESOURCES
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

27-07519

CLAWSON, Rone
452 N. 775 E.
Firth, Idaho 83236
Source: GROUNDWATER
Diversion Pt: SENE, Sec. 8, T. 02S, R. 37E.
Use: IRRIGATION (2.040 CFS).
Total Diversion: (2.040 CFS).
Date Filed: 12/10/1990.
In: T02S, R37E, S08, NENE, NWNE,
SWNE, SENE, S09, NWNW, SWNW.
102.0 ACRES TOTAL.

27-07520

CLAWSON, Rone
452 N. 775 E.
Firth, Idaho 83236
Source: GROUNDWATER
Diversion Pt: NWNW, Sec. 9, T. 02S, R.
37E.
Use: IRRIGATION (2.980 CFS).
Total Diversion: (2.980 CFS).
Date Filed: 12/10/1990.
In: T02S, R37E, S04, NWSW, SWSW; S05,
SESE; S08, NENE; S09, NWNW.
149.0 ACRES TOTAL.

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402, on or before FEBRUARY 25, 1991.

R. KEITH HIGGINSON
Director

(1054)
Pub.: 2/7, 14

FILED

APR 12 1991

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho) ss

I, Jacqueline Graham) do

solemnly

swear that I am the Legal Coordinator of The Morning News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 154 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was published in said issue or said

newspaper two consecutive weeks

the first publication having been made on the

7th day of February, 1991;

and the last publication having been made on the 14th day of February, 1991;

that said notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

On this 14th day of February, in the year 1991 before me a Notary Public of said State, personally appeared

Jacqueline Graham
known or identified to me to be the person whose name is subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Roy Rayton
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10, 1994

Affidavit Processing Fee..... \$5.00



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 26, 1995

RONE CLAWSON
452 N 775 E
FIRTH ID 83236

RE: WATER RIGHT NOS. 27-07519 and 27-07520

Dear Water Right Holder(s):

Enclosed are copies of the Water Right Licenses issued on the above referenced permits, along with a copy of your approved Application for Amendment. If you have any questions, please contact me within 10 days of receipt of these licenses.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

JAN 30 1996

B/U FIELD EXAM REVIEW
Cindy Zimmerman

Permit #: 27-7519 Name: Clawson Date: 12/13/95
App Rcd 12/10/90 Priority 12/10/90 Examined 7/25/95 ✓ Lots 1

NAME Chng Same ✓ Or Address Change?

SOURCE ✓ Clarify source
✓ Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? P39
Overlap(s) none
SE, NENE-3; NWNE-39; SENE-36; SENE-15
SWNW-1

P/U ✓ Amendment Needed? P41
Overlap(s) reduce to TOTAL 94 ac
Edaho In. District water.
(Gov't special 1's) *P/D & P/U Amend? P37

RATE ✓ Permit/fee limits: 2.04 / 2.04
✓ Measured Q = cfs/Theoretical Q = 5.61 cfs
94 ac x 0.02 cfs/ac = 1.88 cfs
(HP) $\frac{8.8 \times 0.70 \times 100}{52 + (2.31 \times 25)} = \frac{616}{109.75} = 5.61$
✓ Recommended capacity 5.61 cfs
✓ Recommended rate 1.88 cfs

VOLUME ✓ Season of Use: (C/40) 4/1 - 10/31 = 214 days
Calculations: 94 ac x 4.0 AF/ac = 376 AF.

✓ Flow limit: 1.88 x 214 x 1.9835 = 798.0 AF
Recommended volume 376.0 AF

USES ✓ Same Nature of Use? P46
✓ Amendment Needed?

REMARKS ✓ Multiple p/d's in 1/1? W32
* 0WB1 ② 0WB8

CONDITIONS ✓ Measuring (R01)/Locking (R02) Devices
✓ Watermaster Control (R04) - WD #
065 Irrigation rate/volume overlap
065 Irrigation water overlap (065) (If gw use sw)
* Water Quality/Other NON TRUST = 048,049

PRIORITY Due 4/1/95 Rc'd 1/11/95 Receipt# CO31956 Fee OK? (Yes) No
Order to Reinstate Needed? Yes/No Done?
If Yes, Advanced? Yes/No to:

COMMENTS:

USE	CFS	DIV VOL	SRBA Overlap
<u>1rr/94</u>	<u>1.88</u>	<u> </u>	<u>Adjustment Memo</u> <u>✓</u>
<u> </u>	<u> </u>	<u> </u>	LICENSE LTR: <u>P49</u>
<u> </u>	<u> </u>	<u> </u>	#1 AMEND LTR: <u>/P38</u>
<u>TOTAL</u>	<u>1.88</u>	<u> </u>	#2 AMEND LTR: <u>P42/P47</u>

MEMORANDUM

DATE: December 13, 1995
TO: File No. 27-07519
FROM: Cindy Zimmerman
SUBJECT: Review of Beneficial Use Field Report

=====

The following adjustments were made on the field report to correct a mathematical error:

1. Annual Volume.
 - a. Irrigation; $AF = \text{acres} \times AF/\text{acre}$
 $= 94 \times 4.0$
 $= 376.0 \text{ AF.}$

RECEIVED

JAN 30 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 27-7519

1. Owner: Rone Clawson Phone No. (208) 785-3153

Current Address: 452 N. 775 E. Firth, ID 83236

2. Accompanied by: Rone Clawson EXAM DATE: 7-25-95

Address: Same Phone No. (208) 785-3153

Relationship to Permit Holder: Same

3. Source: Groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with the same place of use: Yes Idaho Irr. District

2. Other water rights with the same point of diversion: NO

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
Well			SE	NE	8	25	37E	Bingham	ASCS Aerial / on site


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
25	37E	8	3	39	36	15													93
		9						1											110

JAN 30 1996

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of _____ point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached of _____ (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No. *	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well	US Elect. Motors	100	9983A/X09X 125R 576R-6	Pump Tech	3-09a5
Rediversion #1	US Elect. Motor	40	6229/R118222R 033R-7	Layne/Bowler	417A0425TD
Rediversion #2	US Elect. Motor	30	8-7177-03-961	Layne/Bowler	884052B

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic Flow						

2. Measurements:

No measurements were possible due to an uneven flow. Static water level 42'.

JAN 8 0 1995

E. NARRATIVE/REMARKS/COMMENTS

Well to Portable rubber mainline to redirection sump?

Well pumps water into a nearby canal where the water is picked up by two redirection pumps.

The well had an uneven flow that made getting a reading on the polysonic impossible. A theoretical calculation may be the best we can do. Mr. Clawson was going to run the well for a while to try and improve it. It is a new well used as a backup to the canal water. He hasn't used it much since having it drilled.

Have conditions of permit approval been met? ☐ yes ☐ no

RECEIVED

JAN 30 1986

1990-1991

SEAL

* Adjustments made during the review of this right for license approval. See memo for additional information. 20

Field Examiner's Name Steve Mueller Date 7-25-95
Reviewer John C. Wilson Date 12/5/95

I. AUTHENTICATION

Change P.D. as reflected above	Change P.U. as reflected above
☐ Add P.D. as reflected above ☒ Add P.U. as reflected above ☐ Other	☐ Add P.D. as reflected above ☒ Add P.U. as reflected above ☐ Other

2. Recommended Amendments

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (ata)
Irrigation	4/1	1.88 cfs	282 af *
Totals:	10/31	1.88 cfs	282 af *

1. Recommended Amounts

H. RECOMMENDATIONS

2. Volume Calculations for Other Uses:

$$V_{ir} = (\text{Acres Irrigated} \times (\text{Irrigation Requirement})) = (94) \times (3) = 282.0 \text{ af}$$

1. Volume Calculations for Irrigation:

G. VOLUME CALCULATIONS

$$Q = 5.62 \text{ ft}^3/\text{sec} \quad \text{Limit by } 0.02 \text{ ft/sec} \quad 94.00 \times 0.02 \text{ ft/sec} = 1.88 \text{ ft}^3/\text{sec}$$

Measured Method:

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp)(8.814)(Eff)] \div [Lift + (psi \times 2.308)]$$

$$Hp = \text{Horsepower} = \frac{100}{\quad}$$

$$Eff = \text{Efficiency} = \frac{70\%}{\quad} \quad (\text{Usually } 70\%)$$

$$\text{Lift: (Static Level + Assumed Drawdown)}$$

$$\text{Static Water Level} = \frac{42}{\quad} \text{ ft.}$$

$$\text{Assumed Drawdown} = + \frac{10}{\quad} \text{ ft.}$$

$$\text{Lift} = \frac{52}{\quad}$$

OR

$$\text{Measured Dynamic Water Level} = \frac{\quad}{\quad} \text{ ft.}$$

$$\text{psi} = \overset{\text{ASSUMED}}{\text{Operating Pressure}} = \frac{25}{\quad} \text{ psi (open discharge)}$$

$$Q_{cfs} = \left[\frac{100}{Hp} \times 8.814 \times \frac{.7}{Eff} \right] \div \left[\frac{52}{Lift} + \left(\frac{25}{psi} \times 2.308 \right) \right]$$


$$Q_{cfs} = \left[\frac{616.98}{\quad} \right] \div \left[\frac{109.7}{\quad} \right]$$


$$Q_{cfs} = \frac{5.62}{\quad} \text{ cfs}$$

ASSUMPTIONS: DRAWDOWN = 10' + static
PSI = 25psi
efficiency 70%

PERMIT NO. 27-07519

APPROVED
JUL 10 1996






JAN 30 1996

27-07519

Point of diversion



Rediversion Pumps #1 + #2




27-7519

JAN 30 1996

Rediversion Pump #1



Well ~ Rediversion ~



27-7519

JUN 30 1996

RECEIVED

JAN 30 1996

Negatives

27-7519

January 19, 1995

RONE CLAWSON
452 N 775 E
FIRTH ID 83236

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 27-07519

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

FEB 13 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 9, 1994

RONE CLAWSON
452 N 775 E
FIRTH ID 83236

RE: Water Right No. 27-07519

Certified Mail No. 141773

Dear Water Right Holder(s):

Enclosed is a copy of an Order for Temporary Stay of Development and Notice of Formal Proceedings in connection with the above referenced water right permit. Also enclosed is a form and instructions for filing proof of beneficial use of water.

If you have questions related to the order and its effect upon your permit, please feel free to contact the department.

Sincerely,

A handwritten signature in cursive script that reads 'L. Glen Saxton'.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

MICROFILMED

FEB 13 1995

February 16, 1994

Rone Clawson
452 N. 775 E.
Firth, ID 83236

RE: Permit No. 27-07519

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to April 1, 1995. Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed since the department will not be able to grant additional extensions based on due diligence.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

C: IDWR - Regional Office

RECEIVED
FEB 13 1995

January 31, 1994

RONE CLAWSON
452 N. 775 E.
FIRTH ID 83236

PROOF DUE NOTICE

RE: PERMIT NO. 27-07519

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1994.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MISSOURI

FEB 13 1995



WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Rone ClawsonAddress 452 N. 775EFirth ID. 83236Owner's Permit No. 27-92-E-05927-07519

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
250 inches	20" inches	0 feet	19 feet
250 inches	16" inches	0 feet	144 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☒ Yes ☐ NoHow perforated? ☐ Factory ☒ Knife ☐ TorchSize of perforation 1/2 inches by 3 inches

Number	From	To
30 perforations	88 feet	92 feet
30 perforations	99 feet	102 feet
60 perforations	139 feet	137 feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth _____ Material used in seal: ☐ Cement grout☒ Bentonite ☒ Pudding clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

7. WATER LEVEL

Static water level 43' feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.

Pumping Level

Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
20	0	19'	Clay		✓
16	19	30	Black Lava		✓
	30	42	hard Gray Lava		✓
	42	45	Black Lava	✓	
	60	67	hard Gray Lava		✓
	67	79	Black Lava	✓	
	79	88	very hard Gray lava		✓
	88	92	tender + Gravel	✓	
	92	99	Sandy Clay & Gravel		✓
	92	102	Large Gravel	✓	
	102	128	Sandy Clay & Gravel		✓
	128	138	Large Gravel	✓	
	138	144	Sandy Clay & Gray		✓

RECEIVED

FEB - 1 1993

Department of Water Resources
Eastern District Office

RECEIVED

FEB 22 1993

Department of Water Resources



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 1, 1991

RONE CLAWSON
452 N. 775 E.
FIRTH, ID 83236

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 27-07519

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well

APR 12 1991

so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MICROFILMED
APR 12 1991

04-Jan-1991

RONE CLAWSON
452 N 775 E
FIRTH ID 83236

RE: Application No. 27-7519 & 27-7520

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in Morning News on JANUARY 17 & 24, 1991. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

PHOTOCOPIED

APR 12 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

JANUARY 22, 1991

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 25, 1991.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

APR 12 1991

Source: GROUNDWATER

Diversion Pt: SENE Sec 8 T 02S R 37E

```

Use: IRRIGATION          ( 2.040 CFS)
      Total Diversion: ( 2.040 CFS)

```

Date Filed: 12/10/ 1990

In: T02S R37E S08	NENE	NWNE	SWNE	SENE
S09	NWNW	SWNW		

102.0 ACRES TOTAL

UNITED

12 1990