


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth. Rhone-Poulenc Basic Chemicals Co. Mgr. Phosphate Rock Operation (Applicant)




POINTS OF DIVERSION: WELLS - 1, 7, 8, 5, 6.

MICROFILMED

OCT 22 1987

RHONE POULENC
MINING

30/5




INTERIOR
VIEW OF
WELL HOUSE

WELL #1

POINT OF
DIVERSION

18" WELL

4" DISCHARGE



WELL #7

POINT OF
DIVERSION

53735

MICROFILMED

OCT 22 1937

27-07417

T
7
S
R43E

MINING

RAILROAD

RIVER

Weir

R. Allen Ranch

Allen Ranch

BM 6340

Grand Tanks

POINT OF DIVERSION
AND
PLACE OF USE

27-07503

PHOTOFILMED

OCT 22 1992

LOWER
34

BLACKFOOT

RIVER


ROAD

35

**State of Idaho
Idaho Department of Water Resources**

RECEIVED**MAY 26 1998**Department of Water Resources
Eastern Region**NOTICE OF CHANGE OF WATER RIGHT OWNERSHIP**

Please print or type. Attach pages with additional information. Instructions are on the back of this page.
Incomplete forms will be returned.

1. Water Right No(s): 27-07540, 27-07499, 27-07506, 27-07417, 27-07500,
27-07505, ~~27-07539~~, 27-07501, 27-07503, 27-07504, 27-07502
- Adjudication Claim No(s): N/A
2. The following REQUIRED information must be submitted with this form:
 - a. A copy of the most recent DEED, TITLE POLICY, CONTRACT OF SALE or other legal document indicating your ownership of the property and water rights or claims in question, WITH ATTACHED LEGAL DESCRIPTION. See attached Narrative and Attachments A.1. and A.2.
AND
 - b. PLAT OF PROPERTY or SURVEY MAP for parcel of ten acres or less. (These are usually attached to your deed or on file with the county.) N/A. Property conveyed exceeds ten acres.
OR
 - c. For water rights or adjudication claims involving ten or more irrigated acres, a USDA Farm Service Agency AERIAL PHOTO with irrigated acres outlined and point(s) of diversion clearly marked. N/A. Rights are for non-irrigation uses.
3. Name and Address of Former Owner/Claimant Rhodia Inc.
259 Prospect Plains Road, Cranberry, NJ 08512
4. New Owner/Claimant(s) Nu-West Industries, Inc.
New Mailing Address 3010 Conda Road
City, State and ZIP Code Soda Springs, ID 83276
New Telephone Number 208-547-4381
5. Date you acquired the property January 29, 1998
6. If you have acquired only a portion of the former owner's property, IDWR may need to split the water right(s) or adjudication claim(s). If this applies describe in detail your portion of each water right or adjudication claim in the spaces below. If necessary, attach additional pages. N/A
 Number of acres you irrigate _____ Number and type of stock _____
 Diversion rate in CFS _____ Number of homes _____ Other uses _____
6. If a water right or adjudication claim is being split and you are not sure how to identify your portion of the original right or claim, please contact the nearest IDWR office for assistance.
7. Signature of New Owner Or Claimant(s) Nu-West Industries, Inc. by: 

(Corporations or other organizations must submit a list of directors and/or officers demonstrating authority to sign form.)
See Attachment B

8. For Snake River Basin Adjudication Claims: Please attach a Notice of Appearance completed by your attorney, if you wish IDWR to correspond with him or her for all matters related to your claims.

Refer to 27-07417 for ownership change support documentation. Ret 4-28-99

MICROFILMED**MAY 03 1999**

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 27-07503

Priority: February 12, 1990

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

1.3 AF

This is to certify, that RHONE POULENC

PO BOX 728

SODA SPRINGS ID 83276

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 12, 1990; and has submitted Proof of Beneficial Use on June 11, 1991. An examination indicates that the works have a diversion capacity of 0.460 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.03 CFS	1.3 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 27, Township 07S, Range 43E
CARIBOU County

PLACE OF USE: STOCKWATER

TWN RGE SEC

07S 43E 27

SENE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Rights 27-07417 and 27-07506 are also diverted through the point diversion described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.

Witness the seal and signature of the Director, affixed at Boise, this 3rd
day of OCTOBER, 1992.

MICROFILMED

OCT 22 1992


Acting for KARL J. DREHER, Director

RECEIVED
JUN 11 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 27-07503 Telephone No. 208-547-2183

2. Name(s) of Permit Holder(s): Rhone-Poulenc

3. Post Office Address: P.O. Box 160 Montpelier, Id.

4. Source of Water: Spring

a. If ground water, well driller's name: N/A Date drilled: N/A

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households) Irrigation _____ (No. of acres)

Stockwater X (No. and type of stock) 150 Cattle Other _____
Cattle

6. Total rate and/or volume for which proof is submitted 0.03 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes XNo Installed? Yes No

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes No

8. Fee Enclosed: \$ not req. (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Wendell Johnson

208-547-2183

Name

Telephone No.

P.O. Box 160 Montpelier, Id. 83254

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUL 01 1991

06/06/91

Mining Engineer

Date

Wendell Johnson
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 27-07503

Proposed Priority: February 12, 1990 Maximum Diversion Rate: 0.03 CFS

This is to certify, that RHONE-POULENC

P.O. BOX 160

MONTPELIER, ID 83254

has applied for a permit to appropriate water from: SPRING
and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

STOCKWATER

01/01 to 12/31

0.03 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSENE

Sec. 27, Township 07S, Range 43E
CARIBOU County

PLACE OF USE: STOCKWATER

TWN RGE SEC

07S 43E 27

SENE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1991.
2. Subject to all prior water rights.
3. Use of water under this permit is subject to control by the watermaster of State Water District No. 27.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. The maximum rate of diversion for stockwater purposes under this permit shall not exceed 0.03 cfs.
7. Stockwater use is for 100 head.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

31 day of

July

, 1990

MICROFILMED

AUG 14 1990

for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Rhone-Poulenc Phone 847-2185
Post office address PO Box 160 Montpelier ID 83254

2. Source of water supply spring which is a tributary of n/a

3. Location of point of diversion is nw $\frac{1}{4}$ of se $\frac{1}{4}$ of ne $\frac{1}{4}$, Govt. Lot _____
Sec. 27 Township 7s Range 43e B.M. Caribou County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:
0.03 cfs AS PER AGREEMENT W/ WENDALL JOHNSON 7/6/90
Amount 0.1 cfs for stockwatering purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.1 cfs and/or (b) 0.03 cfs
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. spring that feeds Wooley Valley
Creek (intermittent stream),

b. Height of storage dam n/a feet; active reservoir capacity n/a acre-feet; total
reservoir capacity n/a acre-feet; period of year when water will be diverted to storage:
n/a to n/a inclusive.

c. Proposed well diameter is n/a inches; proposed depth of well is n/a feet.

d. Is ground water with a temperature of greater than 90°F being sought? no

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 Yr years (minimum 1 year).

MICROFILMED

AUG 14 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. 100 head of cattle
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7s	43e	27				S													

Total number of acres to be irrigated n/a

10. Describe any other water rights used for the same purposes as described above. n/a


- Who owns the property at the point of diversion? Rhone-Poulenc
- Who owns the land to be irrigated or place of use? Rhone-Poulenc
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

AUG 14 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth. Rhone-Poulenc

Basic Chemicals Co.

Mgr. Phosphate Rock Operation
(Applicant)

R. B. King, Jr.

Received by (PW) Date 8-90 Time 1:15 p Prelimin check by _____
Fee \$ 30~~45~~ Receipted by HGT # EO12019 Date 2-12-90
Publication prepared by RB Date 4-19-26-90 Published in Caribou City Sun
Publication approved RB Date 6-5-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

AUG 14 1990

Rhone-Poulenc Basic Chemicals Company

Main Office: Paris, France

United States Office: Shelton, CT

Pres. (U.S.):

Sam Russo

Sec. (U.S.):

Mason Patillo

As per phon/con with Rhone-Poulenc 2/23/90 PRM

MICROFILMED

AUG 14 1990

Use: STOCKWATER (.080 CFS),
Total Diversion: (.080 CFS)
Date Filed: 2-8-1990
In: T07S R43E S23 NWSE
27-07502
RHONE-POULENC
P.O. BOX 160
MONTPELIER, ID 83254
Source: STOCKPOND
Diversion Point: SWNNW Sec 26
T 07S R 43E
Use: STOCKWATER (.100 CFS),
Total Diversion: (.100 CFS)
Date Filed: 2-8-1990
In: T07S R43E S26 NWNW
27-07503

RHONE-POULENC
P.O. BOX 160
MONTPELIER, ID 83254
Source: SPRING
Diversion Point: NWSNE Sec 27 T
07S R 43E
Use: STOCKWATER (.100 CFS),
Total Diversion: (.100 CFS)
Date Filed: 2-8-1990
In: T07S R43E S27 SENE
27-07504

RHONE-POULENC
P.O. BOX 160
MONTPELIER, ID 83254
Source: GROUNDWATER
Diversion Point: NESWSE Sec 23 T
07S R 43E
Use: COMMERCIAL (.080 CFS),
Total Diversion: (.080 CFS)
Date filed: 2-8-1990
In: T07S R43E S23 SWNE
27-07505

RHONE-POULENC
P.O. BOX 160
MONTPELIER, ID 83254
Source: GROUNDWATER
Diversion Point: NWNW Sec 23 T
07S R 43E
Use: COMMERCIAL (.080 CFS),
Total Diversion: (.080 CFS)
Date Filed: 2-8-1990
In: T07S R43E S23 NWNW
27-07506

RHONE-POULENC
P.O. BOX 160
MONTPELIER, ID 83254
Source: GROUNDWATER
Diversion Point: NENWNE Sec 22 T
07S R 43E
Use: INDUSTRIAL (1.120 CFS),
Total Diversion: (1.120 CFS)
Date Filed: 2-8-1990
In: T07S R43E S14 SWSW

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before MAY 7, 1990.

R. KEITH HIGGINSON,
Director
Published April 19 and 26, 1990 in the Caribou County Sun.

Affidavit of Publication

County of Caribou }
State of Idaho } ss.

Mark Steele

being first duly sworn on his oath, states:

That he is Publisher of the Caribou County Sun, a newspaper of general circulation in Caribou County, Idaho, published weekly at Soda Springs in said County that said newspaper has been published in said County uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement;

That the annexed notice was published as per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof

for 2 successive weekly issues thereof, the date of the first publication being the

19th day of April, 1990

The date of the last publication being the 26th day of

April, 1990

On this 9th day of May

in the year of 1990 before

me, a Notary Public, personally appeared

Mark Steele
known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

MICROFILMED

AUG 14 1990

Clayton D. Smith
Notary Public for Idaho
Residing at Soda Springs, Idaho
My commission expires:

March 11, 1994

PUBLIC NOTICE

First Time Published

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

24-07176

NATE, ROBERT L.
385 SHELLEY AVE.
SHELLEY, ID 83274
Source: CROW CREEK trib. to SALT RIVER

Diversion Point: SESWSW Sec 1 T
10S R 45E

Use: IRRIGATION (.030 CFS),
Total Diversion: (.030 CFS)

Date Filed: 1-30-1990
In: T10S R45E S01 SWSW, 1.0 ACRES TOTAL

27-07494

MODERSITZKI, DAVID M.
YOST, PHIL J.
1760 RICH RD.
GRACE, ID 83241
Source: GROUNDWATER
Diversion Point: NENE Sec 35 T
05S R 40E

Use: IRRIGATION (6.670 CFS),
Total Diversion: (6.670 CFS)

Date Filed: 2-12-1990
In: T05S R40E S26 NESE NWSE
SWSE SESE, S35 NENE NWNE
SWNE SENE, S36 NENW NWNW
SWNW SENW, 480.0 ACRES TOTAL

27-07495

MODERSITZKI, DAVID M.
YOST, PHIL J.
1760 RICH RD.

RECEIVED

MAY 11 1990

Department of Water Resources
Eastern District Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 29, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

NU-WEST INDUSTRIES INC
3010 CONDA RD
SODA SPRINGS ID 83276

RE: Water Rights 27-07417/27-07499/27-07500/27-07501/27-07502/
27-07503/27-07504/27-07505/27-07506/27-07540

Dear Water Right Holder(s):

The Department is in receipt of the correspondence changing the ownership of the above referenced water rights to you. We have modified our records to reflect this change in ownership and computer-generated reports are enclosed.

Just a reminder, because of a law that went into effect July 1, 1996, all water right owners are required to report change of address or ownership to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee to the water right owner. If you have other water rights that haven't had the ownership updated please contact the department as soon as possible.

If you have any questions regarding this matter, please feel free to contact me at (208) 327-7947.

Sincerely,

A handwritten signature in black ink, appearing to be 'J. Johnson', written over a large, loopy circular flourish.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:klt

Enclosure

MICROFILMED

MAY 03 1999



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

October 3, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

RHONE POULENC
PO BOX 728
SODA SPRINGS ID 83276

RE: WATER RIGHT NO. 27-07503

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

RECEIVED

OCT 22 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

OCT 22 1987

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
OCT 22 1977

CERTIFICATE OF MAILING

I hereby certify that on the 3rd day of October, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 27-07503

RHONE POULENC
PO BOX 728
SODA SPRINGS ID 83276


Kari Lynn Townsend
Secretary

MICROFILMED

OCT 22 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 27-07503

DATE 9/25/97

REVIEWER: SHARLA

NAME Change OK

Address Change PO Box 728 Soda Springs

SOURCE ✓ —

Is change clarification of originally intended source? ✓

POINT OF DIV — ✓

If not, prepare Notice of Intent to Void —
Amendment required NO

PLACE OF USE — ✓

Amendment required NO

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate .03 cfs

Fee limit .04 cfs NO FEE REQD

Measured — cfs

Theoretical — cfs

Recommended Total Div Rate .03 cfs

ANNUAL VOLUME/
NATURE OF USES —

Use	cfs	Volume Calc
<u>Stock</u>	<u>.03</u>	<u>1.3</u> af
<u>—</u>	<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u>	<u>—</u> af
SUBTOTAL	<u>.03</u>	<u>1.3</u> af

Flow rate .03 cfs X 365 days X 1.98 = 21.7 af

Total volume recommended 1.3 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

— Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
Adjustment Memo —

1st Amend Letter —
2nd Amend Letter —

048,049 - use is non-consumptive
cond N/A

Capacity = 0.46 af
per 27-07417
24am

MEMORANDUM

DATE: September 25, 1997

TO: Water Right File 27-07417⁷⁵⁰³

FROM: Shelley W. Keen ^{SK}

RE: Source of Water

The field examiner for permit 27-07417 reports that water is diverted from a well rather than from a spring as described in the application. The examiner did not provide many details about the well, but I was able to locate a photograph of the well and some information about the well in file 27-07417. The photograph clearly show a stock trough. The field examiner for 27-07417 reported that static water level in the well is 22 ft. from the surface.

I was not able to locate a well log, but I believe it is safe to assume a direct hydrologic connection between any spring and the shallow ground water in the area. Therefore, I think the listing of ground water as the source for this right, as recommended by the field examiner, can be viewed as a clarification of the source rather than as a change in source. I think this approach is particularly reasonable given the fact that the stockwater use is exempt from the permit requirement anyhow.

MICROFILMED
OCT 22 1997

THEORETICAL PUMP FLOW CALCULATIONS

$$\text{Formula: } Q_{cfs} = [(Hp)(8.814)(Eff)] \div [\text{Lift} + (\text{psi} \times 2.308)]$$

SYSTEM: WELL # 7

$$\begin{aligned} Hp &= \text{Horsepower} = \underline{25} \\ Eff &= \text{Efficiency} = \underline{.7} \quad (\text{Usually } 70\%) \\ \text{Lift: } &(\text{Static Level} + \text{Assumed Drawdown}) \\ &\text{Static Water Level} = \underline{22} \text{ ft.} \\ &\text{Assumed Drawdown} = + \underline{10} \text{ ft.} \\ &\text{Lift} = \underline{32} \end{aligned}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$\text{psi} = \text{Operating Pressure} = \underline{130} \text{ psi}$$

$$Q_{cfs} = \left[\frac{25}{Hp} \times 8.814 \times \frac{.7}{Eff} \right] \div \left[\frac{32}{Lift} + \left(\frac{130}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{154.245} \right] \div \left[\underline{332.04} \right]$$

$$Q_{cfs} = \underline{0.464} \text{ cfs SYSTEM } \underline{\text{Well \#7}}$$

SYSTEM: WELL #8

$$\begin{aligned} Hp &= \text{Horsepower} = \underline{40} \\ Eff &= \text{Efficiency} = \underline{.7} \quad (\text{Usually } 70\%) \\ \text{Lift: } &(\text{Static Level} + \text{Assumed Drawdown}) \\ &\text{Static Water Level} = \underline{60} \text{ ft.} \\ &\text{Assumed Drawdown} = + \underline{10} \text{ ft.} \\ &\text{Lift} = \underline{70} \end{aligned}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$


$$\text{psi} = \text{Operating Pressure} = \underline{130} \text{ psi}$$

$$Q_{cfs} = \left[\frac{40}{Hp} \times 8.814 \times \frac{.7}{Eff} \right] \div \left[\frac{70}{Lift} + \left(\frac{130}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{246.792} \right] \div \left[\underline{370.04} \right]$$

$$Q_{cfs} = \underline{0.666} \text{ cfs SYSTEM } \underline{\text{Well \#8}}$$

MICROFILMED
PERMIT NO. 27-07417
OCT 22 1987



T7S, R43E


27-07417

POINTS OF DIVERSION: WELLS - 1, 7, 8, 5, 6.

MICROFILMED
OCT 22 1937

RHONE POULENC
MINING

35/5




INTERIOR
VIEW OF
WELL HOUSE

WELL #1

POINT OF
DIVERSION

18" WELL

4" DISCHARGE



WELL #7

POINT OF
DIVERSION

53785

MICROFILMED

OCT 22 1957

27-07417

MEMORANDUM

TO: File 27-07503

FROM: Sharla Curtis

DATE: September 23, 1997

RE: Other Rights

A search of the well drilling database found one drilling permit issued in January of 1991 for two other water rights (27-07417 and 27-07506) for industrial purposes.

There are no SRBA claims with the point of diversion listed on this exam.

The only water rights with the same point of diversion description are the two licenses identified above. However, the two licenses are for industrial use only.

MICROFILMED

OCT 22 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

resent
July 7, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

Rhone-Polenc
~~PO Box 160~~ *PO Box 728*
~~Montpelier, ID 83254~~ *Soda Springs*

RE: Permit Nos. 7-04496/07497/07498/07502/

Gentlemen:

In May of 1997, we sent you some relinquishment forms for your signature. Our records indicate that to date, we have not received the forms. In case this is an oversight I'm resending the forms for your signature. If the forms are not returned to us within 30 days, the department will commence action to void the permits for failure to place water to beneficial use.

If you have any questions, please contact me as soon as possible. My telephone number is (208) 327-5452.

Sincerely,

Sharla Curtis

Sharla Curtis
Water Resource Agent

SC:cb
Enclosure

MICROFILMED

OCT 22 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 7, 1997

Rhone-Polenc
PO Box 160
Montpelier, ID 83254

RE: Permit Nos. 27-06496/07497/07498/07502/07503

Gentlemen:

In May of 1997, we sent you some relinquishment forms for your signature. Our records indicate that to date, we have not received the forms. In case this is an oversight I'm resending the forms for your signature. If the forms are not returned to us within 30 days, the department will commence action to void the permits for failure to place water to beneficial use.

If you have any questions, please contact me as soon as possible. My telephone number is (208) 327-5452.

Sincerely,

Sharla Curtis
Water Resource Agent

SC:cb
Enclosure

ENCLOSURE
OCT 22 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

May 19, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

Rhone-Poulenc
PO Box 160
Montpelier, ID 83254

RE: Permit Nos. 27-07496/07497/07498/07502/07503

Gentlemen:

In July of 1995, a representative of this department conducted field inspections for the above referenced permits and found that any systems that may have been constructed under these permits had been removed. Therefore, the examiner found no beneficial use of water being made under these permits. In the case of Permit No. 27-07503, the source originally identified for appropriation was a spring; the only water source found to be developed was a well. There are no provisions available for us to allow such a change in source under the existing permit. If the well is used for stockwater purposes, you should file a new application to appropriate the groundwater source.

In order to help us clear our records, I have enclosed relinquishment forms for your signature. If the forms are not returned to us within 30 days, the department will commence action to void the permits for failure to place water to beneficial use.

There are three other permits for which the examiner did find beneficial use of water. You will be receiving information concerning these filings under separate cover.

Sincerely,

A handwritten signature in cursive script that reads "Sharla Curtis".

SHARLA CURTIS
Water Resource Agent

Enclosures

MICROFILMED

OCT 22 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

SOURCE CHANGE

RECEIVED

MAY 5 - 1997

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: RHONE-POULENC Permit No. 27-07503
Current Address: P.O. Box 160, Montpelier Id 83254 Phone No. 208-547-2183
2. Accompanied by: Red SQUIRES EXAM. DATE: 7-12-95
Address: SAME Phone No. SAME
Relationship to Permit Holder: ENVIRONMENTAL SPECIALISTS
3. Source: SPRING GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

NO SPRING DEVELOPMENT ONLY

GROUNDWATER DEVELOPMENT

MICROFILMED
OCT 22 1997

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED

OCT 22 1997

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

No spring development. Only development within legal description is a well.

☐ See Remarks on page 4 for continuation

4. Well House Locked

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:** GROUNDWATER

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
Well		NW	SE	NE	27	7S	43E	CARIBOU	ON SITE/USGS Quad Map

6. **Place(s) of Use:** GROUNDWATER

Indicate Method of Determination ON SITE/USGS QUAD

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	43E	27				S													

MICROFILMED

OCT 22 1987

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS NONE TAKEN ☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NONE TAKEN

E. FLOW CALCULATIONS ☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses: FROM GROUNDWATER

$$V_{\text{STOCK}} = 100 \text{ head} \times 0.0134 = 1.3 \text{ afw}$$

MICROFILMED
OCT 22 1987

H. REMARKS AND OVERLAP REVIEW ANALYSIS

RECOMMEND CHANGING SOURCE TO GROUNDWATER & allow 0.03 cfs
for Stockwater (MINIMUM CAPACITY FOR PUMPS)

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
STOCK WATER	1/1	12/31	0.03 cfs	1.3 afa
Totals:			0.03 cfs	1.3 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other CHANGE SOURCE

J. AUTHENTICATION

Field Examiner's Name KEITH C. WILSON ; STEVE MUELLER

Signature Keith C. Wilson

Certification Date _____

Field Report Preparation Date _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
OCT 22 1987

R43E
T7S

MINING

RAILROAD

RIVER

Weir

Allen Ranch

Allen Ranch

Grain Tanks

**Route of DIVERSION AND
Range of Use**

27-07503

LOWER
34

FOOT

TOP OF LINE

NOT 22 1935

RIVER

ROAD

June 13, 1991

RHONE-POULENC
P.O. BOX 160
MONTPELIER, ID 83254

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 27-07503

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUL 01 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 27-7503

Date 6-12-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☒ Surface water source
☐ Ground water source
☒ Drill permit req'd?
☒ Copy in file? Drill permit no. _____
☒ Amt paid for drilling permit? _____ Correct?
☒ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
☒ Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- ☒ Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

LB



RHÔNE-POULENC BASIC CHEMICALS CO.

720 WASHINGTON STREET
P.O. BOX 160
MONTPELIER, ID 83254
TEL: (208) 847-2185
FAX: (208) 847-0690

June 6, 1991

State of Idaho
Department of Water Resources
1301 North Orchard Street, Boise, Id. 83720-9000

RE: Permit No. 27-07496, 27-07497, 27-07498, 27-07499, 27-07500
27-07501, 27-07502 and 27-07503.

Dear Rita Fleck:

Enclose are Proof of Beneficial Use Statements for our permits that we have filed in your office.

Since all permits in this batch are under 0.04 CFS flow, we have not forwarded any money for licence examination fees as instructed on the reverse side of the "Instructions For Proof of Beneficial Use".

Feel free to come and visit our operation and inspect these sites.

If any other information is required to secure water rights to these permits, please feel free to contact us.

Sincerely,

A handwritten signature in cursive script, reading 'Wendell E. Johnson'.

Wendell E. Johnson

SDWR0691.TXT

Excellence in Performance-Pride in Achievement

MICROFILMED
JUL 01 1991

RHONE-POULENC
P.O. BOX 160
MONTPELIER, ID 83254

138621
[REDACTED]
May 31, 1991

PROOF DUE NOTICE

RE: PERMIT NO. 27-07503

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED
JUL 01 1991

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 1, 1990

RHONE-POULENC
P.O. BOX 160
MONTPELIER, ID 83254

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 27-07503

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

AUG 14 1990

Form No. 202a
4/87STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY RDW DATE 2-22-90 APPLICATION NUMBER 27 7503Rhone - Poulenc #8REQUIRED INFORMATION

- Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- Address
- Source (See USGS Quad for names of water sources)
- Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- County
- Quantity (flow and/or volume)
- Period of Use
- Nature of proposed use (Include description of use.)
- Description of diverting works
- Time required for beneficial use of water
- Place of use or acres irrigated
- Map
- Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- Fee
- Yes ☐ No ☐ In form to receipt

ADDITIONAL INFORMATION

- Overlapping place of use (Describe source & relationship to present application on the back.)
- Overlapping point of diversion
- Yes ☐ No ☐ Field check required
- Field check by _____
- Yes ☐ No ☐ Field report attached
- Yes ☐ No ☐ Critical groundwater area
- Yes ☐ No ☐ Groundwater management area
- Yes ☐ No ☐ Send dam safety information
- Yes ☐ No ☐ Send power requirement letter
- Yes ☐ No ☐ Send fish farm requirement letter
- Yes ☐ No ☐ Power residency affidavit
- Yes ☐ No ☐ Power efficiency form
- Yes ☐ No ☐ Within trustwater boundary (If yes, attach supplementary analysis sheet.)
- Yes ☐ No ☐ Diversion greater than 5 cfs or 500 acre ft (If yes, attach large diversion supplementary analysis sheet.)
- See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

Department of Water Resources

JUN 12 1990

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 5-7-90
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 27
☐ Yes ☐ No Special conditions of approval or cover letter below.

See below for additional information
Date of priority recommended 2-12-90
By HWT Date 6-11-90

STATE OFFICE REVIEW

P16

484905(27) 28(stock, 0.03cfs)

See below for additional information
By KW Date 7-24-90

ADDITIONAL INFORMATION

App. in NON-TRUST area-

27-07503

RHONE-POULENC
P.O. BOX 160
MONTPELIER, ID 83254

Source: SPRING

Diversion Pt: NWSENE Sec 27 T 07S R 43E

Use: STOCKWATER (.100 CFS)
Total Diversion: (.100 CFS)

Date Filed: 2/ 8/ 1990

In: T07S R43E S27 SENE

MICROFILMED

AUG 14 1990