


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Frank J. Ellerman
(Applicant)

DEPT. OF WATER RESOURCES
150 Shoup Ave., Suite 15
Idaho Falls, Id. 83402
(208) 525-7161

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed
to appropriate the public waters of the State of
Idaho:

27-07491

ECHEVARRIA, Frank
Rt. 1 Box 94
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: SESE, Sec. 8, T. 02S, R. 36E.
Use: IRRIGATION (3.980 CFS).
Total Diversion: (3.980 CFS).
Date Filed: 1/25/1990.
In: T02S, R36E, S08, SWNE, SENE, NESE,
SWSE, SESE, S09 SWNW NWSW SWSW.
199.0 ACRES TOTAL.

27-07492

JONES, Kleal H.
425 Horrocks Drive
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: NWNE, Sec. 17, T. 02S, R.
36E.
Use: IRRIGATION (1.540 CFS).
Total Diversion: (1.540 CFS).
Date Filed: 1/31/1990.
In: T02S, R36E, S17, NWNE, NENW.
77.0 ACRES TOTAL.

35-08211

MATSUURA BROTHERS CO., Inc.
1132 E. Walker
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: NENW, Sec. 33, T. 01N, R.
35E; SENW, Sec. 33, T. 01N, R 35E.
Use: IRRIGATION (4.920 CFS).
Total Diversion: (4.920 CFS).
Date Filed: 6/15/1983.
In: T01N, R35E, S33, NWNE, SWNE,
NENW, SWNW, SENW, NESW, NWSE.
268.0 ACRES TOTAL.

35-08871

CHRISTENSEN, Brent
CHRISTENSEN, Susan
326 N. 400 W.
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: SESE, Sec. 17, T. 02S, R.
35E.
Use: IRRIGATION (.200 CFS).

STOCKWATER (.020 CFS).
Total Diversion: (.220 CFS).
Date Filed: 1/2/1990.
In: T02S, R35E, S17, SESE.
10.0 ACRES TOTAL.

35-08875

DRISCOLL, Michael A.
272 S. 1300 W.
Pingree, Id. 83262
Source: GROUNDWATER
Diversion Pt: NENW, Sec. 24, T. 03S, R.
33E.
Use: DOMESTIC (.060 CFS).
COMMERCIAL (.010 CFS).
Total Diversion: (.070 CFS).
Date Filed: 2/27/1990.
In: T03S, R33E, S24, NENW.

35-08876

WINBERG, Richard
1027 S. 2600 W.
Aberdeen, Idaho 83210
Source: GROUNDWATER
Diversion Pt: NWNE, Sec. 16, T. 04S, R.
32E.
Use: IRRIGATION (3.200 CFS).
Total Diversion: (3.200 CFS).
Date Filed: 2/9/1990.
In: T04S, R32E, S09, NESW, SESW,
NWSE, SWSE.
160.0 ACRES TOTAL.

35-08877

MARSHALL, Kevin
MARSHALL, Linda
433 W. 245 N.
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: NWSW, Sec. 20, T. 02S, R.
35E.
Use: DOMESTIC (.040 CFS).
Total Diversion: (.040 CFS).
Date Filed: 1/2/1990.
In: T02S, R35E, S20, NWSW.

The permit(s) will be subject to all prior
water rights. Protests may be submitted bas-
ed on the criteria of Sec. 42-203A, Idaho Code
and/or the new public interest criteria of Sec.
42-203C, Idaho Code. Protests must be filed
with the Director, Dept. of Water Resources,
150 Shoup Ave., Suite 15, Idaho Falls, Idaho
83402, on or before MAY 7, 1990.

R. KEITH HIGGINSON
Director

(765)
Pub.: 4/19, 26

RECEIVED

MAY - 2 1990

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho)

I, Ted Townsend do
solemnly

swear that I am the Publisher of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks,

the first publication having been made on the

19th day of April, 19 90;

and the last publication having been made on the
26th day of April, 19 90;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this 30th day of April, in
the year 19 90, before me a Notary Public of said State,
personally appeared

Ted Townsend
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true and acknowledged to me that he ex-
ecuted the same.

Raye Rayon
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10, 1994

Affidavit Processing Fee \$5.00

FILED

20 1990

MC

J

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAR 5 2002 *K*

DEPARTMENT OF WATER RESOURCES

A. GENERAL INFORMATION


- Permit No. 27-07491
1. Owner: Frank Scheravria Phone No. 785-1685
Current Address: 470 Bergeson Blvd. ID 83221
2. Accompanied by: Randy Coles EXAM. DATE: 31 July 2000
Address: 351 E 475 N FIRTH ID 83236 Phone No. 785-5605
Relationship to Permit Holder: _____
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____.

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

27-07491

27-07491

54
89

T1824
3647
R36E

T1039
27.5

Lot 3
20.1

124.7
2
8.8

Lot 2

POINT OF DIVERSION

Lot 1

PLACE OF USE

T
2
S

7
17.4
3
13.8

59.6

2
34.3

15

12

37

28

30

189

1716

T1862
4448

T1867
4448

T1711
4439

27-07491



Point of Diversion

27-07491

RECEIVED

MAY 20 1993

RECEIVED

MAY 1 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 175.00

Date 5-20-93

Receipt No. 0027566

Receipt by CA

Department of Water Resources

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 27-07491 Telephone No. 208-785-1685

2. Name(s) of Permit Holder(s): FRANK ECHEVARRIA

3. Mailing Address: 470 BERGESON DRIVE, BLACKFOOT, IDAHO 83221

4. Source of Water: GROUNDWATER

If **GROUNDWATER**, Well Driller's Name: COPE DRILLING COMPANY Date Drilled: 2-13-92

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 199 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 3.98 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ✓ No _____ Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes ✓ No _____ Installed? _____ Yes _____ No

8. Fee Enclosed: \$ _____ (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

FRANK J. ECHEVARRIA, 208-785-1685
Name Telephone No.

470 BERGESON DRIVE, BLACKFOOT, IDAHO 83221
Address

10. The above information is my true statement of the extent to which the above number of permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

AUG 25 1993

5-9-93 Norma Echevarria, Owner/Office Mgr.
Date Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 27-07491

Proposed Priority: January 25, 1990 Maximum Diversion Rate: 3.98 CFS
This is to certify, that **FRANK ECHEVARRIA**

RT. 1 BOX 94
BLACKFOOT, ID 83221

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	3.98 CFS

LOCATION OF POINT(S) OF DIVERSION: SESE Sec. 8, Township 02S, Range 36E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02S	36E	8	SWNE 3	SENE 30	NESE 32		141
			SWSE 36	SESE 40			
		9	SWNW 18	NWSW 20	SWSW 20		58

Total number of acres irrigated: 199

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1993.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
7. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED
JUL 20 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 27-07491

CONDITIONS/REMARKS:

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28 day of June, 19 90.

for J. Glen Saxton
R. Keith Higginson, Director

MICROFILMED

JUL 20 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Frank Echevarria Phone 785-1685

Post office address Route 1 Box 94 Blackfoot Idaho 83221

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SE 1/4 of SE 1/4, Govt. Lot _____

Sec. 8 Township 2S Range 36 E B.M. Bingham County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 3.98 for irrigation purposes from April 1 to Nov 1 (both dates inclusive)
(cfs ~~acre-feet per annum~~)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 3.98 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well and pump to a sprinkler system

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total

reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:

_____ to _____ inclusive.

c. Proposed well diameter is 20" inches; proposed depth of well is 100' feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

3 years (minimum 1 year).

MICROFILMED

JUL 20 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2S	36E	8			3	30									32		36	40	141
		9						18				20	20						58

Total number of acres to be irrigated 199

10. Describe any other water rights used for the same purposes as described above. _____

Blackfoot Irrigation


- Who owns the property at the point of diversion? *Applicant*
- Who owns the land to be irrigated or place of use? *Applicant*
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECORDED

JUL 20 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

JUL 20 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Frank J. Ellermania
(Applicant)

Received by SMD Date 25 Jan 90 Time 08:10 Preliminary check by _____
Fee \$ 105⁰⁰ Receipted by SMD # E011854 Date 25 Jan 1990
Publication prepared by RB Date 4-19-26-90 Published in Jefferson Star
Publication approved Qu Date 5-10-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

JUL 20 1990

DEPT. OF WATER RESOURCES
150 Shoup Ave., Suite 15
Idaho Falls, Id. 83402
(208) 525-7161

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed
to appropriate the public waters of the State of
Idaho:

27-07491

ECHEVARRIA, Frank
Rt. 1 Box 94
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: SESE, Sec. 8, T. 02S, R. 36E.
Use: IRRIGATION (3.980 CFS).
Total Diversion: (3.980 CFS).
Date Filed: 1/25/1990.
In: T02S, R36E, S08, SWNE, SENE, NESE,
SWSE, SESE, S08 SWNW NWSW SWSW.
199.0 ACRES TOTAL.

27-07492

JONES, Kieal H.
425 Horrocks Drive
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: NWNE, Sec. 17, T. 02S, R.
36E.
Use: IRRIGATION (1.540 CFS).
Total Diversion: (1.540 CFS).
Date Filed: 1/31/1990.
In: T02S, R36E, S17, NWNE, NENW.
77.0 ACRES TOTAL.

35-08211

MATSUURA BROTHERS CO., Inc.
1132 E. Walker
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: NENW, Sec. 33, T. 01N, R.
35E; SENW, Sec. 33, T. 01N, R 35E.
Use: IRRIGATION (4.920 CFS).
Total Diversion: (4.920 CFS).
Date Filed: 6/15/1983.
In: T01N, R35E, S33, NWNE, SWNE,
NENW, SWNW, SENW, NESW, NWSE.
268.0 ACRES TOTAL.

35-08871

CHRISTENSEN, Brent
CHRISTENSEN, Susan
326 N. 400 W.
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: SESE, Sec. 17, T. 02S, R.
35E.
Use: IRRIGATION (1.200 CFS).

STOCKWATER (.080 CFS).
Total Diversion: (.220 CFS).
Date Filed: 1/2/1990.
In: T02S, R35E, S17, SESE.
10.0 ACRES TOTAL.

35-08875

DRISCOLL, Michael A.
272 S-4300 W.
Pingree, Id. 83262
Source: GROUNDWATER
Diversion Pt: NENW, Sec. 24, T. 03S, R.
33E.
Use: DOMESTIC (.060 CFS).
COMMERCIAL (.010 CFS).
Total Diversion: (.070 CFS).
Date Filed: 2/27/1990.
In: T03S, R33E, S24, NENW.

35-08876

WINBERG, Richard
1027 S. 2600 W.
Aberdeen, Idaho 83210
Source: GROUNDWATER
Diversion Pt: NWNE, Sec. 16, T. 04S, R.
32E.
Use: IRRIGATION (3.200 CFS).
Total Diversion: (3.200 CFS).
Date Filed: 2/9/1990.
In: T04S, R32E, S09, NESW, SESW,
NWSE, SWSE.
160.0 ACRES TOTAL.

35-08877

MARSHALL, Kevin
MARSHALL, Linda
1000 W. 2400 N.
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: NWSW, Sec. 20, T. 02S, R.
35E.
Use: DOMESTIC (.040 CFS).
Total Diversion: (.040 CFS).
Date Filed: 1/2/1990.
In: T02S, R35E, S20, NWSW.

The permit(s) will be subject to all prior
water rights. Protests may be submitted bas-
ed on the criteria of Sec. 42-203A, Idaho Code
and/or the new public interest criteria of Sec.
42-203C, Idaho Code. Protests must be filed
with the Director, Dept. of Water Resources,
150 Shoup Ave., Suite 15, Idaho Falls,
83402; on or before MAY 7, 1990.

R. KEITH HIGGINSON
Director

(765)
Pub.: 4/19, 26

RECEIVED

MAY - 2 1990

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho Ted Townsend)
I, do

solemnly

swear that I am the Publisher of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks

the first publication having been made on the

19th day of April, 19 90;

and the last publication having been made on the
26th day of April, 19 90;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this 30th day of April, in
the year 1990, before me a Notary Public of said State,
personally appeared

Ted Townsend
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same.

Kaye Rayon
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10, 1994

Affidavit Processing Fee \$5.00

FILED

20 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 5 2002
DEPARTMENT OF WATER RESOURCES

A. GENERAL INFORMATION

Permit No. 27-07491

1. Owner: Frank Schervarria

Phone No. 785-1685

Current Address: 470 Bergeron Blackfoot ID 83221

2. Accompanied by: Randy Coles

EXAM. DATE: 31 July 2000

Address: 351 E 475 N FIRTH ID 83236

Phone No. 785-5605

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached

2. Other water rights with same point of diversion: NONE


☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

3.98-ft



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well pump mainline to center pivots & hand lines
System can open discharge into ditches

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	25	ART126493	Johnston	JV14059

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	2	SE	NW	SE	8	2S	36E	Bingham	On site/FSA Aerial

6. **Place(s) of Use:**

Indicate Method of Determination FSA Aerial

Twp.	Rge.	Sec.	NE1/4				NW1/4				SW1/4				SE1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
2S	36E	8													12		15	37	64
		9									28	30							58
																			122 ac

Do not use this space

LOG NAME: 27-7491

START: 07-31-2000 08:40
END: 07-31-2000 08:50
INTERVAL: 00:01:00

07-31-2000 08:40:00
+5.594E+0 ft/s
+1.328E+3 gal/m
+2.959E+0 ft3/s
+TOTAL 0000000 gal
-TOTAL 0000000 gal
NORMAL

07-31-2000 08:41:00
+5.570E+0 ft/s
+1.322E+3 gal/m
+2.946E+0 ft3/s
+TOTAL 0001309 gal
-TOTAL 0000000 gal
NORMAL

07-31-2000 08:42:00
+5.568E+0 ft/s
+1.322E+3 gal/m
+2.945E+0 ft3/s
+TOTAL 0002642 gal
-TOTAL 0000000 gal
NORMAL

07-31-2000 08:43:00
+5.634E+0 ft/s
+1.337E+3 gal/m
+2.980E+0 ft3/s
+TOTAL 0003969 gal
-TOTAL 0000000 gal
NORMAL

07-31-2000 08:44:00
+5.605E+0 ft/s
+1.330E+3 gal/m
+2.965E+0 ft3/s
+TOTAL 0005299 gal
-TOTAL 0000000 gal
NORMAL

07-31-2000 08:45:00
+5.637E+0 ft/s
+1.338E+3 gal/m
+2.981E+0 ft3/s
+TOTAL 0006627 gal
-TOTAL 0000000 gal
NORMAL

07-31-2000 08:46:00
+5.595E+0 ft/s
+1.328E+3 gal/m
+2.959E+0 ft3/s
+TOTAL 0007957 gal
-TOTAL 0000000 gal
NORMAL

07-31-2000 08:47:00
+5.607E+0 ft/s
+1.331E+3 gal/m
+2.966E+0 ft3/s
+TOTAL 0009285 gal
-TOTAL 0000000 gal
NORMAL

07-31-2000 08:48:00
+5.613E+0 ft/s
+1.332E+3 gal/m
+2.969E+0 ft3/s
+TOTAL 0010614 gal
-TOTAL 0000000 gal
NORMAL

07-31-2000 08:49:00
+5.601E+0 ft/s
+1.329E+3 gal/m
+2.962E+0 ft3/s
+TOTAL 0011946 gal
-TOTAL 0000000 gal
NORMAL

07-31-2000 08:50:00
+5.602E+0 ft/s
+1.330E+3 gal/m
+2.963E+0 ft3/s
+TOTAL 0013273 gal
-TOTAL 0000000 gal
NORMAL

Maximum Flow rate = 2.98 cfs

27-07491

THEORETICAL PUMP FLOW CALCULATIONS

$$Q_{cfs} = [(Hp) (8.814) (Eff.)] \div [Lift + (psi \times 2.308)]$$

Hp = Horsepower = 75

Eff. = Efficiency = 70% (Usually 70.0%)

Lift = Static Water Level + Draw down

Static Water Level = 35 ft. *well logs*

Assumed Draw down = 10 ft.

Lift = 45 ft.

OR

Measured Dynamic Water Level = _____ ft.

Assumed Psi = Operating Pressure = 50 psi

$$Q_{cfs} = [\frac{75}{HP} \times 8.814 \times \frac{0.70}{EFF}] \div [\frac{45}{LIFT} + (\frac{50}{PSI} \times 2.308)]$$

$$= [462.735] \div [160.4]$$

$$Q_{cfs} = \underline{2.88} \text{ cfs}$$

NOTE @ 47.5psi Q = 2.99 cfs

27-7491

Permit Number

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Frank J Echevarria
Address 470 Bergeson Drive BE. Ed. 83221
Drilling Permit No. 27-94E-009
Water Right Permit No. 27-07791

7. WATER LEVEL

Static water level 36 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

☐ New well ☐ Deepened ☒ Replacement
☐ Well diameter increase ☐ Modification
☐ Abandoned (describe abandonment or modification procedures
such as liners, screen, materials, plug depths, etc. in lithologic
log, section 9.) 4 steel cup welder tight

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Monitor
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Auger ☐ Reverse rotary
☒ Cable ☐ Mud ☐ Other _____
(backhoe, hydraulic, etc.)

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness _____ Diameter _____ From _____ To _____
1.250 inches 16 inches + 1 feet 80 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☒ Knife ☐ Torch ☐ Gun
Size of perforation? 114 inches by 3 inches
Number _____ From _____ To _____
230 perforations 45 feet 52 feet
_____ perforations 60 feet 70 feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer _____ Type _____
Top Packer or Headpipe _____
Bottom of Tailpipe _____


Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 10 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit
☐ Temp. surface casing ☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded
☐ Solvent Weld ☐ Cemented between strata

Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Bingham

SE 1/4 SE 1/4 Sec. 8 T. 2 S. 36 E. 36 W. ☐

10.

Work started 2/26/94 finished 3/25/94

11. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name Bartus Well Drilling Firm No. 23

Address PO Box 59 Basalt Date _____


Signed by Drilling Supervisor Jeff Bartus

and Jeff Bartus

(Operator) _____

(If different than the Drilling Supervisor)

27-7491



27-7491

27-07491

27-07491

31
3

T1024
3667
R36E

T1039
275

Lot 3

20.1

124.7

8.8

Lot 2

POINT OF DIVERSION

Lot 1

(28)

59.6

(12)

PLACE OF USE

(30)

(37)

(15)

5
56.9

18

9

T1862
4448

2
5.3

T1867
4448

17 16

27

91



Point of Diversion

27-07491

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
flow meter	Sonic	Fuji	FLC-51011	7K0089TB 240333	-	-

2. Measurements:

$Q = 2.98 \text{ cfs measured}$

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method: $Q = 2.98 \text{ cfs}$ Limited to $0.02 \text{ cfs/ac} = 2.44 \text{ cfs}$

2. Alternate Method for Checking Purposes: $Q_{\text{THEORETICAL}} = 2.88 \text{ cfs @ } 50 \text{ psi}$
 $= 2.99 \text{ cfs @ } 47.5 \text{ psi}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 122 (4) = 488.0 \text{ acft}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 244 (214) 1.9835 = 1035.7 \text{ acft}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 488.0 \text{ acft}$

2. Volume Calculations for Other Uses:

[illegible]

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/1	2.44 cfs	488.0 af
		Totals:	2.44 cfs	488.0 af

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Field Examiner's Name Keith C Wilson
Signature Keith C Wilson
Certification Date _____
Field Report Preparation Date 7-31-2000

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCE
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.**1. WELL OWNER**Name Frank J Echevarria
Address 470 Betgenson Drive B.F. Ed. 83221
Drilling Permit No. 27-94E-009-000
Water Right Permit No. 27-07491**2. NATURE OF WORK**

- ☐ New well ☐ Deepened ☒ Replacement
☐ Well diameter increase ☐ Modification
☐ Abandoned (describe abandonment or modification procedures
such as liners, screen, materials, plug depths, etc. in lithologic
log, section 9.) 1/4 steel cap welded tight

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Monitor
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED


- ☐ Rotary ☐ Air ☐ Auger ☐ Reverse rotary
☒ Cable ☐ Mud ☐ Other _____
(backhoe, hydraulic, etc.)

5. WELL CONSTRUCTIONCasing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness _____ Diameter _____ From _____ To _____
250 inches 16 inches + 1 feet 80 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feetWas casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☒ Knife ☐ Torch ☐ Gun
Size of perforation? 114 inches by 3 inchesNumber _____ From _____ To _____
230 perforations 45 feet 52 feet
_____ perforations 60 feet 70 feet
_____ perforations _____ feet _____ feetWell screen installed? ☐ Yes ☒ No
Manufacturer _____ Type _____
Top Packer or Headpipe _____
Bottom of Tailpipe _____Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feetSurface seal depth 20 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit
☐ Temp. surface casing ☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded
☐ Solvent Weld ☐ Cemented between strata

Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Bingham
SE 1/4 SE 1/4 Sec. 8, T. 2 N ☐ S ☒ R. 36 E ☒ W ☐**7. WATER LEVEL**Static water level 35 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.**8. WELL TEST DATA**☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
16	0	6	TOP SOIL		1
16	6	30	gravel		X
16	30	45	gravel & sand	X	
16	45	65	washed gravel	X	
16	65	80	gravel & sand	X	
16	80	84	SILT sand & Heavy gravel		X
16	84	89	Broken gray Basalt & clay		X
16	89	93	gray Basalt		X
16	93	96	Cinders Red seams	X	
16	96	104	gray Basalt		X
16	104	108	Broken gray Basalt	X	
16	108	109	Broken gray & Clay seams		X
16	109	112	gravel & sand	X	
16	112	114	gray Basalt Cinders		X
16	114	115	Cinders clay & gravel mix		X
16	115	116	gravel	X	

RECEIVED
APR 18 1994
Department of Water ResourcesAPR 8 1994
Department of Water Resources
Eastern District Office**10.**Work started 2/26/94 finished 3/25/94**11. DRILLER'S CERTIFICATION**I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name Bartus Well Drilling Firm No. 23Address PO Box 59 Basalt Date _____Signed by Drilling Supervisor Jeff Bartusand JEFF BARTUS
(Operator) _____
(If different than the Drilling Supervisor)

RECEIVED
JUN 28 1993
USE TYPEWRITER OR
BALLPOINT PEN
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

July 23, 1993

FRANK ECHEVARRIA
470 BERGESON DR
BLACKFOOT ID 83221

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 27-07491

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

AUG 25 1993

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 27-07491

Reviewed by Klg

Date 5/11/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?

irrigate - 199

no Address same as permit?

yes Proof timely received?

Correct Uses? yes

If not, complete calculation below.

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

yes Copy in the file? Drilling Permit No. 27-91-E-0068000

200 Amount paid for permit yes Correct?

yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?

yes Required?

175 Amount Submitted

no Installed?

yes Correct?

no Waiver requested?

PRIORITY CALCULATION

Date proof received NA

Date proof due -

No. of days late =

Priority Date +

New Priority Date

DEFICIENCIES OR ACTION ITEMS

need OK fee
needs a log
7/19 - Still no log however, permit holder has
complied with all requirements. Must accept
proof w/o log
proof acceptable

DATA ENTRY

New Address 470 Bergeson Dr

Proof Made 5/20/93

7/23/93 Klg

needs a flow

PERMIT NUMBER	OWNER CODE	NAME & ADDRESS	TWP	RGE	SEC	TRACT	LOT	COUNTY
27-91-E-0068-000	O	FRANK J ECHEVARRIA 475 BEROESON DR BLACKFOOT, ID 83221 (208) 785-1685	02S	36E	08	SE SE		BINGHAM

Subdivision Location and Description:
 Subdivision Name:
 Well Site Address:
 City, State:

Geographic Location:
 Accuracy Code:
 Lat: : : N
 Long: : : W

Proposed Use of Well: Irrigation Proposed Casing Diameter: In. Proposed Depth: Ft.

Well Use Comments:

Driller License No: 0337 Firm Name: COPE WELL DRILLING
 Official: JAMES F COPE

Permit Status: Permit

Verbal Issue Date:	Date Received:	Date Approved:	Proposed Start Date:	Extension Date:	Extension Expiration:	Receipt No.	Receipt Date	Fee
		12/09/1991	12/10/1991			E016786	12/09/1991	\$ 200.00

Specific Conditions:

Permit Remarks: COULD NOT FIND THE ANTICIPATED WELL DRILLER IN OUR BOOK, ALSO
 THERE WAS NO PROPOSED SURFACE DIAMETER OR PROPOSED MAXIMUM DEPTH

WELL DRILLER'S LOG REPORT

Drilling Permit No: 27-91-E-0068-000 Water Right No: 27-07491
 Injection Permit No:

Nature of Work: NEW WELL Construction Method: CABLE Number of Monitor Wells:

Casing Diameter:	In.	Static Water Level:	Ft.	Actual Start Date:
12		32		12/15/1991
Depth of Casing:	Ft.	Temperature:	F.	Well Finish Date:
85				02/27/1992
Total Depth:	Ft.	Production Rate:	GPM	Log Received Date:
85				06/18/1993
Screen Installed?	No			Certification Date:
				06/17/1993
				Field Inspection Date:

Well Log Remarks: 85 PERFORATIONS FROM 30 TO 55 FEET

MAILED
 AUG 25 1993

~~INTER-DEPARTMENT~~ MEMO

TO: File 27-07491

SUBJECT: well-log

FROM: Karen Gustafson

DATE: 6/18/93

Correspondence to Eastern Region resulted in a call from Dennis Dunn. Drilling permit indicates "Allen Cope" to be the driller. Dennis does not know who this is, probably an unlicensed driller. State office believes the driller to be Jim Cope. In any case Dennis did not think he could obtain a well log. State Office referred the matter to Mark Slyka, section manager of the Groundwater Protection Bureau. Will hold the file for 30 more days.

☐ For your information

☐ Response required

AUG 25 1993

Karen Gustafson
signature

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

RECEIVED

JUN 18 1993

Department of Water Resources

1. Applicant (please print) Frank J. Echevarria
2. Mailing Address 475 Bergeson Dr
City & State Blackfoot, Idaho Zip Code 83221 Telephone 208-785-1685
() Well Owner () Well Operator () Other, specify _____
3. Proposed well location SE 1/4 SE 1/4, or Gov't Lot No. _____
Sec. 8, Twp. 25, Rge. 36 E, County Bingham
Street Address of Well Site _____
Lot, block and subdivision _____
4. Proposed use of well:
() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
(X) Non-Domestic: Any beneficial use not included within the definition of domestic.
() Injection
() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: 1
() Other _____
(Describe) _____
5. Well construction information:
A. (X) New well () Deepen () Enlarge () Replace - See Condition 9
B. Proposed Surface Diameter _____ Proposed Maximum Depth _____
C. Anticipated bottom hole temperature:
(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)
MINDED
AUG 25 1993
6. Construction Start Date 10 Dec 91
7. Anticipated Well Driller Allen Cape
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Frank J. Echevarria Date 9 Dec 91
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is

EX-101400

Date

12-9-91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY.


GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the well permit, injection well permit, transfer or amendment and the rules and regulations of the Department for well appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drilled field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:



Signature of Authorized Department Representative



Title

Receipt No.

9016786

Received by



Fee

200.00

Date


12-9-91

EXTENSION OF DRILLING PERMIT

Extension approved by

Approval Date

This extension is good for 60 days beyond the above extension approval date.





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 9, 1993

Jim Cope
Jim Cope Well Drilling
Box 65
Hamer, ID 83425

Re: Permit No. 27-07491 - Frank Echevarria
Drilling Permit No. 27-91-E-0068-000
Drilling Date: February 13, 1992
Proposed Location: 02S, 36E, Section 08, SE $\frac{1}{4}$ SE $\frac{1}{4}$

On May 20, 1993, the Department corresponded with you and asked that you submit the well log associated with the above referenced well. The Department asked that the well log be submitted within 20 days of the date of mailing. As of this date, the Department has not received the log.

As you know, the Department can impose severe sanctions and monetary penalties against a well driller who does not comply with Idaho state law and rules and regulations. Since all well logs are to be submitted within 30 days of the date of drilling, and you did not do so, you are in violation.

The Department will allow an additional 15 days for you to submit the well log. The well log should be submitted directly to me within 15 days. If the Department has not received the well log at that time, the Department will take action to impose monetary penalties against you.

If you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

RECEIVED

AUG 25 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 20, 1993

Jim Cope
Jim Cope Well Drilling
Box 65
Hamer, ID 83425

Re: Permit No. 27-07491 - Frank Echevarria
Drilling Permit No. 27-91-E-0068-000
Drilling Date: February 13, 1992
Proposed Location: 02S, 36E, Section 08, SE $\frac{1}{4}$ SE $\frac{1}{4}$

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a well log which should have been submitted 30 days after completion of the construction of this well.

While it is possible that you have submitted the log, we have been unable to locate it. Please supply me with another copy. Please address any correspondence directly to me. Your response should be received within 20 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of the permit holders system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

C: Permit Holder

AUG 25 1993

RECEIVED

MAY 20 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

Department of Water Resources

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 11, 1993

Nolan Brent Hendricks
Independent Drilling
664 W 200 N
Blackfoot, ID 83221

Re: Permit No. 27-07491 - Frank Echevarria
Drilling Permit No. 27-91-E-0068-000
Drilling Date: February 13, 1992
Proposed Location: 02S, 36E, Section 08, SE $\frac{1}{4}$ SE $\frac{1}{4}$

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a well log which should have been submitted 30 days after completion of the construction of this well.

While it is possible that you have submitted the log, we have been unable to locate it. Please supply me with another copy. Please address any correspondence directly to me. Your response should be received within 20 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of the permit holders system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson

Karen L. Gustafson
Secretary/Records Manager

MAILED 1993

AUG 25 1993

Permit Holder

Karen, Brent assigned Cape Drilling to drill the well. I was not aware of this, so I have changed the name on the form.



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 11, 1993

Frank Echevarria
470 Bergeson Dr
Blackfoot, ID 83221

Re: Permit No. 27-07491

Dear Permit Holder:

Returned is the Proof of Beneficial Use form submitted to this office in connection with the above referenced permit. Unfortunately, it is unacceptable as filed. It indicates the total rate of diversion of water to be 3.98 cfs.

When the total maximum rate of diversion is greater than 0.04 cfs, a license examination fee is required to be submitted with the proof. A license examination fee based on a rate of flow of 3.98 cfs is \$175. Note the back of the enclosed instruction sheet/fee schedule.

In order to be in compliance with all of the necessary dates, you will need to return the original proof and the \$175 license exam fee on or before June 1, 1993.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enclosures

AUG 25 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 11, 1993

Nolan Brent Hendricks
Independent Drilling
664 W 200 N
Blackfoot, ID 83221

Re: Permit No. 27-07491 - Frank Echevarria
Drilling Permit No. 27-91-E-0068-000
Drilling Date: February 13, 1992
Proposed Location: 02S, 36E, Section 08, SE $\frac{1}{4}$ SE $\frac{1}{4}$

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a well log which should have been submitted 30 days after completion of the construction of this well.

While it is possible that you have submitted the log, we have been unable to locate it. Please supply me with another copy. Please address any correspondence directly to me. Your response should be received within 20 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of the permit holders system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

C: Permit Holder

UNRECORDED

AUG 25 1993

PERMIT NUMBER	OWNER CODE	NAME & ADDRESS	TWP	RGE	SEC	TRACT	LOT	COUNTY
27-91-E-0068-000	0	FRANK J ECHEVARRIA 475 BEROESON DR BLACKFOOT, ID 83221 (208) 785-1685	02S	36E	08	SE SE		BINGHAM

Subdivision Location and Description:

Subdivision Name:
Well Site Address:
City, State:

Lot(s):
Block(s):

Geographic Location:
Accuracy Code:
Lat: : N
Long: : W

Proposed Use of Well: Irrigation Proposed Casing Diameter: In. Proposed Depth: Ft.

Well Use Comments:

Driller License No:

Firm Name:
Official:

Permit Status: Permit

Verbal Issue Date:	Date Received:	Date Approved:	Proposed Start Date:	Extension Date:	Extension Expiration:	Receipt No.	Receipt Date	Fee
		12/09/1991	12/10/1991			E016786	12/09/1991	\$ 200.00

Specific Conditions:

Permit Remarks: COULD NOT FIND THE ANTICIPATED WELL DRILLER IN OUR BOOK, ALSO
THERE WAS NO PROPOSED SURFACE DIAMETER OR PROPOSED MAXIMUM DEPTH

WELL DRILLER'S LOG REPORT

Drilling Permit No: 27-91-E-0068-000 Water Right No: 27-07491
Injection Permit No:

Nature of Work: NEW WELL

Construction Method:

Number of Monitor Wells:

Casing Diameter:	In.	Static Water Level:	Ft.
Depth of Casing:	Ft.	Temperature:	F.
Total Depth:	Ft.	Production Rate:	GPM
Screen Installed?			

Actual Start Date:
Well Finish Date:
Log Received Date:
Certification Date:
Field Inspection Date:
Inspector:

Well Log Remarks:

AUG 25 1993

March 31, 1993

FRANK ECHEVARRIA
RT. 1 BOX 94
BLACKFOOT ID 83221

PROOF DUE NOTICE

RE: PERMIT NO. 27-07491

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED
AUG 25 1993



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. P27-07491

Name(s) of Permit Holder(s): Frank J. Echevarria

Post Office Address: 425 Bergeson Drive

Blackfoot, Id. 83221 Tel. No. 785-1685

☒ I hereby certify that construction of diversion works for the above referenced permit began on 12-15-91 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.



☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

2-28-92
Date


Frank J. Echevarria
Signature of Permit Holder

Frank E. Chelton
475 Bergeson
Blackfoot, Idaho 83221



RECEIVED
MAR 2 1993

Department of Water Resources
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 29, 1990

FRANK ECHEVARRIA
RT. 1 BOX 94
BLACKFOOT, ID 83221

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P27-07491

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED

JUL 20 1990

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED
JUL 20 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Dist. for staffing 1-29-90
Sub. 1 for advertising 1-29-90

NON-TRUST HOLD

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY DM DATE 1-29-90 APPLICATION NUMBER 27-7491
FRANK Echevarria

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested MAY 17 1990

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 5-2-90
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☒ Yes ☐ No Access port required
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 01
☒ Yes ☐ No Special conditions of approval or cover letter below.

See below for additional information
Date of priority recommended 1-25-90
By HWT Date 5-11-90

STATE OFFICE REVIEW P05, P23, P03, P17 48 49 46 26 OIG

See below for additional information
By KW Date 5-23-90

ADDITIONAL INFORMATION

App. in NON-TRUST area -
OK to allow 3 yrs. to develop

19-Apr-1990

Frank Echevarria
Rt. 1, Box 94
Blackfoot, ID 83221

RE: Application for Permit No. 27-7491

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Jefferson Star on April 19 & 26, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

JUL 20 1990

27-07491

ECHEVARRIA, FRANK
RT. 1 BOX 94
BLACKFOOT, ID 83221

Source: GROUNDWATER

Diversion Pt: SESE Sec 8 T 02S R 36E

Use: IRRIGATION (3.980 CFS)
Total Diversion: (3.980 CFS)

Date Filed: 1/25/ 1990

In: T02S R36E S08
S09

SWNE
SESE
SWNW

SENE
NWSW

NESE
SWSW

SWSE

199.0 ACRES TOTAL

MICROFILMED

JUL 20 1990